

A O Bergenfelz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6393837/a-o-bergenfelz-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers

1,957
citations

21
h-index

44
g-index

65
ext. papers

2,284
ext. citations

3.9
avg, IF

4.75
L-index

#	Paper	IF	Citations
63	Mortality after surgery for primary hyperparathyroidism: results from a nationwide cohort. <i>British Journal of Surgery</i> , 2021 , 108, 858-863	5.3	1
62	Complications after medullary thyroid carcinoma surgery: multicentre study of the SQRTPA and EUROCRINE [®] databases. <i>British Journal of Surgery</i> , 2021 , 108, 691-701	5.3	3
61	Different approaches to selection of surgical trainees in the European Union. <i>BMC Medical Education</i> , 2021 , 21, 363	3.3	0
60	Impact of Adrenalectomy on Morbidity in Patients with Non-Functioning Adrenal Cortical Tumours, Mild Hypercortisolism and Cushing's Syndrome as Assessed by National and Quality Registries. <i>World Journal of Surgery</i> , 2021 , 45, 3099-3107	3.3	0
59	Adrenalectomy for incidental and symptomatic pheochromocytoma: retrospective multicentre study based on the Eurocrine [®] database. <i>British Journal of Surgery</i> , 2021 , 108, 1199-1206	5.3	2
58	Author response to: European multicentre study on outcome of surgery for sporadic primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2021 , 108, e416	5.3	
57	Effect of intraoperative nerve monitoring on postoperative vocal cord palsy rates after thyroidectomy: European multicentre registry-based study. <i>BJS Open</i> , 2020 , 4, 821-829	3.9	8
56	Substantial intrinsic variability in chemoradiosensitivity of newly established anaplastic thyroid cancer cell-lines. <i>Acta Oto-Laryngologica</i> , 2020 , 140, 337-343	1.6	
55	Complications of surgery for gastro-entero-pancreatic neuroendocrine neoplasias. <i>Langenbeck's Archives of Surgery</i> , 2020 , 405, 137-143	3.4	10
54	New Technique to Reduce the Risk for Hypocalcemia in Thyroid Surgery. <i>JAMA Surgery</i> , 2020 , 155, 112-114	11.4	
53	European multicentre study on outcome of surgery for sporadic primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2020 ,	5.3	6
52	Sentinel Lymph Node Biopsy in Thyroid Cancer. <i>World Journal of Surgery</i> , 2020 , 44, 142-147	3.3	9
51	Morbidity in patients with permanent hypoparathyroidism after total thyroidectomy. <i>Surgery</i> , 2020 , 167, 124-128	3.6	28
50	Complications after medullary thyroid carcinoma surgery: multicentre study of the SQRTPA and EUROCRINE [®] databases. <i>British Journal of Surgery</i> , 2020 ,	5.3	1
49	Central lymph node dissection and permanent hypoparathyroidism after total thyroidectomy for papillary thyroid cancer: population-based study. <i>British Journal of Surgery</i> , 2020 ,	5.3	2
48	Performance and perception of haptic feedback in a laparoscopic 3D virtual reality simulator. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2019 , 28, 309-316	2.1	11
47	Evaluating risk factors for re-exploration due to postoperative neck hematoma after thyroid surgery: a nested case-control study. <i>Langenbeck's Archives of Surgery</i> , 2019 , 404, 815-823	3.4	3

46	Health-related quality of life in patients undergoing adrenalectomy: report from a Swedish National Audit. <i>Langenbeck's Archives of Surgery</i> , 2019 , 404, 807-814	3-4	1
45	Identification of Warning Signs During Selection of Surgical Trainees. <i>Journal of Surgical Education</i> , 2019 , 76, 684-693	3-4	3
44	Permanent Hypoparathyroidism After Total Thyroidectomy in Children: Results from a National Registry. <i>World Journal of Surgery</i> , 2018 , 42, 2858-2863	3-3	29
43	A Nested Case-Control Study on the Risk of Surgical Site Infection After Thyroid Surgery. <i>World Journal of Surgery</i> , 2018 , 42, 2454-2461	3-3	14
42	Mortality in patients with permanent hypoparathyroidism after total thyroidectomy. <i>British Journal of Surgery</i> , 2018 , 105, 1313-1318	5-3	51
41	Faster acquisition of laparoscopic skills in virtual reality with haptic feedback and 3D vision. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2017 , 26, 269-277	2-1	14
40	Risk factors for complications after adrenalectomy: results from a comprehensive national database. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 315-322	3-4	34
39	Hypoparathyroidism after total thyroidectomy in patients with previous gastric bypass. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 273-280	3-4	5
38	Risk of recurrent laryngeal nerve palsy in patients undergoing thyroidectomy with and without intraoperative nerve monitoring. <i>British Journal of Surgery</i> , 2016 , 103, 1828-1838	5-3	52
37	Simball Box for Laparoscopic Training With Advanced 4D Motion Analysis of Skills. <i>Surgical Innovation</i> , 2016 , 23, 309-16	2	12
36	Results of a Fifteen-Year Follow-up Program in Patients Operated with Unilateral Neck Exploration for Primary Hyperparathyroidism. <i>World Journal of Surgery</i> , 2016 , 40, 582-8	3-3	6
35	Presentation and Outcomes After Surgery for Primary Hyperparathyroidism During an 18-Year Period. <i>World Journal of Surgery</i> , 2016 , 40, 356-64	3-3	7
34	Rates of RLN and SLN Injury: Data from National Quality Registries and the Literature 2016 , 3-16		4
33	Prediction of permanent hypoparathyroidism after total thyroidectomy. <i>World Journal of Surgery</i> , 2014 , 38, 2613-20	3-3	67
32	Improving outcomes in emergency surgery. <i>British Journal of Surgery</i> , 2014 , 101, e1-2	5-3	19
31	Hypocalcaemia after total thyroidectomy for Graves Disease and for benign atoxic multinodular goitre. <i>Langenbeck's Archives of Surgery</i> , 2012 , 397, 1133-7	3-4	29
30	Changing biochemical presentation of primary hyperparathyroidism. <i>Langenbeck's Archives of Surgery</i> , 2010 , 395, 925-8	3-4	29
29	Randomized clinical trial comparing open with video-assisted minimally invasive parathyroid surgery for primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2010 , 97, 177-84	5-3	40

28	Use of the harmonic scalpel versus conventional haemostatic techniques in patients with Grave disease undergoing total thyroidectomy: a prospective randomised controlled trial. <i>Langenbeck's Archives of Surgery</i> , 2008 , 393, 675-80	3.4	51
27	Complications to thyroid surgery: results as reported in a database from a multicenter audit comprising 3,660 patients. <i>Langenbeck's Archives of Surgery</i> , 2008 , 393, 667-73	3.4	45 ⁶
26	Serum levels of uric acid and diabetes mellitus influence survival after surgery for primary hyperparathyroidism: a prospective cohort study. <i>World Journal of Surgery</i> , 2007 , 31, 1393-400; discussion 1401-2	3.3	15
25	Scandinavian Quality Register for Thyroid and Parathyroid Surgery: audit of surgery for primary hyperparathyroidism. <i>Langenbeck's Archives of Surgery</i> , 2007 , 392, 445-51	3.4	44
24	Unilateral versus bilateral neck exploration for primary hyperparathyroidism: five-year follow-up of a randomized controlled trial. <i>Annals of Surgery</i> , 2007 , 246, 976-80; discussion 980-1	7.8	146
23	Preoperative normal level of parathyroid hormone signifies an early and mild form of primary hyperparathyroidism. <i>World Journal of Surgery</i> , 2003 , 27, 481-5	3.3	24
22	Multifactorial risk profile for bone fractures in primary hyperparathyroidism. <i>World Journal of Surgery</i> , 2002 , 26, 1463-7	3.3	45
21	Normal preoperative levels of parathyroid hormone signify a mild form of primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2002 , 87, 1265-1265	5.3	
20	Risk profile for bone fractures in primary hyperparathyroidism. <i>British Journal of Surgery</i> , 2002 , 87, 1268-1269	5.3	
19	Anaplastic thyroid carcinoma: three protocols combining doxorubicin, hyperfractionated radiotherapy and surgery. <i>British Journal of Cancer</i> , 2002 , 86, 1848-53	8.7	185
18	Unilateral versus bilateral neck exploration for primary hyperparathyroidism: a prospective randomized controlled trial. <i>Annals of Surgery</i> , 2002 , 236, 543-51	7.8	302
17	Hemithyroidectomy: long-term effects on parathyroid function--preliminary report. <i>World Journal of Surgery</i> , 2001 , 25, 1155-9	3.3	3
16	Postoperative elevated serum levels of intact parathyroid hormone after surgery for parathyroid adenoma: sign of bone remineralization and decreased calcium absorption. <i>World Journal of Surgery</i> , 2000 , 24, 1323-9	3.3	36
15	Pancreastatin plasma levels in patients with primary hyperparathyroidism. <i>World Journal of Surgery</i> , 2000 , 24, 1579-83	3.3	6
14	Measurement of parathyroid hormone in patients with primary hyperparathyroidism undergoing first and reoperative surgery. <i>British Journal of Surgery</i> , 1998 , 85, 1129-32	5.3	33
13	Intraoperative secretion of intact parathyroid hormone and amino-terminal parathyroid hormone fragments from normal parathyroid glands associated with solitary parathyroid adenoma. <i>World Journal of Surgery</i> , 1997 , 21, 30-4; discussion 34-5	3.3	5
12	VIP- and PACAP-containing nerve fibers in human parathyroid glands and adenomas: comparison of innervation pattern with animal species. <i>Annals of the New York Academy of Sciences</i> , 1996 , 805, 661-5	6.5	2
11	Side localization of parathyroid adenomas by simplified intraoperative venous sampling for parathyroid hormone. <i>World Journal of Surgery</i> , 1996 , 20, 358-60	3.3	23

- | | | | |
|----|---|-----|----|
| 10 | Immunoheterogeneity of parathyroid hormone pre- and postoperatively in primary hyperparathyroidism. <i>Langenbecks Archiv Fur Chirurgie</i> , 1995 , 380, 119-24 | | |
| 9 | Intraoperative monitoring of intact PTH during surgery for primary hyperparathyroidism. <i>Langenbecks Archiv Fur Chirurgie</i> , 1994 , 379, 50-3 | | 17 |
| 8 | Hyperthyroxinemia after surgery for primary hyperparathyroidism. <i>Langenbecks Archiv Fur Chirurgie</i> , 1994 , 379, 178-81 | | 13 |
| 7 | Functional recovery of the parathyroid glands after surgery for primary hyperparathyroidism. <i>Surgery</i> , 1994 , 116, 827-36 | 3.6 | 1 |
| 6 | Prediction of changes in bone density after operation for primary hyperparathyroidism. <i>Annales Chirurgiae Et Gynaecologiae</i> , 1993 , 82, 245-9 | | 4 |
| 5 | Parathyroid hormone secretion after operation for primary hyperparathyroidism. <i>Surgery</i> , 1993 , 113, 649-54 | 3.6 | 1 |
| 4 | Surgery for primary hyperparathyroidism performed under local anaesthesia. <i>British Journal of Surgery</i> , 1992 , 79, 931-4 | 5.3 | 17 |
| 3 | Biochemical variables associated with bone density in patients with primary hyperparathyroidism. <i>The European Journal of Surgery</i> , 1992 , 158, 473-6 | | 6 |
| 2 | Stapling in thyroid surgery. A prospective study. <i>Annales Chirurgiae Et Gynaecologiae</i> , 1992 , 81, 48-50 | | |
| 1 | Intraoperative fall in plasma levels of intact parathyroid hormone after removal of one enlarged parathyroid gland in hyperparathyroid patients. <i>The European Journal of Surgery</i> , 1991 , 157, 109-12 | | 21 |