

# Todd E Evans

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6394782/publications.pdf>

Version: 2024-02-01

107  
papers

6,117  
citations

70961

41  
h-index

69108

77  
g-index

108  
all docs

108  
docs citations

108  
times ranked

1916  
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-linear MHD modelling of edge localized modes suppression by resonant magnetic perturbations in ITER. Nuclear Fusion, 2022, 62, 066022.	1.6	9
2	NSTX-U theory, modeling and analysis results. Nuclear Fusion, 2022, 62, 042023.	1.6	8
3	Observations of heteroclinic bifurcations in resistive magnetohydrodynamic simulations of the plasma response to resonant magnetic perturbations. Physical Review E, 2021, 103, 013209.	0.8	4
4	On the stability and stationarity of the Super H-mode combined with an ion transport barrier in the core. Plasma Physics and Controlled Fusion, 2021, 63, 025017.	0.9	14
5	Experimental Observation of Magnetic Island Heteroclinic Bifurcation in Tokamaks. Physical Review Letters, 2021, 126, 085003.	2.9	11
6	Pedestal collapse by resonant magnetic perturbations. Nuclear Fusion, 2021, 61, 044001.	1.6	7
7	Experimental inference of flux tunneling between magnetic island chains in tokamaks. Nuclear Fusion, 2021, 61, 074001.	1.6	5
8	Study of H-mode pedestal model for helium plasmas in DIII-D. Nuclear Fusion, 2021, 61, 096002.	1.6	0
9	New heat flux model for non-axisymmetric divertor infrared structures. Nuclear Fusion, 2021, 61, 016018.	1.6	2
10	Optimizing the Super H-mode pedestal to improve performance and facilitate divertor integration. Physics of Plasmas, 2020, 27, 102506.	0.7	13
11	Enhanced helium exhaust during edge-localized mode suppression by resonant magnetic perturbations at DIII-D. Nuclear Fusion, 2020, 60, 054004.	1.6	5
12	Real-time pedestal optimization and ELM control with 3D fields and gas flows on DIII-D. Nuclear Fusion, 2020, 60, 076004.	1.6	12
13	Measurements of three-dimensional flows induced by magnetic islands. Physical Review Research, 2020, 2, .	1.3	2
14	First observation of plasma healing via helical equilibrium in tokamak disruptions. Nuclear Fusion, 2019, 59, 094002.	1.6	3
15	Divertor currents during type-I edge-localized modes on the DIII-D tokamak. Nuclear Fusion, 2019, 59, 126020.	1.6	5
16	Controlled neoclassical tearing mode (NTM) healing by fueling pellets and its impact on electron cyclotron current drive requirements for complete NTM stabilization. Nuclear Fusion, 2019, 59, 126047.	1.6	10
17	L-H transition trigger physics in ITER-similar plasmas with applied n=3 magnetic perturbations. Nuclear Fusion, 2019, 59, 126010.	1.6	20
18	High fusion performance in Super H-mode experiments on Alcator C-Mod and DIII-D. Nuclear Fusion, 2019, 59, 086017.	1.6	48

#	ARTICLE	IF	CITATIONS
19	Observation of divertor currents during type-I ELMs on the DIII-D tokamak. Nuclear Materials and Energy, 2019, 18, 222-226.	0.6	4
20	Assessment of equilibrium field coil misalignments on the divertor footprints in NSTX-U. Nuclear Fusion, 2019, 59, 076039.	1.6	4
21	Direct measurements of internal structures of born-locked modes and the key role in triggering tokamak disruptions. Physics of Plasmas, 2019, 26, 042505.	0.7	13
22	Topological bifurcation of magnetic islands in NSTX-U. Nuclear Fusion, 2019, 59, 066010.	1.6	4
23	Edge localized mode suppression and plasma response using mixed toroidal harmonic resonant magnetic perturbations in DIII-D. Nuclear Fusion, 2019, 59, 026012.	1.6	12
24	Dynamic divertor control using resonant mixed toroidal harmonic magnetic fields during ELM suppression in DIII-D. Physics of Plasmas, 2018, 25, 056102.	0.7	17
25	Effects of two-dimensional magnetic uncertainties and three-dimensional error and perturbation fields on the Small Angle Slot divertor geometry and topology. Nuclear Fusion, 2018, 58, 026022.	1.6	1
26	Imaging divertor strike point splitting in RMP ELM suppression experiments in the DIII-D tokamak. Review of Scientific Instruments, 2018, 89, 10E106.	0.6	13
27	Efficient manifolds tracing for planar maps. Chaos, 2018, 28, 093106.	1.0	7
28	Grassy-ELM regime with edge resonant magnetic perturbations in fully noninductive plasmas in the DIII-D tokamak. Nuclear Fusion, 2018, 58, 106010.	1.6	35
29	Predict-first experimental analysis using automated and integrated magnetohydrodynamic modeling. Physics of Plasmas, 2018, 25, .	0.7	13
30	Investigation of the role of pedestal pressure and collisionality on type-I ELM divertor heat loads in DIII-D. Nuclear Fusion, 2018, 58, 096023.	1.6	29
31	Hysteresis Relation between Turbulence and Temperature Modulation during the Heat Pulse Propagation into a Magnetic Island in DIII-D. Physical Review Letters, 2018, 120, 245001.	2.9	38
32	ELM suppression in helium plasmas with 3D magnetic fields. Nuclear Fusion, 2017, 57, 086016.	1.6	9
33	Overview of NSTX Upgrade initial results and modelling highlights. Nuclear Fusion, 2017, 57, 102006.	1.6	45
34	Modeling non-stationary, non-axisymmetric heat patterns in DIII-D tokamak. Nuclear Fusion, 2017, 57, 016017.	1.6	8
35	Advances in the steady-state hybrid regime in DIII-D—a fully non-inductive, ELM-suppressed scenario for ITER. Nuclear Fusion, 2017, 57, 116057.	1.6	25
36	The energy confinement response of DIII-D plasmas to resonant magnetic perturbations. Nuclear Fusion, 2017, 57, 116030.	1.6	12

#	ARTICLE	IF	CITATIONS
37	Propagation Dynamics Associated with Resonant Magnetic Perturbation Fields in High-Confinement Mode Plasmas inside the KSTAR Tokamak. <i>Physical Review Letters</i> , 2017, 119, 205001.	2.9	7
38	Validation of the model for ELM suppression with 3D magnetic fields using low torque ITER baseline scenario discharges in DIII-D. <i>Physics of Plasmas</i> , 2017, 24, .	0.7	43
39	Bifurcation physics of magnetic islands and stochasticity explored by heat pulse propagation studies in toroidal plasmas. <i>Nuclear Fusion</i> , 2016, 56, 092001.	1.6	15
40	Suppression of type-I ELMs with reduced RMP coil set on DIII-D. <i>Nuclear Fusion</i> , 2016, 56, 036020.	1.6	16
41	Location of the first plasma response to resonant magnetic perturbations in DIII-D H-mode plasmas. <i>Nuclear Fusion</i> , 2016, 56, 064001.	1.6	6
42	The pattern of parallel edge plasma flows due to pressure gradients, recycling, and resonant magnetic perturbations in DIII-D. <i>Physics of Plasmas</i> , 2015, 22, .	0.7	20
43	Self-regulated oscillation of transport and topology of magnetic islands in toroidal plasmas. <i>Scientific Reports</i> , 2015, 5, 16165.	1.6	27
44	Resonant magnetic perturbations of edge-plasmas in toroidal confinement devices. <i>Plasma Physics and Controlled Fusion</i> , 2015, 57, 123001.	0.9	76
45	3D effects of edge magnetic field configuration on divertor/scrape-off layer transport and optimization possibilities for a future reactor. <i>Nuclear Fusion</i> , 2015, 55, 104021.	1.6	23
46	Tokamak plasma high field side response to an $n=3$ magnetic perturbation: a comparison of 3D equilibrium solutions from seven different codes. <i>Nuclear Fusion</i> , 2015, 55, 063026.	1.6	26
47	Advances in the physics understanding of ELM suppression using resonant magnetic perturbations in DIII-D. <i>Nuclear Fusion</i> , 2015, 55, 023002.	1.6	62
48	Pedestal Bifurcation and Resonant Field Penetration at the Threshold of Edge-Localized Mode Suppression in the DIII-D Tokamak. <i>Physical Review Letters</i> , 2015, 114, 105002.	2.9	141
49	Impurity confinement and transport in high confinement regimes without edge localized modes on	0.7	47
50	Connection between plasma response and resonant magnetic perturbation (RMP) edge localized mode (ELM) suppression in DIII-D. <i>Plasma Physics and Controlled Fusion</i> , 2015, 57, 104006.	0.9	23
51	Heat flux modeling using ion drift effects in DIII-D H-mode plasmas with resonant magnetic perturbations. <i>Physics of Plasmas</i> , 2014, 21, 012509.	0.7	10
52	Plasma response measurements of non-axisymmetric magnetic perturbations on DIII-D via soft x-ray	0.7	8
53	Impact of plasma response on plasma displacements in DIII-D during application of external 3D perturbations. <i>Nuclear Fusion</i> , 2014, 54, 064007.	1.6	20
54	Comparison of the numerical modelling and experimental measurements of DIII-D separatrix displacements during H-modes with resonant magnetic perturbations. <i>Nuclear Fusion</i> , 2014, 54, 093008.	1.6	16

#	ARTICLE	IF	CITATIONS
55	Progress on the application of ELM control schemes to ITER scenarios from the non-active phase to DT operation. Nuclear Fusion, 2014, 54, 033007.	1.6	214
56	Bifurcated helical core equilibrium states in tokamaks. Nuclear Fusion, 2013, 53, 073021.	1.6	26
57	Sustained suppression of type-I edge-localized modes with dominantly $n=2$ magnetic fields in DIII-D. Nuclear Fusion, 2013, 53, 083019.	1.6	46
58	Role of plasma response in displacements of the tokamak edge due to applied non-axisymmetric fields. Nuclear Fusion, 2013, 53, 073042.	1.6	58
59	3D vacuum magnetic field modelling of the ITER ELM control coil during standard operating scenarios. Nuclear Fusion, 2013, 53, 093029.	1.6	72
60	Screening of resonant magnetic perturbations by flows in tokamaks. Nuclear Fusion, 2012, 52, 054003.	1.6	106
61	Measurement of plasma boundary displacement by $n=2$ magnetic perturbations using imaging beam emission spectroscopy. Nuclear Fusion, 2012, 52, 123019.	1.6	47
62	Analysis of edge magnetic field line structure in ITER due to in-vessel ELM control coils. Fusion Engineering and Design, 2012, 87, 1536-1543.	1.0	14
63	Suppression and Mitigation of Edge Localized Modes in the DIII-D Tokamak with 3D Magnetic Perturbations. Plasma and Fusion Research, 2012, 7, 2402046-2402046.	0.3	17
64	ELM pacing using modulated non-axisymmetric magnetic fields on DIII-D. Nuclear Fusion, 2012, 52, 033007.	1.6	10
65	Accelerating the numerical simulation of magnetic field lines in tokamaks using the GPU. Fusion Engineering and Design, 2011, 86, 399-406.	1.0	11
66	L $\alpha$ -H transition studies on DIII-D to determine H-mode access for operational scenarios in ITER. Nuclear Fusion, 2011, 51, 103020.	1.6	81
67	Effect of thermoelectric current splitting on the magnetic topology in DIII-D. Physics of Plasmas, 2011, 18, 042501.	0.7	7
68	Numerical analysis of the effects of normalized plasma pressure on RMP ELM suppression in DIII-D. Nuclear Fusion, 2010, 50, 034010.	1.6	8
69	Three-dimensional edge transport simulations for DIII-D plasmas with resonant magnetic perturbations. Nuclear Fusion, 2010, 50, 034004.	1.6	69
70	2D soft x-ray system on DIII-D for imaging the magnetic topology in the pedestal region. Review of Scientific Instruments, 2010, 81, 10E534.	0.6	12
71	Numerical Modeling of Edge-Localized-Mode Filaments on Divertor Plates Based on Thermoelectric Currents. Physical Review Letters, 2010, 104, 175001.	2.9	33
72	Experiments in DIII-D toward achieving rapid shutdown with runaway electron suppression. Physics of Plasmas, 2010, 17, .	0.7	57

#	ARTICLE	IF	CITATIONS
73	Footprint structures due to resonant magnetic perturbations in DIII-D. Physics of Plasmas, 2009, 16, 042504.	0.7	42
74	Overview of the results on divertor heat loads in RMP controlled H-mode plasmas on DIII-D. Nuclear Fusion, 2009, 49, 095013.	1.6	136
75	High resolution numerical studies of separatrix splitting due to non-axisymmetric perturbation in DIII-D. Nuclear Fusion, 2009, 49, 055027.	1.6	70
76	Physics of penetration of resonant magnetic perturbations used for Type I edge localized modes suppression in tokamaks. Nuclear Fusion, 2009, 49, 085011.	1.6	82
77	A conceptual model of the magnetic topology and nonlinear dynamics of ELMs. Journal of Nuclear Materials, 2009, 390-391, 789-792.	1.3	30
78	Principal physics developments evaluated in the ITER design review. Nuclear Fusion, 2009, 49, 065012.	1.6	200
79	Resonant Pedestal Pressure Reduction Induced by a Thermal Transport Enhancement due to Stochastic Magnetic Boundary Layers in High Temperature Plasmas. Physical Review Letters, 2009, 103, 165005.	2.9	58
80	Edge stability of stationary ELM-suppressed regimes on DIII-D. Journal of Physics: Conference Series, 2008, 123, 012014.	0.3	75
81	Study of in-vessel nonaxisymmetric ELM suppression coil concepts for ITER. Nuclear Fusion, 2008, 48, 024004.	1.6	127
82	RMP ELM suppression in DIII-D plasmas with ITER similar shapes and collisionalities. Nuclear Fusion, 2008, 48, 024002.	1.6	348
83	Aspects of three dimensional transport for ELM control experiments in ITER-similar shape plasmas at low collisionality in DIII-D. Plasma Physics and Controlled Fusion, 2008, 50, 124029.	0.9	89
84	Effect of island overlap on edge localized mode suppression by resonant magnetic perturbations in DIII-D. Physics of Plasmas, 2008, 15, .	0.7	139
85	Numerical study of the resonant magnetic perturbations for Type I edge localized modes control in ITER. Nuclear Fusion, 2008, 48, 024003.	1.6	71
86	Gas jet disruption mitigation studies on Alcator C-Mod and DIII-D. Nuclear Fusion, 2007, 47, 1086-1091.	1.6	86
87	Experimental and numerical studies of separatrix splitting and magnetic footprints in DIII-D. Journal of Nuclear Materials, 2007, 363-365, 570-574.	1.3	41
88	Edge stability and transport control with resonant magnetic perturbations in collisionless tokamak plasmas. Nature Physics, 2006, 2, 419-423.	6.5	538
89	Modelling of stochastic magnetic perturbation by RWMEF coils on NSTX. Nuclear Fusion, 2006, 46, 858-863.	1.6	11
90	The physics of edge resonant magnetic perturbations in hot tokamak plasmas. Physics of Plasmas, 2006, 13, 056121.	0.7	86

#	ARTICLE	IF	CITATIONS
91	Experimental signatures of homoclinic tangles in poloidally diverted tokamaks. Journal of Physics: Conference Series, 2005, 7, 174-190.	0.3	142
92	Suppression of large edge localized modes in high confinement DIII-D plasmas with a stochastic magnetic boundary. Journal of Nuclear Materials, 2005, 337-339, 691-696.	1.3	54
93	Suppression of large edge localized modes with edge resonant magnetic fields in high confinement DIII-D plasmas. Nuclear Fusion, 2005, 45, 595-607.	1.6	166
94	Edge localized modes control by stochastic magnetic fields. Nuclear Fusion, 2005, 45, 1284-1292.	1.6	20
95	Edge localized mode control with an edge resonant magnetic perturbation. Physics of Plasmas, 2005, 12, 056119.	0.7	109
96	Suppression of Large Edge-Localized Modes in High-Confinement DIII-D Plasmas with a Stochastic Magnetic Boundary. Physical Review Letters, 2004, 92, 235003.	2.9	734
97	Homoclinic tangles, bifurcations and edge stochasticity in diverted tokamaks. Contributions To Plasma Physics, 2004, 44, 235-240.	0.5	78
98	Observation of SOL current correlated with MHD activity in NBI heated DIII-D tokamak discharges. Nuclear Fusion, 2004, 44, 1075-1096.	1.6	33
99	Explicit calculations of homoclinic tangles in tokamaks. Physics of Plasmas, 2003, 10, 3796-3799.	0.7	54
100	Edge localized mode physics and operational aspects in tokamaks. Plasma Physics and Controlled Fusion, 2003, 45, A93-A113.	0.9	88
101	Mitigation of Tokamak Disruptions Using High-Pressure Gas Injection. Physical Review Letters, 2002, 89, 055001.	2.9	125
102	Modeling of stochastic magnetic flux loss from the edge of a poloidally diverted tokamak. Physics of Plasmas, 2002, 9, 4957-4967.	0.7	120
103	Survey of target plate heat flux in diverted DIII-D tokamak discharges. Nuclear Fusion, 1998, 38, 1225-1249.	1.6	65
104	Measurements of non-axisymmetric effects in the DIII-D divertor. Journal of Nuclear Materials, 1995, 220-222, 235-239.	1.3	43
105	Electron thermal confinement studies with applied resonant fields on TEXT. Nuclear Fusion, 1989, 29, 547-562.	1.6	116
106	Investigations of plasma response associated with Resonant Magnetic Perturbation fields using perturbation method in KSTAR H-mode plasmas. Nuclear Fusion, 0, , .	1.6	0
107	NSTX-U theory, modeling and analysis results. Nuclear Fusion, 0, , .	1.6	0