

# Piotr Tryjanowski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6395011/publications.pdf>

Version: 2024-02-01

330  
papers

9,590  
citations

57758

44  
h-index

62596

80  
g-index

341  
all docs

341  
docs citations

341  
times ranked

9739  
citing authors

#	ARTICLE	IF	CITATIONS
1	Attributing physical and biological impacts to anthropogenic climate change. <i>Nature</i> , 2008, 453, 353-357.	27.8	1,210
2	Challenging claims in the study of migratory birds and climate change. <i>Biological Reviews</i> , 2011, 86, 928-946.	10.4	286
3	Adaptive responses of animals to climate change are most likely insufficient. <i>Nature Communications</i> , 2019, 10, 3109.	12.8	285
4	The Design of Artificial Nestboxes for the Study of Secondary Hole-Nesting Birds: A Review of Methodological Inconsistencies and Potential Biases. <i>Acta Ornithologica</i> , 2010, 45, 1-26.	0.5	274
5	Conservation of Farmland Birds Faces Different Challenges in Western and Central-Eastern Europe. <i>Acta Ornithologica</i> , 2011, 46, 1-12.	0.5	210
6	Generation time and temporal scaling of bird population dynamics. <i>Nature</i> , 2005, 436, 99-102.	27.8	172
7	Harnessing the biodiversity value of Central and Eastern European farmland. <i>Diversity and Distributions</i> , 2015, 21, 722-730.	4.1	172
8	Can roads, railways and related structures have positive effects on birds? – A review. <i>Transportation Research, Part D: Transport and Environment</i> , 2014, 30, 21-31.	6.8	158
9	The Geography of Fear: A Latitudinal Gradient in Anti-Predator Escape Distances of Birds across Europe. <i>PLoS ONE</i> , 2013, 8, e64634.	2.5	157
10	Evidence of evolutionary homogenization of bird communities in urban environments across Europe. <i>Global Ecology and Biogeography</i> , 2016, 25, 1284-1293.	5.8	155
11	Earlier arrival of some farmland migrants in western Poland. <i>Ibis</i> , 2002, 144, 62-68.	1.9	131
12	High urban population density of birds reflects their timing of urbanization. <i>Oecologia</i> , 2012, 170, 867-875.	2.0	122
13	What affects the magnitude of change in first arrival dates of migrant birds?. <i>Journal Fur Ornithologie</i> , 2005, 146, 200-205.	1.2	105
14	Urban and rural habitats differ in number and type of bird feeders and in bird species consuming supplementary food. <i>Environmental Science and Pollution Research</i> , 2015, 22, 15097-15103.	5.3	96
15	Invasive alien goldenrods negatively affect grassland bird communities in Eastern Europe. <i>Biological Conservation</i> , 2010, 143, 856-861.	4.1	84
16	Urban habitats and feeders both contribute to flight initiation distance reduction in birds. <i>Behavioral Ecology</i> , 2015, 26, 861-865.	2.2	80
17	Diversity of parasitic cuckoos and their hosts in China. <i>Chinese Birds: the International Journal of Ornithology</i> , 2012, 3, 9-32.	0.6	79
18	Factors affecting road mortality and the suitability of road verges for butterflies. <i>Biological Conservation</i> , 2013, 159, 148-157.	4.1	76

#	ARTICLE	IF	CITATIONS
19	Habitat use and diet of the red fox <i>Vulpes vulpes</i> in an agricultural landscape in Poland. <i>Zeitschrift für Jagdwissenschaft</i> , 2003, 49, 191-200.	0.3	74
20	Climate and spatio-temporal variation in the population dynamics of a long distance migrant, the white stork. <i>Journal of Animal Ecology</i> , 2006, 75, 80-90.	2.8	74
21	Rural-Urban Differences in Escape Behavior of European Birds across a Latitudinal Gradient. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, .	2.2	74
22	Bats as prey of diurnal birds: a global perspective. <i>Mammal Review</i> , 2016, 46, 160-174.	4.8	73
23	Bird diversity in urban green space: A large-scale analysis of differences between parks and cemeteries in Central Europe. <i>Urban Forestry and Urban Greening</i> , 2017, 27, 264-271.	5.3	71
24	Do White Storks <i>Ciconia ciconia</i> always profit from an early return to their breeding grounds?. <i>Bird Study</i> , 2004, 51, 222-227.	1.0	70
25	Combined effects of agrochemicals and ecosystem services on crop yield across Europe. <i>Ecology Letters</i> , 2017, 20, 1427-1436.	6.4	70
26	Birds as useful indicators of high nature value (HNV) farmland in Central Italy. <i>Ecological Indicators</i> , 2014, 38, 236-242.	6.3	69
27	Taxonomic diversity, functional diversity and evolutionary uniqueness in bird communities of Beijing's urban parks: Effects of land use and vegetation structure. <i>Urban Forestry and Urban Greening</i> , 2017, 23, 84-92.	5.3	66
28	Sex differences in nest defence by the red-backed shrike <i>Lanius collurio</i> : effects of offspring age, brood size, and stage of breeding season. <i>Journal of Ethology</i> , 2004, 22, 13-16.	0.8	63
29	Urbanization affects neophilia and risk-taking at bird-feeders. <i>Scientific Reports</i> , 2016, 6, 28575.	3.3	62
30	Uphill shifts in the distribution of the white stork <i>Ciconia ciconia</i> in southern Poland: the importance of nest quality. <i>Diversity and Distributions</i> , 2005, 11, 219-223.	4.1	60
31	Loss of migration and urbanization in birds: a case study of the blackbird ( <i>Turdus merula</i> ). <i>Oecologia</i> , 2014, 175, 1019-1027.	2.0	60
32	A Paradox for Conservation: Electricity Pylons May Benefit Avian Diversity in Intensive Farmland. <i>Conservation Letters</i> , 2014, 7, 34-40.	5.7	60
33	Long-Term Changes and Breeding Success in Relation to Nesting Structures used by the White Stork, <i>Ciconia ciconia</i> . <i>Annales Zoologici Fennici</i> , 2009, 46, 34-38.	0.6	58
34	SARS-CoV2 (COVID-19) Pandemic Lockdown Influences Nature-Based Recreational Activity: The Case of Birders. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7310.	2.6	58
35	Bird Migration Advances More Strongly in Urban Environments. <i>PLoS ONE</i> , 2013, 8, e63482.	2.5	57
36	Ecological correlates of the popularity of birds and butterflies in Internet information resources. <i>Oikos</i> , 2013, 122, 183-190.	2.7	56

#	ARTICLE	IF	CITATIONS
37	Do males of the great grey shrike, <i>Lanius excubitor</i> , trade food for extrapair copulations?. <i>Animal Behaviour</i> , 2005, 69, 529-533.	1.9	53
38	Effect of Water Level and Livestock on the Productivity and Numbers of Breeding White Storks. <i>Waterbirds</i> , 2005, 28, 378-382.	0.3	52
39	How consistent are trends in arrival (and departure) dates of migrant birds in the UK?. <i>Journal of Ornithology</i> , 2007, 148, 503-511.	1.1	52
40	Urbanized birds have superior establishment success in novel environments. <i>Oecologia</i> , 2015, 178, 943-950.	2.0	52
41	Contagious fear: Escape behavior increases with flock size in European gregarious birds. <i>Ecology and Evolution</i> , 2019, 9, 6096-6104.	1.9	52
42	Railway Embankments as New Habitat for Pollinators in an Agricultural Landscape. <i>PLoS ONE</i> , 2014, 9, e101297.	2.5	51
43	Selectivity of harvesting differs between local and foreign roe deer hunters: trophy stalkers have the first shot at the right place. <i>Biology Letters</i> , 2006, 2, 632-635.	2.3	49
44	Change in flight initiation distance between urban and rural habitats following a cold winter. <i>Behavioral Ecology</i> , 2013, 24, 1211-1217.	2.2	49
45	Variation in clutch size in relation to nest size in birds. <i>Ecology and Evolution</i> , 2014, 4, 3583-3595.	1.9	49
46	Villages and their old farmsteads are hot spots of bird diversity in agricultural landscapes. <i>Journal of Applied Ecology</i> , 2016, 53, 1363-1372.	4.0	48
47	Direction of approach by predators and flight initiation distance of urban and rural populations of birds. <i>Behavioral Ecology</i> , 2014, 25, 960-966.	2.2	47
48	Interspecific variation in the relationship between clutch size, laying date and intensity of urbanization in four species of hole-nesting birds. <i>Ecology and Evolution</i> , 2016, 6, 5907-5920.	1.9	47
49	A new material for old solutions—the case of plastic string used in Great Grey Shrike nests. <i>Acta Ethologica</i> , 2010, 13, 87-91.	0.9	46
50	Effects of management intensity and orchard features on bird communities in winter. <i>Ecological Research</i> , 2013, 28, 503-512.	1.5	46
51	The role of the sand lizard ( <i>Lacerta agilis</i> ) in the transmission cycle of <i>Borrelia burgdorferi sensu lato</i> . <i>International Journal of Medical Microbiology</i> , 2008, 298, 161-167.	3.6	44
52	Tropical birds take small risks. <i>Behavioral Ecology</i> , 2013, 24, 267-272.	2.2	44
53	The economic recreational value of a white stork nesting colony: A case of “stork village” in Poland. <i>Tourism Management</i> , 2014, 40, 352-360.	9.8	43
54	Predation and dispersal of acorns by European Jay ( <i>Garrulus glandarius</i> ) differs between a native (Pedunculate Oak <i>Quercus robur</i> ) and an introduced oak species (Northern Red Oak <i>Quercus rubra</i> ) in Europe. <i>Forest Ecology and Management</i> , 2014, 331, 35-39.	3.2	43

#	ARTICLE	IF	CITATIONS
55	Social media and scientific research are complementaryâ€”YouTube and shrikes as a case study. <i>Die Naturwissenschaften</i> , 2017, 104, 48.	1.6	43
56	Winter Bird Assemblages in Rural and Urban Environments: A National Survey. <i>PLoS ONE</i> , 2015, 10, e0130299.	2.5	42
57	Impact of density and environmental factors on population fluctuations in a migratory passerine. <i>Journal of Animal Ecology</i> , 2011, 80, 225-234.	2.8	40
58	The importance of the gravel excavation industry for the conservation of grassland butterflies. <i>Biological Conservation</i> , 2012, 148, 180-190.	4.1	40
59	Complex phenological changes and their consequences in the breeding success of a migratory bird, the white stork <i>Ciconia ciconia</i> . <i>Journal of Animal Ecology</i> , 2013, 82, 1072-1086.	2.8	40
60	Escape behaviour of birds in urban parks and cemeteries across Europe: Evidence of behavioural adaptation to human activity. <i>Science of the Total Environment</i> , 2018, 631-632, 803-810.	8.0	39
61	Biodiversity within the city: Effects of land sharing and land sparing urban development on avian diversity. <i>Science of the Total Environment</i> , 2020, 707, 135477.	8.0	39
62	Influence of the red fox ( <i>Vulpes vulpes</i> , Linnaeus 1758) on the distribution and number of breeding birds in an intensively used farmland. <i>Ecological Research</i> , 2002, 17, 395-399.	1.5	38
63	Is body size of the water frog <i>Rana esculenta</i> complex responding to climate change?. <i>Die Naturwissenschaften</i> , 2006, 93, 110-113.	1.6	38
64	Clutch size variation in Western Palaearctic secondary hole-nesting passerine birds in relation to nest box design. <i>Methods in Ecology and Evolution</i> , 2014, 5, 353-362.	5.2	36
65	Effects of urbanization on bird phenology: a continental study of paired urban and rural populations. <i>Climate Research</i> , 2015, 66, 185-199.	1.1	36
66	Does climate at different scales influence the phenology and phenotype of the River Warbler <i>Locustella fluviatilis</i> ?. <i>Oecologia</i> , 2004, 141, 158-163.	2.0	35
67	New is not always better: low breeding success and different occupancy patterns in newly built nests of a long-lived species, the white stork <i>Ciconia ciconia</i> . <i>Bird Study</i> , 2013, 60, 399-403.	1.0	35
68	Who started first? Bird species visiting novel birdfeeders. <i>Scientific Reports</i> , 2015, 5, 11858.	3.3	35
69	Presence of Cuckoo reliably indicates high bird diversity: A case study in a farmland area. <i>Ecological Indicators</i> , 2015, 55, 52-58.	6.3	35
70	Settling Decisions and Heterospecific Social Information Use in Shrikes. <i>PLoS ONE</i> , 2008, 3, e3930.	2.5	35
71	Differences in predatory pressure on terrestrial snails by birds and mammals. <i>Journal of Biosciences</i> , 2011, 36, 691-699.	1.1	34
72	Landscape structure, human disturbance and crop management affect foraging ground selection by migrating geese. <i>Journal of Ornithology</i> , 2012, 153, 747-759.	1.1	34

#	ARTICLE	IF	CITATIONS
73	Morphological and molecular characterization of <i>Karyolysus</i> – a neglected but common parasite infecting some European lizards. <i>Parasites and Vectors</i> , 2014, 7, 555.	2.5	33
74	Cuckoo and biodiversity: Testing the correlation between species occurrence and bird species richness in Europe. <i>Biological Conservation</i> , 2015, 190, 123-132.	4.1	31
75	The Vulture in the Sky and the Hominin on the Land: Three Million Years of Human–Vulture Interaction. <i>Anthozoos</i> , 2015, 28, 449-468.	1.4	31
76	Anaplasmataceae and <i>Borrelia burgdorferi</i> sensu lato in the sand lizard <i>Lacerta agilis</i> and co-infection of these bacteria in hosted <i>Ixodes ricinus</i> ticks. <i>Parasites and Vectors</i> , 2011, 4, 182.	2.5	30
77	Patterns of spring arrival dates differ in two hirundines. <i>Climate Research</i> , 2007, 35, 159-164.	1.1	30
78	Should avian egg size increase as a result of global warming? A case study using the red-backed shrike ( <i>Lanius collurio</i> ). <i>Journal Fur Ornithologie</i> , 2004, 145, 264-268.	1.2	29
79	Severe flooding causes a crash in production of white stork ( <i>Ciconia ciconia</i> ) chicks across Central and Eastern Europe. <i>Basic and Applied Ecology</i> , 2009, 10, 387-392.	2.7	29
80	The number of syllables in Chernobyl cuckoo calls reliably indicate habitat, soil and radiation levels. <i>Ecological Indicators</i> , 2016, 66, 592-597.	6.3	29
81	Disperse or Stay? Exceptionally High Breeding-Site Infidelity in the Red-Backed Shrike <i>Lanius collurio</i> . <i>Ardea</i> , 2007, 95, 316-320.	0.6	28
82	Differential shell strength of <i>Cepaea nemoralis</i> colour morphs – implications for their anti-predator defence. <i>Die Naturwissenschaften</i> , 2013, 100, 843-851.	1.6	28
83	Urbanization Level and Woodland Size Are Major Drivers of Woodpecker Species Richness and Abundance. <i>PLoS ONE</i> , 2014, 9, e94218.	2.5	28
84	The relationship between phenological traits and brood size of the white stork <i>Ciconia ciconia</i> in western Poland. <i>Acta Oecologica</i> , 2008, 33, 203-206.	1.1	27
85	East versus West: contrasts in phenological patterns?. <i>Global Ecology and Biogeography</i> , 2010, 19, 783-793.	5.8	27
86	Risk perception of vervet monkeys <i>Chlorocebus pygerythrus</i> to humans in urban and rural environments. <i>Behavioural Processes</i> , 2018, 147, 21-27.	1.1	27
87	Cemeteries support avian diversity likewise urban parks in European cities: Assessing taxonomic, evolutionary and functional diversity. <i>Urban Forestry and Urban Greening</i> , 2018, 36, 90-99.	5.3	27
88	Effects of urbanization on taxonomic, functional and phylogenetic avian diversity in Europe. <i>Science of the Total Environment</i> , 2021, 795, 148874.	8.0	27
89	SEX-RELATED NATAL DISPERSAL OF WHITE STORKS ( <i>CICONIA CICONIA</i> ) IN POLAND: HOW FAR AND WHERE TO?. <i>Auk</i> , 2006, 123, 1103.	1.4	26
90	Butterfly responses to environmental factors in fragmented calcareous grasslands. <i>Journal of Insect Conservation</i> , 2012, 16, 321-329.	1.4	26

#	ARTICLE	IF	CITATIONS
91	Dynamics of a stage-structured predator-prey model: cost and benefit of fear-induced group defense. <i>Journal of Theoretical Biology</i> , 2021, 528, 110846.	1.7	26
92	Advancing phenology in Europe's last lowland primeval forest: non-linear temperature response. <i>Climate Research</i> , 2009, 39, 221-226.	1.1	26
93	Advances in the timing of spring cleaning by the honeybee <i>Apis mellifera</i> in Poland. <i>Ecological Entomology</i> , 2010, 35, 788-791.	2.2	25
94	Never ending story: a lesson in using sampling efficiency methods with ground beetles. <i>Journal of Insect Conservation</i> , 2013, 17, 333-337.	1.4	25
95	Nest Site Selection and Breeding Success in Three <i>Turdus</i> Thrush Species Coexisting in an Urban Environment. <i>Acta Ornithologica</i> , 2014, 49, 83-92.	0.5	25
96	Biodiversity collision blackspots in Poland: Separation causality from stochasticity in roadkills of butterflies. <i>Biological Conservation</i> , 2015, 187, 154-163.	4.1	25
97	Interactive effects of fearfulness and geographical location on bird population trends. <i>Behavioral Ecology</i> , 2015, 26, 716-721.	2.2	25
98	Hawk mimicry in cuckoos and anti-parasitic aggressive behavior of barn swallows in Denmark and China. <i>Journal of Avian Biology</i> , 2015, 46, 216-223.	1.2	25
99	Adjusting risk-taking to the annual cycle of long-distance migratory birds. <i>Scientific Reports</i> , 2018, 8, 13989.	3.3	25
100	Multispecies invasion reduces the negative impact of single alien plant species on native flora. <i>Diversity and Distributions</i> , 2019, 25, 951-962.	4.1	25
101	Land-sharing vs. land-sparing urban development modulate predator-prey interactions in Europe. <i>Ecological Applications</i> , 2020, 30, e02049.	3.8	25
102	Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France). <i>Ecological Indicators</i> , 2017, 82, 574-586.	6.3	25
103	Phenological changes and reduced seasonal synchrony in western Poland. <i>International Journal of Biometeorology</i> , 2011, 55, 447-453.	3.0	24
104	Distribution pattern and number of ticks on lizards. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 172-179.	2.7	24
105	The common cuckoo is an effective indicator of high bird species richness in Asia and Europe. <i>Scientific Reports</i> , 2017, 7, 4376.	3.3	24
106	A negative covariation between toxoplasmosis and CoVID-19 with alternative interpretations. <i>Scientific Reports</i> , 2020, 10, 12512.	3.3	24
107	Small things are important: the value of singular point elements for birds in agricultural landscapes. <i>Biological Reviews</i> , 2021, 96, 1386-1403.	10.4	24
108	Sex-Related Natal Dispersal of White Storks ( <i>Ciconia Ciconia</i> ) in Poland: How Far and Where to?. <i>Auk</i> , 2006, 123, 1103-1109.	1.4	23

#	ARTICLE	IF	CITATIONS
109	Something for the weekend? Examining the bias in avian phenological recording. <i>International Journal of Biometeorology</i> , 2008, 52, 505-510.	3.0	23
110	Reducing death by electrocution of the white stork <i>Ciconia ciconia</i> . <i>Conservation Letters</i> , 2011, 4, 483-487.	5.7	23
111	Local and Landscape-Level Factors Affecting the Density and Distribution of the Feral Pigeon <i>Columba livia</i> var. <i>domestica</i> in an Urban Environment. <i>Acta Ornithologica</i> , 2012, 47, 37-45.	0.5	23
112	No species is an island: testing the effects of biotic interactions on models of avian niche occupation. <i>Ecology and Evolution</i> , 2015, 5, 759-768.	1.9	23
113	Testing bird response to roads on a rural environment: A case study from Central Italy. <i>Acta Oecologica</i> , 2015, 69, 146-152.	1.1	23
114	Long-term effect of temperature on honey yield and honeybee phenology. <i>International Journal of Biometeorology</i> , 2017, 61, 1125-1132.	3.0	23
115	Heterospecific alarm-call recognition in two warbler hosts of common cuckoos. <i>Animal Cognition</i> , 2019, 22, 1149-1157.	1.8	23
116	The emergence of tolerance of human disturbance in Neotropical birds. <i>Journal of Tropical Ecology</i> , 2020, 36, 1-5.	1.1	23
117	The relationship between population means and variances of reproductive success differs between local populations of white stork ( <i>Ciconia ciconia</i> ). <i>Population Ecology</i> , 2005, 47, 119-125.	1.2	22
118	Body condition as a determinant for stopover in bee-eaters ( <i>Merops apiaster</i> ) on spring migration in the Arava Valley, southern Israel. <i>Journal of Arid Environments</i> , 2006, 64, 401-411.	2.4	22
119	Relationship between arrival date, hatching date and breeding success of the white stork ( <i>Ciconia</i> )	1.5	22
120	Barn swallows ( <i>Hirundo rustica</i> ) differentiate between common cuckoo and sparrowhawk in China: alarm calls convey information on threat. <i>Behavioral Ecology and Sociobiology</i> , 2016, 70, 171-178.	1.4	22
121	Costs of breeding far away from neighbors: Isolated host nests are more vulnerable to cuckoo parasitism. <i>Behavioural Processes</i> , 2018, 157, 327-332.	1.1	22
122	Road kills of non-human primates: a global view using a different type of data. <i>Mammal Review</i> , 2019, 49, 276-283.	4.8	22
123	Location and habitat characteristics of the breeding nests of the harvest mouse ( <i>Micromys minutus</i> ) in the reed-beds of an intensively used farmland. <i>Mammalia</i> , 2005, 69, .	0.7	21
124	Brood parasitism and proximity to human habitation. <i>Behavioral Ecology</i> , 2016, 27, 1314-1319.	2.2	21
125	Evolutionary interaction between W/Y chromosome and transposable elements. <i>Genetica</i> , 2016, 144, 267-278.	1.1	21
126	Forms of density regulation and (quasi-) stationary distributions of population sizes in birds. <i>Oikos</i> , 2008, 117, 1197-1208.	2.7	20



#	ARTICLE	IF	CITATIONS
127	The dark side of the "redundancy hypothesis" and ecosystem assessment. <i>Ecological Complexity</i> , 2016, 28, 222-229.	2.9	20
128	Flight initiation distance, color and camouflage. <i>Environmental Epigenetics</i> , 2019, 65, 535-540.	1.8	20
129	The COVID-19 pandemic: local to global implications as perceived by urban ecologists. <i>Socio-Ecological Practice Research</i> , 2020, 2, 217-228.	1.9	20
130	Inter-specific synchrony of two contrasting ungulates: wild boar ( <i>Sus scrofa</i> ) and roe deer ( <i>Capreolus capreolus</i> ). <i>Oecologia</i> , 2007, 151, 232-239.	2.0	19
131	Costly replacement: how do different stages of nest failure affect clutch replacement in the redbacked shrikes <i>Lanius collurio</i> ?. <i>Ethology Ecology and Evolution</i> , 2009, 21, 127-136.	1.4	19
132	Is population structure in the European white stork determined by flyway permeability rather than translocation history?. <i>Ecology and Evolution</i> , 2013, 3, 4881-4895.	1.9	19
133	The phenology of winter rye in Poland: an analysis of long-term experimental data. <i>International Journal of Biometeorology</i> , 2016, 60, 1341-1346.	3.0	19
134	Birds respond similarly to taxidermic models and live cuckoos <i>Cuculus canorus</i> . <i>Journal of Ethology</i> , 2018, 36, 243-249.	0.8	19
135	Wintering range of <i>Pipistrellus nathusii</i> (Chiroptera) in Central Europe: has the species extended to the north-east using urban heat islands?. <i>Mammalia</i> , 2019, 83, 260-271.	0.7	19
136	Dependence of the leopard <i>Panthera pardus fusca</i> in Jaipur, India, on domestic animals. <i>Oryx</i> , 2021, 55, 692-698.	1.0	19
137	How wild bees find a way in European cities: Pollen metabarcoding unravels multiple feeding strategies and their effects on distribution patterns in four wild bee species. <i>Journal of Applied Ecology</i> , 2022, 59, 457-470.	4.0	19
138	The effect of habitat and number of inhabitants on the population sizes of feral pigeons around towns in northern Poland. <i>European Journal of Wildlife Research</i> , 2011, 57, 421-428.	1.4	18
139	Large-scale assessment of commensalistic "mutualistic associations between African birds and herbivorous mammals using internet photos. <i>PeerJ</i> , 2018, 6, e4520.	2.0	18
140	Cues of woman's fertility predict prices for sex with prostitutes. <i>Current Psychology</i> , 2020, 39, 919-926.	2.8	18
141	Research agenda on biodiversity and ecosystem functions and services in European cities. <i>Basic and Applied Ecology</i> , 2021, 53, 124-133.	2.7	18
142	Face mask-wear did not affect large-scale patterns in escape and alertness of urban and rural birds during the COVID-19 pandemic. <i>Science of the Total Environment</i> , 2021, 793, 148672.	8.0	18
143	Does climate influence phenological trends in social wasps (Hymenoptera: Vespinae) in Poland?. <i>European Journal of Entomology</i> , 2010, 107, 203-208.	1.2	18
144	Connecting the social and the ecological in the focal species concept: case study of White Stork. <i>Nature Conservation</i> , 0, 22, 79-105.	0.0	18

#	ARTICLE	IF	CITATIONS
145	Functional significance of cuckoo <i>Cuculus canorus</i> calls: responses of conspecifics, hosts and non-hosts. PeerJ, 2018, 6, e5302.	2.0	18
146	Migratory Masked Shrikes, <i>Lanius nubicus</i> staging at the desert edge: phenology, and sex- and age-related differences in body mass. Ostrich, 2002, 73, 162-165.	1.1	17
147	The relationship between hunting methods and sex, age and body weight in a non-trophy animal, the red fox. Wildlife Research, 2009, 36, 106.	1.4	17
148	Locomotor performance of sand lizards ( <i>Lacerta agilis</i> ): effects of predatory pressure and parasite load. Acta Ethologica, 2013, 16, 173-179.	0.9	17
149	Invasive Canadian goldenrod ( <i>Solidago canadensis</i> L.) as a preferred foraging habitat for spiders. Arthropod-Plant Interactions, 2016, 10, 377-381.	1.1	17
150	Man-made perching sites – electricity pylons accelerate fleshy-fruited plants succession in farmlands. Flora: Morphology, Distribution, Functional Ecology of Plants, 2017, 231, 51-56.	1.2	17
151	Cuckoo folklore and human well-being: Cuckoo calls predict how long farmers live. Ecological Indicators, 2017, 72, 766-768.	6.3	17
152	Top ten birds indicators of high environmental quality in European cities. Ecological Indicators, 2021, 133, 108397.	6.3	17
153	Densities and Morphology of Two Co-existing Lizard Species ( <i>Lacerta agilis</i> and <i>Zootoca vivipara</i> ) in Extensively Used Farmland in Poland. Folia Biologica, 2008, 56, 165-171.	0.5	16
154	Consequences of variation in male harem size to population persistence: Modeling poaching and extinction risk of Bengal tigers ( <i>Panthera tigris</i> ). Biological Conservation, 2012, 147, 22-31.	4.1	16
155	Sex and other sources of variation in the haematological parameters of White Stork <i>Ciconia ciconia</i> chicks. Journal of Ornithology, 2014, 155, 307-314.	1.1	16
156	Associations between species can influence the goodness of fit of species distribution models: The case of two passerine birds. Ecological Complexity, 2014, 20, 208-212.	2.9	16
157	Railway lines affect spatial turnover of pollinator communities in an agricultural landscape. Diversity and Distributions, 2017, 23, 1090-1097.	4.1	16
158	Sexual size dimorphism and positive assortative mating in red-backed shrike <i>Lanius collurio</i> : an adaptive value?. Journal of Ethology, 2005, 23, 161-165.	0.8	15
159	Is earlier spring migration of Tatarstan warblers expected under climate warming?. International Journal of Biometeorology, 2007, 51, 459-463.	3.0	15
160	Do males hatch first and dominate sex ratios in White Stork <i>Ciconia ciconia</i> chicks?. Journal of Ornithology, 2011, 152, 213-218.	1.1	15
161	Patterns of occurrence and abundance of roosting geese: the role of spatial scale for site selection and consequences for conservation. Ecological Research, 2015, 30, 833-842.	1.5	15
162	Number of syllables in cuckoo <i>Cuculus canorus</i> calls: A test using a citizen science project. Scientific Reports, 2018, 8, 12872.	3.3	15

#	ARTICLE	IF	CITATIONS
163	Shell colour, temperature, (micro)habitat structure and predator pressure affect the behaviour of <i>Cepaea nemoralis</i> . <i>Die Naturwissenschaften</i> , 2018, 105, 35.	1.6	15
164	Male-Biased Sex of Extra Pair Young in the Socially Monogamous Red-Backed Shrike <i>Lanius collurio</i> . <i>Acta Ornithologica</i> , 2008, 43, 235-239.	0.5	14
165	Cranial lesions caused by helminth parasites and morphological traits in the European polecat <i>Mustela putorius</i> . <i>Helminthologia</i> , 2009, 46, 85-89.	0.9	14
166	Females Have Larger Ratio of Second to Fourth Digits Than Males in Four Species of <i>Alamandridae</i> , <i>Caudata</i> . <i>Anatomical Record</i> , 2015, 298, 1424-1430.	1.4	14
167	Electricity pylons may be potential foci for the invasion of black cherry <i>Prunus serotina</i> in intensive farmland. <i>Acta Oecologica</i> , 2015, 62, 40-44.	1.1	14
168	Land snails benefit from human alterations in rural landscapes and habitats. <i>Ecosphere</i> , 2017, 8, e01874.	2.2	14
169	Cuckoo as indicator of high functional diversity of bird communities: A new paradigm for biodiversity surrogacy. <i>Ecological Indicators</i> , 2017, 72, 565-573.	6.3	14
170	Food preferences by birds using bird-feeders in winter: a large-scale experiment. <i>Avian Research</i> , 2018, 9, .	1.2	14
171	Insurance for the future? Potential avian community resilience in cities across Europe. <i>Climatic Change</i> , 2020, 159, 195-214.	3.6	14
172	Effects of amusing memes on concern for unappealing species. <i>Conservation Biology</i> , 2020, 34, 1200-1209.	4.7	14
173	Foraging efficiency of white stork <i>Ciconia ciconia</i> significantly increases in pastures containing cows. <i>Acta Oecologica</i> , 2020, 104, 103544.	1.1	14
174	Metagenomic survey of bacteria associated with the invasive ladybird <i>Harmonia axyridis</i> (Coleoptera: Tj ETQq0 0 0,rgBT /Overlock 10 TF	1.2	14
175	House sparrows benefit from the conservation of white storks. <i>Die Naturwissenschaften</i> , 2007, 94, 412-415.	1.6	13
176	Is baculum size dependent on the condition of males in the polecat <i>Mustela putorius</i> ?. <i>Folia Zoologica</i> , 2011, 60, 247-252.	0.9	13
177	Synchrony in the phenology of a culturally iconic spring flower. <i>International Journal of Biometeorology</i> , 2012, 56, 407-409.	3.0	13
178	Saving the best for last: Differential usage of impaled prey by red-backed shrike ( <i>Lanius collurio</i> ) during the breeding season. <i>Behavioural Processes</i> , 2015, 119, 6-13.	1.1	13
179	Habitat preferences of two sparrow species are modified by abundances of other birds in an urban environment. <i>Environmental Epigenetics</i> , 2016, 62, 357-368.	1.8	13
180	Face masks matter: Eurasian tree sparrows show reduced fear responses to people wearing face masks during the COVID-19 pandemic. <i>Global Ecology and Conservation</i> , 2020, 24, e01277.	2.1	13

#	ARTICLE	IF	CITATIONS
181	A Webcast of Bird Nesting as a State-of-the-Art Citizen Science. <i>PLoS Biology</i> , 2017, 15, e2001132.	5.6	13
182	Climate-related Change in Terrestrial and Freshwater Ecosystems. , 2008, , 221-308.		12
183	New methods of crop production and farmland birds: effects of plastic mulches on species richness and abundance. <i>Journal of Applied Ecology</i> , 2013, 50, 1387-1396.	4.0	12
184	Migratory and resident waders differ in risk taking on the wintering grounds. <i>Behavioural Processes</i> , 2018, 157, 309-314.	1.1	12
185	Densities and Habitats of the Tawny Pipit <i>Anthus campestris</i> in the Wielkopolska Region (W) Tj ETQq1 1 0.784314 rgBT <sub>1</sub> /Overl	0.5	11
186	Blood chemistry in white stork <i>Ciconia ciconia</i> chicks varies by sex and age. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2010, 156, 144-147.	1.6	11
187	Wind Turbines as Overwintering Sites Attractive to an Invasive Lady Beetle, <i>Harmonia axyridis</i> Pallas (Coleoptera: Coccinellidae). <i>The Coleopterists Bulletin</i> , 2015, 69, 665-669.	0.2	11
188	Seasonal changes in avian communities living in an extensively used farmland of Western Poland. <i>European Journal of Ecology</i> , 2016, 2, 9-18.	0.3	11
189	Electromagnetic radiation and behavioural response of ticks: an experimental test. <i>Experimental and Applied Acarology</i> , 2018, 75, 85-95.	1.6	11
190	Directional preferences of dogs™ changes in the presence of a bar magnet: Educational experiments in Israel. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2020, 35, 34-37.	1.2	11
191	Biodiversity hotspots at a small scale: the importance of eagles™ nests to many other animals. <i>Ecology</i> , 2021, 102, e03220.	3.2	11
192	Drivers of farmers™ willingness to adopt extensive farming practices™ in a globally important bird area. <i>Land Use Policy</i> , 2021, 107, 104223.	5.6	11
193	The wintering distribution of Great Grey Shrike &lt;i>Lanius excubitor&lt;/i> in Poland: predictions from a large-scale historical survey. <i>Acta Ornithologica</i> , 2009, 44, 159-166.	0.5	11
194	Rapid advances in the timing of the spring passage migration through Israel of the steppe eagle <i>Aquila nipalensis</i> . <i>Climate Research</i> , 2010, 42, 217-222.	1.1	11
195	The Indian Ocean Dipole as an indicator of climatic conditions affecting European birds. <i>Climate Research</i> , 2013, 57, 45-49.	1.1	11
196	Spatial and Temporal Relations between the Barred Warbler <i>Sylvia nisoria</i> and the Red-Backed Shrike <i>Lanius collurio</i> in the Wielkopolska Region (W Poland). <i>Acta Ornithologica</i> , 2001, 36, 129-133.	0.5	10
197	Size variation in chewing lice <i>Docophorus coarctatus</i> : how host size and louse population density vary together. <i>Evolutionary Ecology</i> , 2007, 21, 739-749.	1.2	10
198	Blood parasites in two co-existing species of lizards ( <i>Zootoca vivipara</i> and <i>Lacerta agilis</i> ). <i>Parasitology Research</i> , 2010, 107, 1121-1127.	1.6	10

#	ARTICLE	IF	CITATIONS
199	Unmasking Zorro: functional importance of the facial mask in the Masked Shrike ( <i>Lanius nubicus</i> ). <i>Behavioral Ecology</i> , 2012, 23, 615-618.	2.2	10
200	Multiple species of cuckoos are superior predictors of bird species richness in Asia. <i>Ecosphere</i> , 2017, 8, e02003.	2.2	10
201	Manure application improves both bumblebee flower visitation and crop yield in intensive farmland. <i>Basic and Applied Ecology</i> , 2019, 36, 26-33.	2.7	10
202	<i>Campylobacter</i> in wintering great tits <i>Parus major</i> in Poland. <i>Environmental Science and Pollution Research</i> , 2020, 27, 7570-7577.	5.3	10
203	Autumn Migration of Immature Red Kites <i>Milvus milvus</i> from a Central European Population. <i>Acta Ornithologica</i> , 2019, 54, 45.	0.5	10
204	Circadian preferences of birdwatchers in Poland: do owls prefer watching night birds, and larks prefer daytime ones?. <i>PeerJ</i> , 2020, 8, e8673.	2.0	10
205	A Large Scale Survey of the Great grey shrike <i>Lanius excubitor</i> in Poland: Breeding Densities, Habitat use and Population Trends. <i>Annales Zoologici Fennici</i> , 2010, 47, 67-78.	0.6	9
206	Diet of the Eurasian otter <i>Lutra lutra</i> on small watercourses in Western Poland. <i>Mammalia</i> , 2011, 75, 207-210.	0.7	9
207	Under the changing climate: how shifting geographic distributions and sexual selection shape parasite diversification. , 2015, , 58-76.		9
208	Color mimicry of empty seeds influences the probability of predation by birds. <i>Ecosphere</i> , 2015, 6, art177.	2.2	9
209	Nests of the harvest mouse ( <i>Micromys minutus</i> ) as habitat for invertebrates. <i>Biologia (Poland)</i> , 2015, 70, 1637-1647.	1.5	9
210	Predation Risk Drives Habitat-Specific Sex Ratio in a Monomorphic Species, the Brown Hare ( <i>Lepus europaeus</i> ). <i>Ethology</i> , 2015, 121, 593-600.	1.1	9
211	Co-occurrence of birds and bats in natural nest-holes. <i>Ibis</i> , 2017, 159, 235-237.	1.9	9
212	Effects of local roads and car traffic on the occurrence pattern and foraging behaviour of bats. <i>Transportation Research, Part D: Transport and Environment</i> , 2017, 56, 222-228.	6.8	9
213	Can Bird Abundance Declines be Detected by Citizen Science Programmes? A Case Study Using Common Cuckoo <i>Cuculus Canorus</i> . <i>Avian Biology Research</i> , 2017, 10, 241-245.	0.9	9
214	Experimentally evoked same-sex sexual behaviour in pigeons: better to be in a female-female pair than alone. <i>Scientific Reports</i> , 2018, 8, 1654.	3.3	9
215	A tale of two tails: asymmetry in Great Grey Shrike ( <i>Lanius excubitor</i> ). <i>Avian Research</i> , 2018, 9, .	1.2	9
216	Infected <i>Ixodes ricinus</i> ticks are attracted by electromagnetic radiation of 900 MHz. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101416.	2.7	9

#	ARTICLE	IF	CITATIONS
217	Behavioural Responses of Adult and Young White Storks <i>Ciconia ciconia</i> in Nests to an Unmanned Aerial Vehicle. <i>Acta Ornithologica</i> , 2021, 55, .	0.5	9
218	Increasing patch area, proximity of human settlement and larval food plants positively affect the occurrence and local population size of the habitat specialist butterfly <i>Polyommatus coridon</i> (Lepidoptera: Lycaenidae) in fragmented calcareous grasslands. <i>European Journal of Entomology</i> , 2011, 108, 99-106.	1.2	9
219	Date of breeding of the starling <i>Sturnus vulgaris</i> in New Zealand is related to El Nino Southern Oscillation. <i>Austral Ecology</i> , 2006, 31, 634-637.	1.5	8
220	Differences Between Sexes in Digestive Efficiency of the White Stork <i>Ciconia ciconia</i> under Experimental Conditions. <i>Folia Biologica</i> , 2009, 57, 193-198.	0.5	8
221	The occurrence of pathogens in <i>Rhipicephalus microplus</i> ticks from cattle in Madagascar. <i>Veterinarni Medicina</i> , 2016, 61, 516-523.	0.6	8
222	Ticks and radio-frequency signals: behavioural response of ticks ( <i>Dermacentor reticulatus</i> ) in a 900 MHz electromagnetic field. <i>Systematic and Applied Acarology</i> , 2017, 22, 683.	0.5	8
223	Changing Phenology of Potato and of the Treatment for its Major Pest (Colorado Potato Beetle) – A Long-term Analysis. <i>American Journal of Potato Research</i> , 2018, 95, 26-32.	0.9	8
224	Fight or flight: Geographic variation in antipredator defenses by cinereous tits. <i>Global Ecology and Conservation</i> , 2020, 24, e01207.	2.1	8
225	The Relationship between Hunting Methods and the Sex, Age and Body Mass of Wild Boar <i>Sus scrofa</i> . <i>Animals</i> , 2020, 10, 2345.	2.3	8
226	Negative social jetlag – Special consideration of leisure activities and evidence from birdwatchers. <i>Journal of Sleep Research</i> , 2021, 30, e13372.	3.2	8
227	Effects of climate variation on bird escape distances modulate community responses to global change. <i>Scientific Reports</i> , 2021, 11, 12826.	3.3	8
228	A systematic review of animal predation creating pierced shells: implications for the archaeological record of the Old World. <i>PeerJ</i> , 2017, 5, e2903.	2.0	8
229	Demographic Correlates of Sexual Size Dimorphism and Male Genital Size in the Lice <i>Philopterus coarctatus</i> . <i>Journal of Parasitology</i> , 2009, 95, 1120-1124.	0.7	7
230	The Weekend Bias in Recording Rare Birds: Mechanisms and Consequences. <i>Acta Ornithologica</i> , 2012, 47, 87-94.	0.5	7
231	Effect of manipulated sex ratio on insemination of the red mason bee <i>Osmia bicornis</i> L. under net cage conditions. <i>Journal of Apicultural Science</i> , 2013, 57, 73-79.	0.4	7
232	Effect of Habitat Burning on the Number of Singing Males of the Aquatic Warbler <i>Acrocephalus paludicola</i> . <i>Acta Ornithologica</i> , 2014, 49, 175-182.	0.5	7
233	Do queens of bumblebee species differ in their choice of flower colour morphs of <i>Corydalis cava</i> (Fumariaceae)? <i>Apidologie</i> , 2015, 46, 337-345.	2.0	7
234	Prey reduce risk-taking and abundance in the proximity of predators. <i>Environmental Epigenetics</i> , 2017, 63, zow114.	1.8	7

#	ARTICLE	IF	CITATIONS
235	Intra- and Interspecific Abundance of Birds Affects Detection of Novel Food Sources by Great Tits <i>Parus major</i> . <i>Acta Ornithologica</i> , 2017, 52, 221-231.	0.5	7
236	Birds Drinking Alcohol: Species and Relationship with People. A Review of Information from Scientific Literature and Social Media. <i>Animals</i> , 2020, 10, 270.	2.3	7
237	A large-scale survey of bird plumage colour aberrations reveals a collection bias in Internet-mined photographs. <i>Ibis</i> , 2021, 163, 566-578.	1.9	7
238	Whitewashing improves relocated nest occupancy in the white stork: An experimental test of public information. <i>Journal for Nature Conservation</i> , 2021, 59, 125929.	1.8	7
239	Anthropogenic waste products as preferred nest sites for <i>Myrmica rubra</i> (L.) (Hymenoptera, Tj ETQq1 1 0.784314 rgt /Overlock 10 TF 0.8	0.8	7
240	Winter feeding ecology of male and female European wildcats <i>Felis silvestris</i> in Slovakia. <i>Zeitschrift für Jagdwissenschaft</i> , 2002, 48, 49-54.	0.3	6
241	Spring migration timing of <i>Sylvia</i> warblers in Tatarstan (Russia) 1957–2008. <i>Open Life Sciences</i> , 2009, 4, 595-602.	1.4	6
242	Species composition and dynamics in abundance of migrant and sedentary butterflies (Lepidoptera) at Gibraltar during the spring period. <i>European Journal of Entomology</i> , 2014, 111, 555-559.	1.2	6
243	The silence of the lambs? Plant diversity in abandoned sheep pens. <i>Plant, Soil and Environment</i> , 2016, 62, 1-8.	2.2	6
244	Sexual dimorphism, asymmetry, and the effect of reproduction on pelvis bone in the bank vole, <i>Myodes glareolus</i> . <i>Mammal Research</i> , 2017, 62, 297-306.	1.3	6
245	The association of windmills with conservation of pollinating insects and wild plants in homogeneous farmland of western Poland. <i>Environmental Science and Pollution Research</i> , 2018, 25, 6273-6284.	5.3	6
246	First report of ticks in the subcutaneous tissue of the raccoon dog <i>Nyctereutes procyonoides</i> . <i>Veterinarni Medicina</i> , 2018, 63, 571-574.	0.6	6
247	Global congruence between cuckoo species richness and biodiversity hotspots. <i>Biological Conservation</i> , 2019, 232, 28-34.	4.1	6
248	Do males pay more? A male-biased predation of common lizard ( <i>Zootoca vivipara</i> ) by great grey shrike ( <i>Lanius excubitor</i> ). <i>Acta Ethologica</i> , 2019, 22, 155-162.	0.9	6
249	Living together: Waterbirds distinguish between local fishermen and casual outfits. <i>Global Ecology and Conservation</i> , 2020, 22, e00994.	2.1	6
250	Occupation rates of artificial nest boxes by secondary cavity-nesting birds: The influence of nest site characteristics. <i>Journal for Nature Conservation</i> , 2021, 63, 126045.	1.8	6
251	Constant and seasonal drivers of bird communities in a wind farm: implications for conservation. <i>PeerJ</i> , 2016, 4, e2105.	2.0	6
252	Sand lizards <i>Lacerta agilis</i> with higher digit ratios are more likely to autotomy. <i>Journal of Anatomy</i> , 2020, 237, 1103-1113.	1.5	5



#	ARTICLE	IF	CITATIONS
253	A "clean" alien species? Parasites of the invasive ladybird <i>Harmonia axyridis</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 5	1.2	5
254	Occupancy-frequency distribution of birds in land-sharing and -sparing urban landscapes in Europe. <i>Landscape and Urban Planning</i> , 2022, 226, 104463.	7.5	5
255	Sex differences in fluctuating asymmetry of body traits in chewing lice <i>Docophorulus coarctatus</i> (Phthiraptera: Ischnocera). <i>Parasitology Research</i> , 2007, 101, 1289-1294.	1.6	4
256	Does handling reduce the winter body mass of the European hare?. <i>Open Life Sciences</i> , 2009, 4, 427-433.	1.4	4
257	Females prefer extra-pair males that are older and better hunters. <i>European Journal of Ecology</i> , 2015, 1, 26-31.	0.3	4
258	Habitat structure, breeding stage and sex affect hunting success of breeding Red-backed Shrike ( <i>Lanius</i> ) Tj ETQq0 0.0 rgBT /Overlock 10	1.4	4
259	Breeding ecology of the Long-legged Buzzard ( <i>Buteo rufinus</i> ) in an increasing population on Cyprus. <i>Journal of Arid Environments</i> , 2016, 135, 12-16.	2.4	4
260	Do levees support diversity and affect spatial turnover of communities in plant-herbivore systems in an urban landscape?. <i>Ecological Engineering</i> , 2017, 105, 198-204.	3.6	4
261	Long-term changes in the quantity and quality of supplementary feeding of wildlife: are influenced by game managers?. <i>Folia Zoologica</i> , 2017, 66, 248-253.	0.9	4
262	Thrush anvils are calcium source hotspots for many bird species. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 603-610.	1.6	4
263	Editorial: Partitioning the Effects of Urbanization on Biodiversity: Beyond Wildlife Behavioural Responses to a Multilevel Assessment of Community Changes in Taxonomic, Functional and Phylogenetic Diversity. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	4
264	Lack of Evidence That Bird Feeders Are a Source of Salmonellosis during Winter in Poland. <i>Animals</i> , 2021, 11, 1831.	2.3	4
265	Head and body orientation of the White Stork <i>Ciconia ciconia</i> during incubation: effect of wind, apex predators and power lines. <i>Journal of Ornithology</i> , 2022, 163, 181-189.	1.1	4
266	A psychiatrist watches birds during the COVID-19 pandemic: observations, introspections, interpretations. <i>Psychiatria I Psychologia Kliniczna</i> , 2020, 20, 94-97.	0.2	4
267	Strong Declines of the White Stork <i>Ciconia ciconia</i> Population in South-Western Poland: A Differentiated Importance of Altitude and Land Use Changes. <i>Acta Ornithologica</i> , 2022, 56, .	0.5	4
268	Committed Bird-Watchers Gain Greater Psychological Restorative Benefits Compared to Those Less Committed Regardless of Expertise. <i>Ecopsychology</i> , 2022, 14, 101-110.	1.4	4
269	Sex differences in impaling behaviour of Great Grey Shrike <i>Lanius excubitor</i> : Do males have better impaling skills than females?. <i>Behavioural Processes</i> , 2012, 91, 50-53.	1.1	3
270	Effect of Electricity Pylons on Plant Biodiversity in Intensive Farmland in Poland. <i>Annales Botanici Fennici</i> , 2016, 53, 415-425.	0.1	3



#	ARTICLE	IF	CITATIONS
271	Cuckoos host range is associated positively with distribution range and negatively with evolutionary uniqueness. <i>Journal of Animal Ecology</i> , 2018, 87, 765-773.	2.8	3
272	The effect of pre-laying maternal immunization on offspring growth and immunity differs across experimentally altered postnatal rearing conditions in a wild songbird. <i>Frontiers in Zoology</i> , 2018, 15, 25.	2.0	3
273	Mist-Netting of Migrating Bee-Eaters Positively Influences Honey Bee Colony Performance. <i>Journal of Apicultural Science</i> , 2018, 62, 67-78.	0.4	3
274	Ants Response to Human-Induced Disturbance in a Rain Tropical Forest. <i>Neotropical Entomology</i> , 2018, 47, 757-762.	1.2	3
275	Sexual differences in daily foraging patterns among Great tits ( <i>Parus major</i> ) established by radio frequency identification (RFID) tags. <i>Ethology Ecology and Evolution</i> , 2020, 32, 87-95.	1.4	3
276	Interaction of climate change with effects of conspecific and heterospecific density on reproduction. <i>Oikos</i> , 2020, 129, 1807-1819.	2.7	3
277	Birds using tram tracks in Poznań, (Poland): Species, infrastructure use and behaviour. <i>Transportation Research, Part D: Transport and Environment</i> , 2020, 81, 102282.	6.8	3
278	Breeding in a noisy world: Attraction to urban arterial roads and preference for nest-sites by the scaly-breasted munia ( <i>Lonchura punctulata</i> ). <i>Global Ecology and Conservation</i> , 2020, 22, e00987.	2.1	3
279	Does experimentally simulated presence of a common cuckoo ( <i>Cuculus canorus</i> ) affect egg rejection and breeding success in the red-backed shrike ( <i>Lanius collurio</i> )?. <i>Acta Ethologica</i> , 2021, 24, 87-94.	0.9	3
280	Where to overwinter: burrows of medium-sized carnivores as winter places for invertebrates in temperate environment. <i>Ecological Entomology</i> , 2021, 46, 1177-1184.	2.2	3
281	Patterns in the distribution and directional asymmetry of fleas living on the northern white-breasted hedgehog <i>Erinaceus roumanicus</i> . <i>Folia Parasitologica</i> , 2017, 64, .	1.3	3
282	Congruence between breeding and wintering biodiversity hotspots: A case study in farmlands of Western Poland. <i>European Journal of Ecology</i> , 2019, 4, 75-83.	0.3	3
283	Locomotor Activity of <i>Ixodes ricinus</i> Females in 900 MHz Electromagnetic Field. <i>Life</i> , 2022, 12, 884.	2.4	3
284	Prevalence of agglutinating antibodies against <i>Listeria monocytogenes</i> in chicks of the white stork ( <i>Ciconia ciconia</i> Linnaeus, 1758) in Poland. <i>European Journal of Wildlife Research</i> , 2004, 50, 218-220.	1.4	2
285	Second generation energy crops and farmland birds – Central and East European perspective. <i>Journal of Plant Protection Research</i> , 2016, 56, 211-220.	1.0	2
286	Robustness of newt heads in condition of co-existence: a case of the Carpathian newt and the alpine newt. <i>Zoomorphology</i> , 2017, 136, 511-521.	0.8	2
287	Foraging of White Stork <i>Ciconia ciconia</i> in Forests – The Heritage of an Ancient Behaviour?. <i>Polish Journal of Ecology</i> , 2018, 66, 250-256.	0.2	2
288	Tick distribution along animal tracks: implication for preventative medicine. <i>Annals of Agricultural and Environmental Medicine</i> , 2018, 25, 360-363.	1.0	2

#	ARTICLE	IF	CITATIONS
289	Mineral nitrogen fertilisers remain a crucial factor even in the ecological intensification of agriculture. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2019, 69, 311-316.	0.6	2
290	A biotrophic fungal infection of the great burnet <i>Sanguisorba officinalis</i> indirectly affects caterpillar performance of the endangered scarce large blue butterfly <i>Phengaris teleius</i> . <i>Insect Science</i> , 2019, 26, 555-568.	3.0	2
291	On the origin of species on road warning signs: A global perspective. <i>Global Ecology and Conservation</i> , 2021, 27, e01600.	2.1	2
292	Morphometric analysis – effect of the radiofrequency interface of electromagnetic field on the size of hatched <i>Dermacentor reticulatus</i> larvae. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 419-425.	1.0	2
293	Post-breeding flocks of White Storks <i>Ciconia ciconia</i> in southern Poland: size, age composition and the geographical origin of birds. <i>Bird Study</i> , 2021, 68, 190-197.	1.0	2
294	Not so black, not so white: differences in microorganism load of contiguous feathers from white stork chicks. <i>Environmental Epigenetics</i> , 2021, 67, 263-270.	1.8	2
295	Editorial: Citizen Science for Future Generations. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	2.2	2
296	Test of Precipitation, Compensation and Monday Effect Hypotheses on Group Hare Trapping Effort. <i>Wildlife Biology</i> , 2015, 21, 312-317.	1.4	1
297	Effects of habitat and time of day on flock size of Turkey Vultures in Cuba ( <i>Cathartes aura</i> ). <i>ZooKeys</i> , 2018, 726, 79-86.	1.1	1
298	The Holy Grail is just a myth! Response to Haest 2019. <i>Ecological Indicators</i> , 2019, 101, 720-724.	6.3	1
299	Energy crops affecting farmland birds in Central Europe: insights from a miscanthus-dominated landscape. <i>Biologia (Poland)</i> , 2019, 74, 35-44.	1.5	1
300	Comparative urbanization of birds in China and Europe based on birds associated with trees. <i>Environmental Epigenetics</i> , 2019, 65, 617-625.	1.8	1
301	Urban plums and toads: do fleshy fruits affect the post-metamorphic growth of amphibians?. <i>PeerJ</i> , 2019, 7, e6337.	2.0	1
302	Editorial: The Role of Environmental Reservoirs in <i>Campylobacter</i> -Mediated Infection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 773436.	3.9	1
303	Case Study 3. Using Indicator Species Analysis IndVal to Identify Bird Indicators of HNV in Farmlands from Western Poland. , 2017, , 107-114.		1
304	Nutritional Condition of Hybrid Nestlings Is Similar To That of Pure-Species Offspring of Spotted Eagles ( <i>Clanga clanga</i> – <i>C. pomarina</i> ). <i>Journal of Raptor Research</i> , 2018, 52, 484-490.	0.6	1
305	Birds crossing over roads: species, flight heights and infrastructure use. <i>European Journal of Ecology</i> , 2020, 6, .	0.3	1
306	Long-term population trends of <i>Rhinolophus hipposideros</i> and <i>Myotis myotis</i> in Poland. , 2021, 88, 1189-1200.		1

#	ARTICLE	IF	CITATIONS
307	Sentiment Analysis of Comments of American Birders during Two Waves of the COVID-19 Pandemic Reveal More Negative Sentiments in the Context of Birding. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13142.	2.6	1
308	Wild bee larval food composition in five European cities. <i>Ecology</i> , 2022, , e3740.	3.2	1
309	Will Brazilian City Dwellers Actively Engage in Urban Conservation? A Case Study with the Charismatic Neotropical Blue-and-Yellow Macaw ( <i>Ara ararauna</i> ). <i>Birds</i> , 2022, 3, 234-244.	1.4	1
310	Does the european hare <i>Lepus europaeus</i> avoid raven <i>Corvus corax</i> nests in farmland?. <i>Zeitschrift für Jagdwissenschaft</i> , 2001, 47, 63-66.	0.3	0
311	The relationship between means and variances in avian reproductive success between local populations of white stork ( <i>Ciconia ciconia</i> ): reply to Moreno and Polo. <i>Population Ecology</i> , 2006, 48, 174-174.	1.2	0
312	Long-term trends and correlates of antler anomalies in roe deer. <i>Journal of Wildlife Management</i> , 2014, 78, 1486-1491.	1.8	0
313	Ecology in Europe: is there an "empty" niche for the new journal among competitors, predators and parasites?. <i>European Journal of Ecology</i> , 2015, 1, 1-4.	0.3	0
314	Suitable Methods for Monitoring HNV Farmland Using Bird Species. , 2017, , 53-68.		0
315	Ants biting amphibians: a review and new observations. <i>European Journal of Ecology</i> , 2019, 5, 118-125.	0.3	0
316	Nests built on power lines: Nest-site selection by long-tailed broadbills ( <i>Psarisomus dalhousiae</i> ) in Nonggang of Guangxi, China. <i>Avian Biology Research</i> , 2020, 13, 63-69.	0.9	0
317	Comparison of genetic patterns between European and Asian populations of an endangered butterfly species. <i>Insect Conservation and Diversity</i> , 2021, 14, 67-80.	3.0	0
318	Biodiversity Hotspots at a Small Scale: The Importance of Eagles' Nests to Many Other Animals. <i>Bulletin of the Ecological Society of America</i> , 2021, 102, e01827.	0.2	0
319	Effects of maternal exposure to a bacterial antigen and altered post-hatching rearing conditions on avian offspring behaviour. <i>Behavioral Ecology and Sociobiology</i> , 2021, 75, 1.	1.4	0
320	Digit ratio in the common toad <i>Bufo bufo</i> : the effects of reduced fingers and of age dependency. <i>Zoological Letters</i> , 2021, 7, 5.	1.3	0
321	Sleeping in a Noisy World: Roosting Sites of Large Aggregations of White Wagtails <i>Motacilla alba</i> in a Tropical City, China. <i>Ornithological Science</i> , 2021, 20, .	0.5	0
322	Biometry and phenology of two sibling <i>Phylloscopus</i> warblers on their circum-Mediterranean migrations. <i>ZooKeys</i> , 2015, 530, 113-127.	1.1	0
323	Case Study 1. Bird as Indicators of HNV: Case Study in Farmlands from Central Italy. , 2017, , 71-88.		0
324	Discussion and Final Considerations. , 2017, , 115-120.		0

#	ARTICLE	IF	CITATIONS
325	Resenha: Um tipo diferente de animal: como a cultura transformou nossa esp�cie. Terr@ Plural, 2019, 13, 383-387.	0.0	0
326	Wolbachia infection and parasitoid occurrence among plant-feeding caterpillars of the endangered butterfly Phengaris teleius (Lepidoptera: Lycaenidae) in southern Poland. Entomologica Fennica, 2019, 30, 20-27.	0.6	0
327	SEASONS IN MEDIUM-SIZED CITIES: A CALL FOR MORE PHENOLOGICAL DATA FROM THE TROPICS. Terr@ Plural, 0, 14, 1-9.	0.0	0
328	Resenha: Ultrasociety. How 10,000 Years of War Made Humans the Greatest Cooperators on Earth. Terr@ Plural, 0, 14, 1-4.	0.0	0
329	Applying Bipartite Network Analysis and Ordination Technique to Evaluate Long-Term Data from Veterinary�Sanitary Examination of Slaughtered Pigs. Animals, 2022, 12, 472.	2.3	0
330	Similar Trajectories in Current Alcohol Consumption and Tick-Borne Diseases: Only Parallel Changes in Time or Links Between?. Frontiers in Cellular and Infection Microbiology, 2021, 11, 790938.	3.9	0