

# Piotr Tryjanowski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6395011/publications.pdf>

Version: 2024-02-01

330  
papers

9,590  
citations

57758

44  
h-index

62596

80  
g-index

341  
all docs

341  
docs citations

341  
times ranked

9739  
citing authors

#	ARTICLE	IF	CITATIONS
1	Head and body orientation of the White Stork <i>Ciconia ciconia</i> during incubation: effect of wind, apex predators and power lines. <i>Journal of Ornithology</i> , 2022, 163, 181-189.	1.1	4
2	How wild bees find a way in European cities: Pollen metabarcoding unravels multiple feeding strategies and their effects on distribution patterns in four wild bee species. <i>Journal of Applied Ecology</i> , 2022, 59, 457-470.	4.0	19
3	Editorial: Citizen Science for Future Generations. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .	2.2	2
4	Applying Bipartite Network Analysis and Ordination Technique to Evaluate Long-Term Data from Veterinaryâ€“Sanitary Examination of Slaughtered Pigs. <i>Animals</i> , 2022, 12, 472.	2.3	0
5	Strong Declines of the White Stork <i>Ciconia ciconia</i> Population in South-Western Poland: A Differentiated Importance of Altitude and Land Use Changes. <i>Acta Ornithologica</i> , 2022, 56, .	0.5	4
6	Wild bee larval food composition in five European cities. <i>Ecology</i> , 2022, , e3740.	3.2	1
7	Occupancy-frequency distribution of birds in land-sharing and -sparing urban landscapes in Europe. <i>Landscape and Urban Planning</i> , 2022, 226, 104463.	7.5	5
8	Committed Bird-Watchers Gain Greater Psychological Restorative Benefits Compared to Those Less Committed Regardless of Expertise. <i>Ecopsychology</i> , 2022, 14, 101-110.	1.4	4
9	Will Brazilian City Dwellers Actively Engage in Urban Conservation? A Case Study with the Charismatic Neotropical Blue-and-Yellow Macaw ( <i>Ara ararauna</i> ). <i>Birds</i> , 2022, 3, 234-244.	1.4	1
10	Locomotor Activity of <i>Ixodes ricinus</i> Females in 900 MHz Electromagnetic Field. <i>Life</i> , 2022, 12, 884.	2.4	3
11	Dependence of the leopard <i>Panthera pardus fusca</i> in Jaipur, India, on domestic animals. <i>Oryx</i> , 2021, 55, 692-698.	1.0	19
12	A large-scale survey of bird plumage colour aberrations reveals a collection bias in Internet-mined photographs. <i>Ibis</i> , 2021, 163, 566-578.	1.9	7
13	Biodiversity hotspots at a small scale: the importance of eagles' nests to many other animals. <i>Ecology</i> , 2021, 102, e03220.	3.2	11
14	Whitewashing improves relocated nest occupancy in the white stork: An experimental test of public information. <i>Journal for Nature Conservation</i> , 2021, 59, 125929.	1.8	7
15	Comparison of genetic patterns between European and Asian populations of an endangered butterfly species. <i>Insect Conservation and Diversity</i> , 2021, 14, 67-80.	3.0	0
16	Drivers of farmers' willingness to adopt extensive farming practices in a globally important bird area. <i>Land Use Policy</i> , 2021, 107, 104223.	5.6	11
17	Biodiversity Hotspots at a Small Scale: The Importance of Eagles' Nests to Many Other Animals. <i>Bulletin of the Ecological Society of America</i> , 2021, 102, e01827.	0.2	0
18	Effects of maternal exposure to a bacterial antigen and altered post-hatching rearing conditions on avian offspring behaviour. <i>Behavioral Ecology and Sociobiology</i> , 2021, 75, 1.	1.4	0

#	ARTICLE	IF	CITATIONS
19	Digit ratio in the common toad <i>Bufo bufo</i> : the effects of reduced fingers and of age dependency. <i>Zoological Letters</i> , 2021, 7, 5.	1.3	0
20	Does experimentally simulated presence of a common cuckoo ( <i>Cuculus canorus</i> ) affect egg rejection and breeding success in the red-backed shrike ( <i>Lanius collurio</i> )?. <i>Acta Ethologica</i> , 2021, 24, 87-94.	0.9	3
21	Behavioural Responses of Adult and Young White Storks <i>Ciconia ciconia</i> in Nests to an Unmanned Aerial Vehicle. <i>Acta Ornithologica</i> , 2021, 55, .	0.5	9
22	Small things are important: the value of singular point elements for birds in agricultural landscapes. <i>Biological Reviews</i> , 2021, 96, 1386-1403.	10.4	24
23	Sleeping in a Noisy World: Roosting Sites of Large Aggregations of White Wagtails <i>Motacilla alba</i> in a Tropical City, China. <i>Ornithological Science</i> , 2021, 20, .	0.5	0
24	Negative social jetlag – Special consideration of leisure activities and evidence from birdwatchers. <i>Journal of Sleep Research</i> , 2021, 30, e13372.	3.2	8
25	Lack of Evidence That Bird Feeders Are a Source of Salmonellosis during Winter in Poland. <i>Animals</i> , 2021, 11, 1831.	2.3	4
26	Research agenda on biodiversity and ecosystem functions and services in European cities. <i>Basic and Applied Ecology</i> , 2021, 53, 124-133.	2.7	18
27	On the origin of species on road warning signs: A global perspective. <i>Global Ecology and Conservation</i> , 2021, 27, e01600.	2.1	2
28	Effects of climate variation on bird escape distances modulate community responses to global change. <i>Scientific Reports</i> , 2021, 11, 12826.	3.3	8
29	Where to overwinter: burrows of medium-sized carnivores as winter places for invertebrates in temperate environment. <i>Ecological Entomology</i> , 2021, 46, 1177-1184.	2.2	3
30	Morphometric analysis – effect of the radiofrequency interface of electromagnetic field on the size of hatched <i>Dermacentor reticulatus</i> larvae. <i>Annals of Agricultural and Environmental Medicine</i> , 2021, 28, 419-425.	1.0	2
31	Occupation rates of artificial nest boxes by secondary cavity-nesting birds: The influence of nest site characteristics. <i>Journal for Nature Conservation</i> , 2021, 63, 126045.	1.8	6
32	Effects of urbanization on taxonomic, functional and phylogenetic avian diversity in Europe. <i>Science of the Total Environment</i> , 2021, 795, 148874.	8.0	27
33	Dynamics of a stage-structured predator-prey model: cost and benefit of fear-induced group defense. <i>Journal of Theoretical Biology</i> , 2021, 528, 110846.	1.7	26
34	Face mask-wear did not affect large-scale patterns in escape and alertness of urban and rural birds during the COVID-19 pandemic. <i>Science of the Total Environment</i> , 2021, 793, 148672.	8.0	18
35	Editorial: The Role of Environmental Reservoirs in <i>Campylobacter</i> -Mediated Infection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 773436.	3.9	1
36	Post-breeding flocks of White Storks <i>Ciconia ciconia</i> in southern Poland: size, age composition and the geographical origin of birds. <i>Bird Study</i> , 2021, 68, 190-197.	1.0	2

#	ARTICLE	IF	CITATIONS
37	Not so black, not so white: differences in microorganism load of contiguous feathers from white stork chicks. <i>Environmental Epigenetics</i> , 2021, 67, 263-270.	1.8	2
38	Top ten birds indicators of high environmental quality in European cities. <i>Ecological Indicators</i> , 2021, 133, 108397.	6.3	17
39	Long-term population trends of <i>Rhinolophus hipposideros</i> and <i>Myotis myotis</i> in Poland. , 2021, 88, 1189-1200.		1
40	Similar Trajectories in Current Alcohol Consumption and Tick-Borne Diseases: Only Parallel Changes in Time or Links Between?. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021, 11, 790938.	3.9	0
41	Sentiment Analysis of Comments of American Birders during Two Waves of the COVID-19 Pandemic Reveal More Negative Sentiments in the Context of Birding. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 13142.	2.6	1
42	Cues of woman's fertility predict prices for sex with prostitutes. <i>Current Psychology</i> , 2020, 39, 919-926.	2.8	18
43	Sexual differences in daily foraging patterns among Great tits <i>Parus major</i> established by radio frequency identification (RFID) tags. <i>Ethology Ecology and Evolution</i> , 2020, 32, 87-95.	1.4	3
44	Directional preferences of dogs' changes in the presence of a bar magnet: Educational experiments in Israel. <i>Journal of Veterinary Behavior: Clinical Applications and Research</i> , 2020, 35, 34-37.	1.2	11
45	The emergence of tolerance of human disturbance in Neotropical birds. <i>Journal of Tropical Ecology</i> , 2020, 36, 1-5.	1.1	23
46	Biodiversity within the city: Effects of land sharing and land sparing urban development on avian diversity. <i>Science of the Total Environment</i> , 2020, 707, 135477.	8.0	39
47	<i>Campylobacter</i> in wintering great tits <i>Parus major</i> in Poland. <i>Environmental Science and Pollution Research</i> , 2020, 27, 7570-7577.	5.3	10
48	Land-sharing vs. land-sparing urban development modulate predator-prey interactions in Europe. <i>Ecological Applications</i> , 2020, 30, e02049.	3.8	25
49	SARS-CoV2 (COVID-19) Pandemic Lockdown Influences Nature-Based Recreational Activity: The Case of Birders. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7310.	2.6	58
50	Face masks matter: Eurasian tree sparrows show reduced fear responses to people wearing face masks during the COVID-19 pandemic. <i>Global Ecology and Conservation</i> , 2020, 24, e01277.	2.1	13
51	Sand lizards <i>Lacerta agilis</i> with higher digit ratios are more likely to autotomy. <i>Journal of Anatomy</i> , 2020, 237, 1103-1113.	1.5	5
52	Nests built on power lines: Nest-site selection by long-tailed broadbills ( <i>Psarisomus dalhousiae</i> ) in Nonggang of Guangxi, China. <i>Avian Biology Research</i> , 2020, 13, 63-69.	0.9	0
53	Fight or flight: Geographic variation in antipredator defenses by cinereous tits. <i>Global Ecology and Conservation</i> , 2020, 24, e01207.	2.1	8
54	A negative covariation between toxoplasmosis and COVID-19 with alternative interpretations. <i>Scientific Reports</i> , 2020, 10, 12512.	3.3	24

#	ARTICLE	IF	CITATIONS
55	The COVID-19 pandemic: local to global implications as perceived by urban ecologists. <i>Socio-Ecological Practice Research</i> , 2020, 2, 217-228.	1.9	20
56	Interaction of climate change with effects of conspecific and heterospecific density on reproduction. <i>Oikos</i> , 2020, 129, 1807-1819.	2.7	3
57	The Relationship between Hunting Methods and the Sex, Age and Body Mass of Wild Boar <i>Sus scrofa</i> . <i>Animals</i> , 2020, 10, 2345.	2.3	8
58	Living together: Waterbirds distinguish between local fishermen and casual outfits. <i>Global Ecology and Conservation</i> , 2020, 22, e00994.	2.1	6
59	Birds using tram tracks in Poznań, (Poland): Species, infrastructure use and behaviour. <i>Transportation Research, Part D: Transport and Environment</i> , 2020, 81, 102282.	6.8	3
60	Editorial: Partitioning the Effects of Urbanization on Biodiversity: Beyond Wildlife Behavioural Responses to a Multilevel Assessment of Community Changes in Taxonomic, Functional and Phylogenetic Diversity. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	4
61	Breeding in a noisy world: Attraction to urban arterial roads and preference for nest-sites by the scaly-breasted munia ( <i>Lonchura punctulata</i> ). <i>Global Ecology and Conservation</i> , 2020, 22, e00987.	2.1	3
62	Birds Drinking Alcohol: Species and Relationship with People. A Review of Information from Scientific Literature and Social Media. <i>Animals</i> , 2020, 10, 270.	2.3	7
63	Insurance for the future? Potential avian community resilience in cities across Europe. <i>Climatic Change</i> , 2020, 159, 195-214.	3.6	14
64	Effects of amusing memes on concern for unappealing species. <i>Conservation Biology</i> , 2020, 34, 1200-1209.	4.7	14
65	Infected <i>Ixodes ricinus</i> ticks are attracted by electromagnetic radiation of 900 MHz. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101416.	2.7	9
66	Foraging efficiency of white stork <i>Ciconia ciconia</i> significantly increases in pastures containing cows. <i>Acta Oecologica</i> , 2020, 104, 103544.	1.1	14
67	A psychiatrist watches birds during the COVID-19 pandemic: observations, introspections, interpretations. <i>Psychiatria I Psychologia Kliniczna</i> , 2020, 20, 94-97.	0.2	4
68	Circadian preferences of birdwatchers in Poland: do "owls" prefer watching night birds, and "larks" prefer daytime ones?. <i>PeerJ</i> , 2020, 8, e8673.	2.0	10
69	Birds crossing over roads: species, flight heights and infrastructure use. <i>European Journal of Ecology</i> , 2020, 6, .	0.3	1
70	Wintering range of <i>Pipistrellus nathusii</i> (Chiroptera) in Central Europe: has the species extended to the north-east using urban heat islands?. <i>Mammalia</i> , 2019, 83, 260-271.	0.7	19
71	Adaptive responses of animals to climate change are most likely insufficient. <i>Nature Communications</i> , 2019, 10, 3109.	12.8	285
72	Heterospecific alarm-call recognition in two warbler hosts of common cuckoos. <i>Animal Cognition</i> , 2019, 22, 1149-1157.	1.8	23

#	ARTICLE	IF	CITATIONS
73	Thrush anvils are calcium source hotspots for many bird species. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 603-610.	1.6	4
74	Global congruence between cuckoo species richness and biodiversity hotspots. <i>Biological Conservation</i> , 2019, 232, 28-34.	4.1	6
75	The Holy Grail is just a myth! Response to Haest 2019. <i>Ecological Indicators</i> , 2019, 101, 720-724.	6.3	1
76	Energy crops affecting farmland birds in Central Europe: insights from a miscanthus-dominated landscape. <i>Biologia (Poland)</i> , 2019, 74, 35-44.	1.5	1
77	Do males pay more? A male-biased predation of common lizard ( <i>Zootoca vivipara</i> ) by great grey shrike ( <i>Lanius excubitor</i> ). <i>Acta Ethologica</i> , 2019, 22, 155-162.	0.9	6
78	Road kills of non-human primates: a global view using a different type of data. <i>Mammal Review</i> , 2019, 49, 276-283.	4.8	22
79	Contagious fear: Escape behavior increases with flock size in European gregarious birds. <i>Ecology and Evolution</i> , 2019, 9, 6096-6104.	1.9	52
80	Manure application improves both bumblebee flower visitation and crop yield in intensive farmland. <i>Basic and Applied Ecology</i> , 2019, 36, 26-33.	2.7	10
81	Comparative urbanization of birds in China and Europe based on birds associated with trees. <i>Environmental Epigenetics</i> , 2019, 65, 617-625.	1.8	1
82	Flight initiation distance, color and camouflage. <i>Environmental Epigenetics</i> , 2019, 65, 535-540.	1.8	20
83	Multispecies invasion reduces the negative impact of single alien plant species on native flora. <i>Diversity and Distributions</i> , 2019, 25, 951-962.	4.1	25
84	Ants biting amphibians: a review and new observations. <i>European Journal of Ecology</i> , 2019, 5, 118-125.	0.3	0
85	Mineral nitrogen fertilisers remain a crucial factor even in the ecological intensification of agriculture. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2019, 69, 311-316.	0.6	2
86	A biotrophic fungal infection of the great burnet <i>Sanguisorba officinalis</i> indirectly affects caterpillar performance of the endangered scarce large blue butterfly <i>Phengaris teleius</i> . <i>Insect Science</i> , 2019, 26, 555-568.	3.0	2
87	Congruence between breeding and wintering biodiversity hotspots: A case study in farmlands of Western Poland. <i>European Journal of Ecology</i> , 2019, 4, 75-83.	0.3	3
88	Autumn Migration of Immature Red Kites <i>Milvus milvus</i> from a Central European Population. <i>Acta Ornithologica</i> , 2019, 54, 45.	0.5	10
89	Urban plums and toads: do fleshy fruits affect the post-metamorphic growth of amphibians?. <i>PeerJ</i> , 2019, 7, e6337.	2.0	1
90	Resenha: Um tipo diferente de animal: como a cultura transformou nossa espécie. <i>Terr@ Plural</i> , 2019, 13, 383-387.	0.0	0

#	ARTICLE	IF	CITATIONS
91	Wolbachia infection and parasitoid occurrence among plant-feeding caterpillars of the endangered butterfly <i>Phengaris teleius</i> (Lepidoptera: Lycaenidae) in southern Poland. <i>Entomologica Fennica</i> , 2019, 30, 20-27.	0.6	0
92	Experimentally evoked same-sex sexual behaviour in pigeons: better to be in a female-female pair than alone. <i>Scientific Reports</i> , 2018, 8, 1654.	3.3	9
93	Cuckoos host range is associated positively with distribution range and negatively with evolutionary uniqueness. <i>Journal of Animal Ecology</i> , 2018, 87, 765-773.	2.8	3
94	Electromagnetic radiation and behavioural response of ticks: an experimental test. <i>Experimental and Applied Acarology</i> , 2018, 75, 85-95.	1.6	11
95	The association of windmills with conservation of pollinating insects and wild plants in homogeneous farmland of western Poland. <i>Environmental Science and Pollution Research</i> , 2018, 25, 6273-6284.	5.3	6
96	Escape behaviour of birds in urban parks and cemeteries across Europe: Evidence of behavioural adaptation to human activity. <i>Science of the Total Environment</i> , 2018, 631-632, 803-810.	8.0	39
97	Risk perception of vervet monkeys <i>Chlorocebus pygerythrus</i> to humans in urban and rural environments. <i>Behavioural Processes</i> , 2018, 147, 21-27.	1.1	27
98	Changing Phenology of Potato and of the Treatment for its Major Pest (Colorado Potato Beetle) – A Long-term Analysis. <i>American Journal of Potato Research</i> , 2018, 95, 26-32.	0.9	8
99	Large-scale assessment of commensalistic/mutualistic associations between African birds and herbivorous mammals using internet photos. <i>PeerJ</i> , 2018, 6, e4520.	2.0	18
100	Effects of habitat and time of day on flock size of Turkey Vultures in Cuba ( <i>Cathartes aura</i> ). <i>ZooKeys</i> , 2018, 726, 79-86.	1.1	1
101	Foraging of White Stork <i>Ciconia ciconia</i> in Forests – The Heritage of an Ancient Behaviour?. <i>Polish Journal of Ecology</i> , 2018, 66, 250-256.	0.2	2
102	Food preferences by birds using bird-feeders in winter: a large-scale experiment. <i>Avian Research</i> , 2018, 9, .	1.2	14
103	Number of syllables in cuckoo <i>Cuculus canorus</i> calls: A test using a citizen science project. <i>Scientific Reports</i> , 2018, 8, 12872.	3.3	15
104	Cemeteries support avian diversity likewise urban parks in European cities: Assessing taxonomic, evolutionary and functional diversity. <i>Urban Forestry and Urban Greening</i> , 2018, 36, 90-99.	5.3	27
105	Adjusting risk-taking to the annual cycle of long-distance migratory birds. <i>Scientific Reports</i> , 2018, 8, 13989.	3.3	25
106	Tick distribution along animal tracks: implication for preventative medicine. <i>Annals of Agricultural and Environmental Medicine</i> , 2018, 25, 360-363.	1.0	2
107	First report of ticks in the subcutaneous tissue of the raccoon dog <i>Nyctereutes procyonoides</i> . <i>Veterinarni Medicina</i> , 2018, 63, 571-574.	0.6	6
108	The effect of pre-laying maternal immunization on offspring growth and immunity differs across experimentally altered postnatal rearing conditions in a wild songbird. <i>Frontiers in Zoology</i> , 2018, 15, 25.	2.0	3

#	ARTICLE	IF	CITATIONS
109	Migratory and resident waders differ in risk taking on the wintering grounds. <i>Behavioural Processes</i> , 2018, 157, 309-314.	1.1	12
110	Costs of breeding far away from neighbors: Isolated host nests are more vulnerable to cuckoo parasitism. <i>Behavioural Processes</i> , 2018, 157, 327-332.	1.1	22
111	Birds respond similarly to taxidermic models and live cuckoos <i>Cuculus canorus</i> . <i>Journal of Ethology</i> , 2018, 36, 243-249.	0.8	19
112	Mist-Netting of Migrating Bee-Eaters Positively Influences Honey Bee Colony Performance. <i>Journal of Apicultural Science</i> , 2018, 62, 67-78.	0.4	3
113	A tale of two tails: asymmetry in Great Grey Shrike ( <i>Lanius excubitor</i> ). <i>Avian Research</i> , 2018, 9, .	1.2	9
114	Shell colour, temperature, (micro)habitat structure and predator pressure affect the behaviour of <i>Cepaea nemoralis</i> . <i>Die Naturwissenschaften</i> , 2018, 105, 35.	1.6	15
115	Ants Response to Human-Induced Disturbance in a Rain Tropical Forest. <i>Neotropical Entomology</i> , 2018, 47, 757-762.	1.2	3
116	Functional significance of cuckoo <i>Cuculus canorus</i> calls: responses of conspecifics, hosts and non-hosts. <i>PeerJ</i> , 2018, 6, e5302.	2.0	18
117	Nutritional Condition of Hybrid Nestlings Is Similar To That of Pure-Species Offspring of Spotted Eagles ( <i>Clanga clanga</i> – <i>C. pomarina</i> ). <i>Journal of Raptor Research</i> , 2018, 52, 484-490.	0.6	1
118	Prey reduce risk-taking and abundance in the proximity of predators. <i>Environmental Epigenetics</i> , 2017, 63, zow114.	1.8	7
119	Co-occurrence of birds and bats in natural nest-holes. <i>Ibis</i> , 2017, 159, 235-237.	1.9	9
120	Taxonomic diversity, functional diversity and evolutionary uniqueness in bird communities of Beijing's urban parks: Effects of land use and vegetation structure. <i>Urban Forestry and Urban Greening</i> , 2017, 23, 84-92.	5.3	66
121	Suitable Methods for Monitoring HNV Farmland Using Bird Species. , 2017, , 53-68.		0
122	Do levees support diversity and affect spatial turnover of communities in plant-herbivore systems in an urban landscape?. <i>Ecological Engineering</i> , 2017, 105, 198-204.	3.6	4
123	Man-made perching sites – electricity pylons accelerate fleshy-fruited plants succession in farmlands. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2017, 231, 51-56.	1.2	17
124	Sexual dimorphism, asymmetry, and the effect of reproduction on pelvis bone in the bank vole, <i>Myodes glareolus</i> . <i>Mammal Research</i> , 2017, 62, 297-306.	1.3	6
125	Long-term effect of temperature on honey yield and honeybee phenology. <i>International Journal of Biometeorology</i> , 2017, 61, 1125-1132.	3.0	23
126	Effects of local roads and car traffic on the occurrence pattern and foraging behaviour of bats. <i>Transportation Research, Part D: Transport and Environment</i> , 2017, 56, 222-228.	6.8	9



#	ARTICLE	IF	CITATIONS
127	Bird diversity in urban green space: A large-scale analysis of differences between parks and cemeteries in Central Europe. <i>Urban Forestry and Urban Greening</i> , 2017, 27, 264-271.	5.3	71
128	Combined effects of agrochemicals and ecosystem services on crop yield across Europe. <i>Ecology Letters</i> , 2017, 20, 1427-1436.	6.4	70
129	Railway lines affect spatial turnover of pollinator communities in an agricultural landscape. <i>Diversity and Distributions</i> , 2017, 23, 1090-1097.	4.1	16
130	Ticks and radio-frequency signals: behavioural response of ticks ( <i>Dermacentor reticulatus</i> ) in a 900 MHz electromagnetic field. <i>Systematic and Applied Acarology</i> , 2017, 22, 683.	0.5	8
131	Robustness of newt heads in condition of co-existence: a case of the Carpathian newt and the alpine newt. <i>Zoomorphology</i> , 2017, 136, 511-521.	0.8	2
132	Land snails benefit from human alterations in rural landscapes and habitats. <i>Ecosphere</i> , 2017, 8, e01874.	2.2	14
133	The common cuckoo is an effective indicator of high bird species richness in Asia and Europe. <i>Scientific Reports</i> , 2017, 7, 4376.	3.3	24
134	Social media and scientific research are complementary – YouTube and shrikes as a case study. <i>Die Naturwissenschaften</i> , 2017, 104, 48.	1.6	43
135	Cuckoo as indicator of high functional diversity of bird communities: A new paradigm for biodiversity surrogacy. <i>Ecological Indicators</i> , 2017, 72, 565-573.	6.3	14
136	Cuckoo folklore and human well-being: Cuckoo calls predict how long farmers live. <i>Ecological Indicators</i> , 2017, 72, 766-768.	6.3	17
137	Multiple species of cuckoos are superior predictors of bird species richness in Asia. <i>Ecosphere</i> , 2017, 8, e02003.	2.2	10
138	Long-term changes in the quantity and quality of supplementary feeding of wildlife: are influenced by game managers?. <i>Folia Zoologica</i> , 2017, 66, 248-253.	0.9	4
139	Intra- and Interspecific Abundance of Birds Affects Detection of Novel Food Sources by Great Tits <i>Parus major</i> . <i>Acta Ornithologica</i> , 2017, 52, 221-231.	0.5	7
140	Rural-Urban Differences in Escape Behavior of European Birds across a Latitudinal Gradient. <i>Frontiers in Ecology and Evolution</i> , 2017, 5, .	2.2	74
141	Can Bird Abundance Declines be Detected by Citizen Science Programmes? A Case Study Using Common Cuckoo <i>Cuculus Canorus</i> . <i>Avian Biology Research</i> , 2017, 10, 241-245.	0.9	9
142	Spatial covariance between ecosystem services and biodiversity pattern at a national scale (France). <i>Ecological Indicators</i> , 2017, 82, 574-586.	6.3	25
143	A Webcast of Bird Nesting as a State-of-the-Art Citizen Science. <i>PLoS Biology</i> , 2017, 15, e2001132.	5.6	13
144	Patterns in the distribution and directional asymmetry of fleas living on the northern white-breasted hedgehog <i>Erinaceus roumanicus</i> . <i>Folia Parasitologica</i> , 2017, 64, .	1.3	3

#	ARTICLE	IF	CITATIONS
145	A systematic review of animal predation creating pierced shells: implications for the archaeological record of the Old World. PeerJ, 2017, 5, e2903.	2.0	8
146	Case Study 1. Bird as Indicators of HNV: Case Study in Farmlands from Central Italy. , 2017, , 71-88.		0
147	Case Study 3. Using Indicator Species Analysis IndVal to Identify Bird Indicators of HNV in Farmlands from Western Poland. , 2017, , 107-114.		1
148	Discussion and Final Considerations. , 2017, , 115-120.		0
149	The silence of the lambs? Plant diversity in abandoned sheep pens. Plant, Soil and Environment, 2016, 62, 1-8.	2.2	6
150	The occurrence of pathogens in Rhipicephalus microplus ticks from cattle in Madagascar. Veterinarni Medicina, 2016, 61, 516-523.	0.6	8
151	Bats as prey of diurnal birds: a global perspective. Mammal Review, 2016, 46, 160-174.	4.8	73
152	Seasonal changes in avian communities living in an extensively used farmland of Western Poland. European Journal of Ecology, 2016, 2, 9-18.	0.3	11
153	Invasive Canadian goldenrod ( <i>Solidago canadensis</i> L.) as a preferred foraging habitat for spiders. Arthropod-Plant Interactions, 2016, 10, 377-381.	1.1	17
154	Effect of Electricity Pylons on Plant Biodiversity in Intensive Farmland in Poland. Annales Botanici Fennici, 2016, 53, 415-425.	0.1	3
155	Urbanization affects neophilia and risk-taking at bird-feeders. Scientific Reports, 2016, 6, 28575.	3.3	62
156	Brood parasitism and proximity to human habitation. Behavioral Ecology, 2016, 27, 1314-1319.	2.2	21
157	Interspecific variation in the relationship between clutch size, laying date and intensity of urbanization in four species of hole-nesting birds. Ecology and Evolution, 2016, 6, 5907-5920.	1.9	47
158	The dark side of the "redundancy hypothesis" and ecosystem assessment. Ecological Complexity, 2016, 28, 222-229.	2.9	20
159	Villages and their old farmsteads are hot spots of bird diversity in agricultural landscapes. Journal of Applied Ecology, 2016, 53, 1363-1372.	4.0	48
160	Breeding ecology of the Long-legged Buzzard ( <i>Buteo rufinus</i> ) in an increasing population on Cyprus. Journal of Arid Environments, 2016, 135, 12-16.	2.4	4
161	Habitat preferences of two sparrow species are modified by abundances of other birds in an urban environment. Environmental Epigenetics, 2016, 62, 357-368.	1.8	13
162	Evidence of evolutionary homogenization of bird communities in urban environments across Europe. Global Ecology and Biogeography, 2016, 25, 1284-1293.	5.8	155

#	ARTICLE	IF	CITATIONS
163	Second generation energy crops and farmland birds – Central and East European perspective. Journal of Plant Protection Research, 2016, 56, 211-220.	1.0	2
164	The phenology of winter rye in Poland: an analysis of long-term experimental data. International Journal of Biometeorology, 2016, 60, 1341-1346.	3.0	19
165	Evolutionary interaction between W/Y chromosome and transposable elements. Genetica, 2016, 144, 267-278.	1.1	21
166	The number of syllables in Chernobyl cuckoo calls reliably indicate habitat, soil and radiation levels. Ecological Indicators, 2016, 66, 592-597.	6.3	29
167	Barn swallows ( <i>Hirundo rustica</i> ) differentiate between common cuckoo and sparrowhawk in China: alarm calls convey information on threat. Behavioral Ecology and Sociobiology, 2016, 70, 171-178.	1.4	22
168	Distribution pattern and number of ticks on lizards. Ticks and Tick-borne Diseases, 2016, 7, 172-179.	2.7	24
169	Constant and seasonal drivers of bird communities in a wind farm: implications for conservation. PeerJ, 2016, 4, e2105.	2.0	6
170	Under the changing climate: how shifting geographic distributions and sexual selection shape parasite diversification. , 2015, , 58-76.		9
171	Ecology in Europe: is there an “empty” niche for the new journal among competitors, predators and parasites?. European Journal of Ecology, 2015, 1, 1-4.	0.3	0
172	Who started first? Bird species visiting novel birdfeeders. Scientific Reports, 2015, 5, 11858.	3.3	35
173	Color mimicry of empty seeds influences the probability of predation by birds. Ecosphere, 2015, 6, art177.	2.2	9
174	Test of Precipitation, Compensation and Monday Effect Hypotheses on Group Hare Trapping Effort. Wildlife Biology, 2015, 21, 312-317.	1.4	1
175	Females Have Larger Ratio of Second to Fourth Digits Than Males in Four Species of <i>Sceloporus</i> alamandridae, <i>Sceloporus</i> audata. Anatomical Record, 2015, 298, 1424-1430.	1.4	14
176	Females prefer extra-pair males that are older and better hunters. European Journal of Ecology, 2015, 1, 26-31.	0.3	4
177	Habitat structure, breeding stage and sex affect hunting success of breeding Red-backed Shrike ( <i>Lanius</i> ) Tj ETQq1 1.4 0.784314 rgBT /Ov	1.4	14
178	Wind Turbines as Overwintering Sites Attractive to an Invasive Lady Beetle, <i>Harmonia axyridis</i> Pallas (Coleoptera: Coccinellidae). The Coleopterists Bulletin, 2015, 69, 665-669.	0.2	11
179	Nests of the harvest mouse ( <i>Micromys minutus</i> ) as habitat for invertebrates. Biologia (Poland), 2015, 70, 1637-1647.	1.5	9
180	Urbanized birds have superior establishment success in novel environments. Oecologia, 2015, 178, 943-950.	2.0	52

#	ARTICLE	IF	CITATIONS
181	Do queens of bumblebee species differ in their choice of flower colour morphs of <i>Corydalis cava</i> (Fumariaceae)? <i>Apidologie</i> , 2015, 46, 337-345.	2.0	7
182	Cuckoo and biodiversity: Testing the correlation between species occurrence and bird species richness in Europe. <i>Biological Conservation</i> , 2015, 190, 123-132.	4.1	31
183	Urban and rural habitats differ in number and type of bird feeders and in bird species consuming supplementary food. <i>Environmental Science and Pollution Research</i> , 2015, 22, 15097-15103.	5.3	96
184	Biodiversity collision blackspots in Poland: Separation causality from stochasticity in roadkills of butterflies. <i>Biological Conservation</i> , 2015, 187, 154-163.	4.1	25
185	Presence of Cuckoo reliably indicates high bird diversity: A case study in a farmland area. <i>Ecological Indicators</i> , 2015, 55, 52-58.	6.3	35
186	Urban habitats and feeders both contribute to flight initiation distance reduction in birds. <i>Behavioral Ecology</i> , 2015, 26, 861-865.	2.2	80
187	No species is an island: testing the effects of biotic interactions on models of avian niche occupation. <i>Ecology and Evolution</i> , 2015, 5, 759-768.	1.9	23
188	Testing bird response to roads on a rural environment: A case study from Central Italy. <i>Acta Oecologica</i> , 2015, 69, 146-152.	1.1	23
189	Harnessing the biodiversity value of Central and Eastern European farmland. <i>Diversity and Distributions</i> , 2015, 21, 722-730.	4.1	172
190	Predation Risk Drives Habitat-specific Sex Ratio in a Monomorphic Species, the Brown Hare ( <i>Lepus europaeus</i> ). <i>Ethology</i> , 2015, 121, 593-600.	1.1	9
191	The Vulture in the Sky and the Hominin on the Land: Three Million Years of Human-Vulture Interaction. <i>Anthozoos</i> , 2015, 28, 449-468.	1.4	31
192	Patterns of occurrence and abundance of roosting geese: the role of spatial scale for site selection and consequences for conservation. <i>Ecological Research</i> , 2015, 30, 833-842.	1.5	15
193	Saving the best for last: Differential usage of impaled prey by red-backed shrike ( <i>Lanius collurio</i> ) during the breeding season. <i>Behavioural Processes</i> , 2015, 119, 6-13.	1.1	13
194	Electricity pylons may be potential foci for the invasion of black cherry <i>Prunus serotina</i> in intensive farmland. <i>Acta Oecologica</i> , 2015, 62, 40-44.	1.1	14
195	Interactive effects of fearfulness and geographical location on bird population trends. <i>Behavioral Ecology</i> , 2015, 26, 716-721.	2.2	25
196	Hawk mimicry in cuckoos and anti-parasitic aggressive behavior of barn swallows in Denmark and China. <i>Journal of Avian Biology</i> , 2015, 46, 216-223.	1.2	25
197	Winter Bird Assemblages in Rural and Urban Environments: A National Survey. <i>PLoS ONE</i> , 2015, 10, e0130299.	2.5	42
198	Effects of urbanization on bird phenology: a continental study of paired urban and rural populations. <i>Climate Research</i> , 2015, 66, 185-199.	1.1	36

#	ARTICLE	IF	CITATIONS
199	Biometry and phenology of two sibling <i>Phylloscopus</i> warblers on their circum-Mediterranean migrations. <i>ZooKeys</i> , 2015, 530, 113-127.	1.1	0
200	Urbanization Level and Woodland Size Are Major Drivers of Woodpecker Species Richness and Abundance. <i>PLoS ONE</i> , 2014, 9, e94218.	2.5	28
201	Railway Embankments as New Habitat for Pollinators in an Agricultural Landscape. <i>PLoS ONE</i> , 2014, 9, e101297.	2.5	51
202	Long-term trends and correlates of antler anomalies in roe deer. <i>Journal of Wildlife Management</i> , 2014, 78, 1486-1491.	1.8	0
203	Variation in clutch size in relation to nest size in birds. <i>Ecology and Evolution</i> , 2014, 4, 3583-3595.	1.9	49
204	Morphological and molecular characterization of <i>Karyolysus</i> – a neglected but common parasite infecting some European lizards. <i>Parasites and Vectors</i> , 2014, 7, 555.	2.5	33
205	Species composition and dynamics in abundance of migrant and sedentary butterflies (Lepidoptera) at Gibraltar during the spring period. <i>European Journal of Entomology</i> , 2014, 111, 555-559.	1.2	6
206	Effect of Habitat Burning on the Number of Singing Males of the Aquatic Warbler <i>Acrocephalus paludicola</i> . <i>Acta Ornithologica</i> , 2014, 49, 175-182.	0.5	7
207	The economic recreational value of a white stork nesting colony: A case of “stork village” in Poland. <i>Tourism Management</i> , 2014, 40, 352-360.	9.8	43
208	Sex and other sources of variation in the haematological parameters of White Stork <i>Ciconia ciconia</i> chicks. <i>Journal of Ornithology</i> , 2014, 155, 307-314.	1.1	16
209	Clutch size variation in Western Palearctic secondary hole-nesting passerine birds in relation to nest box design. <i>Methods in Ecology and Evolution</i> , 2014, 5, 353-362.	5.2	36
210	Associations between species can influence the goodness of fit of species distribution models: The case of two passerine birds. <i>Ecological Complexity</i> , 2014, 20, 208-212.	2.9	16
211	Direction of approach by predators and flight initiation distance of urban and rural populations of birds. <i>Behavioral Ecology</i> , 2014, 25, 960-966.	2.2	47
212	Birds as useful indicators of high nature value (HNV) farmland in Central Italy. <i>Ecological Indicators</i> , 2014, 38, 236-242.	6.3	69
213	Nest Site Selection and Breeding Success in Three <i>Turdus</i> Thrush Species Coexisting in an Urban Environment. <i>Acta Ornithologica</i> , 2014, 49, 83-92.	0.5	25
214	Predation and dispersal of acorns by European Jay ( <i>Garrulus glandarius</i> ) differs between a native (Pedunculate Oak <i>Quercus robur</i> ) and an introduced oak species (Northern Red Oak <i>Quercus rubra</i> ) in Europe. <i>Forest Ecology and Management</i> , 2014, 331, 35-39.	3.2	43
215	Loss of migration and urbanization in birds: a case study of the blackbird ( <i>Turdus merula</i> ). <i>Oecologia</i> , 2014, 175, 1019-1027.	2.0	60
216	Can roads, railways and related structures have positive effects on birds? – A review. <i>Transportation Research, Part D: Transport and Environment</i> , 2014, 30, 21-31.	6.8	158

#	ARTICLE	IF	CITATIONS
217	A Paradox for Conservation: Electricity Pylons May Benefit Avian Diversity in Intensive Farmland. <i>Conservation Letters</i> , 2014, 7, 34-40.	5.7	60
218	Complex phenological changes and their consequences in the breeding success of a migratory bird, the white stork <i>Ciconia ciconia</i> . <i>Journal of Animal Ecology</i> , 2013, 82, 1072-1086.	2.8	40
219	New is not always better: low breeding success and different occupancy patterns in newly built nests of a long-lived species, the white stork <i>Ciconia ciconia</i> . <i>Bird Study</i> , 2013, 60, 399-403.	1.0	35
220	Never ending story: a lesson in using sampling efficiency methods with ground beetles. <i>Journal of Insect Conservation</i> , 2013, 17, 333-337.	1.4	25
221	Factors affecting road mortality and the suitability of road verges for butterflies. <i>Biological Conservation</i> , 2013, 159, 148-157.	4.1	76
222	Effects of management intensity and orchard features on bird communities in winter. <i>Ecological Research</i> , 2013, 28, 503-512.	1.5	46
223	Differential shell strength of <i>Cepaea nemoralis</i> colour morphs—implications for their anti-predator defence. <i>Die Naturwissenschaften</i> , 2013, 100, 843-851.	1.6	28
224	New methods of crop production and farmland birds: effects of plastic mulches on species richness and abundance. <i>Journal of Applied Ecology</i> , 2013, 50, 1387-1396.	4.0	12
225	Is population structure in the European white stork determined by flyway permeability rather than translocation history?. <i>Ecology and Evolution</i> , 2013, 3, 4881-4895.	1.9	19
226	Ecological correlates of the popularity of birds and butterflies in Internet information resources. <i>Oikos</i> , 2013, 122, 183-190.	2.7	56
227	Locomotor performance of sand lizards ( <i>Lacerta agilis</i> ): effects of predatory pressure and parasite load. <i>Acta Ethologica</i> , 2013, 16, 173-179.	0.9	17
228	Tropical birds take small risks. <i>Behavioral Ecology</i> , 2013, 24, 267-272.	2.2	44
229	Effect of manipulated sex ratio on insemination of the red mason bee <i>Osmia bicornis</i> L. under net cage conditions. <i>Journal of Apicultural Science</i> , 2013, 57, 73-79.	0.4	7
230	Change in flight initiation distance between urban and rural habitats following a cold winter. <i>Behavioral Ecology</i> , 2013, 24, 1211-1217.	2.2	49
231	Bird Migration Advances More Strongly in Urban Environments. <i>PLoS ONE</i> , 2013, 8, e63482.	2.5	57
232	The Geography of Fear: A Latitudinal Gradient in Anti-Predator Escape Distances of Birds across Europe. <i>PLoS ONE</i> , 2013, 8, e64634.	2.5	157
233	The Indian Ocean Dipole as an indicator of climatic conditions affecting European birds. <i>Climate Research</i> , 2013, 57, 45-49.	1.1	11
234	Unmasking Zorro: functional importance of the facial mask in the Masked Shrike ( <i>Lanius nubicus</i> ). <i>Behavioral Ecology</i> , 2012, 23, 615-618.	2.2	10

#	ARTICLE	IF	CITATIONS
235	Local and Landscape-Level Factors Affecting the Density and Distribution of the Feral Pigeon <i>Columba livia</i> var. <i>domestica</i> in an Urban Environment. <i>Acta Ornithologica</i> , 2012, 47, 37-45.	0.5	23
236	High urban population density of birds reflects their timing of urbanization. <i>Oecologia</i> , 2012, 170, 867-875.	2.0	122
237	The Weekend Bias in Recording Rare Birds: Mechanisms and Consequences. <i>Acta Ornithologica</i> , 2012, 47, 87-94.	0.5	7
238	Consequences of variation in male harem size to population persistence: Modeling poaching and extinction risk of Bengal tigers ( <i>Panthera tigris</i> ). <i>Biological Conservation</i> , 2012, 147, 22-31.	4.1	16
239	The importance of the gravel excavation industry for the conservation of grassland butterflies. <i>Biological Conservation</i> , 2012, 148, 180-190.	4.1	40
240	Sex differences in impaling behaviour of Great Grey Shrike <i>Lanius excubitor</i> : Do males have better impaling skills than females?. <i>Behavioural Processes</i> , 2012, 91, 50-53.	1.1	3
241	Butterfly responses to environmental factors in fragmented calcareous grasslands. <i>Journal of Insect Conservation</i> , 2012, 16, 321-329.	1.4	26
242	Landscape structure, human disturbance and crop management affect foraging ground selection by migrating geese. <i>Journal of Ornithology</i> , 2012, 153, 747-759.	1.1	34
243	Synchrony in the phenology of a culturally iconic spring flower. <i>International Journal of Biometeorology</i> , 2012, 56, 407-409.	3.0	13
244	Diversity of parasitic cuckoos and their hosts in China. <i>Chinese Birds: the International Journal of Ornithology</i> , 2012, 3, 9-32.	0.6	79
245	Reducing death by electrocution of the white stork <i>Ciconia ciconia</i> . <i>Conservation Letters</i> , 2011, 4, 483-487.	5.7	23
246	Conservation of Farmland Birds Faces Different Challenges in Western and Central-Eastern Europe. <i>Acta Ornithologica</i> , 2011, 46, 1-12.	0.5	210
247	Is baculum size dependent on the condition of males in the polecat <i>Mustela putorius</i> ?. <i>Folia Zoologica</i> , 2011, 60, 247-252.	0.9	13
248	Impact of density and environmental factors on population fluctuations in a migratory passerine. <i>Journal of Animal Ecology</i> , 2011, 80, 225-234.	2.8	40
249	Challenging claims in the study of migratory birds and climate change. <i>Biological Reviews</i> , 2011, 86, 928-946.	10.4	286
250	Phenological changes and reduced seasonal synchrony in western Poland. <i>International Journal of Biometeorology</i> , 2011, 55, 447-453.	3.0	24
251	Do males hatch first and dominate sex ratios in White Stork <i>Ciconia ciconia</i> chicks?. <i>Journal of Ornithology</i> , 2011, 152, 213-218.	1.1	15
252	The effect of habitat and number of inhabitants on the population sizes of feral pigeons around towns in northern Poland. <i>European Journal of Wildlife Research</i> , 2011, 57, 421-428.	1.4	18

#	ARTICLE	IF	CITATIONS
253	Differences in predatory pressure on terrestrial snails by birds and mammals. <i>Journal of Biosciences</i> , 2011, 36, 691-699.	1.1	34
254	Anaplasmatidae and <i>Borrelia burgdorferi</i> sensu lato in the sand lizard <i>Lacerta agilis</i> and co-infection of these bacteria in hosted <i>Ixodes ricinus</i> ticks. <i>Parasites and Vectors</i> , 2011, 4, 182.	2.5	30
255	Diet of the Eurasian otter <i>Lutra lutra</i> on small watercourses in Western Poland. <i>Mammalia</i> , 2011, 75, 207-210.	0.7	9
256	Increasing patch area, proximity of human settlement and larval food plants positively affect the occurrence and local population size of the habitat specialist butterfly <i>Polyommatus coridon</i> (Lepidoptera: Lycaenidae) in fragmented calcareous grasslands. <i>European Journal of Entomology</i> , 2011, 108, 99-106.	1.2	9
257	Blood parasites in two co-existing species of lizards ( <i>Zootoca vivipara</i> and <i>Lacerta agilis</i> ). <i>Parasitology Research</i> , 2010, 107, 1121-1127.	1.6	10
258	A new material for old solutions – the case of plastic string used in Great Grey Shrike nests. <i>Acta Ethologica</i> , 2010, 13, 87-91.	0.9	46
259	Advances in the timing of spring cleaning by the honeybee <i>Apis mellifera</i> in Poland. <i>Ecological Entomology</i> , 2010, 35, 788-791.	2.2	25
260	East versus West: contrasts in phenological patterns?. <i>Global Ecology and Biogeography</i> , 2010, 19, 783-793.	5.8	27
261	A Large Scale Survey of the Great grey shrike <i>Lanius excubitor</i> in Poland: Breeding Densities, Habitat use and Population Trends. <i>Annales Zoologici Fennici</i> , 2010, 47, 67-78.	0.6	9
262	The Design of Artificial Nestboxes for the Study of Secondary Hole-Nesting Birds: A Review of Methodological Inconsistencies and Potential Biases. <i>Acta Ornithologica</i> , 2010, 45, 1-26.	0.5	274
263	Invasive alien goldenrods negatively affect grassland bird communities in Eastern Europe. <i>Biological Conservation</i> , 2010, 143, 856-861.	4.1	84
264	Blood chemistry in white stork <i>Ciconia ciconia</i> chicks varies by sex and age. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2010, 156, 144-147.	1.6	11
265	Does climate influence phenological trends in social wasps (Hymenoptera: Vespinae) in Poland?. <i>European Journal of Entomology</i> , 2010, 107, 203-208.	1.2	18
266	Rapid advances in the timing of the spring passage migration through Israel of the steppe eagle <i>Aquila nipalensis</i> . <i>Climate Research</i> , 2010, 42, 217-222.	1.1	11
267	Differences Between Sexes in Digestive Efficiency of the White Stork <i>Ciconia ciconia</i> under Experimental Conditions. <i>Folia Biologica</i> , 2009, 57, 193-198.	0.5	8
268	Severe flooding causes a crash in production of white stork ( <i>Ciconia ciconia</i> ) chicks across Central and Eastern Europe. <i>Basic and Applied Ecology</i> , 2009, 10, 387-392.	2.7	29
269	Does handling reduce the winter body mass of the European hare?. <i>Open Life Sciences</i> , 2009, 4, 427-433.	1.4	4
270	Spring migration timing of <i>Sylvia</i> warblers in Tatarstan (Russia) 1957–2008. <i>Open Life Sciences</i> , 2009, 4, 595-602.	1.4	6



#	ARTICLE	IF	CITATIONS
271	Cranial lesions caused by helminth parasites and morphological traits in the European polecat <i>Mustela putorius</i> . <i>Helminthologia</i> , 2009, 46, 85-89.	0.9	14
272	Relationship between arrival date, hatching date and breeding success of the white stork ( <i>Ciconia</i> )	1.5	22
273	Costly replacement: how do different stages of nest failure affect clutch replacement in the redbacked shrikes <i>Lanius collurio</i> ? <i>Ethology Ecology and Evolution</i> , 2009, 21, 127-136.	1.4	19
274	Demographic Correlates of Sexual Size Dimorphism and Male Genital Size in the Lice <i>Philopterus coarctatus</i> . <i>Journal of Parasitology</i> , 2009, 95, 1120-1124.	0.7	7
275	Long-Term Changes and Breeding Success in Relation to Nesting Structures used by the White Stork, <i>Ciconia ciconia</i> . <i>Annales Zoologici Fennici</i> , 2009, 46, 34-38.	0.6	58
276	The relationship between hunting methods and sex, age and body weight in a non-trophy animal, the red fox. <i>Wildlife Research</i> , 2009, 36, 106.	1.4	17
277	The wintering distribution of Great Grey Shrike <i>Lanius excubitor</i> in Poland: predictions from a large-scale historical survey. <i>Acta Ornithologica</i> , 2009, 44, 159-166.	0.5	11
278	Advancing phenology in Europe's last lowland primeval forest: non-linear temperature response. <i>Climate Research</i> , 2009, 39, 221-226.	1.1	26
279	Something for the weekend? Examining the bias in avian phenological recording. <i>International Journal of Biometeorology</i> , 2008, 52, 505-510.	3.0	23
280	Forms of density regulation and (quasi-) stationary distributions of population sizes in birds. <i>Oikos</i> , 2008, 117, 1197-1208.	2.7	20
281	Attributing physical and biological impacts to anthropogenic climate change. <i>Nature</i> , 2008, 453, 353-357.	27.8	1,210
282	Climate-related Change in Terrestrial and Freshwater Ecosystems. , 2008, , 221-308.		12
283	The role of the sand lizard ( <i>Lacerta agilis</i> ) in the transmission cycle of <i>Borrelia burgdorferi sensu lato</i> . <i>International Journal of Medical Microbiology</i> , 2008, 298, 161-167.	3.6	44
284	The relationship between phenological traits and brood size of the white stork <i>Ciconia ciconia</i> in western Poland. <i>Acta Oecologica</i> , 2008, 33, 203-206.	1.1	27
285	Male-Biased Sex of Extra Pair Young in the Socially Monogamous Red-Backed Shrike <i>Lanius collurio</i> . <i>Acta Ornithologica</i> , 2008, 43, 235-239.	0.5	14
286	Densities and Habitats of the Tawny Pipit <i>Anthus campestris</i> in the Wielkopolska Region (W)	0.5	11
287	Densities and Morphology of Two Co-existing Lizard Species ( <i>Lacerta agilis</i> and <i>Zootoca vivipara</i> ) in Extensively Used Farmland in Poland. <i>Folia Biologica</i> , 2008, 56, 165-171.	0.5	16
288	Settling Decisions and Heterospecific Social Information Use in Shrikes. <i>PLoS ONE</i> , 2008, 3, e3930.	2.5	35

#	ARTICLE	IF	CITATIONS
289	Disperse or Stay? Exceptionally High Breeding-Site Infidelity in the Red-Backed Shrike <i>Lanius collurio</i> . <i>Ardea</i> , 2007, 95, 316-320.	0.6	28
290	House sparrows benefit from the conservation of white storks. <i>Die Naturwissenschaften</i> , 2007, 94, 412-415.	1.6	13
291	Size variation in chewing lice <i>Docophorus coarctatus</i> : how host size and louse population density vary together. <i>Evolutionary Ecology</i> , 2007, 21, 739-749.	1.2	10
292	How consistent are trends in arrival (and departure) dates of migrant birds in the UK?. <i>Journal of Ornithology</i> , 2007, 148, 503-511.	1.1	52
293	Is earlier spring migration of Tatarstan warblers expected under climate warming?. <i>International Journal of Biometeorology</i> , 2007, 51, 459-463.	3.0	15
294	Sex differences in fluctuating asymmetry of body traits in chewing lice <i>Docophorus coarctatus</i> (Phthiraptera: Ischnocera). <i>Parasitology Research</i> , 2007, 101, 1289-1294.	1.6	4
295	Inter-specific synchrony of two contrasting ungulates: wild boar ( <i>Sus scrofa</i> ) and roe deer ( <i>Capreolus capreolus</i> ). <i>Oecologia</i> , 2007, 151, 232-239.	2.0	19
296	Patterns of spring arrival dates differ in two hirundines. <i>Climate Research</i> , 2007, 35, 159-164.	1.1	30
297	Selectivity of harvesting differs between local and foreign roe deer hunters: trophy stalkers have the first shot at the right place. <i>Biology Letters</i> , 2006, 2, 632-635.	2.3	49
298	Body condition as a determinant for stopover in bee-eaters ( <i>Merops apiaster</i> ) on spring migration in the Arava Valley, southern Israel. <i>Journal of Arid Environments</i> , 2006, 64, 401-411.	2.4	22
299	Sex-Related Natal Dispersal of White Storks ( <i>Ciconia Ciconia</i> ) in Poland: How Far and Where to?. <i>Auk</i> , 2006, 123, 1103-1109.	1.4	23
300	Date of breeding of the starling <i>Sturnus vulgaris</i> in New Zealand is related to El Nino Southern Oscillation. <i>Austral Ecology</i> , 2006, 31, 634-637.	1.5	8
301	Climate and spatio-temporal variation in the population dynamics of a long distance migrant, the white stork. <i>Journal of Animal Ecology</i> , 2006, 75, 80-90.	2.8	74
302	The relationship between means and variances in avian reproductive success between local populations of white stork ( <i>Ciconia ciconia</i> ): reply to Moreno and Polo. <i>Population Ecology</i> , 2006, 48, 174-174.	1.2	0
303	Is body size of the water frog <i>Rana esculenta</i> complex responding to climate change?. <i>Die Naturwissenschaften</i> , 2006, 93, 110-113.	1.6	38
304	SEX-RELATED NATAL DISPERSAL OF WHITE STORKS ( <i>CICONIA CICONIA</i> ) IN POLAND: HOW FAR AND WHERE TO?. <i>Auk</i> , 2006, 123, 1103.	1.4	26
305	Uphill shifts in the distribution of the white stork <i>Ciconia ciconia</i> in southern Poland: the importance of nest quality. <i>Diversity and Distributions</i> , 2005, 11, 219-223.	4.1	60
306	Generation time and temporal scaling of bird population dynamics. <i>Nature</i> , 2005, 436, 99-102.	27.8	172

#	ARTICLE	IF	CITATIONS
307	Do males of the great grey shrike, <i>Lanius excubitor</i> , trade food for extrapair copulations?. <i>Animal Behaviour</i> , 2005, 69, 529-533.	1.9	53
308	The relationship between population means and variances of reproductive success differs between local populations of white stork ( <i>Ciconia ciconia</i> ). <i>Population Ecology</i> , 2005, 47, 119-125.	1.2	22
309	Sexual size dimorphism and positive assortative mating in red-backed shrike <i>Lanius collurio</i> : an adaptive value?. <i>Journal of Ethology</i> , 2005, 23, 161-165.	0.8	15
310	What affects the magnitude of change in first arrival dates of migrant birds?. <i>Journal Fur Ornithologie</i> , 2005, 146, 200-205.	1.2	105
311	Location and habitat characteristics of the breeding nests of the harvest mouse ( <i>Micromys minutus</i> ) in the reed-beds of an intensively used farmland. <i>Mammalia</i> , 2005, 69, .	0.7	21
312	Effect of Water Level and Livestock on the Productivity and Numbers of Breeding White Storks. <i>Waterbirds</i> , 2005, 28, 378-382.	0.3	52
313	Do White Storks <i>Ciconia ciconia</i> always profit from an early return to their breeding grounds?. <i>Bird Study</i> , 2004, 51, 222-227.	1.0	70
314	Does climate at different scales influence the phenology and phenotype of the River Warbler <i>Locustella fluviatilis</i> ?. <i>Oecologia</i> , 2004, 141, 158-163.	2.0	35
315	Sex differences in nest defence by the red-backed shrike <i>Lanius collurio</i> : effects of offspring age, brood size, and stage of breeding season. <i>Journal of Ethology</i> , 2004, 22, 13-16.	0.8	63
316	Should avian egg size increase as a result of global warming? A case study using the red-backed shrike ( <i>Lanius collurio</i> ). <i>Journal Fur Ornithologie</i> , 2004, 145, 264-268.	1.2	29
317	Prevalence of agglutinating antibodies against <i>Listeria monocytogenes</i> in chicks of the white stork ( <i>Ciconia ciconia</i> Linnaeus, 1758) in Poland. <i>European Journal of Wildlife Research</i> , 2004, 50, 218-220.	1.4	2
318	Habitat use and diet of the red fox <i>Vulpes vulpes</i> in an agricultural landscape in Poland. <i>Zeitschrift F�r Jagdwissenschaft</i> , 2003, 49, 191-200.	0.3	74
319	Migratory Masked Shrikes, <i>Lanius nubicus</i> staging at the desert edge: phenology, and sex- and age-related differences in body mass. <i>Ostrich</i> , 2002, 73, 162-165.	1.1	17
320	Winter feeding ecology of male and female European wildcats <i>Felis silvestris</i> in Slovakia. <i>Zeitschrift F�r Jagdwissenschaft</i> , 2002, 48, 49-54.	0.3	6
321	Earlier arrival of some farmland migrants in western Poland. <i>Ibis</i> , 2002, 144, 62-68.	1.9	131
322	Influence of the red fox ( <i>Vulpes vulpes</i> , Linnaeus 1758) on the distribution and number of breeding birds in an intensively used farmland. <i>Ecological Research</i> , 2002, 17, 395-399.	1.5	38
323	Does the european hare <i>Lepus europaeus</i> avoid raven <i>Corvus corax</i> nests in farmland?. <i>Zeitschrift F�r Jagdwissenschaft</i> , 2001, 47, 63-66.	0.3	0
324	Spatial and Temporal Relations between the Barred Warbler <i>Sylvia nisoria</i> and the Red-Backed Shrike <i>Lanius collurio</i> in the Wielkopolska Region (W Poland). <i>Acta Ornithologica</i> , 2001, 36, 129-133.	0.5	10

#	ARTICLE	IF	CITATIONS
325	Metagenomic survey of bacteria associated with the invasive ladybird <i>Harmonia axyridis</i> (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Over	1.2	14
326	A "clean" alien species? Parasites of the invasive ladybird <i>Harmonia axyridis</i> (Coleoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td (	1.2	5
327	Anthropogenic waste products as preferred nest sites for <i>Myrmica rubra</i> (L.) (Hymenoptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.8	7
328	Connecting the social and the ecological in the focal species concept: case study of White Stork. Nature Conservation, 0, 22, 79-105.	0.0	18
329	SEASONS IN MEDIUM-SIZED CITIES: A CALL FOR MORE PHENOLOGICAL DATA FROM THE TROPICS. Terr@ Plural, 0, 14, 1-9.	0.0	0
330	Resenha: Ultrasociety. How 10,000 Years of War Made Humans the Greatest Cooperators on Earth. Terr@ Plural, 0, 14, 1-4.	0.0	0