

Jorge Ar Navarro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6395451/jorge-ar-navarro-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

6,280
citations

43
h-index

76
g-index

136
ext. papers

6,969
ext. citations

8
avg, IF

5.96
L-index

#	Paper	IF	Citations
124	Layer-by-Layer Integration of Zirconium Metal-Organic Frameworks onto Activated Carbon Spheres and Fabrics with Model Nerve Agent Detoxification Properties. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 50491-50496	9.5	3
123	Robust metal-organic frameworks for dry and wet biogas upgrading. <i>Applied Materials Today</i> , 2021 , 22, 100933	6.6	8
122	The Aza Diels-Alder Reaction on Brominated Conjugated Dienes. <i>European Journal of Organic Chemistry</i> , 2021 , 2021, 2003-2005	3.2	
121	Impact of Pore Size and Defects on the Selective Adsorption of Acetylene in Alkyne-Functionalized Nickel(II)-Pyrazolate-Based MOFs. <i>Chemistry - A European Journal</i> , 2021 , 27, 11837-11844	4.8	5
120	Efficient hexane isomers separation in isorecticular bipyrazolate metal-organic frameworks: The role of pore functionalization. <i>Nano Research</i> , 2021 , 14, 532-540	10	2
119	Extraction and characterization of nanocellulose from three types of palm residues. <i>Journal of Materials Research and Technology</i> , 2021 , 10, 526-537	5.5	24
118	Metal-organic frameworks for the removal of the emerging contaminant atenolol under real conditions. <i>Dalton Transactions</i> , 2021 , 50, 2493-2500	4.3	5
117	Multifunctionality in an Ion-Exchanged Porous Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2021 , 143, 1365-1376	16.4	13
116	Chlorination of a Zeolitic-Imidazolate Framework Tunes Packing and van der Waals Interaction of Carbon Dioxide for Optimized Adsorptive Separation. <i>Journal of the American Chemical Society</i> , 2021 , 143, 4962-4968	16.4	3
115	Spanish Poplar Biomass as a Precursor for Nanocellulose Extraction. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6863	2.6	7
114	Mixed-Metal Cerium/Zirconium MOFs with Improved Nerve Agent Detoxification Properties. <i>Inorganic Chemistry</i> , 2020 , 59, 16160-16167	5.1	9
113	CpTiCl ₃ -Catalyzed Cross-Coupling between Internal Alkynes and Ketones: A Novel Concept in the Synthesis of Halogenated, Conjugated Dienes. <i>Chemistry - A European Journal</i> , 2020 , 26, 8296-8301	4.8	5
112	Bioactive molecule encapsulation on metal-organic framework via simple mechanochemical method for controlled topical drug delivery systems. <i>Microporous and Mesoporous Materials</i> , 2020 , 302, 110199	5.3	19
111	A Highly Water-Stable -Carborane-Based Copper Metal-Organic Framework for Efficient High-Temperature Butanol Separation. <i>Journal of the American Chemical Society</i> , 2020 , 142, 8299-8311	16.4	27
110	Ligand modified cellulose fabrics as support of zinc oxide nanoparticles for UV protection and antimicrobial activities. <i>International Journal of Biological Macromolecules</i> , 2020 , 154, 1215-1226	7.9	32
109	High-Performance CO-Selective Hybrid Membranes by Exploiting MOF-Breathing Effects. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 2952-2961	9.5	13
108	Heterometallic Titanium-Organic Frameworks as Dual-Metal Catalysts for Synergistic Non-buffered Hydrolysis of Nerve Agent Simulants. <i>Chem</i> , 2020 , 6, 3118-3131	16.2	17

107	Diffusion Control in Single-Site Zinc Reticular Amination Catalysts. <i>Inorganic Chemistry</i> , 2020 , 59, 18168-18173	18.1	1
106	Biomimetic 1-Aminocyclopropane-1-Carboxylic Acid Oxidase Ethylene Production by MIL-100(Fe)-Based Materials. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 34053-34058	9.5	3
105	BioMOF@cellulose fabric composites for bioactive molecule delivery. <i>Journal of Inorganic Biochemistry</i> , 2019 , 201, 110818	4.2	13
104	Catalytically Active Imine-based Covalent Organic Frameworks for Detoxification of Nerve Agent Simulants in Aqueous Media. <i>Materials</i> , 2019 , 12,	3.5	11
103	Magnesium Exchanged Zirconium Metal-Organic Frameworks with Improved Detoxification Properties of Nerve Agents. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11801-11805	16.4	30
102	Data-driven design of metal-organic frameworks for wet flue gas CO capture. <i>Nature</i> , 2019 , 576, 253-256	30.4	192
101	MOFs for the Capture and Degradation of Chemical Warfare Agents 2018 , 199-221		2
100	A post-synthetic approach triggers selective and reversible sulphur dioxide adsorption on a metal-organic framework. <i>Chemical Communications</i> , 2018 , 54, 9063-9066	5.8	19
99	The Carbonation of Wollastonite: A Model Reaction to Test Natural and Biomimetic Catalysts for Enhanced CO ₂ Sequestration. <i>Minerals (Basel, Switzerland)</i> , 2018 , 8, 209	2.4	19
98	Design of Shape-Palladium Nanoparticles Anchored on Titanium(IV) Metal-Organic Framework: Highly Active Catalysts for Reduction of p-Nitrophenol in Water. <i>ChemistrySelect</i> , 2018 , 3, 7934-7939	1.8	7
97	Pd(II)/Ni(II) Pyrazolate Framework as Active and Recyclable Catalyst for the Hydroamination of Terminal Alkynes. <i>Topics in Catalysis</i> , 2018 , 61, 1414-1423	2.3	15
96	Discovery of an Optimal Porous Crystalline Material for the Capture of Chemical Warfare Agents. <i>Chemistry of Materials</i> , 2018 , 30, 4571-4579	9.6	43
95	Biporous Metal-Organic Framework with Tunable CO/CH ₄ Separation Performance Facilitated by Intrinsic Flexibility. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 36144-36156	9.5	26
94	Impact of Defects on Pyrazolate Based Metal Organic Frameworks. <i>Israel Journal of Chemistry</i> , 2018 , 58, 1112-1118	3.4	4
93	The Effect of Backfilling Materials on the Deformation of Coal and Rock Strata Containing Multiple Goaf: A Numerical Study. <i>Minerals (Basel, Switzerland)</i> , 2018 , 8, 224	2.4	25
92	Rational Design of Noncovalent Diamondoid Microporous Materials for Low-Energy Separation of C-Hydrocarbons. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15031-15037	16.4	23
91	The dynamic art of growing COF crystals. <i>Science</i> , 2018 , 361, 35	33.3	15
90	Selective sulfur dioxide adsorption on crystal defect sites on an isorecticular metal organic framework series. <i>Nature Communications</i> , 2017 , 8, 14457	17.4	101

89	Selective One-Pot Two-Step C–N Bond Formation using Metal-Organic Frameworks with Mild Basicity as Heterogeneous Catalysts. <i>ChemCatChem</i> , 2017 , 9, 4019-4023	5.2	26
88	One-pot preparation of a novel CO-releasing material based on a CO-releasing molecule@metal-organic framework system. <i>Chemical Communications</i> , 2017 , 53, 6581-6584	5.8	14
87	1D-2D-3D Transformation Synthesis of Hierarchical Metal-Organic Framework Adsorbent for Multicomponent Alkane Separation. <i>Journal of the American Chemical Society</i> , 2017 , 139, 819-828	16.4	54
86	Microfluidic-based Synthesis of Covalent Organic Frameworks (COFs): A Tool for Continuous Production of COF Fibers and Direct Printing on a Surface. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	3
85	Aluminum Doped MCM-41 Nanoparticles as Platforms for the Dual Encapsulation of a CO-Releasing Molecule and Cisplatin. <i>Inorganic Chemistry</i> , 2017 , 56, 10474-10480	5.1	19
84	A Recyclable Metal-Organic Framework as a Dual Detector and Adsorbent for Ammonia. <i>Chemistry - A European Journal</i> , 2017 , 23, 13602-13606	4.8	40
83	Chemical Warfare Agents Detoxification Properties of Zirconium Metal-Organic Frameworks by Synergistic Incorporation of Nucleophilic and Basic Sites. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 23967-23973	9.5	76
82	Ionic Conductivity and Potential Application for Fuel Cell of a Modified Imine-Based Covalent Organic Framework. <i>Journal of the American Chemical Society</i> , 2017 , 139, 10079-10086	16.4	135
81	Platinum Group Metal-Organic Frameworks 2016 , 203-230		
80	Crystalline fibres of a covalent organic framework through bottom-up microfluidic synthesis. <i>Chemical Communications</i> , 2016 , 52, 9212-5	5.8	73
79	Cation Exchange Strategy for the Encapsulation of a Photoactive CO-Releasing Organometallic Molecule into Anionic Porous Frameworks. <i>Inorganic Chemistry</i> , 2016 , 55, 6525-31	5.1	25
78	Metal-Organic Frameworks Containing Missing-Linker Defects Leading to High Hydroxide-Ion Conductivity. <i>Chemistry - A European Journal</i> , 2016 , 22, 1646-51	4.8	41
77	Nanoscaled Zinc Pyrazolate Metal-Organic Frameworks as Drug-Delivery Systems. <i>Inorganic Chemistry</i> , 2016 , 55, 2650-63	5.1	116
76	RAPTA-C incorporation and controlled delivery from MIL-100(Fe) nanoparticles. <i>New Journal of Chemistry</i> , 2016 , 40, 5690-5694	3.6	22
75	Palladium nanoparticles supported on a nickel pyrazolate metal organic framework as a catalyst for Suzuki and carbonylative Suzuki couplings. <i>Dalton Transactions</i> , 2016 , 45, 13525-31	4.3	29
74	Textile/metal-organic-framework composites as self-detoxifying filters for chemical-warfare agents. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 6790-4	16.4	234
73	A vanadium(IV) pyrazolate metal-organic polyhedron with permanent porosity and adsorption selectivity. <i>Chemical Communications</i> , 2015 , 51, 14724-7	5.8	21
72	Innentitelbild: Textile/Metal-Organic-Framework Composites as Self-Detoxifying Filters for Chemical-Warfare Agents (Angew. Chem. 23/2015). <i>Angewandte Chemie</i> , 2015 , 127, 6754-6754	3.6	

71	Textile/Metal-Organic-Framework Composites as Self-Detoxifying Filters for Chemical-Warfare Agents. <i>Angewandte Chemie</i> , 2015 , 127, 6894-6898	3.6	33
70	Toxic gas removal--metal-organic frameworks for the capture and degradation of toxic gases and vapours. <i>Chemical Society Reviews</i> , 2014 , 43, 5419-30	58.5	715
69	Biophysical characterisation, antitumor activity and MOF encapsulation of a half-sandwich ruthenium(ii) mitoxantronato system. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 2473-2477	7.3	28
68	Improved CO ₂ Capture from Flue Gas by Basic Sites, Charge Gradients, and Missing Linker Defects on Nickel Face Cubic Centered MOFs. <i>Advanced Functional Materials</i> , 2014 , 24, 6130-6135	15.6	59
67	A highly porous interpenetrated MOF-5-type network based on bipyrazolate linkers. <i>CrystEngComm</i> , 2013 , 15, 9352	3.3	9
66	Highly hydrophobic isorecticular porous metal-organic frameworks for the capture of harmful volatile organic compounds. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 8290-4	16.4	205
65	Highly Hydrophobic Isorecticular Porous Metal-Organic Frameworks for the Capture of Harmful Volatile Organic Compounds. <i>Angewandte Chemie</i> , 2013 , 125, 8448-8452	3.6	49
64	Adsorptive capturing and storing greenhouse gases such as sulfur hexafluoride and carbon tetrafluoride using metal-organic frameworks. <i>Microporous and Mesoporous Materials</i> , 2012 , 156, 115-120	5.3	66
63	A soft copper(II) porous coordination polymer with unprecedented aqua bridge and selective adsorption properties. <i>Chemistry - A European Journal</i> , 2012 , 18, 13117-25	4.8	62
62	Tuning the adsorption properties of isorecticular pyrazolate-based metal-organic frameworks through ligand modification. <i>Journal of the American Chemical Society</i> , 2012 , 134, 12830-43	16.4	167
61	Functionalisation of MOF open metal sites with pendant amines for CO ₂ capture. <i>Journal of Materials Chemistry</i> , 2012 , 22, 10155		105
60	Separation and Purification of Gases by MOFs 2011 , 69-97		4
59	Capture of nerve agents and mustard gas analogues by hydrophobic robust MOF-5 type metal-organic frameworks. <i>Journal of the American Chemical Society</i> , 2011 , 133, 11888-91	16.4	235
58	Study of the incorporation and release of the non-conventional half-sandwich ruthenium(II) metallodrug RAPTA-C on a robust MOF. <i>Chemical Communications</i> , 2011 , 47, 11751-3	5.8	47
57	From 1D homoleptic to 2D heteroleptic pillared coordination polymers containing oxonato bridges. <i>Inorganica Chimica Acta</i> , 2011 , 371, 79-87	2.7	6
56	Adsorption of Harmful Organic Vapors by Flexible Hydrophobic Bis-pyrazolate Based MOFs. <i>Chemistry of Materials</i> , 2010 , 22, 1664-1672	9.6	128
55	Molecular architecture of redox-active half-sandwich Ru(II) cyclic assemblies. Interactions with biomolecules and anticancer activity. <i>CrystEngComm</i> , 2010 , 12, 2343	3.3	43
54	A flexible pro-porous coordination polymer: non-conventional synthesis and separation properties towards CO ₂ /CH ₄ mixtures. <i>Chemistry - A European Journal</i> , 2010 , 16, 931-7	4.8	44

53	Cation-Exchange Porosity Tuning in Anionic Metal-Organic Frameworks for the Selective Separation of Gases and Vapors and for Catalysis. <i>Angewandte Chemie</i> , 2010 , 122, 7466-7469	3.6	25
52	Cation-exchange porosity tuning in anionic metal-organic frameworks for the selective separation of gases and vapors and for catalysis. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 7308-11	16.4	145
51	Cyclic assemblies formed by metal ions, pyrimidines and isogeometrical heterocycles: DNA binding properties and antitumour activity. <i>Inorganica Chimica Acta</i> , 2009 , 362, 1027-1030	2.7	6
50	Metalorganic frameworks based on the 1,4-bis(5-tetrazolyl) benzene ligand: The Ag and Cu derivatives. <i>Inorganica Chimica Acta</i> , 2009 , 362, 4340-4346	2.7	22
49	Tetranuclear coordination assemblies based on half-sandwich ruthenium(II) complexes: noncovalent binding to DNA and cytotoxicity. <i>Inorganic Chemistry</i> , 2009 , 48, 7413-20	5.1	105
48	Thermally induced interconversions of metal-pyrimidine-4,6-dicarboxylate polymers: a structural, spectroscopic, and magnetic study. <i>Inorganic Chemistry</i> , 2009 , 48, 3087-94	5.1	26
47	Guest-induced modification of a magnetically active ultramicroporous, gismondine-like, copper(II) coordination network. <i>Journal of the American Chemical Society</i> , 2008 , 130, 3978-84	16.4	140
46	Electrochemically and photochemically active Palladium(II) heterotopic metallacalix[3]arenes. <i>Chemical Communications</i> , 2008 , 3735-7	5.8	16
45	[Re ₂ (micro-1,2,4-triazolate) ₂ (micro-OH)(CO) ₆]-: a novel metalloligand for the construction of flexible porous coordination networks. <i>Dalton Transactions</i> , 2008 , 1825-7	4.3	6
44	Manganese(II) pyrimidine-4,6-dicarboxylates: synthetic, structural, magnetic, and adsorption insights. <i>Inorganic Chemistry</i> , 2008 , 47, 5267-77	5.1	45
43	Variation of Structures of Coordination Polymers of Ca(II), Sr(II), and Ba(II) with a Tripodal Ligand: Synthesis, Structural, and Gas Adsorption Studies. <i>Crystal Growth and Design</i> , 2008 , 8, 1554-1558	3.5	23
42	Preparation and Characterization of Solid Co(II) Pyrimidinolates in a Multifaceted Undergraduate Laboratory Experiment. <i>Journal of Chemical Education</i> , 2008 , 85, 422	2.4	1
41	Polymorphic coordination networks responsive to CO ₂ , moisture, and thermal stimuli: porous cobalt(II) and zinc(II) fluoropyrimidinolates. <i>Chemistry - A European Journal</i> , 2008 , 14, 9890-901	4.8	82
40	Cyclic tetranuclear half-sandwich ruthenium(II) complexes with 4,7-phenanthroline and hydroxo bridges: crystal structure, solution behaviour and binding to nucleosides. <i>Journal of Inorganic Biochemistry</i> , 2008 , 102, 1025-32	4.2	8
39	Structural and magnetic properties of layered copper(II) coordination polymers intercalating s and f metal ions. <i>Inorganic Chemistry</i> , 2007 , 46, 2988-97	5.1	15
38	Borderline microporous-ultramicroporous palladium(II) coordination polymer networks. Effect of pore functionalisation on gas adsorption properties. <i>Journal of Materials Chemistry</i> , 2007 , 17, 1939-1946		45
37	Design and non-covalent DNA binding of platinum(II) metallacalix[4]arenes. <i>Chemistry - A European Journal</i> , 2007 , 13, 5075-81	4.8	49
36	[Mn ₂ (Fpymo) ₄ (H ₂ O) ₄]: Synthesis, structure, magnetism and thermally induced solid-to-solid polymerisation reactions. <i>Inorganica Chimica Acta</i> , 2007 , 360, 84-90	2.7	2

35	Tuning the structural and magnetic properties of thermally robust coordination polymers. <i>Inorganic Chemistry</i> , 2006 , 45, 7612-20	5.1	31
34	H ₂ , N ₂ , CO, and CO ₂ sorption properties of a series of robust sodalite-type microporous coordination polymers. <i>Inorganic Chemistry</i> , 2006 , 45, 2397-9	5.1	144
33	Structure, spectroscopic properties, and reversible solid-to-solid reactions of metal complexes of 5-nitro-pyrimidin-2-olate. <i>Inorganic Chemistry</i> , 2005 , 44, 1472-81	5.1	14
32	Heteroleptic pyrimidine-2-olate and 4,4[prime or minute]-bipyridine copper(II) layered metal-organic frameworks with swelling properties. <i>Dalton Transactions</i> , 2005 , 1743-6	4.3	15
31	Quest for Second-Harmonic-Generation-Active Coordination Polymers: Synthesis and Properties of Silver(I) Pyrimidinolates. <i>Chemistry of Materials</i> , 2005 , 17, 4815-4824	9.6	22
30	Soft functional polynuclear coordination compounds containing pyrimidine bridges. <i>Journal of Solid State Chemistry</i> , 2005 , 178, 2436-2451	3.3	67
29	Coordination frameworks containing the pyrimidin-4-olate ligand. Synthesis, thermal, magnetic, and ab initio XRPD structural characterization of nickel and zinc derivatives. <i>Inorganic Chemistry</i> , 2004 , 43, 473-81	5.1	22
28	Formation of heterotopic metallacalix[n]arenes (n=3, 4, 6) containing ethylenediaminepalladium(II) metal fragments and 4,7-phenanthroline and 2-pyrimidinolate bridges. Synthesis, structure and host-guest chemistry. <i>Dalton Transactions</i> , 2004 , 2780-5	4.3	41
27	Mononucleotide recognition by cyclic trinuclear palladium(II) complexes containing 4,7-phenanthroline N,N bridges. <i>Dalton Transactions</i> , 2004 , 1563-6	4.3	33
26	Mineralomimetic sodalite- and muscovite-type coordination frameworks. Dynamic crystal-to-crystal interconversion processes sensitive to ion pair recognition. <i>Journal of the American Chemical Society</i> , 2004 , 126, 3014-5	16.4	69
25	Chiral pyrimidine metallacalixarenes: synthesis, structure and host-guest chemistry. <i>Chemistry - A European Journal</i> , 2003 , 9, 4414-21	4.8	67
24	[Cu(4-oxypyrimidinate) ₂ · nH ₂ O] _n a robust sodalite type metal-organic framework exhibiting a rich host-guest chemistry. <i>Polyhedron</i> , 2003 , 22, 3051-3057	2.7	32
23	Rich Structural and Magnetic Chemistry of Cobalt(II) Pyrimidin-2-olate and Pyrimidin-4-olate Complexes. Synthesis, X-ray Powder Diffraction Studies, and Thermal Behavior. <i>Chemistry of Materials</i> , 2003 , 15, 2153-2160	9.6	39
22	Study of the biological effects and DNA damage exerted by a new dipalladium-Hmtpo complex on human cancer cells. <i>Journal of Inorganic Biochemistry</i> , 2002 , 90, 51-60	4.2	61
21	Simple 1:1 and 1:2 complexes of metal ions with heterocycles as building blocks for discrete molecular as well as polymeric assemblies. <i>Coordination Chemistry Reviews</i> , 2001 , 222, 219-250	23.2	197
20	One-dimensional compounds containing copper(II) ions symmetrically bridged by 2-oxo-pyrimidinate. Crystal structure and magnetic behaviour. <i>Inorganica Chimica Acta</i> , 2001 , 318, 166-170	2.7	11
19	Cooperative Guest Inclusion by a Zeolite Analogue Coordination Polymer. Sorption Behavior with Gases and Amine and Group 1 Metal Salts. <i>Journal of the American Chemical Society</i> , 2001 , 123, 383-387	16.4	230
18	[(Ethylenediamine)Pt(uracilate)] ₄ [A Metal Analogue of Calix[4]arene: Coordination Chemistry of Its 1,3-Alternate Conformer towards First-Row Transition-Metal Ions 2000 , 2000, 147-151		33

17	In vitro evaluation of newly synthesised [1,2,4]triazolo[1,5a]pyrimidine derivatives against Trypanosoma cruzi, Leishmania donovani and Phytomonas staheli. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 2000 , 126, 39-44		13
16	Biochemical and ultrastructural alterations caused by newly synthesized 1,2,4-triazole[1,5a]pyrimidine derivatives against Phytomonas staheli (Trypanosomatidae). <i>Toxicology in Vitro</i> , 2000 , 14, 487-95	3.6	14
15	A palladium metallacalix[4]arene capped with a gadolinium atom. <i>Chemical Communications</i> , 2000 , 235-238		43
14	From simple trans-[a2Pt(2-hydroxypyrimidine)2]2+ (a = NH3, CH3NH2) complexes to structures of higher complexity. Molecular recognition of 2-aminopyrimidine by hydrogen bond formation and reactivity toward additional metal ions. <i>Inorganic Chemistry</i> , 2000 , 39, 1059-65	5.1	23
13	Self-assembly of palladium(II) and platinum(II) complexes of 2-hydroxypyrimidine to novel metallacalix[4]arenes. Receptor properties through multiple H-bonding interactions. <i>Inorganic Chemistry</i> , 2000 , 39, 2301-5	5.1	48
12	Molecular architecture with metal ions, nucleobases and other heterocycles. <i>Coordination Chemistry Reviews</i> , 1999 , 185-186, 653-667	23.2	138
11	[(Ethylenediamine)Pt(uracilate)](4), a Metal Analogue of Calix[4]arene. Coordination and Anion Host-Guest Chemistry Related to Its Conformational Dynamics. <i>Inorganic Chemistry</i> , 1999 , 38, 426-432	5.1	56
10	Ternary copper(II) complexes with the versatile 4,7-dihydro-5-methyl-7-oxo-[1,2,4]triazolo[1,5-a]pyridine ligand. <i>Inorganica Chimica Acta</i> , 1998 , 274, 53-63	6.7	21
9	Mixed complexes of 5-nitrosouracil derivatives: Synthesis and structural study of 6-amino-1,3-dimethyl-5-nitrosouracilato (N5,N6)-aqua-2,2'-bipyridine (N,N?)-copper(II) perchlorate hydrate and 2,2'-bipyridine (N,N?)-chloro-1,3-dimethylviolurato (N5,O6)-copper(II) hemihydrate. <i>Polyhedron</i> , 1998 , 17, 1747-1753	2.7	19
8	Influence of anions and crystallisation conditions on the solid-state structure of some binuclear silver(I) complexes supported by triazolopyrimidine bridges. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998 , 901-904		36
7	cis-[PtCl2(4,7-H-5-methyl-7-oxo[1,2,4]triazolo[1,5-a]pyrimidine)2]: a sterically restrictive new cisplatin analogue. Reaction kinetics with model nucleobases, DNA interaction studies, antitumor activity, and structure-activity relationships. <i>Journal of Medicinal Chemistry</i> , 1998 , 41, 332-8	8.3	76
6	Preparation and structural characterization of a series of ternary palladium(II) binuclear complexes containing triazolopyrimidine bridges. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997 , 1001-1006		29
5	First Example of Equatorial-Equatorial Disposition of End-to-End Thiocyanate Bridges in a Polynuclear Copper(II) Complex and Its Relation to the Very Efficient Transmission of the Magnetic Interaction. <i>Inorganic Chemistry</i> , 1997 , 36, 4988-4991	5.1	79
4	Polymeric silver(I) complexes of the multinucleating ligand 4,7-dihydro-5-methyl-7-oxo[1,2,4]triazolo[1,5-a]pyrimidine. Analogous hydrogen-bonded structures in the crystal and vapour phases of the ligand. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997 , 2221-2227		22
3	Kinetically and Thermodynamically Controlled Formation of Homo- and Heterobinuclear Platinum(II) and Palladium(II) Complexes Supported by Bidentate Triazolopyrimidine Ligands. <i>Inorganic Chemistry</i> , 1997 , 36, 3277-3283	5.1	34
2	Binuclear Platinum(II) Triazolopyrimidine Bridged Complexes. Preparation, Crystal Structure, NMR Spectroscopy, and ab Initio MO Investigation on the Bonding Nature of the Pt(II)⋯Pt(II) Interaction in the Model Compound {Pt2[NHCHN(C(CH2)(CH3))]4}. <i>Inorganic Chemistry</i> , 1996 , 35, 7829-7835	5.1	52
1	HKUST-1 Metal-Organic Framework Nanoparticle/Graphene Oxide Nanocomposite Aerogels for CO2 and CH4 Adsorption and Separation. <i>ACS Applied Nano Materials</i> ,	5.6	2