

# Pascal Guenel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6395696/publications.pdf>

Version: 2024-02-01

203  
papers

14,531  
citations

29994

54  
h-index

23472

111  
g-index

223  
all docs

223  
docs citations

223  
times ranked

17566  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017, 551, 92-94.	13.7	1,099
2	Large-scale genotyping identifies 41 new loci associated with breast cancer risk. <i>Nature Genetics</i> , 2013, 45, 353-361.	9.4	960
3	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019, 104, 21-34.	2.6	711
4	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. <i>Nature</i> , 2014, 514, 92-97.	13.7	548
5	Breast Cancer Risk Genes " Association Analysis in More than 113,000 Women. <i>New England Journal of Medicine</i> , 2021, 384, 428-439.	13.9	532
6	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015, 47, 373-380.	9.4	513
7	Multiple independent variants at the TERT locus are associated with telomere length and risks of breast and ovarian cancer. <i>Nature Genetics</i> , 2013, 45, 371-384.	9.4	493
8	Prediction of Breast Cancer Risk Based on Profiling With Common Genetic Variants. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	3.0	428
9	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. <i>Nature Genetics</i> , 2017, 49, 834-841.	9.4	426
10	Genome-wide association studies identify four ER negative"specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398.	9.4	374
11	Large-scale genomic analyses link reproductive aging to hypothalamic signaling, breast cancer susceptibility and BRCA1-mediated DNA repair. <i>Nature Genetics</i> , 2015, 47, 1294-1303.	9.4	357
12	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017, 49, 1767-1778.	9.4	289
13	Differential effects of tobacco and alcohol in cancer of the larynx, pharynx, and mouth. <i>Cancer</i> , 1986, 57, 391-395.	2.0	281
14	Genome-wide association study identifies 32 novel breast cancer susceptibility loci from overall and subtype-specific analyses. <i>Nature Genetics</i> , 2020, 52, 572-581.	9.4	265
15	Genome-wide association analysis identifies three new breast cancer susceptibility loci. <i>Nature Genetics</i> , 2012, 44, 312-318.	9.4	256
16	Carcinogenicity of night shift work. <i>Lancet Oncology</i> , The, 2019, 20, 1058-1059.	5.1	219
17	Functional Variants at the 11q13 Risk Locus for Breast Cancer Regulate Cyclin D1 Expression through Long-Range Enhancers. <i>American Journal of Human Genetics</i> , 2013, 92, 489-503.	2.6	201
18	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018, 50, 968-978.	9.4	184

#	ARTICLE	IF	CITATIONS
19	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , 2021, 596, 393-397.	13.7	183
20	<i>PALB2</i> , <i>CHEK2</i> and <i>ATM</i> rare variants and cancer risk: data from COGS. <i>Journal of Medical Genetics</i> , 2016, 53, 800-811.	1.5	174
21	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	7.7	157
22	Evidence of Gene-Environment Interactions between Common Breast Cancer Susceptibility Loci and Established Environmental Risk Factors. <i>PLoS Genetics</i> , 2013, 9, e1003284.	1.5	136
23	Anthropometric and Hormonal Risk Factors for Male Breast Cancer: Male Breast Cancer Pooling Project Results. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt465-djt465.	3.0	131
24	Breast cancer risk variants at 6q25 display different phenotype associations and regulate <i>ESR1</i> , <i>RMND1</i> and <i>CCDC170</i> . <i>Nature Genetics</i> , 2016, 48, 374-386.	9.4	125
25	Occupational risk factors, ultraviolet radiation, and ocular melanoma: a case-control study in France. <i>Cancer Causes and Control</i> , 2001, 12, 451-459.	0.8	124
26	Fine-mapping of 150 breast cancer risk regions identifies 191 likely target genes. <i>Nature Genetics</i> , 2020, 52, 56-73.	9.4	120
27	Night shift work and breast cancer: a pooled analysis of population-based case-control studies with complete work history. <i>European Journal of Epidemiology</i> , 2018, 33, 369-379.	2.5	119
28	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016, 13, e1002105.	3.9	118
29	Risk of Breast Cancer by Type of Menopausal Hormone Therapy: a Case-Control Study among Post-Menopausal Women in France. <i>PLoS ONE</i> , 2013, 8, e78016.	1.1	106
30	Identification of a <i>BRCA2</i> -Specific Modifier Locus at 6p24 Related to Breast Cancer Risk. <i>PLoS Genetics</i> , 2013, 9, e1003173.	1.5	105
31	Evidence that breast cancer risk at the 2q35 locus is mediated through <i>IGFBP5</i> regulation. <i>Nature Communications</i> , 2014, 5, 4999.	5.8	105
32	19p13.1 Is a Triple-Negative-Specific Breast Cancer Susceptibility Locus. <i>Cancer Research</i> , 2012, 72, 1795-1803.	0.4	100
33	Height and Breast Cancer Risk: Evidence From Prospective Studies and Mendelian Randomization. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv219.	3.0	99
34	Night work and breast cancer: A population-based case-control study in France (the CECILE study). <i>International Journal of Cancer</i> , 2013, 132, 924-931.	2.3	98
35	Fine-Scale Mapping of the <i>FGFR2</i> Breast Cancer Risk Locus: Putative Functional Variants Differentially Bind <i>FOXA1</i> and <i>E2F1</i> . <i>American Journal of Human Genetics</i> , 2013, 93, 1046-1060.	2.6	98
36	Alcohol Drinking, Tobacco Smoking, and Anthropometric Characteristics as Risk Factors for Thyroid Cancer: A Countrywide Case-Control Study in New Caledonia. <i>American Journal of Epidemiology</i> , 2007, 166, 1140-1149.	1.6	95

#	ARTICLE	IF	CITATIONS
37	No evidence that protein truncating variants in <i>BRIP1</i> are associated with breast cancer risk: implications for gene panel testing. <i>Journal of Medical Genetics</i> , 2016, 53, 298-309.	1.5	94
38	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016, 7, 11375.	5.8	93
39	Genome-wide association and transcriptome studies identify target genes and risk loci for breast cancer. <i>Nature Communications</i> , 2019, 10, 1741.	5.8	90
40	Joint associations of a polygenic risk score and environmental risk factors for breast cancer in the Breast Cancer Association Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 526-536.	0.9	88
41	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019, 10, 431.	5.8	88
42	Associations of obesity and circulating insulin and glucose with breast cancer risk: a Mendelian randomization analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 795-806.	0.9	81
43	Role of Goiter and of Menstrual and Reproductive Factors in Thyroid Cancer: A Population-based Case-Control Study in New Caledonia (South Pacific), a Very High Incidence Area. <i>American Journal of Epidemiology</i> , 2005, 161, 1056-1065.	1.6	80
44	Role of dietary iodine and cruciferous vegetables in thyroid cancer: a countrywide case-control study in New Caledonia. <i>Cancer Causes and Control</i> , 2010, 21, 1183-1192.	0.8	80
45	Association between Exposure to Pulsed Electromagnetic Fields and Cancer in Electric Utility Workers in Quebec, Canada, and France. <i>American Journal of Epidemiology</i> , 1994, 140, 805-820.	1.6	79
46	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.	5.8	78
47	BRCA2 Polymorphic Stop Codon K3326X and the Risk of Breast, Prostate, and Ovarian Cancers. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv315.	3.0	77
48	Fine-Scale Mapping of the 5q11.2 Breast Cancer Locus Reveals at Least Three Independent Risk Variants Regulating MAP3K1. <i>American Journal of Human Genetics</i> , 2015, 96, 5-20.	2.6	76
49	<i>BRCA2</i> Hypomorphic Missense Variants Confer Moderate Risks of Breast Cancer. <i>Cancer Research</i> , 2017, 77, 2789-2799.	0.4	75
50	Breast cancer risk, nightwork, and circadian clock gene polymorphisms. <i>Endocrine-Related Cancer</i> , 2014, 21, 629-638.	1.6	71
51	Occupation and occupational exposure to endocrine disrupting chemicals in male breast cancer: a case-control study in Europe. <i>Occupational and Environmental Medicine</i> , 2010, 67, 837-844.	1.3	70
52	Alcohol Drinking May Increase Risk of Breast Cancer in Men: A European Population-Based Case-Control Study. <i>Cancer Causes and Control</i> , 2004, 15, 571-580.	0.8	66
53	Time trends and geographic variations for thyroid cancer in New Caledonia, a very high incidence area (1985-1999). <i>European Journal of Cancer Prevention</i> , 2007, 16, 62-70.	0.6	61
54	Evidence that the 5p12 Variant rs10941679 Confers Susceptibility to Estrogen-Receptor-Positive Breast Cancer through FGF10 and MRPS30 Regulation. <i>American Journal of Human Genetics</i> , 2016, 99, 903-911.	2.6	59

#	ARTICLE	IF	CITATIONS
55	Pooled Analysis of Two Caseâ€“Control Studies in New Caledonia and French Polynesia of Body Mass Index and Differentiated Thyroid Cancer: The Importance of Body Surface Area. <i>Thyroid</i> , 2010, 20, 1285-1293.	2.4	56
56	DNA mismatch repair gene MSH6 implicated in determining age at natural menopause. <i>Human Molecular Genetics</i> , 2014, 23, 2490-2497.	1.4	56
57	Is there an association between alcohol intake or smoking and small bowel adenocarcinoma? Results from a European multi-center case-control study. <i>Cancer Causes and Control</i> , 2000, 11, 791-797.	0.8	53
58	Leukemia in relation to occupational exposures to benzene and other agents: A case-control study nested in a cohort of gas and electric utility workers. <i>American Journal of Industrial Medicine</i> , 2002, 42, 87-97.	1.0	53
59	Common non-synonymous SNPs associated with breast cancer susceptibility: findings from the Breast Cancer Association Consortium. <i>Human Molecular Genetics</i> , 2014, 23, 6096-6111.	1.4	53
60	Occupational Risk Factors for Mycosis Fungoides: A European Multicenter Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2004, 46, 205-211.	0.9	52
61	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019, 120, 647-657.	2.9	52
62	Acute myeloid leukaemia in human immunodeficiency virus-infected adults: epidemiology, treatment feasibility and outcome. <i>British Journal of Haematology</i> , 2001, 112, 900-908.	1.2	51
63	Risk factors of thyroid tumors: Role of environmental and occupational exposures to chemical pollutants. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2010, 58, 359-367.	0.3	51
64	Fineâ€“scale mapping of 8q24 locus identifies multiple independent risk variants for breast cancer. <i>International Journal of Cancer</i> , 2016, 139, 1303-1317.	2.3	51
65	Comparison of 6q25 Breast Cancer Hits from Asian and European Genome Wide Association Studies in the Breast Cancer Association Consortium (BCAC). <i>PLoS ONE</i> , 2012, 7, e42380.	1.1	51
66	Pathology of Tumors Associated With Pathogenic Germline Variants in 9 Breast Cancer Susceptibility Genes. <i>JAMA Oncology</i> , 2022, 8, e216744.	3.4	51
67	MicroRNA Related Polymorphisms and Breast Cancer Risk. <i>PLoS ONE</i> , 2014, 9, e109973.	1.1	49
68	Breast cancer risk by occupation and industry: Analysis of the CECILE study, a populationâ€“based caseâ€“control study in France. <i>American Journal of Industrial Medicine</i> , 2011, 54, 499-509.	1.0	46
69	Combined Associations of a Polygenic Risk Score and Classical Risk Factors With Breast Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2021, 113, 329-337.	3.0	45
70	Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Caseâ€“Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 412-421.	2.5	44
71	Risk factors for extrahepatic biliary tract carcinoma in men: medical conditions and lifestyle. <i>European Journal of Gastroenterology and Hepatology</i> , 2007, 19, 623-630.	0.8	43
72	Determinants of serum concentrations of 1,1-dichloro-2,2-bis(p-chlorophenyl)ethylene and polychlorinated biphenyls among French women in the CECILE study. <i>Environmental Research</i> , 2011, 111, 861-870.	3.7	43

#	ARTICLE	IF	CITATIONS
73	Genetic predisposition to ductal carcinoma in situ of the breast. <i>Breast Cancer Research</i> , 2016, 18, 22.	2.2	43
74	Reproductive profiles and risk of breast cancer subtypes: a multi-center case-only study. <i>Breast Cancer Research</i> , 2017, 19, 119.	2.2	43
75	Occupational exposures and cancer: a review of agents and relative risk estimates. <i>Occupational and Environmental Medicine</i> , 2018, 75, 604-614.	1.3	43
76	The importance of smoking and medical history for development of small bowel carcinoid tumor: a European population-based case-control study. <i>Cancer Causes and Control</i> , 2002, 13, 27-34.	0.8	42
77	Fine-mapping identifies two additional breast cancer susceptibility loci at 9q31.2. <i>Human Molecular Genetics</i> , 2015, 24, 2966-2984.	1.4	40
78	Genetic Predisposition to In Situ and Invasive Lobular Carcinoma of the Breast. <i>PLoS Genetics</i> , 2014, 10, e1004285.	1.5	39
79	Cancers in France in 2015 attributable to occupational exposures. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 22-29.	2.1	39
80	Identification and characterization of novel associations in the CASP8/ALS2CR12 region on chromosome 2 with breast cancer risk. <i>Human Molecular Genetics</i> , 2015, 24, 285-298.	1.4	38
81	Polymorphisms in a Putative Enhancer at the 10q21.2 Breast Cancer Risk Locus Regulate NRBF2 Expression. <i>American Journal of Human Genetics</i> , 2015, 97, 22-34.	2.6	37
82	Occupational risks for uveal melanoma results from a case-control study in nine European countries. <i>Cancer Causes and Control</i> , 2005, 16, 437-447.	0.8	36
83	European multi-centre case-control study on risk factors for rare cancers of unknown aetiology. <i>European Journal of Cancer</i> , 2005, 41, 601-612.	1.3	36
84	Occupational Sun Exposure and Mycosis Fungoides: A European Multicenter Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 390-393.	0.9	35
85	11q13 is a susceptibility locus for hormone receptor positive breast cancer. <i>Human Mutation</i> , 2012, 33, 1123-1132.	1.1	35
86	Breast Cancer Risk in Association with Atmospheric Pollution Exposure: A Meta-Analysis of Effect Estimates Followed by a Health Impact Assessment. <i>Environmental Health Perspectives</i> , 2021, 129, 57012.	2.8	35
87	Investigation of gene-environment interactions between 47 newly identified breast cancer susceptibility loci and environmental risk factors. <i>International Journal of Cancer</i> , 2015, 136, E685-96.	2.3	34
88	Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposure-Response Analysis of 14 Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 402-411.	2.5	34
89	An intergenic risk locus containing an enhancer deletion in 2q35 modulates breast cancer risk by deregulating IGFBP5 expression. <i>Human Molecular Genetics</i> , 2016, 25, 3863-3876.	1.4	33
90	A large-scale assessment of two-way SNP interactions in breast cancer susceptibility using 46 450 cases and 42 461 controls from the breast cancer association consortium. <i>Human Molecular Genetics</i> , 2014, 23, 1934-1946.	1.4	32

#	ARTICLE	IF	CITATIONS
91	Transcriptome-wide association study of breast cancer risk by estrogen receptor status. <i>Genetic Epidemiology</i> , 2020, 44, 442-468.	0.6	32
92	Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21. <i>Oncotarget</i> , 2016, 7, 80140-80163.	0.8	31
93	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016, 18, 64.	2.2	31
94	Occupational Exposures and Mycosis Fungoides. A European Multicentre Case-control Study (Europe). <i>Cancer Causes and Control</i> , 2005, 16, 1253-1259.	0.8	30
95	A network analysis to identify mediators of germline-driven differences in breast cancer prognosis. <i>Nature Communications</i> , 2020, 11, 312.	5.8	30
96	Cutaneous melanoma in France in 2015 attributable to solar ultraviolet radiation and the use of sunbeds. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 1681-1686.	1.3	29
97	Type of alcoholic beverage and cancer of the upper respiratory and digestive tract. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1987, 23, 529-534.	0.9	28
98	Identification of New Genetic Susceptibility Loci for Breast Cancer Through Consideration of Gene-Environment Interactions. <i>Genetic Epidemiology</i> , 2014, 38, 84-93.	0.6	28
99	The FANCM:p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019, 5, 38.	2.3	28
100	Occupational factors and risk of adult bone sarcomas: A multicentric case-control study in Europe. <i>International Journal of Cancer</i> , 2006, 118, 721-727.	2.3	26
101	Genetic modifiers of menopausal hormone replacement therapy and breast cancer risk: a genome-wide interaction study. <i>Endocrine-Related Cancer</i> , 2013, 20, 875-887.	1.6	26
102	RAD51B in Familial Breast Cancer. <i>PLoS ONE</i> , 2016, 11, e0153788.	1.1	26
103	Occupational Risk Factors for Small Bowel Carcinoid Tumor: A European Population-Based Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2002, 44, 516-522.	0.9	24
104	Fine-Scale Mapping of the 4q24 Locus Identifies Two Independent Loci Associated with Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1680-1691.	1.1	24
105	Hormonal exposures and the risk of uveal melanoma. <i>Cancer Causes and Control</i> , 2010, 21, 1625-1634.	0.8	23
106	Family history of malignant and benign thyroid diseases and risk of thyroid cancer: a population-based case-control study in New Caledonia. <i>Cancer Causes and Control</i> , 2012, 23, 745-755.	0.8	23
107	Night work and breast cancer risk defined by human epidermal growth factor receptor-2 (HER2) and hormone receptor status: A population-based case-control study in France. <i>Chronobiology International</i> , 2016, 33, 783-787.	0.9	23
108	Hormonal and reproductive risk factors of papillary thyroid cancer: A population-based case-control study in France. <i>Cancer Epidemiology</i> , 2017, 48, 78-84.	0.8	23

#	ARTICLE	IF	CITATIONS
109	Common Genetic Variants in Sex Hormone Pathway Genes and Papillary Thyroid Cancer Risk. <i>Thyroid</i> , 2012, 22, 151-156.	2.4	21
110	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016, 27, 679-693.	0.8	21
111	Gene-environment interactions involving functional variants: Results from the Breast Cancer Association Consortium. <i>International Journal of Cancer</i> , 2017, 141, 1830-1840.	2.3	20
112	A Case Study Addressing the Reliability of Polychlorinated Biphenyl Levels Measured at the Time of Breast Cancer Diagnosis in Representing Early-Life Exposure. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 281-286.	1.1	19
113	Tobacco and Alcohol in Relation to Male Breast Cancer: An Analysis of the Male Breast Cancer Pooling Project Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 520-531.	1.1	19
114	Fine scale mapping of the 17q22 breast cancer locus using dense SNPs, genotyped within the Collaborative Oncological Gene-Environment Study (COGs). <i>Scientific Reports</i> , 2016, 6, 32512.	1.6	19
115	The BRCA2 c.68-7T>A variant is not pathogenic: A model for clinical calibration of spliceogenicity. <i>Human Mutation</i> , 2018, 39, 729-741.	1.1	19
116	A case-only study to identify genetic modifiers of breast cancer risk for BRCA1/BRCA2 mutation carriers. <i>Nature Communications</i> , 2021, 12, 1078.	5.8	19
117	Breast Cancer Risk Factors and Survival by Tumor Subtype: Pooled Analyses from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 623-642.	1.1	19
118	Breast cancer risks associated with missense variants in breast cancer susceptibility genes. <i>Genome Medicine</i> , 2022, 14, 51.	3.6	19
119	A genome-wide association study to identify genetic susceptibility loci that modify ductal and lobular postmenopausal breast cancer risk associated with menopausal hormone therapy use: a two-stage design with replication. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 529-542.	1.1	18
120	No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016, 141, 386-401.	0.6	18
121	Occupational exposure to organic solvents and risk of male breast cancer: a European multicenter case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 310-322.	1.7	18
122	9q31.2-rs865686 as a Susceptibility Locus for Estrogen Receptor-Positive Breast Cancer: Evidence from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1783-1791.	1.1	17
123	Lung Cancer Mortality and Occupational Exposure to Asbestos Among Telephone Linemen: A Historical Cohort Study in France. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 1166-1172.	0.9	16
124	Common variants in breast cancer risk loci predispose to distinct tumor subtypes. <i>Breast Cancer Research</i> , 2022, 24, 2.	2.2	15
125	Genetic variation at CYP3A is associated with age at menarche and breast cancer risk: a case-control study. <i>Breast Cancer Research</i> , 2014, 16, R51.	2.2	14
126	Inherited variants in the inner centromere protein (INCENP) gene of the chromosomal passenger complex contribute to the susceptibility of ER-negative breast cancer. <i>Carcinogenesis</i> , 2015, 36, 256-271.	1.3	14



#	ARTICLE	IF	CITATIONS
127	Tobacco smoking and alcohol consumption as risk factors for thymoma – A European case-control study. <i>Cancer Epidemiology</i> , 2019, 61, 133-138.	0.8	14
128	Association of breast cancer risk with polymorphisms in genes involved in the metabolism of xenobiotics and interaction with tobacco smoking: A gene-set analysis. <i>International Journal of Cancer</i> , 2019, 144, 1896-1908.	2.3	14
129	Dietary Inflammatory Index and Differentiated Thyroid Carcinoma Risk: A Population-Based Case-Control Study in New Caledonia. <i>American Journal of Epidemiology</i> , 2020, 189, 95-107.	1.6	14
130	Occupational exposure to endocrine-disrupting compounds and biliary tract cancer among men. <i>Scandinavian Journal of Work, Environment and Health</i> , 2007, 33, 387-396.	1.7	14
131	Pesticide exposure in farming and forestry and the risk of uveal melanoma. <i>Cancer Causes and Control</i> , 2012, 23, 141-151.	0.8	13
132	Occupational exposure to electromagnetic fields and sex-differential risk of uveal melanoma. <i>Occupational and Environmental Medicine</i> , 2010, 67, 751-759.	1.3	12
133	Genetic variation in mitotic regulatory pathway genes is associated with breast tumor grade. <i>Human Molecular Genetics</i> , 2014, 23, 6034-6046.	1.4	12
134	Fine-Mapping of the 1p11.2 Breast Cancer Susceptibility Locus. <i>PLoS ONE</i> , 2016, 11, e0160316.	1.1	12
135	Diagnostic and Prognostic Performance of Blood Plasma Glycan Features in the Women Epidemiology Lung Cancer (WELCA) Study. <i>Journal of Proteome Research</i> , 2019, 18, 3985-3998.	1.8	12
136	Breast Cancer and Exposure to Organochlorines in the CECILE Study: Associations with Plasma Levels Measured at the Time of Diagnosis and Estimated during Adolescence. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 271.	1.2	12
137	A new trajectory approach for investigating the association between an environmental or occupational exposure over lifetime and the risk of chronic disease: Application to smoking, asbestos, and lung cancer. <i>PLoS ONE</i> , 2020, 15, e0236736.	1.1	12
138	Fine-mapping of two differentiated thyroid carcinoma susceptibility loci at 9q22.33 and 14q13.3 detects novel candidate functional SNPs in Europeans from metropolitan France and Melanesians from New Caledonia. <i>International Journal of Cancer</i> , 2016, 139, 617-627.	2.3	11
139	Time-dependent effect of intensity of smoking and of occupational exposure to asbestos on the risk of lung cancer: results from the ICARE case-control study. <i>Occupational and Environmental Medicine</i> , 2018, 75, 586-592.	1.3	11
140	Lung cancer risk in painters: results from the SYNERGY pooled case-control study consortium. <i>Occupational and Environmental Medicine</i> , 2021, 78, 269-278.	1.3	11
141	Multiethnic genome-wide association study of differentiated thyroid cancer in the EPITHYR consortium. <i>International Journal of Cancer</i> , 2021, 148, 2935-2946.	2.3	11
142	Occupational exposure to endocrine-disrupting chemicals and the risk of uveal melanoma. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 476-483.	1.7	11
143	Digital circadian and sleep health in individual hospital shift workers: A cross sectional telemonitoring study. <i>EBioMedicine</i> , 2022, 81, 104121.	2.7	11
144	Breast cancer risk in relation to ambient concentrations of nitrogen dioxide and particulate matter: results of a population-based case-control study corrected for potential selection bias (the CECILE) Tj ETQq0 0 0 rgB8/Overlook 10 Tf 50	1.8	11

#	ARTICLE	IF	CITATIONS
145	Occupational Exposure to Polycyclic Aromatic Hydrocarbons and Lung Cancer Risk: Results from a Pooled Analysis of Case-Control Studies (SYNERGY). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1433-1441.	1.1	10
146	Mendelian randomisation study of smoking exposure in relation to breast cancer risk. <i>British Journal of Cancer</i> , 2021, 125, 1135-1145.	2.9	9
147	A case-control study in France showing that a pro-inflammatory diet is associated with a higher risk of breast cancer. <i>Scientific Reports</i> , 2021, 11, 17019.	1.6	9
148	<i>PHIP</i> - a novel candidate breast cancer susceptibility locus on 6q14.1. <i>Oncotarget</i> , 2017, 8, 102769-102782.	0.8	9
149	Genetic variation in the immunosuppression pathway genes and breast cancer susceptibility: a pooled analysis of 42,510 cases and 40,577 controls from the Breast Cancer Association Consortium. <i>Human Genetics</i> , 2016, 135, 137-154.	1.8	8
150	Occupational Exposure to Chlorinated and Petroleum Solvents and Mycosis Fungoides. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 924-931.	0.9	7
151	Gene network and biological pathways associated with susceptibility to differentiated thyroid carcinoma. <i>Scientific Reports</i> , 2021, 11, 8932.	1.6	7
152	Risk of lung cancer among women in relation to lifetime history of tobacco smoking: a population-based case-control study in France (the WELCA study). <i>BMC Cancer</i> , 2021, 21, 711.	1.1	7
153	Association of germline genetic variants with breast cancer-specific survival in patient subgroups defined by clinic-pathological variables related to tumor biology and type of systemic treatment. <i>Breast Cancer Research</i> , 2021, 23, 86.	2.2	7
154	Incidence of the Upper Respiratory and Digestive Tract Cancers and Consumption of Alcohol and Tobacco in Denmark. <i>Scandinavian Journal of Public Health</i> , 1988, 16, 257-263.	0.6	6
155	Weight and weight changes throughout life and postmenopausal breast cancer risk: a case-control study in France. <i>BMC Cancer</i> , 2016, 16, 761.	1.1	6
156	Fine-mapping of two differentiated thyroid carcinoma susceptibility loci at 2q35 and 8p12 in Europeans, Melanesians and Polynesians. <i>Oncotarget</i> , 2021, 12, 493-506.	0.8	6
157	Functional annotation of the 2q35 breast cancer risk locus implicates a structural variant in influencing activity of a long-range enhancer element. <i>American Journal of Human Genetics</i> , 2021, 108, 1190-1203.	2.6	6
158	Rare germline copy number variants (CNVs) and breast cancer risk. <i>Communications Biology</i> , 2022, 5, 65.	2.0	6
159	A Genome-Wide Gene-Based Gene-Environment Interaction Study of Breast Cancer in More than 90,000 Women. <i>Cancer Research Communications</i> , 2022, 2, 211-219.	0.7	6
160	ASSESSMENT OF EXPOSURE TO PERSISTENT ORGANOCHLORINE COMPOUNDS IN EPIDEMIOLOGICAL STUDIES ON BREAST CANCER: A LITERATURE REVIEW AND PERSPECTIVES FOR THE CECILE STUDY. <i>Acta Clinica Belgica</i> , 2010, 65, 49-57.	0.5	5
161	Breast cancer in priests: follow-up of an observation made 167 years ago. <i>European Journal of Epidemiology</i> , 2010, 25, 219-221.	2.5	5
162	Two truncating variants in FANCC and breast cancer risk. <i>Scientific Reports</i> , 2019, 9, 12524.	1.6	5

#	ARTICLE	IF	CITATIONS
163	Occupational exposure to unintentionally emitted nanoscale particles and risk of cancer: From lung to central nervous system - Results from three French case-control studies. <i>Environmental Research</i> , 2020, 191, 110024.	3.7	5
164	CYP3A7*1C allele: linking premenopausal oestrone and progesterone levels with risk of hormone receptor-positive breast cancers. <i>British Journal of Cancer</i> , 2021, 124, 842-854.	2.9	5
165	Gene- and pathway-level analyses of iCOGS variants highlight novel signaling pathways underlying familial breast cancer susceptibility. <i>International Journal of Cancer</i> , 2021, 148, 1895-1909.	2.3	5
166	Gene-Environment Interactions Relevant to Estrogen and Risk of Breast Cancer: Can Gene-Environment Interactions Be Detected Only among Candidate SNPs from Genome-Wide Association Studies?. <i>Cancers</i> , 2021, 13, 2370.	1.7	4
167	Adapted dietary inflammatory index and differentiated thyroid carcinoma risk in two French population-based case-control studies. <i>European Journal of Nutrition</i> , 2021, , 1.	1.8	4
168	Night Shift Work Increases Cancer Risk of Women Letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 422-422.	1.1	3
169	Biochemically Tracked Variability of Blood Plasma Thawed-State Exposure Times in a Multisite Collection Study. <i>Biopreservation and Biobanking</i> , 2020, 18, 376-388.	0.5	3
170	Role of GSTM1 and GSTT1 genotypes in differentiated thyroid cancer and interaction with lifestyle factors: Results from case-control studies in France and New Caledonia. <i>PLoS ONE</i> , 2020, 15, e0228187.	1.1	3
171	rs2735383, located at a microRNA binding site in the 3'UTR of NBS1, is not associated with breast cancer risk. <i>Scientific Reports</i> , 2016, 6, 36874.	1.6	2
172	Rare cancers of unknown etiology: lessons learned from a European multi-center case-control study. <i>European Journal of Epidemiology</i> , 2020, 35, 937-948.	2.5	2
173	Germline HOXB13 mutations p.G84E and p.R217C do not confer an increased breast cancer risk. <i>Scientific Reports</i> , 2020, 10, 9688.	1.6	2
174	Role of DNA Repair Variants and Diagnostic Radiology Exams in Differentiated Thyroid Cancer Risk: A Pooled Analysis of Two Case-control Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1208-1217.	1.1	2
175	Genome-wide interaction analysis of menopausal hormone therapy use and breast cancer risk among 62,370 women. <i>Scientific Reports</i> , 2022, 12, 6199.	1.6	2
176	What Do Late-life Polychlorinated Biphenyls (PCB) Levels Tell us on Lifetime Internal Exposure? An Evaluation of Exposure Misclassification in Retrospective Breast Cancer Epidemiologic Studies. <i>Epidemiology</i> , 2011, 22, S231.	1.2	1
177	E-Cigarettes and Toxin Exposure. <i>Annals of Internal Medicine</i> , 2017, 167, 524.	2.0	1
178	Application of two job indices for general occupational demands in a pooled analysis of case-control studies on lung cancer. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 475-481.	1.7	1
179	Internal Doses of PCB153 Estimated for Different Exposure Windows During Women's Lifetime are Inversely Associated With the Incidence of Breast Cancer. <i>Epidemiology</i> , 2011, 22, S55-S56.	1.2	0
180	Travail de nuit et cancer du sein: Étude CECILE. <i>Archives Des Maladies Professionnelles Et De L'Environnement</i> , 2012, 73, 547-548.	0.1	0

#	ARTICLE	IF	CITATIONS
181	Large-Scale Genomic Analyses Link Reproductive Aging to Hypothalamic Signaling, Breast Cancer Susceptibility, and BRCA1-Mediated DNA Repair. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 758-762.	0.2	0
182	O333â€¦Night shift work and breast cancer risk: a combined analysis of population-based case-control studies with complete work histories. , 2017, , .		0
183	RF04â€¦Risk of breast cancer and occupational exposure to organic solvents: results of the CECILE study, a population-based case-control study in france. , 2019, , .		0
184	P17â€¦Dietary inflammatory potential and risk of breast cancer: results from a case-control study in france. , 2019, , .		0
185	Analysis of the pleiotropy between breast cancer and thyroid cancer. <i>Revue D'Epidemiologie Et De Sante Publique</i> , 2020, 68, S140.	0.3	0
186	Traffic-related air pollution and breast cancer risk: a systematic review and a meta-analysis of observational studies. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
187	Nitrogen dioxide (NO2) long-term exposure and breast cancer incidence: a meta-analysis followed by a health impact assessment. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
188	Lung and upper aero-digestive tract cancers and exposure to PM2.5 in the ICARE study (France). <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
189	1107Dietary polyphenol intake and differentiated thyroid cancer risk: a population-based case-control study in New Caledonia. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	0
190	Abstract 3728: Night work and breast cancer risk: CECILE study. , 2011, , .		0
191	Abstract 655: Menopausal hormone therapy and breast cancer risk: The CECILE Study. , 2012, , .		0
192	Abstract 657: Perinatal factors and breast cancer risk: The CECILE study. , 2012, , .		0
193	Abstract 2611: Role of circadian genes in breast cancer: Analysis of the CECILE study, a population-based case-control study conducted in France. , 2012, , .		0
194	Abstract 141: Nonsteroidal anti-inflammatory drugs (NSAIDs), cyclooxygenase-2 polymorphisms, and breast cancer risk.. , 2013, , .		0
195	Persistent Organochlorine Pollutants: Genetic Variations Associated with DDE and PCB153 Blood Levels among Women in France. <i>ISEE Conference Abstracts</i> , 2018, 2018, .	0.0	0
196	RF-103â€¦Determinants of sleep patterns in health care professionals working permanent night shifts or rotating day shifts: a multivariate analysis based on one-week sleep diaries and sensor data. , 2021, , .		0
197	O-288â€¦Occupational exposures and breast cancer risk in the CECILE study. , 2021, , .		0
198	RF-287â€¦The occupational environment and ovarian cancer risk. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
199	O-313â€¦Night shift work, sleep disorders and lung cancer risk among women: results from a population-based case-control study in France (the WELCA study). , 2021, , .		0
200	Title is missing!. , 2020, 15, e0236736.		0
201	Title is missing!. , 2020, 15, e0236736.		0
202	Title is missing!. , 2020, 15, e0236736.		0
203	Title is missing!. , 2020, 15, e0236736.		0