

Zhen-Bo Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6396/publications.pdf>

Version: 2024-02-01

69
papers

1,549
citations

331259

21
h-index

344852

36
g-index

74
all docs

74
docs citations

74
times ranked

4011
citing authors

#	ARTICLE	IF	CITATIONS
1	Septin 4 controls CCNB1 stabilization via APC/C ^{>CDC20</sup> during meiotic G2/M transition in mouse oocytes. <i>Journal of Cellular Physiology</i>, 2022, 237, 730-742.}	2.0	2
2	Gm364 coordinates MIB2/DLL3/Notch2 to regulate female fertility through AKT activation. <i>Cell Death and Differentiation</i> , 2022, 29, 366-380.	5.0	7
3	Identification of a heterozygous variant of <i>ZP2</i> as a novel cause of empty follicle syndrome in humans and mice. <i>Human Reproduction</i> , 2022, 37, 859-872.	0.4	7
4	Kinetochore scaffold 1 regulates SAC function during mouse oocyte meiotic maturation. <i>FASEB Journal</i> , 2022, 36, e22210.	0.2	1
5	MAPRE2 regulates the first meiotic progression in mouse oocytes. <i>Experimental Cell Research</i> , 2022, 416, 113135.	1.2	1
6	Epitalon protects against post-ovulatory aging-related damage of mouse oocytes in vitro. <i>Aging</i> , 2022, 14, 3191-3202.	1.4	1
7	Reduction of mtDNA heteroplasmy in mitochondrial replacement therapy by inducing forced mitophagy. <i>Nature Biomedical Engineering</i> , 2022, 6, 339-350.	11.6	25
8	PPP4C facilitates homologous recombination DNA repair by dephosphorylating PLK1 during early embryo development. <i>Development (Cambridge)</i> , 2022, 149, .	1.2	2
9	Effects of m^{itochondria-associated} Ca²⁺ transporters suppression on oocyte activation. <i>Cell Biochemistry and Function</i> , 2021, 39, 248-257.	1.4	4
10	Single-cell RNA sequencing reveals species-specific time spans of cell cycle transitions in early oogenesis. <i>Human Molecular Genetics</i> , 2021, 30, 525-535.	1.4	1
11	FBXO34 Regulates the G2/M Transition and Anaphase Entry in Meiotic Oocytes. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 647103.	1.8	7
12	PTHrP promotes development of mouse preimplantation embryos through the AKT/cyclin D1 pathway and nuclear translocation of HDAC4. <i>Journal of Cellular Physiology</i> , 2021, 236, 7001-7013.	2.0	0
13	Inhibition of CDK4/6 kinases causes production of aneuploid oocytes by inactivating the spindle assembly checkpoint and accelerating first meiotic progression. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 119044.	1.9	3
14	Diabetic Uterine Environment Leads to Disorders in Metabolism of Offspring. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 706879.	1.8	4
15	Specific deletion of protein phosphatase 6 catalytic subunit in Sertoli cells leads to disruption of spermatogenesis. <i>Cell Death and Disease</i> , 2021, 12, 883.	2.7	5
16	METTL3-mediated mRNA N6-methyladenosine is required for oocyte and follicle development in mice. <i>Cell Death and Disease</i> , 2021, 12, 989.	2.7	31
17	Inhibiting bridge integrator 2 phosphorylation leads to improved oocyte quality, ovarian health and fertility in aging and after chemotherapy in mice. <i>Nature Aging</i> , 2021, 1, 1010-1023.	5.3	5
18	Degradation of Ccnb3 is essential for maintenance of MII arrest in oocyte. <i>Biochemical and Biophysical Research Communications</i> , 2020, 521, 265-269.	1.0	13

#	ARTICLE	IF	CITATIONS
19	Type 1 diabetes affects zona pellucida and genome methylation in oocytes and granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2020, 500, 110627.	1.6	10
20	Protein phosphatase 6 is a key factor regulating spermatogenesis. <i>Cell Death and Differentiation</i> , 2020, 27, 1952-1964.	5.0	15
21	Deletion of <i>Ck2²</i> gene causes germ cell development arrest and azoospermia in male mice. <i>Cell Proliferation</i> , 2020, 53, e12726.	2.4	5
22	RNA-Seq transcriptome reveals different molecular responses during human and mouse oocyte maturation and fertilization. <i>BMC Genomics</i> , 2020, 21, 475.	1.2	22
23	Cell division cycle 23 is required for mouse oocyte meiotic maturation. <i>FASEB Journal</i> , 2020, 34, 8990-9002.	0.2	5
24	Single-cell RNA sequencing reveals the landscape of early female germ cell development. <i>FASEB Journal</i> , 2020, 34, 12634-12645.	0.2	38
25	PRC2 and EHMT1 regulate H3K27me2 and H3K27me3 establishment across the zygote genome. <i>Nature Communications</i> , 2020, 11, 6354.	5.8	36
26	Chronic cadmium exposure causes oocyte meiotic arrest by disrupting spindle assembly checkpoint and maturation promoting factor. <i>Reproductive Toxicology</i> , 2020, 96, 141-149.	1.3	17
27	Deletion of BAF250a affects oocyte epigenetic modifications and embryonic development. <i>Molecular Reproduction and Development</i> , 2020, 87, 550-564.	1.0	3
28	CENP-T, regulates both G2/M transition and anaphase entry by acting through CDH1 in meiotic oocytes. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	4
29	Single-cell RNA sequencing reveals regulation of fetal ovary development in the monkey (<i>Macaca</i>) Tj ETQq1 1 0.784314 rgBT /Overlode	3.1	19
30	CENP-W regulates kinetochore-microtubule attachment and meiotic progression of mouse oocytes. <i>Biochemical and Biophysical Research Communications</i> , 2020, 527, 8-14.	1.0	1
31	Rad9a is involved in chromatin decondensation and post-zygotic embryo development in mice. <i>Cell Death and Differentiation</i> , 2019, 26, 969-980.	5.0	10
32	<i>Mettl14</i> is required for mouse postimplantation development by facilitating epiblast maturation. <i>FASEB Journal</i> , 2019, 33, 1179-1187.	0.2	60
33	NEK5 regulates cell cycle progression during mouse oocyte maturation and preimplantation embryonic development. <i>Molecular Reproduction and Development</i> , 2019, 86, 1189-1198.	1.0	6
34	Absence of mitochondrial DNA methylation in mouse oocyte maturation, aging and early embryo development. <i>Biochemical and Biophysical Research Communications</i> , 2019, 513, 912-918.	1.0	18
35	Meiotic chromatid recombination and segregation assessed with human single cell genome sequencing data. <i>Journal of Medical Genetics</i> , 2019, 56, 156-163.	1.5	4
36	N-acetyl-L-cysteine (NAC) delays post-ovulatory oocyte aging in mouse. <i>Aging</i> , 2019, 11, 2020-2030.	1.4	36

#	ARTICLE	IF	CITATIONS
37	The small GTPase RhoA regulates the LIMK1/2â€cofilin pathway to modulate cytoskeletal dynamics in oocyte meiosis. <i>Journal of Cellular Physiology</i> , 2018, 233, 6088-6097.	2.0	17
38	Type 2 diabetes increases oocyte mtDNA mutations which are eliminated in the offspring by bottleneck effect. <i>Reproductive Biology and Endocrinology</i> , 2018, 16, 110.	1.4	13
39	Glucocorticoid exposure affects female fertility by exerting its effect on the uterus but not on the oocyte: lessons from a hypercortisolism mouse model. <i>Human Reproduction</i> , 2018, 33, 2285-2294.	0.4	9
40	Ablation of beta subunit of protein kinase CK2 in mouse oocytes causes follicle atresia and premature ovarian failure. <i>Cell Death and Disease</i> , 2018, 9, 508.	2.7	16
41	CenpH regulates meiotic G2/M transition by modulating the APC/CCdh1-cyclin B1 pathway in oocytes. <i>Development (Cambridge)</i> , 2017, 144, 305-312.	1.2	7
42	Oocyte-specific deletion of furin leads to female infertility by causing early secondary follicle arrest in mice. <i>Cell Death and Disease</i> , 2017, 8, e2846-e2846.	2.7	15
43	Removal of mouse ovary fat pad affects sex hormones, folliculogenesis and fertility. <i>Journal of Endocrinology</i> , 2017, 232, 155-164.	1.2	19
44	Transfer of autologous mitochondria from adipose tissue-derived stem cells rescues oocyte quality and infertility in aged mice. <i>Aging</i> , 2017, 9, 2480-2488.	1.4	36
45	Geminin deletion in pre-meiotic DNA replication stage causes spermatogenesis defect and infertility. <i>Journal of Reproduction and Development</i> , 2017, 63, 481-488.	0.5	1
46	Sperm-carried RNAs play critical roles in mouse embryonic development. <i>Oncotarget</i> , 2017, 8, 67394-67405.	0.8	66
47	Exposure to Aroclorâ€1254 impairs spindle assembly during mouse oocyte maturation. <i>Environmental Toxicology</i> , 2016, 31, 1652-1662.	2.1	9
48	N6-Methyladenosine Sequencing Highlights the Involvement of mRNA Methylation in Oocyte Meiotic Maturation and Embryo Development by Regulating Translation in <i>Xenopus laevis</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 23020-23026.	1.6	66
49	Oocyte-specific deletion of <i>N-WASP</i> does not affect oocyte polarity, but causes failure of meiosis II completion. <i>Molecular Human Reproduction</i> , 2016, 22, 613-621.	1.3	25
50	Nek11 regulates asymmetric cell division during mouse oocyte meiotic maturation. <i>Biochemical and Biophysical Research Communications</i> , 2016, 474, 667-672.	1.0	4
51	Geminin deletion in mouse oocytes results in impaired embryo development and reduced fertility. <i>Molecular Biology of the Cell</i> , 2016, 27, 768-775.	0.9	11
52	Protein Phosphatase 6 Protects Prophase I-Arrested Oocytes by Safeguarding Genomic Integrity. <i>PLoS Genetics</i> , 2016, 12, e1006513.	1.5	12
53	<i>Rad9a</i> is required for spermatogonia differentiation in mice. <i>Oncotarget</i> , 2016, 7, 86350-86358.	0.8	2
54	LKB1 acts as a critical gatekeeper of ovarian primordial follicle pool. <i>Oncotarget</i> , 2016, 7, 5738-5753.	0.8	44

#	ARTICLE	IF	CITATIONS
55	Cep55 regulates spindle organization and cell cycle progression in meiotic oocyte. <i>Scientific Reports</i> , 2015, 5, 16978.	1.6	37
56	Deletion of Mylk1 in Oocytes Causes Delayed Morula-to-Blastocyst Transition and Reduced Fertility Without Affecting Folliculogenesis and Oocyte Maturation in Mice1. <i>Biology of Reproduction</i> , 2015, 92, 97.	1.2	8
57	Loss of protein phosphatase 6 in oocytes causes failure of meiosis II exit and impaired female fertility. <i>Journal of Cell Science</i> , 2015, 128, 3769-80.	1.2	14
58	Exogenous thymine DNA glycosylase regulates epigenetic modifications and meiotic cell cycle progression of mouse oocytes. <i>Molecular Human Reproduction</i> , 2015, 21, 186-194.	1.3	4
59	Scaffold Subunit Aalpha of PP2A Is Essential for Female Meiosis and Fertility in Mice1. <i>Biology of Reproduction</i> , 2014, 91, 19.	1.2	38
60	The root of reduced fertility in aged women and possible therapeutic options: Current status and future prospects. <i>Molecular Aspects of Medicine</i> , 2014, 38, 54-85.	2.7	117
61	The subcortical maternal complex controls symmetric division of mouse zygotes by regulating F-actin dynamics. <i>Nature Communications</i> , 2014, 5, 4887.	5.8	102
62	WASH complex regulates Arp2/3 complex for actin-based polar body extrusion in mouse oocytes. <i>Scientific Reports</i> , 2014, 4, 5596.	1.6	39
63	Overexpression of SET1 ² , a protein localizing to centromeres, causes precocious separation of chromatids during the first meiosis of mouse oocyte. <i>Journal of Cell Science</i> , 2013, 126, 1595-603.	1.2	37
64	Unique insights into maternal mitochondrial inheritance in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 13038-13043.	3.3	126
65	Specific deletion of <i>Cdc42</i> does not affect meiotic spindle organization/migration and homologous chromosome segregation but disrupts polarity establishment and cytokinesis in mouse oocytes. <i>Molecular Biology of the Cell</i> , 2013, 24, 3832-3841.	0.9	40
66	New Understandings on Folliculogenesis/Oogenesis Regulation in Mouse as Revealed by Conditional Knockout. <i>Journal of Genetics and Genomics</i> , 2012, 39, 61-68.	1.7	21
67	Why is Chromosome Segregation Error in Oocytes Increased With Maternal Aging?. <i>Physiology</i> , 2011, 26, 314-325.	1.6	29
68	The SUMO pathway functions in mouse oocyte maturation. <i>Cell Cycle</i> , 2010, 9, 2640-2646.	1.3	35
69	Bub3 Is a Spindle Assembly Checkpoint Protein Regulating Chromosome Segregation during Mouse Oocyte Meiosis. <i>PLoS ONE</i> , 2009, 4, e7701.	1.1	97