Md Jamal Uddin

List of Publications by Citations

Source: https://exaly.com/author-pdf/6396076/md-jamal-uddin-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

420 41 19 11 h-index g-index citations papers 619 4.1 45 4.1 ext. citations avg, IF L-index ext. papers

#	Paper	IF	Citations
41	Hypertension among adults in Bangladesh: evidence from a national cross-sectional survey. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 22	2.3	76
40	Type 2 diabetes and its correlates among adults in Bangladesh: a population based study. <i>BMC Public Health</i> , 2015 , 15, 1070	4.1	40
39	Psychopathology in 7-year-old children with familial high risk of developing schizophrenia spectrum psychosis or bipolar disorder - The Danish High Risk and Resilience Study - VIA 7, a population-based cohort study. <i>World Psychiatry</i> , 2018 , 17, 210-219	14.4	35
38	The Global Health Security index and Joint External Evaluation score for health preparedness are not correlated with countries UCOVID-19 detection response time and mortality outcome. <i>Epidemiology and Infection</i> , 2020 , 148, e210	4.3	28
37	Methods to control for unmeasured confounding in pharmacoepidemiology: an overview. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 714-23	2.3	24
36	Performance of prior event rate ratio adjustment method in pharmacoepidemiology: a simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 468-77	2.6	19
35	Social Cognition, Language, and Social Behavior in 7-Year-Old Children at Familial High-Risk of Developing Schizophrenia or Bipolar Disorder: The Danish High Risk and Resilience Study VIA 7-A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1218-1230	1.3	16
34	Estimation of novel coronavirus (COVID-19) reproduction number and case fatality rate: A systematic review and meta-analysis. <i>Health Science Reports</i> , 2021 , 4, e274	2.2	14
33	Home visits in the Danish High Risk and Resilience Study - VIA 7: assessment of the home environment of 508 7-year-old children born to parents diagnosed with schizophrenia or bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 140, 126-134	6.5	12
32	Impact of weather on COVID-19 transmission in south Asian countries: An application of the ARIMAX model. <i>Science of the Total Environment</i> , 2021 , 761, 143315	10.2	12
31	Performance of instrumental variable methods in cohort and nested case-control studies: a simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 165-77	2.6	11
30	Risk factors for acute respiratory infection in children younger than five years in Bangladesh. <i>Public Health</i> , 2019 , 173, 112-119	4	10
29	Quantitative falsification of instrumental variables assumption using balance measures. <i>Epidemiology</i> , 2014 , 25, 770-2	3.1	10
28	The Global Case-Fatality Rate of COVID-19 Has Been Declining Since May 2020. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 ,	3.2	10
27	Case-only designs for studying the association of antidepressants and hip or femur fracture. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 103-13	2.6	10
26	Predictors of Infant Mortality in a Developing Country. Asian Journal of Epidemiology, 2008, 1-16	0.4	9
25	Correlates of unsuccessful smoking cessation among adults in Bangladesh. <i>Preventive Medicine Reports</i> , 2017 , 8, 122-128	2.6	8

(2022-2020)

24	Language deficits in specific language impairment, attention deficit/hyperactivity disorder, and autism spectrum disorder: An analysis of polygenic risk. <i>Autism Research</i> , 2020 , 13, 369-381	5.1	7
23	Evaluating different physician prescribing preference based instrumental variables in two primary care databases: a study of inhaled long-acting beta2-agonist use and the risk of myocardial infarction. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 132-41	2.6	7
22	No evidence of associations between genetic liability for schizophrenia and development of cannabis use disorder. <i>Psychological Medicine</i> , 2021 , 51, 479-484	6.9	7
21	The Danish High Risk and Resilience Study-VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort -522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. Frontiers in Psychiatry, 2018, 9, 661	5	7
20	Factors associated with knowledge and awareness of HIV/AIDS among married women in Bangladesh: evidence from a nationally representative survey. <i>Sahara J</i> , 2018 , 15, 121-127	1.9	7
19	Correlates of attempting to quit smoking among adults in Bangladesh. <i>Addictive Behaviors Reports</i> , 2018 , 8, 1-7	3.7	7
18	Instrumental Variable Analysis in Epidemiologic Studies: An Overview of the Estimation Methods. <i>Pharmaceutica Analytica Acta</i> , 2015 , 06,	0	6
17	Polygenic risk for psychiatric disorder and singleness in patients with severe mental illness and controls. <i>Journal of Psychiatric Research</i> , 2019 , 119, 60-66	5.2	5
16	Instrumental variables analysis using multiple databases: an example of antidepressant use and risk of hip fracture. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25 Suppl 1, 122-31	2.6	5
15	Quantitative genome-wide association analyses of receptive language in the Danish High Risk and Resilience Study. <i>BMC Neuroscience</i> , 2020 , 21, 30	3.2	3
14	Intergenerational transmission of suicide attempt in a cohort of 4.4 million children. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	3
13	Changes in prevalence, and factors associated with tobacco use among Bangladeshi school students: evidence from two nationally representative surveys. <i>BMC Public Health</i> , 2021 , 21, 579	4.1	2
12	Health awareness, lifestyle and dietary behavior of university students in the northeast part of Bangladesh. <i>International Journal of Adolescent Medicine and Health</i> , 2018 , 33,	1.1	2
11	The prevalence of olfactory dysfunction and its associated factors in patients with COVID-19 infection		2
10	Factors influencing voluntary blood donation practice among university students of Bangladesh <i>Transfusion and Apheresis Science</i> , 2022 , 103379	2.4	1
9	Odor identification in 7-year-old children at familial high risk of schizophrenia or bipolar disorder - the Danish high risk and resilience study VIA 7. <i>Schizophrenia Research</i> , 2020 , 216, 77-84	3.6	1
8	Health impacts of excessive use of Facebook among university students in Bangladesh. <i>Heliyon</i> , 2021 , 7, e07271	3.6	1
7	Reporting methodological issues of the mendelian randomization studies in health and medical research: a systematic review <i>BMC Medical Research Methodology</i> , 2022 , 22, 21	4.7	О

6	Depression and Anxiety among University Students: A Comparison between COVID-19 Pandemic Panic Period and Post-panic Period in Bangladesh. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2022 , 10, 52-59	1	О
5	Changes in prevalence and risk factors of hypertension among adults in Bangladesh: An analysis of two waves of nationally representative surveys. <i>PLoS ONE</i> , 2021 , 16, e0259507	3.7	O
4	Cesarean delivery and early childhood diseases in Bangladesh: An analysis of Demographic and Health Survey (BDHS) and Multiple Indicator Cluster Survey (MICS). <i>PLoS ONE</i> , 2020 , 15, e0242864	3.7	О
3	Factors associated with body mass index among university students in Bangladesh. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2021 , 29, 345-351	1.4	O
2	The availability of essential medicines for diabetes at health facilities in Bangladesh: evidence from 2014 and 2017 national surveys <i>BMC Health Services Research</i> , 2022 , 22, 377	2.9	О
1	Depression and stress regarding future career among university students during COVID-19 pandemic <i>PLoS ONE</i> , 2022 , 17, e0266686	3.7	О