SpanÃ² Nunziacarla

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6396149/publications.pdf

Version: 2024-02-01

64 papers

1,802 citations

304743 22 h-index 289244 40 g-index

64 all docs 64
docs citations

64 times ranked

2233 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----------------|----------------|
| 1 | Microplastics in the bogue, Boops boops: A snapshot of the past from the southern Tyrrhenian Sea. Journal of Hazardous Materials, 2022, 424, 127669. | 12.4 | 15 |
| 2 | Spatiotemporal Organic Carbon Distribution in the Capo Peloro Lagoon (Sicily, Italy) in Relation to Environmentally Sustainable Approaches. Water (Switzerland), 2022, 14, 108. | 2.7 | 7 |
| 3 | Intestinal Disorder in Zebrafish Larvae (Danio rerio): The Protective Action of N-Palmitoylethanolamide-oxazoline. Life, 2022, 12, 125. | 2.4 | 21 |
| 4 | Assessment of 2-Pentadecyl-2-oxazoline Role on Lipopolysaccharide-Induced Inflammation on Early Stage Development of Zebrafish (Danio rerio). Life, 2022, 12, 128. | 2.4 | 20 |
| 5 | Environmental Risk Assessment of Oxaliplatin Exposure on Early Life Stages of Zebrafish (Danio rerio). Toxics, 2022, 10, 81. | 3.7 | 24 |
| 6 | Otolith Analyses Highlight Morpho-Functional Differences of Three Species of Mullet (Mugilidae) from Transitional Water. Sustainability, 2022, 14, 398. | 3.2 | 29 |
| 7 | Sensitivity of Zebrafish Embryogenesis to Risk of Fotemustine Exposure. Fishes, 2022, 7, 67. | 1.7 | 4 |
| 8 | Environmental Co-Exposure to Potassium Perchlorate and Cd Caused Toxicity and Thyroid Endocrine Disruption in Zebrafish Embryos and Larvae (Danio rerio). Toxics, 2022, 10, 198. | 3.7 | 22 |
| 9 | Combined Effects of Potassium Perchlorate and a Neonicotinoid on Zebrafish Larvae (Danio rerio). Toxics, 2022, 10, 203. | 3.7 | 5 |
| 10 | Environmental Toxicity Assessment of Sodium Fluoride and Platinum-Derived Drugs Co-Exposure on Aquatic Organisms. Toxics, 2022, 10, 272. | 3.7 | 20 |
| 11 | Basic Intersexuality (Abnormal Hermaphroditism) in the Blackmouth Catshark, Galeus melastomus, (Rafinesque, 1810), from the Southern Tyrrhenian Sea (Central Mediterranean Sea). Fishes, 2022, 7, 120. | 1.7 | 4 |
| 12 | Environmental Risk Assessment of Dexamethasone Sodium Phosphate and Tocilizumab Mixture in Zebrafish Early Life Stage (Danio rerio). Toxics, 2022, 10, 279. | 3.7 | 16 |
| 13 | Time-Scale Analysis of Prey Preferences and Ontogenetic Shift in the Diet of European Hake Merluccius merluccius (Linnaeus, 1758) in Southern and Central Tyrrhenian Sea. Fishes, 2022, 7, 167. | 1.7 | 9 |
| 14 | Confocal Characterization of Intestinal Dendritic Cells from Myxines to Teleosts. Biology, 2022, 11, 1045. | 2.8 | 21 |
| 15 | Environmental Impact of Pharmaceutical Pollutants: Synergistic Toxicity of Ivermectin and Cypermethrin. Toxics, 2022, 10, 388. | 3.7 | 2 |
| 16 | Evaluation of the patterns of daily total locomotor activity in maned wolf (Chryosocyon) Tj ETQq0 0 0 rgBT /Over | rlock 10 Tf | f 50 142 Td (b |
| 17 | Intra-variability of some biochemical parameters and serum electrolytes in rainbow trout (Walbaum,) Tj ETQq $1\ 1$ | 0.784314 3.2 | rgBT Overlo |
| 18 | Diet of the Deep-Sea Shark Galeus melastomus Rafinesque, 1810, in the Mediterranean Sea: What We Know and What We Should Know. Sustainability, 2021, 13, 3962. | 3.2 | 22 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Influence of Polystyrene Microspheres Abundance on Development and Feeding Behavior of Artemia salina (Linnaeus, 1758). Applied Sciences (Switzerland), 2021, 11, 3352. | 2.5 | 33 |
| 20 | Intra- and interspecific variability among congeneric Pagellus otoliths. Scientific Reports, 2021, 11 , 16315 . | 3.3 | 29 |
| 21 | Biological and Ecological Aspects of the Blackmouth Catshark (Galeus melastomus Rafinesque, 1810) in the Southern Tyrrhenian Sea. Journal of Marine Science and Engineering, 2021, 9, 967. | 2.6 | 27 |
| 22 | Aflatoxin B1 Toxicity in Zebrafish Larva (Danio rerio): Protective Role of Hericium erinaceus. Toxins, 2021, 13, 710. | 3.4 | 23 |
| 23 | Combined Toxicity of Xenobiotics Bisphenol A and Heavy Metals on Zebrafish Embryos (Danio rerio). Toxics, 2021, 9, 344. | 3.7 | 33 |
| 24 | Returning of <i>Hippocampus hippocampus</i> (Linnaeus, 1758) (Syngnathidae) in the Faro Lake – oriented Natural Reserve of Capo Peloro, Italy. Natural Product Research, 2020, 34, 595-598. | 1.8 | 9 |
| 25 | Quali-quantitative analysis of plastics and synthetic microfibers found in demersal species from Southern Tyrrhenian Sea (Central Mediterranean). Marine Pollution Bulletin, 2020, 150, 110596. | 5.0 | 71 |
| 26 | Modelling prey-predator interactions in Messina beachrock pools. Ecological Modelling, 2020, 434, 109206. | 2.5 | 19 |
| 27 | Plastics occurrence in juveniles of Engraulis encrasicolus and Sardina pilchardus in the Southern Tyrrhenian Sea. Science of the Total Environment, 2020, 718, 137457. | 8.0 | 60 |
| 28 | Expression of Acetylcholine- and G protein coupled Muscarinic receptor in the Neuroepithelial cells (NECs) of the obligated air-breathing fish, Arapaima gigas (Arapaimatidae: Teleostei). Zoology, 2020, 139, 125755. | 1.2 | 17 |
| 29 | Vertical distribution and diel migration of zooplankton and micronekton in Polcevera submarine canyon of the Ligurian mesopelagic zone (NW Mediterranean Sea). Progress in Oceanography, 2020, 183, 102298. | 3.2 | 8 |
| 30 | Effect of Dietary Vitamin C Supplementation on the Blood Parameters of Striped Bass Morone saxatilis (Walbaum, 1752). Turkish Journal of Fisheries and Aquatic Sciences, 2020, 20, . | 0.9 | 7 |
| 31 | Plastics occurrence in the gastrointestinal tract of Zeus faber and Lepidopus caudatus from the Tyrrhenian Sea. Marine Pollution Bulletin, 2019, 146, 408-416. | 5.0 | 39 |
| 32 | Detection of artificial cellulose microfibers in Boops boops from the northern coasts of Sicily (Central Mediterranean). Science of the Total Environment, 2019, 691, 455-465. | 8.0 | 79 |
| 33 | Response of vanadium bioaccumulation in tissues of Mugil cephalus (Linnaeus 1758). Science of the Total Environment, 2019, 689, 774-780. | 8.0 | 33 |
| 34 | Microplastics occurrence in the Tyrrhenian waters and in the gastrointestinal tract of two congener species of seabreams. Environmental Toxicology and Pharmacology, 2019, 67, 35-41. | 4.0 | 143 |
| 35 | A Multi-screening Evaluation of the Nutritional and Nutraceutical Potential of the Mediterranean Jellyfish Pelagia noctiluca. Marine Drugs, 2019, 17, 172. | 4.6 | 14 |
| 36 | The Otranto Channel (South Adriatic Sea), a hot-spot area of plankton biodiversity: pelagic polychaetes. Scientific Reports, 2019, 9, 19490. | 3.3 | 8 |

3

| # | Article | IF | CITATIONS |
|----|--|------------|----------------|
| 37 | Antarctic sponges from the Terra Nova Bay (Ross Sea) host a diversified bacterial community. Scientific Reports, 2019, 9, 16135. | 3.3 | 23 |
| 38 | Merkel cells immunohistochemical study in striped dolphin (Stenella coeruleoalba) skin. Tissue and Cell, $2019, 56, 1-6$. | 2.2 | 4 |
| 39 | Intestinal bacterial flora of Mediterranean gilthead sea bream (Sparus aurataLinnaeus) as a novel source of natural surface active compounds. Aquaculture Research, 2018, 49, 1262-1273. | 1.8 | 12 |
| 40 | Immunohistochemical characterization of epidermal dendritic-like cells in giant mudskipper, Periophthalmodon schlosseri. Fish and Shellfish Immunology, 2018, 74, 380-385. | 3.6 | 36 |
| 41 | New Insights into the Culture Method and Antibacterial Potential of Gracilaria gracilis. Marine Drugs, 2018, 16, 492. | 4.6 | 57 |
| 42 | First report of geochemical fractionation distribution, bioavailability and risk assessment of potentially toxic inorganic elements in sediments of coral reef Islands of the Persian Gulf, Iran. Marine Pollution Bulletin, 2018, 137, 185-197. | 5.0 | 46 |
| 43 | Mucosal immune parameters, immune and antioxidant defence related genes expression and growth performance of zebrafish (Danio rerio) fed on Gracilaria gracilis powder. Fish and Shellfish Immunology, 2018, 83, 232-237. | 3.6 | 119 |
| 44 | Prokaryotic assemblages within permafrost active layer at Edmonson Point (Northern Victoria Land,) Tj ETQq0 0 (| 0 rgBT /Ov | erlock 10 Tf 5 |
| 45 | First documented occurrence of Brachycarpus biunguiculatus (Lucas, 1846) (Palaemonidea) in Italian seas. Marine Biodiversity, 2017, 47, 155-156. | 1.0 | 0 |
| 46 | New Host Records for the Marine Fish Ectoparasite (i> Argulus vittatus (/i> (Crustacea: Branchiura:) Tj ETQq0 0 0 r | rgBT /Over | lock 10 Tf 50 |
| 47 | The effectiveness of fish feeding behaviour in mirroring trawling-induced patterns. Marine Environmental Research, 2017, 131, 195-204. | 2.5 | 20 |
| 48 | Gracilaria gracilis, Source of Agar: A Short Review. Current Organic Chemistry, 2017, 21, 380-386. | 1.6 | 35 |
| 49 | Biological activity of extract from Styela plicata and Ascidia mentula (Ascidiacea). Journal of Biological Research (Italy), 2016, 89, . | 0.1 | 3 |
| 50 | Evaluation of Water Variables in No-Take Zone of Ustica Marine Protected Area (Southern Tyrrhenian) Tj ETQq0 C | OggBT /C |)verlock 10 Tf |
| 51 | Biosurfactant production by hydrocarbonâ€degrading <i>Brevibacterium</i> and <i>Vibrio</i> isolates from the sea pen <i>Pteroeides spinosum</i> (Ellis, 1764). Journal of Basic Microbiology, 2016, 56, 963-974. | 3.3 | 16 |
| 52 | Caulerpa taxifolia var. distichophylla: a further stepping stone in the western Mediterranean. Marine Biodiversity Records, 2016, 9, . | 1.2 | 5 |
| 53 | PCB and OCP accumulation and evidence of hepatic alteration in the Atlantic bluefin tuna, T. thynnus, from the Mediterranean Sea. Marine Environmental Research, 2016, 121, 40-48. | 2.5 | 87 |
| 54 | Biomarkers of environmental stress in gills of Pinna nobilis (Linnaeus 1758) from Balearic Island. Ecotoxicology and Environmental Safety, 2015, 122, 9-16. | 6.0 | 36 |

| # | Article | IF | CITATIONS |
|----|--|------------------|--------------|
| 55 | Pelagia noctiluca (Scyphozoa) Crude Venom Injection Elicits Oxidative Stress and Inflammatory Response in Rats. Marine Drugs, 2014, 12, 2182-2204. | 4.6 | 23 |
| 56 | First observation of Pteroeides spinosum (Anthozoa: Octocorallia) fields in a Sicilian coastal zone (Central Mediterranean Sea). Marine Biodiversity, 2014, 44, 589-592. | 1.0 | 15 |
| 57 | Infaunal community responses to a gradient of trawling disturbance and a long-term Fishery Exclusion Zone in the Southern Tyrrhenian Sea. Continental Shelf Research, 2014, 76, 25-35. | 1.8 | 24 |
| 58 | Spatial distribution of Decapoda in the Strait of Sicily (Central Mediterranean Sea) based on a trawl survey. Crustaceana, 2013, 86, 139-157. | 0.3 | 4 |
| 59 | Macropodia Longirostris and Latreillia Elegans (Decapoda, Brachyura) Climbing on Mediterranean Pennatulidae (Anthozoa, Octocorallia): A Preliminary Note. Crustaceana, 2011, 84, 1777-1780. | 0.3 | 6 |
| 60 | Young specimens of Munida intermedia (Decapoda, Anomura) living on Antedon mediterranea (Echinodermata, Crinoidea). Crustaceana, 2010, 83, 215-221. | 0.3 | 0 |
| 61 | Italian marine reserve effectiveness: Does enforcement matter?. Biological Conservation, 2008, 141, 699-709. | 4.1 | 280 |
| 62 | Distribution of Crustacea Decapoda (Anomura and Brachyura) in the Straits of Messina. Journal of Natural History, 1998, 32, 1697-1705. | 0.5 | 6 |
| 63 | Growth performance and bioremediation potential of Gracilaria gracilis (Steentoft, L.M. Irvine &) Tj ETQq $1\ 1\ 0.78$ | 4314 rgBT 1.6 | /Qverlock 10 |
| 64 | New record of a female violet blanket octopus (<i>Tremoctopus violaceus</i> , delle Chiaje, 1830) in the Strait of Messina, southern Italy. International Journal of Environmental Studies, 0, , 1-6. | 1.6 | 1 |