

Deyu Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6397830/publications.pdf>

Version: 2024-02-01

121
papers

8,186
citations

46984

47
h-index

48277

88
g-index

125
all docs

125
docs citations

125
times ranked

8055
citing authors

#	ARTICLE	IF	CITATIONS
1	Compact Interlaminar Lithium Plating Realized by Silver Nanowires Imbedded in a Stacked Graphene Host with a Rational Void Space. <i>ACS Applied Energy Materials</i> , 2022, 5, 3100-3109.	2.5	0
2	In-situ constructing a rigid and stable dual-layer CEI film improving high-voltage 4.6V LiCoO ₂ performances. <i>Nano Energy</i> , 2022, 96, 107082.	8.2	19
3	Design of a multi-functional gel polymer electrolyte with a 3D compact stacked polymer micro-sphere matrix for high-performance lithium metal batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 12563-12574.	5.2	31
4	High-loading lateral Li deposition realized by a Scalable Fluorocarbon Bonded Laminates. <i>Carbon</i> , 2021, 171, 894-906.	5.4	8
5	Efficient hole transport layers based on cross-linked poly(<i>N</i> -vinylcarbazole) for high-performance perovskite photodetectors. <i>Journal of Materials Chemistry C</i> , 2021, 9, 11722-11728.	2.7	10
6	Peroxo Species Formed in the Bulk of Silicate Cathodes. <i>Angewandte Chemie</i> , 2021, 133, 10144-10151.	1.6	2
7	Peroxo Species Formed in the Bulk of Silicate Cathodes. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 10056-10063.	7.2	5
8	Addressing Unfavorable Influence of Particle Cracking with a Strengthened Shell Layer in Ni-Rich Cathodes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 18954-18960.	4.0	11
9	Inentitelbild: Peroxo Species Formed in the Bulk of Silicate Cathodes (<i>Angew. Chem.</i> 18/2021). <i>Angewandte Chemie</i> , 2021, 133, 9814-9814.	1.6	0
10	Magneto-hydrodynamic Interface-Engineered Rearranged Lithium Ions Distribution for Uniform Lithium Deposition and Stable Lithium Metal Anode. <i>ChemPhysChem</i> , 2021, 22, 1027-1033.	1.0	1
11	Insight into bulk charge transfer of lithium metal anodes by synergism of nickel seeding and LiF-Li ₃ N-Li ₂ S co-doped interphase. <i>Energy Storage Materials</i> , 2021, 37, 491-500.	9.5	13
12	Realizing Compact Lithium Deposition via Elaborative Nucleation and Growth Regulation for Stable Lithium-Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 34248-34257.	4.0	1
13	Efficient and Stable Large-Area Perovskite Solar Cells with Inorganic Perovskite/Carbon Quantum Dot-Graded Heterojunction. <i>Research</i> , 2021, 2021, 9845067.	2.8	9
14	Improvement of Cyclic Stability of Na _{0.67} Mn _{0.8} Ni _{0.1} Co _{0.1} O ₂ via Suppressing Lattice Variation. <i>Chinese Physics Letters</i> , 2021, 38, 076102.	1.3	1
15	High-performance Li-air battery after limiting inter-electrode crosstalk. <i>Energy Storage Materials</i> , 2021, 39, 225-231.	9.5	5
16	F ^o S doped lithiophilic interphases for stable Li metal and alloy anodes. <i>Journal of Power Sources</i> , 2021, 508, 230334.	4.0	2
17	Improving the Durability of Lithium-Metal Anode via In situ Constructed Multilayer SEI. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 49445-49452.	4.0	18
18	Enhanced Electrochemical Performance of Ni-Rich Cathodes by Neutralizing Residual Lithium with Acid Compounds. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55072-55079.	4.0	5

#	ARTICLE	IF	CITATIONS
19	Highly stable Ni-rich layered oxide cathode enabled by a thick protective layer with bio-tissue structure. <i>Energy Storage Materials</i> , 2020, 24, 291-296.	9.5	51
20	Ab initio thermodynamic optimization of Ni-rich Ni ²⁺ Co ²⁺ Mn oxide cathode coatings. <i>Journal of Power Sources</i> , 2020, 450, 227693.	4.0	15
21	Synthesis and Electrochemical Characterization of Lithium Carboxylate 2D Compounds as High-Performance Anodes for Li ⁺ Ion Batteries. <i>ChemElectroChem</i> , 2020, 7, 306-313.	1.7	8
22	In-situ EC-AFM and ex-situ XPS characterization to investigate the mechanism of SEI formation in highly concentrated aqueous electrolyte for Li-ion batteries. <i>Applied Surface Science</i> , 2020, 507, 145059.	3.1	49
23	Improving the Interfacial Stability between Lithium and Solid-State Electrolyte via Dipole-Structured Lithium Layer Deposited on Graphene Oxide. <i>Advanced Science</i> , 2020, 7, 2000237.	5.6	36
24	Amide-Based Interface Layer with High Toughness In Situ Building on the Li Metal Anode. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 25826-25831.	4.0	6
25	High performance 0.9LiMnPO ₄ -0.1LiFePO ₄ /C composite. <i>Science China Technological Sciences</i> , 2020, 63, 971-976.	2.0	0
26	Transplantable Carbonaceous Li ⁺ Filtrating Membrane for Lithium Metal Protection. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 30494-30502.	4.0	3
27	The mechanism of V-modification in Li ₂ CoSiO ₄ cathode material for Li-ion batteries: A combined first-principles and experimental study. <i>Electrochimica Acta</i> , 2020, 353, 136564.	2.6	9
28	Regulating Surface and Grain-Boundary Structures of Ni-Rich Layered Cathodes for Ultrahigh Cycle Stability. <i>Small</i> , 2020, 16, e1906433.	5.2	34
29	Nanostructure and its effect on electrochemical properties of polyanionic Li ₂ CoSiO ₄ for lithium ion batteries. <i>Nanotechnology</i> , 2020, 31, 425602.	1.3	4
30	Fundamentals and Challenges of Lithium Ion Batteries at Temperatures between ~40 and 60 °C. <i>Advanced Energy Materials</i> , 2020, 10, 1904152.	10.2	200
31	Re-considering the LiMn _{1-x} FexPO ₄ /C cathodes utilized in electric vehicles. <i>Ionics</i> , 2020, 26, 3215-3221.	1.2	3
32	Improving LiNi _{0.9} Co _{0.08} Mn _{0.02} O ₂ 's cyclic stability via abating mechanical damages. <i>Energy Storage Materials</i> , 2020, 28, 1-9.	9.5	44
33	Artificial nucleation sites with stable SEI for Li metal anodes by aggressive Al pulverization. <i>Nano Energy</i> , 2020, 73, 104746.	8.2	22
34	High-Power Lithium Metal Batteries Enabled by High-Concentration Acetonitrile-Based Electrolytes with Vinylene Carbonate Additive. <i>Advanced Functional Materials</i> , 2020, 30, 2001285.	7.8	121
35	Advanced Electrolytes for Fast-Charging High-Voltage Lithium-Ion Batteries in Wide-Temperature Range. <i>Advanced Energy Materials</i> , 2020, 10, 2000368.	10.2	159
36	A Framework with Enriched Fluorinated Sites for Stable Li Metal Cycling. <i>Wuli Huaxue Xuebao/ Acta Physico-Chimica Sinica</i> , 2020, .	2.2	6

#	ARTICLE	IF	CITATIONS
37	Over-potential induced Li/Na filtrated depositions using stacked graphene coating on copper scaffold. <i>Energy Storage Materials</i> , 2019, 16, 364-373.	9.5	31
38	Simplifying the Electrolyte Systems with the Functional Cosolvent. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27854-27861.	4.0	15
39	Enhanced Stability of Li Metal Anodes by Synergetic Control of Nucleation and the Solid Electrolyte Interphase. <i>Advanced Energy Materials</i> , 2019, 9, 1901764.	10.2	108
40	Seed-Free Selective Deposition of Lithium Metal into Tough Graphene Framework for Stable Lithium Metal Anode. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 44383-44389.	4.0	39
41	Suppressing Sponge-Like Li Deposition via AlN-Modified Substrate for Stable Li Metal Anode. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42261-42270.	4.0	9
42	Prolonging the Cycle Life of a Lithium-Air Battery by Alleviating Electrolyte Degradation with a Ceramic-Carbon Composite Cathode. <i>ChemSusChem</i> , 2019, 12, 4962-4967.	3.6	6
43	Direct study of the electrical properties of PC12 cells and hippocampal neurons by EFM and KPFM. <i>Nanoscale Advances</i> , 2019, 1, 537-545.	2.2	21
44	Beyond imaging: Applications of atomic force microscopy for the study of Lithium-ion batteries. <i>Ultramicroscopy</i> , 2019, 204, 34-48.	0.8	39
45	Constant dripping wears away a stone: Fatigue damage causing particles' cracking. <i>Journal of Power Sources</i> , 2019, 416, 104-110.	4.0	41
46	A highly stable host for lithium metal anode enabled by Li ₉ Al ₄ -Li ₃ N-AlN structure. <i>Nano Energy</i> , 2019, 59, 110-119.	8.2	39
47	Tailoring Lithium Deposition via an SEI-Functionalized Membrane Derived from LiF Decorated Layered Carbon Structure. <i>Advanced Energy Materials</i> , 2019, 9, 1802912.	10.2	98
48	Silicon-titanium nanocomposite synthesized via the direct electrolysis of SiO ₂ /TiO ₂ precursor in molten salt and their performance as the anode material for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 781, 362-370.	2.8	24
49	20% Efficient Perovskite Solar Cells with 2D Electron Transporting Layer. <i>Advanced Functional Materials</i> , 2019, 29, 1805168.	7.8	67
50	Direct investigation of charge transfer in neurons by electrostatic force microscopy. <i>Ultramicroscopy</i> , 2019, 196, 24-32.	0.8	8
51	Improved stability of Ni-rich cathode by the substitutive cations with stronger bonds. <i>Electrochimica Acta</i> , 2018, 268, 41-48.	2.6	62
52	Effect of LiFSI Concentrations To Form Thickness- and Modulus-Controlled SEI Layers on Lithium Metal Anodes. <i>Journal of Physical Chemistry C</i> , 2018, 122, 9825-9834.	1.5	131
53	Direct Observation of the Growth of Lithium Dendrites on Graphite Anodes by Operando EC-AFM. <i>Small Methods</i> , 2018, 2, 1700298.	4.6	133
54	Isophorone Diisocyanate: An Effective Additive to Form Cathode-Protective-Interlayer and Its Influence on LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ at High Potential. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 11305-11310.	4.0	13

#	ARTICLE	IF	CITATIONS
55	Three-dimensional graphene network supported ultrathin CeO ₂ nanoflakes for oxygen reduction reaction and rechargeable metal-air batteries. <i>Electrochimica Acta</i> , 2018, 263, 561-569.	2.6	26
56	Improving Li anode performance by a porous 3D carbon paper host with plasma assisted sponge carbon coating. <i>Energy Storage Materials</i> , 2018, 11, 47-56.	9.5	49
57	Pseudocapacitance Induced Uniform Plating/Stripping of Li Metal Anode in Vertical Graphene Nanowalls. <i>Advanced Functional Materials</i> , 2018, 28, 1805638.	7.8	65
58	Thermal stability of solid electrolyte interphase of lithium-ion batteries. <i>Applied Surface Science</i> , 2018, 454, 61-67.	3.1	26
59	In-situ study of surface structure evolution of silicon anodes by electrochemical atomic force microscopy. <i>Applied Surface Science</i> , 2018, 452, 67-74.	3.1	45
60	Influence of Enhanced O ₂ Provision on the Discharge Performance of Li-air Batteries by Incorporating Fluoroether. <i>ChemSusChem</i> , 2017, 10, 1385-1389.	3.6	20
61	Decomposing lithium carbonate with a mobile catalyst. <i>Nano Energy</i> , 2017, 36, 390-397.	8.2	60
62	The long life-span of a Li-metal anode enabled by a protective layer based on the pyrolyzed N-doped binder network. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9339-9349.	5.2	44
63	Improvement of electrochemical activity of LiMnPO ₄ -based cathode by surface iron enrichment. <i>Journal of Power Sources</i> , 2017, 341, 175-182.	4.0	17
64	Influence of HDI as a cathode film-forming additive on the performance of LiFe _{0.2} Mn _{0.8} PO ₄ /C cathode. <i>RSC Advances</i> , 2017, 7, 41970-41972.	1.7	5
65	Facile Pyrolyzed N-Doped Binder Network for Stable Si Anodes. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32775-32781.	4.0	17
66	Operando study of Fe ₃ O ₄ anodes by electrochemical atomic force microscopy. <i>Applied Surface Science</i> , 2017, 426, 217-223.	3.1	25
67	Stabilizing Li/electrolyte interface with a transplantable protective layer based on nanoscale LiF domains. <i>Nano Energy</i> , 2017, 39, 662-672.	8.2	143
68	Investigation of electrolytes utilized for high-voltage LiNi _{0.5} Mn _{1.5} O ₄ batteries. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	2
69	A high power Li-air battery enabled by a fluorocarbon additive. <i>Journal of Materials Chemistry A</i> , 2017, 5, 24617-24620.	5.2	13
70	Nanostructured Phosphorus Doped Silicon/Graphite Composite as Anode for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23672-23678.	4.0	120
71	Fe-Based Metal-Organic Framework and Its Derivatives for Reversible Lithium Storage. <i>Journal of Materials Science and Technology</i> , 2017, 33, 768-774.	5.6	37
72	Carbon nanotube-wrapped Fe ₂ O ₃ anode with improved performance for lithium-ion batteries. <i>Beilstein Journal of Nanotechnology</i> , 2017, 8, 649-656.	1.5	13

#	ARTICLE	IF	CITATIONS
73	Triphenylamine-Based Metal-Organic Frameworks as Cathode Materials in Lithium-Ion Batteries with Coexistence of Redox Active Sites, High Working Voltage, and High Rate Stability. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 14578-14585.	4.0	121
74	Li ₂ O-Reinforced Cu Nanoclusters as Porous Structure for Dendrite-Free and Long-Lifespan Lithium Metal Anode. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 26801-26808.	4.0	77
75	Direct visualization of solid electrolyte interphase on Li ₄ Ti ₅ O ₁₂ by in situ AFM. <i>RSC Advances</i> , 2016, 6, 77105-77110.	1.7	42
76	LiCoO ₂ -catalyzed electrochemical oxidation of Li ₂ CO ₃ . <i>Nano Research</i> , 2016, 9, 3903-3913.	5.8	29
77	Facile synthesis of Fe-MOF/RGO and its application as a high performance anode in lithium-ion batteries. <i>RSC Advances</i> , 2016, 6, 30763-30768.	1.7	118
78	Volumetric variation confinement: surface protective structure for high cyclic stability of lithium metal electrodes. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2427-2432.	5.2	74
79	Stability of Li ₂ CO ₃ in cathode of lithium ion battery and its influence on electrochemical performance. <i>RSC Advances</i> , 2016, 6, 19233-19237.	1.7	99
80	Effect of nitrogen-doped carbon/Ketjenblack composite on the morphology of Li ₂ O ₂ for high-energy-density Li-air batteries. <i>Carbon</i> , 2016, 96, 965-971.	5.4	19
81	LiMn _{0.8} Fe _{0.2} PO ₄ /C cathode material synthesized via co-precipitation method with superior high-rate and low-temperature performances for lithium-ion batteries. <i>Journal of Power Sources</i> , 2015, 275, 785-791.	4.0	65
82	Phase diagram and electrochemical behavior of lithium sodium vanadium phosphates cathode materials for lithium ion batteries. <i>Ceramics International</i> , 2015, 41, 5164-5171.	2.3	21
83	Additives to disturb LiMn _{0.8} Fe _{0.2} PO ₄ growth and their influence on performance. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	6
84	Improved cyclic stability of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ via Ti substitution with a cut-off potential of 4.5V. <i>Ceramics International</i> , 2015, 41, 7133-7139.	2.3	110
85	Correlation of oxygen non-stoichiometry to the instabilities and electrochemical performance of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ utilized in lithium ion battery. <i>Journal of Power Sources</i> , 2015, 283, 211-218.	4.0	145
86	Hexamethylene diisocyanate as an electrolyte additive for high-energy density lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8246-8249.	5.2	20
87	Unlocking the energy capabilities of micron-sized LiFePO ₄ . <i>Nature Communications</i> , 2015, 6, 7898.	5.8	65
88	Influence of Li ₃ V ₂ (PO ₄) ₃ complexing on the performance of LiMnPO ₄ based materials utilized in lithium ion battery. <i>Ceramics International</i> , 2014, 40, 7637-7641.	2.3	16
89	Novel approach for a high-energy-density Li-air battery: tri-dimensional growth of Li ₂ O ₂ crystals tailored by electrolyte Li ⁺ ion concentrations. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9020.	5.2	41
90	Investigation of (1-x)LiMnPO ₄ ·xLi ₃ V ₂ (PO ₄) ₃ /C: Phase composition and electrochemical performance. <i>Journal of Power Sources</i> , 2014, 263, 332-337.	4.0	23

#	ARTICLE	IF	CITATIONS
91	Exploration on the possibility of Ni foam as current collector in rechargeable lithium-air batteries. <i>Electrochimica Acta</i> , 2013, 87, 865-871.	2.6	17
92	Li ₂ NaV ₂ (PO ₄) ₃ : A novel composite cathode material with high ratio of rhombohedral phase. <i>Journal of Power Sources</i> , 2013, 227, 199-203.	4.0	43
93	Synthesis of Na ₂ FePO ₄ F/C and its electrochemical performance. <i>Ceramics International</i> , 2013, 39, 5379-5385.	2.3	22
94	Investigation on gas generation of Li ₄ Ti ₅ O ₁₂ /LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ cells at elevated temperature. <i>Journal of Power Sources</i> , 2013, 237, 285-290.	4.0	110
95	Investigation on Li ₄ Ti ₅ O ₁₂ batteries developed for hybrid electric vehicle. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 989-995.	1.5	91
96	Reinvestigation on the state-of-the-art nonaqueous carbonate electrolytes for 5V Li-ion battery applications. <i>Journal of Power Sources</i> , 2012, 213, 304-316.	4.0	69
97	Hierarchically Porous Graphene as a Lithium-Air Battery Electrode. <i>Nano Letters</i> , 2011, 11, 5071-5078.	4.5	943
98	Reaction mechanisms for the limited reversibility of Li-O ₂ chemistry in organic carbonate electrolytes. <i>Journal of Power Sources</i> , 2011, 196, 9631-9639.	4.0	198
99	Preparation and electrochemical investigation of Li ₂ CoPO ₄ F cathode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 2241-2245.	4.0	58
100	Investigation on the charging process of Li ₂ O ₂ -based air electrodes in Li-O ₂ batteries with organic carbonate electrolytes. <i>Journal of Power Sources</i> , 2011, 196, 3894-3899.	4.0	229
101	Investigation of the rechargeability of Li-O ₂ batteries in non-aqueous electrolyte. <i>Journal of Power Sources</i> , 2011, 196, 5674-5678.	4.0	197
102	Ambient operation of Li/Air batteries. <i>Journal of Power Sources</i> , 2010, 195, 4332-4337.	4.0	189
103	A three-dimensional macroporous Cu/SnO ₂ composite anode sheet prepared via a novel method. <i>Journal of Power Sources</i> , 2010, 195, 7403-7408.	4.0	44
104	Improving the Electrochemical Activity of LiMnPO ₄ Via Mn-Site Substitution. <i>Journal of the Electrochemical Society</i> , 2010, 157, A225.	1.3	112
105	An Approach to Make Macroporous Metal Sheets as Current Collectors for Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A765.	1.3	35
106	High Capacity Pouch-Type Li-Air Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A760.	1.3	67
107	Crown Ethers in Nonaqueous Electrolytes for Lithium/Air Batteries. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, A48.	2.2	82
108	Effects of Nonaqueous Electrolytes on the Performance of Lithium/Air Batteries. <i>Journal of the Electrochemical Society</i> , 2010, 157, A219.	1.3	148

#	ARTICLE	IF	CITATIONS
109	Optimization of Air Electrode for Li/Air Batteries. Journal of the Electrochemical Society, 2010, 157, A487.	1.3	308
110	Hybrid Air-Electrode for Li/Air Batteries. Journal of the Electrochemical Society, 2010, 157, A294.	1.3	50
111	Stabilization of Silicon Anode for Li-Ion Batteries. Journal of the Electrochemical Society, 2010, 157, A1047.	1.3	108
112	Polymer wiring of insulating electrode materials: An approach to improve energy density of lithium-ion batteries. Electrochemistry Communications, 2009, 11, 1350-1352.	2.3	18
113	High-performance, nano-structured LiMnPO ₄ synthesized via a polyol method. Journal of Power Sources, 2009, 189, 624-628.	4.0	292
114	Optimization of Nonaqueous Electrolytes for Primary Lithium/Air Batteries Operated in Ambient Environment. Journal of the Electrochemical Society, 2009, 156, A773.	1.3	166
115	Electronic structural changes of the electrochemically delithiated LiFe _{0.5} Co _{0.5} PO ₄ cathode material studied by X-ray absorption spectroscopy. Journal of Power Sources, 2008, 183, 427-430.	4.0	22
116	Overcharge investigation of lithium-ion polymer batteries. Journal of Power Sources, 2006, 160, 1302-1307.	4.0	86
117	Redox Targeting of Insulating Electrode Materials: A New Approach to High-Energy-Density Batteries. Angewandte Chemie - International Edition, 2006, 45, 8197-8200.	7.2	71
118	Cracking causing cyclic instability of LiFePO ₄ cathode material. Journal of Power Sources, 2005, 140, 125-128.	4.0	299
119	Continuous solid solutions LiFe _{1-x} CoxPO ₄ and its electrochemical performance. Journal of Power Sources, 2005, 146, 580-583.	4.0	52
120	Improving the rate performance of LiFePO ₄ by Fe-site doping. Electrochimica Acta, 2005, 50, 2955-2958.	2.6	349
121	New solid-state synthesis routine and mechanism for LiFePO ₄ using LiF as lithium precursor. Journal of Solid State Chemistry, 2004, 177, 4582-4587.	1.4	60