

Andrzej Cichocki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6398162/publications.pdf>

Version: 2024-02-01

551
papers

26,835
citations

5261

83
h-index

11928

134
g-index

576
all docs

576
docs citations

576
times ranked

14362
citing authors

#	ARTICLE	IF	CITATIONS
1	Tensor Decompositions for Signal Processing Applications: From two-way to multiway component analysis. IEEE Signal Processing Magazine, 2015, 32, 145-163.	4.6	959
2	Steady-state visually evoked potentials: Focus on essential paradigms and future perspectives. Progress in Neurobiology, 2010, 90, 418-438.	2.8	864
3	Bayesian CP Factorization of Incomplete Tensors with Automatic Rank Determination. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2015, 37, 1751-1763.	9.7	495
4	EmotionMeter: A Multimodal Framework for Recognizing Human Emotions. IEEE Transactions on Cybernetics, 2019, 49, 1110-1122.	6.2	452
5	A comparative study of synchrony measures for the early diagnosis of Alzheimer's disease based on EEG. NeuroImage, 2010, 49, 668-693.	2.1	408
6	Diagnosis of Alzheimers Disease from EEG Signals: Where Are We Standing?. Current Alzheimer Research, 2010, 7, 487-505.	0.7	382
7	Fast Local Algorithms for Large Scale Nonnegative Matrix and Tensor Factorizations. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2009, E92-A, 708-721.	0.2	379
8	Adaptive blind signal processing-neural network approaches. Proceedings of the IEEE, 1998, 86, 2026-2048.	16.4	361
9	FREQUENCY RECOGNITION IN SSVEP-BASED BCI USING MULTISSET CANONICAL CORRELATION ANALYSIS. International Journal of Neural Systems, 2014, 24, 1450013.	3.2	311
10	Families of Alpha- Beta- and Gamma- Divergences: Flexible and Robust Measures of Similarities. Entropy, 2010, 12, 1532-1568.	1.1	289
11	Sparse Component Analysis and Blind Source Separation of Underdetermined Mixtures. IEEE Transactions on Neural Networks, 2005, 16, 992-996.	4.8	280
12	Analysis of Sparse Representation and Blind Source Separation. Neural Computation, 2004, 16, 1193-1234.	1.3	277
13	Stability Analysis of Learning Algorithms for Blind Source Separation. Neural Networks, 1997, 10, 1345-1351.	3.3	270
14	Underdetermined blind source separation based on sparse representation. IEEE Transactions on Signal Processing, 2006, 54, 423-437.	3.2	261
15	Tensor Networks for Dimensionality Reduction and Large-scale Optimization: Part 1 Low-Rank Tensor Decompositions. Foundations and Trends in Machine Learning, 2016, 9, 249-429.	46.6	255
16	Correlation-based channel selection and regularized feature optimization for MI-based BCI. Neural Networks, 2019, 118, 262-270.	3.3	238
17	Temporally Constrained Sparse Group Spatial Patterns for Motor Imagery BCI. IEEE Transactions on Cybernetics, 2019, 49, 3322-3332.	6.2	232
18	Optimizing spatial patterns with sparse filter bands for motor-imagery based brain-computer interface. Journal of Neuroscience Methods, 2015, 255, 85-91.	1.3	223

#	ARTICLE	IF	CITATIONS
19	L1-Regularized Multiway Canonical Correlation Analysis for SSVEP-Based BCI. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2013, 21, 887-896.	2.7	219
20	Sparse Bayesian Classification of EEG for Brain-Computer Interface. IEEE Transactions on Neural Networks and Learning Systems, 2016, 27, 2256-2267.	7.2	208
21	Multi-kernel extreme learning machine for EEG classification in brain-computer interfaces. Expert Systems With Applications, 2018, 96, 302-310.	4.4	208
22	Higher Order Partial Least Squares (HOPLS): A Generalized Multilinear Regression Method. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2013, 35, 1660-1673.	9.7	203
23	Symmetric Nonnegative Matrix Factorization: Algorithms and Applications to Probabilistic Clustering. IEEE Transactions on Neural Networks, 2011, 22, 2117-2131.	4.8	202
24	Robust neural networks with on-line learning for blind identification and blind separation of sources. IEEE Transactions on Circuits and Systems Part 1: Regular Papers, 1996, 43, 894-906.	0.1	199
25	Extraction of Specific Signals with Temporal Structure. Neural Computation, 2001, 13, 1995-2003.	1.3	194
26	Smooth PARAFAC Decomposition for Tensor Completion. IEEE Transactions on Signal Processing, 2016, 64, 5423-5436.	3.2	184
27	Fast Nonnegative Matrix/Tensor Factorization Based on Low-Rank Approximation. IEEE Transactions on Signal Processing, 2012, 60, 2928-2940.	3.2	182
28	Hierarchical ALS Algorithms for Nonnegative Matrix and 3D Tensor Factorization. , 2007, , 169-176.		180
29	Kernel PCA for Feature Extraction and De-Noising in Nonlinear Regression. Neural Computing and Applications, 2001, 10, 231-243.	3.2	174
30	Spatial-Temporal Discriminant Analysis for ERP-Based Brain-Computer Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2013, 21, 233-243.	2.7	167
31	A Novel EOG/EEG Hybrid Human-Computer Machine Interface Adopting Eye Movements and ERPs: Application to Robot Control. IEEE Transactions on Biomedical Engineering, 2015, 62, 876-889.	2.5	167
32	Robust learning algorithm for blind separation of signals. Electronics Letters, 1994, 30, 1386-1387.	0.5	165
33	Generalized Alpha-Beta Divergences and Their Application to Robust Nonnegative Matrix Factorization. Entropy, 2011, 13, 134-170.	1.1	160
34	Optimization of SSVEP brain responses with application to eight-command Brain-Computer Interface. Neuroscience Letters, 2010, 469, 34-38.	1.0	157
35	Tensor decompositions for feature extraction and classification of high dimensional datasets. Nonlinear Theory and Its Applications IEICE, 2010, 1, 37-68.	0.4	155
36	Bayesian Robust Tensor Factorization for Incomplete Multiway Data. IEEE Transactions on Neural Networks and Learning Systems, 2016, 27, 736-748.	7.2	154

#	ARTICLE	IF	CITATIONS
37	Neural networks for solving systems of linear equations and related problems. IEEE Transactions on Circuits and Systems Part 1: Regular Papers, 1992, 39, 124-138.	0.1	151
38	Fully Online Multicommand Brain-Computer Interface with Visual Neurofeedback Using SSVEP Paradigm. Computational Intelligence and Neuroscience, 2007, 2007, 1-9.	1.1	150
39	Detecting the Number of Clusters in n-Way Probabilistic Clustering. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2010, 32, 2006-2021.	9.7	148
40	Linked Component Analysis From Matrices to High-Order Tensors: Applications to Biomedical Data. Proceedings of the IEEE, 2016, 104, 310-331.	16.4	148
41	EEG filtering based on blind source separation (BSS) for early detection of Alzheimer's disease. Clinical Neurophysiology, 2005, 116, 729-737.	0.7	147
42	Internal Feature Selection Method of CSP Based on L1-Norm and Dempster's Shafer Theory. IEEE Transactions on Neural Networks and Learning Systems, 2021, 32, 4814-4825.	7.2	147
43	Blind noise reduction for multisensory signals using ICA and subspace filtering, with application to EEG analysis. Biological Cybernetics, 2002, 86, 293-303.	0.6	143
44	Sparse Group Representation Model for Motor Imagery EEG Classification. IEEE Journal of Biomedical and Health Informatics, 2019, 23, 631-641.	3.9	140
45	Robust whitening procedure in blind source separation context. Electronics Letters, 2000, 36, 2050.	0.5	138
46	Slowing and Loss of Complexity in Alzheimer's EEG: Two Sides of the Same Coin?. International Journal of Alzheimer's Disease, 2011, 2011, 1-10.	1.1	137
47	Computing Sparse Representations of Multidimensional Signals Using Kronecker Bases. Neural Computation, 2013, 25, 186-220.	1.3	137
48	Information-theoretic approach to blind separation of sources in non-linear mixture. Signal Processing, 1998, 64, 291-300.	2.1	135
49	Efficient Nonnegative Tucker Decompositions: Algorithms and Uniqueness. IEEE Transactions on Image Processing, 2015, 24, 4990-5003.	6.0	135
50	Total Variation Regularized Tensor RPCA for Background Subtraction From Compressive Measurements. IEEE Transactions on Image Processing, 2016, 25, 4075-4090.	6.0	135
51	A novel BCI based on ERP components sensitive to configural processing of human faces. Journal of Neural Engineering, 2012, 9, 026018.	1.8	132
52	Cortical functional connectivity networks in normal and spinal cord injured patients: Evaluation by graph analysis. Human Brain Mapping, 2007, 28, 1334-1346.	1.9	131
53	Generalizing the column-row matrix decomposition to multi-way arrays. Linear Algebra and Its Applications, 2010, 433, 557-573.	0.4	128
54	Tensor Networks for Dimensionality Reduction and Large-scale Optimization: Part 2 Applications and Future Perspectives. Foundations and Trends in Machine Learning, 2017, 9, 249-429.	46.6	128

#	ARTICLE	IF	CITATIONS
55	Feature learning from incomplete EEG with denoising autoencoder. <i>Neurocomputing</i> , 2015, 165, 23-31.	3.5	127
56	Towards correlation-based time window selection method for motor imagery BCIs. <i>Neural Networks</i> , 2018, 102, 87-95.	3.3	127
57	The Changing Face of P300 BCIs: A Comparison of Stimulus Changes in a P300 BCI Involving Faces, Emotion, and Movement. <i>PLoS ONE</i> , 2012, 7, e49688.	1.1	125
58	Group Component Analysis for Multiblock Data: Common and Individual Feature Extraction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2016, 27, 2426-2439.	7.2	125
59	Flexible Independent Component Analysis. <i>Journal of Signal Processing Systems</i> , 2000, 26, 25-38.	1.0	124
60	Non-negative matrix factorization with \hat{L}_1 -divergence. <i>Pattern Recognition Letters</i> , 2008, 29, 1433-1440.	2.6	121
61	Discriminative Feature Extraction via Multivariate Linear Regression for SSVEP-Based BCI. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 532-541.	2.7	120
62	Natural gradient algorithm for blind separation of overdetermined mixture with additive noise. <i>IEEE Signal Processing Letters</i> , 1999, 6, 293-295.	2.1	119
63	A P300 Brain-Computer Interface Based on a Modification of the Mismatch Negativity Paradigm. <i>International Journal of Neural Systems</i> , 2015, 25, 1550011.	3.2	119
64	Nonnegative Matrix and Tensor Factorization [Lecture Notes]. <i>IEEE Signal Processing Magazine</i> , 2008, 25, 142-145.	4.6	118
65	Noninvasive BCIs: Multiway Signal-Processing Array Decompositions. <i>Computer</i> , 2008, 41, 34-42.	1.2	116
66	Improved SFFS method for channel selection in motor imagery based BCI. <i>Neurocomputing</i> , 2016, 207, 519-527.	3.5	110
67	Equivariant nonstationary source separation. <i>Neural Networks</i> , 2002, 15, 121-130.	3.3	107
68	Multilayer nonnegative matrix factorisation. <i>Electronics Letters</i> , 2006, 42, 947.	0.5	107
69	MULTISCALE ENTROPY ANALYSIS OF EEG FROM PATIENTS UNDER DIFFERENT PATHOLOGICAL CONDITIONS. <i>Fractals</i> , 2007, 15, 399-404.	1.8	107
70	AN ERP-BASED BCI USING AN ODDBALL PARADIGM WITH DIFFERENT FACES AND REDUCED ERRORS IN CRITICAL FUNCTIONS. <i>International Journal of Neural Systems</i> , 2014, 24, 1450027.	3.2	103
71	Canonical Polyadic Decomposition Based on a Single Mode Blind Source Separation. <i>IEEE Signal Processing Letters</i> , 2012, 19, 523-526.	2.1	102
72	NONNEGATIVE TENSOR FACTORIZATION FOR CONTINUOUS EEG CLASSIFICATION. <i>International Journal of Neural Systems</i> , 2007, 17, 305-317.	3.2	101

#	ARTICLE	IF	CITATIONS
73	Fast Alternating LS Algorithms for High Order CANDECOMP/PARAFAC Tensor Factorizations. IEEE Transactions on Signal Processing, 2013, 61, 4834-4846.	3.2	100
74	Sequential blind signal extraction in order specified by stochastic properties. Electronics Letters, 1997, 33, 64.	0.5	97
75	From Blind Signal Extraction to Blind Instantaneous Signal Separation: Criteria, Algorithms, and Stability. IEEE Transactions on Neural Networks, 2004, 15, 859-873.	4.8	96
76	Two Efficient Algorithms for Approximately Orthogonal Nonnegative Matrix Factorization. IEEE Signal Processing Letters, 2015, 22, 843-846.	2.1	96
77	Multiway Canonical Correlation Analysis for Frequency Components Recognition in SSVEP-Based BCIs. Lecture Notes in Computer Science, 2011, , 287-295.	1.0	96
78	Blind separation of nonstationary sources in noisy mixtures. Electronics Letters, 2000, 36, 848.	0.5	95
79	Enhanced Motor Imagery Training Using a Hybrid BCI With Feedback. IEEE Transactions on Biomedical Engineering, 2015, 62, 1706-1717.	2.5	95
80	Bispectrum-Based Channel Selection for Motor Imagery Based Brain-Computer Interfacing. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 2153-2163.	2.7	93
81	Nonnegative Matrix and Tensor Factorizations : An algorithmic perspective. IEEE Signal Processing Magazine, 2014, 31, 54-65.	4.6	91
82	Bimodal BCI Using Simultaneously NIRS and EEG. IEEE Transactions on Biomedical Engineering, 2014, 61, 1274-1284.	2.5	91
83	The Study of Generic Model Set for Reducing Calibration Time in P300-Based Brain-Computer Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2020, 28, 3-12.	2.7	90
84	Low Complexity Damped Gauss-Newton Algorithms for CANDECOMP/PARAFAC. SIAM Journal on Matrix Analysis and Applications, 2013, 34, 126-147.	0.7	89
85	SSVEP recognition using common feature analysis in brain-computer interface. Journal of Neuroscience Methods, 2015, 244, 8-15.	1.3	88
86	Smooth nonnegative matrix and tensor factorizations for robust multi-way data analysis. Signal Processing, 2015, 113, 234-249.	2.1	87
87	Removal of Ballistocardiogram Artifacts From Simultaneously Recorded EEG and fMRI Data Using Independent Component Analysis. IEEE Transactions on Biomedical Engineering, 2006, 53, 1294-1308.	2.5	84
88	GOM-Face: GKP, EOG, and EMG-Based Multimodal Interface With Application to Humanoid Robot Control. IEEE Transactions on Biomedical Engineering, 2014, 61, 453-462.	2.5	84
89	Neural networks for blind separation with unknown number of sources. Neurocomputing, 1999, 24, 55-93.	3.5	83
90	Nonholonomic Orthogonal Learning Algorithms for Blind Source Separation. Neural Computation, 2000, 12, 1463-1484.	1.3	83

#	ARTICLE	IF	CITATIONS
91	Nonnegative matrix factorization with constrained second-order optimization. <i>Signal Processing</i> , 2007, 87, 1904-1916.	2.1	83
92	PARAFAC algorithms for large-scale problems. <i>Neurocomputing</i> , 2011, 74, 1970-1984.	3.5	83
93	AGGREGATION OF SPARSE LINEAR DISCRIMINANT ANALYSES FOR EVENT-RELATED POTENTIAL CLASSIFICATION IN BRAIN-COMPUTER INTERFACE. <i>International Journal of Neural Systems</i> , 2014, 24, 1450003.	3.2	83
94	EEG paroxysmal gamma waves during Bhramari Pranayama: A yoga breathing technique. <i>Consciousness and Cognition</i> , 2009, 18, 977-988.	0.8	82
95	Second Order Nonstationary Source Separation. <i>Journal of Signal Processing Systems</i> , 2002, 32, 93-104.	1.0	81
96	A Minor Component Analysis Algorithm. <i>Neural Networks</i> , 1997, 10, 291-297.	3.3	79
97	EEG-based asynchronous BCI control of a car in 3D virtual reality environments. <i>Science Bulletin</i> , 2009, 54, 78-87.	1.7	76
98	MULTILAYER NONNEGATIVE MATRIX FACTORIZATION USING PROJECTED GRADIENT APPROACHES. <i>International Journal of Neural Systems</i> , 2007, 17, 431-446.	3.2	75
99	An optimized ERP brain-computer interface based on facial expression changes. <i>Journal of Neural Engineering</i> , 2014, 11, 036004.	1.8	72
100	Robust techniques for independent component analysis (ICA) with noisy data. <i>Neurocomputing</i> , 1998, 22, 113-129.	3.5	71
101	Convolutional Blind Source Separation in the Frequency Domain Based on Sparse Representation. <i>IEEE Transactions on Audio Speech and Language Processing</i> , 2007, 15, 1551-1563.	3.8	68
102	Learning Common Time-Frequency-Spatial Patterns for Motor Imagery Classification. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 699-707.	2.7	66
103	Individual Classification of Emotions Using EEG. <i>Journal of Biomedical Science and Engineering</i> , 2014, 07, 604-620.	0.2	66
104	K-hyperline clustering learning for sparse component analysis. <i>Signal Processing</i> , 2009, 89, 1011-1022.	2.1	65
105	Multidimensional compressed sensing and their applications. <i>Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery</i> , 2013, 3, 355-380.	4.6	64
106	MULTI-DOMAIN FEATURE EXTRACTION FOR SMALL EVENT-RELATED POTENTIALS THROUGH NONNEGATIVE MULTI-WAY ARRAY DECOMPOSITION FROM LOW DENSE ARRAY EEG. <i>International Journal of Neural Systems</i> , 2013, 23, 1350006.	3.2	64
107	Measures of resting state EEG rhythms for clinical trials in Alzheimer's disease: Recommendations of an expert panel. <i>Alzheimer's and Dementia</i> , 2021, 17, 1528-1553.	0.4	64
108	Neural networks for blind decorrelation of signals. <i>IEEE Transactions on Signal Processing</i> , 1997, 45, 2829-2842.	3.2	63

#	ARTICLE	IF	CITATIONS
109	Information geometry of divergence functions. Bulletin of the Polish Academy of Sciences: Technical Sciences, 2010, 58, 183-195.	0.8	62
110	Title is missing!. , 2000, 12, 91-98.		60
111	Extended HALS algorithm for nonnegative Tucker decomposition and its applications for multiway analysis and classification. Neurocomputing, 2011, 74, 1956-1969.	3.5	59
112	An improved P300 pattern in BCI to catch user's attention. Journal of Neural Engineering, 2017, 14, 036001.	1.8	59
113	Multiway array decomposition analysis of EEGs in Alzheimer's disease. Journal of Neuroscience Methods, 2012, 207, 41-50.	1.3	58
114	Robust Similarity Measurement Based on a Novel Time Filter for SSVEPs Detection. IEEE Transactions on Neural Networks and Learning Systems, 2023, 34, 4096-4105.	7.2	58
115	Neural networks for computing eigenvalues and eigenvectors. Biological Cybernetics, 1992, 68, 155-164.	0.6	57
116	An iterative inversion approach to blind source separation. IEEE Transactions on Neural Networks, 2000, 11, 1423-1437.	4.8	57
117	Non-negative Matrix Factorization with Orthogonality Constraints and its Application to Raman Spectroscopy. Journal of Signal Processing Systems, 2007, 48, 83-97.	1.0	56
118	Extended SMART Algorithms for Non-negative Matrix Factorization. Lecture Notes in Computer Science, 2006, , 548-562.	1.0	56
119	Kernelization of Tensor-Based Models for Multiway Data Analysis: Processing of Multidimensional Structured Data. IEEE Signal Processing Magazine, 2013, 30, 137-148.	4.6	55
120	A Multiplicative Algorithm for Convolutional Non-Negative Matrix Factorization Based on Squared Euclidean Distance. IEEE Transactions on Signal Processing, 2009, 57, 2858-2864.	3.2	54
121	Improved M-FOCUSS Algorithm With Overlapping Blocks for Locally Smooth Sparse Signals. IEEE Transactions on Signal Processing, 2008, 56, 4752-4761.	3.2	53
122	EMD APPROACH TO MULTICHANNEL EEG DATA – THE AMPLITUDE AND PHASE COMPONENTS CLUSTERING ANALYSIS. Journal of Circuits, Systems and Computers, 2010, 19, 215-229.	1.0	53
123	BENEFITS OF MULTI-DOMAIN FEATURE OF MISMATCH NEGATIVITY EXTRACTED BY NON-NEGATIVE TENSOR FACTORIZATION FROM EEG COLLECTED BY LOW-DENSITY ARRAY. International Journal of Neural Systems, 2012, 22, 1250025.	3.2	53
124	Robust blind source separation algorithms using cumulants. Neurocomputing, 2002, 49, 87-118.	3.5	52
125	A robust approach to independent component analysis of signals with high-level noise measurements. IEEE Transactions on Neural Networks, 2003, 14, 631-645.	4.8	52
126	Blind Estimation of Channel Parameters and Source Components for EEG Signals: A Sparse Factorization Approach. IEEE Transactions on Neural Networks, 2006, 17, 419-431.	4.8	51

#	ARTICLE	IF	CITATIONS
127	Sparse Bayesian multiway canonical correlation analysis for EEG pattern recognition. <i>Neurocomputing</i> , 2017, 225, 103-110.	3.5	50
128	An Optimized Channel Selection Method Based on Multifrequency CSP-Rank for Motor Imagery-Based BCI System. <i>Computational Intelligence and Neuroscience</i> , 2019, 2019, 1-10.	1.1	50
129	Self-Adaptive Blind Source Separation Based on Activation Functions Adaptation. <i>IEEE Transactions on Neural Networks</i> , 2004, 15, 233-244.	4.8	49
130	Kernel nonnegative matrix factorization for spectral EEG feature extraction. <i>Neurocomputing</i> , 2009, 72, 3182-3190.	3.5	48
131	Near-Lossless Multichannel EEG Compression Based on Matrix and Tensor Decompositions. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2013, 17, 708-714.	3.9	48
132	Fast nonnegative tensor factorization based on accelerated proximal gradient and low-rank approximation. <i>Neurocomputing</i> , 2016, 198, 148-154.	3.5	47
133	New learning algorithm for blind separation of sources. <i>Electronics Letters</i> , 1992, 28, 1986.	0.5	46
134	Artificial neural networks for real-time estimation of basic waveforms of voltages and currents. <i>IEEE Transactions on Power Systems</i> , 1994, 9, 612-618.	4.6	46
135	Non-Negative Tensor Factorization using Alpha and Beta Divergences. , 2007, , .		46
136	An empirical EEG analysis in brain death diagnosis for adults. <i>Cognitive Neurodynamics</i> , 2008, 2, 257-271.	2.3	45
137	Log-Determinant Divergences Revisited: Alpha-Beta and Gamma Log-Det Divergences. <i>Entropy</i> , 2015, 17, 2988-3034.	1.1	45
138	Topological Network Analysis of Early Alzheimer's Disease Based on Resting-State EEG. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020, 28, 2164-2172.	2.7	43
139	Techniques for early detection of Alzheimer's disease using spontaneous EEG recordings. <i>Physiological Measurement</i> , 2007, 28, 335-347.	1.2	42
140	Improved FOCUSS Method With Conjugate Gradient Iterations. <i>IEEE Transactions on Signal Processing</i> , 2009, 57, 399-404.	3.2	42
141	CANDECOMP/PARAFAC Decomposition of High-Order Tensors Through Tensor Reshaping. <i>IEEE Transactions on Signal Processing</i> , 2013, 61, 4847-4860.	3.2	42
142	A hybrid feature selection approach for the early diagnosis of Alzheimer's disease. <i>Journal of Neural Engineering</i> , 2015, 12, 016018.	1.8	42
143	Block Hankel Tensor ARIMA for Multiple Short Time Series Forecasting. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , 2020, 34, 5758-5766.	3.6	42
144	Neural networks for solving systems of linear equations. II. Minimax and least absolute value problems. <i>IEEE Transactions on Circuits and Systems Part 2: Express Briefs</i> , 1992, 39, 619-633.	2.3	41

#	ARTICLE	IF	CITATIONS
145	Analysis and Online Realization of the CCA Approach for Blind Source Separation. IEEE Transactions on Neural Networks, 2007, 18, 1505-1510.	4.8	41
146	BCI-Based Rehabilitation on the Stroke in Sequela Stage. Neural Plasticity, 2020, 2020, 1-10.	1.0	41
147	Deep Learning in EEG: Advance of the Last Ten-Year Critical Period. IEEE Transactions on Cognitive and Developmental Systems, 2022, 14, 348-365.	2.6	41
148	GFIL: A Unified Framework for the Importance Analysis of Features, Frequency Bands, and Channels in EEG-Based Emotion Recognition. IEEE Transactions on Cognitive and Developmental Systems, 2022, 14, 935-947.	2.6	41
149	Independent component analysis for unaveraged single-trial MEG data decomposition and single-dipole source localization. Neurocomputing, 2002, 49, 255-277.	3.5	40
150	Blind Second-Order Source Extraction of Instantaneous Noisy Mixtures. IEEE Transactions on Circuits and Systems Part 2: Express Briefs, 2006, 53, 931-935.	2.3	40
151	Fast Nonnegative Matrix Factorization Algorithms Using Projected Gradient Approaches for Large-Scale Problems. Computational Intelligence and Neuroscience, 2008, 2008, 1-13.	1.1	40
152	Regularized Alternating Least Squares Algorithms for Non-negative Matrix/Tensor Factorization. Lecture Notes in Computer Science, 2007, , 793-802.	1.0	39
153	Whether generic model works for rapid ERP-based BCI calibration. Journal of Neuroscience Methods, 2013, 212, 94-99.	1.3	39
154	Efficient representations of EEG signals for SSVEP frequency recognition based on deep multiset CCA. Neurocomputing, 2020, 378, 36-44.	3.5	39
155	On Neural Blind Separation with Noise Suppression and Redundancy Reduction. International Journal of Neural Systems, 1997, 08, 219-237.	3.2	38
156	Matrix-Group Algorithm via Improved Whitening Process for Extracting Statistically Independent Sources From Array Signals. IEEE Transactions on Signal Processing, 2007, 55, 962-977.	3.2	38
157	Emotional faces boost up steady-state visual responsesforbrainâ€“computer interface. NeuroReport, 2011, 22, 121-125.	0.6	38
158	Neural networks for computing best rank-one approximations of tensors and its applications. Neurocomputing, 2017, 267, 114-133.	3.5	38
159	A common neural-network model for unsupervised exploratory data analysis and independent component analysis. IEEE Transactions on Neural Networks, 1998, 9, 1495-1501.	4.8	37
160	EEG synchrony analysis for early diagnosis of Alzheimer's disease: A study with several synchrony measures and EEG data sets. , 2009, 2009, 2224-7.		37
161	Stable, Robust, and Super Fast Reconstruction of Tensors Using Multi-Way Projections. IEEE Transactions on Signal Processing, 2015, 63, 780-793.	3.2	37
162	Neural network for singular value decomposition. Electronics Letters, 1992, 28, 784.	0.5	36

#	ARTICLE	IF	CITATIONS
163	Complex Blind Source Extraction From Noisy Mixtures Using Second-Order Statistics. IEEE Transactions on Circuits and Systems I: Regular Papers, 2010, 57, 1404-1416.	3.5	36
164	Learning Efficient Tensor Representations with Ring-structured Networks. , 2019, , .		36
165	Randomized Algorithms for Computation of Tucker Decomposition and Higher Order SVD (HOSVD). IEEE Access, 2021, 9, 28684-28706.	2.6	36
166	Stable Low-Rank Tensor Decomposition for Compression of Convolutional Neural Network. Lecture Notes in Computer Science, 2020, , 522-539.	1.0	36
167	Extracting Information from Cortical Connectivity Patterns Estimated from High Resolution EEG Recordings: A Theoretical Graph Approach. Brain Topography, 2007, 19, 125-136.	0.8	35
168	Flexible HALS algorithms for sparse non-negative matrix/tensor factorization. , 2008, , .		35
169	Neural networks for solving linear inequality systems. Parallel Computing, 1997, 22, 1455-1475.	1.3	34
170	Noise reduction in brain evoked potentials based on third-order correlations. IEEE Transactions on Biomedical Engineering, 2001, 48, 501-512.	2.5	34
171	Fundamental tensor operations for large-scale data analysis using tensor network formats. Multidimensional Systems and Signal Processing, 2018, 29, 921-960.	1.7	34
172	Self-whitening algorithms for adaptive equalization and deconvolution. IEEE Transactions on Signal Processing, 1999, 47, 1161-1165.	3.2	33
173	A new nonlinear similarity measure for multichannel signals. Neural Networks, 2008, 21, 222-231.	3.3	33
174	On a new blind signal extraction algorithm: different criteria and stability analysis. IEEE Signal Processing Letters, 2002, 9, 233-236.	2.1	32
175	Nonnegative matrix factorization with quadratic programming. Neurocomputing, 2008, 71, 2309-2320.	3.5	32
176	Block sparse representations of tensors using Kronecker bases. , 2012, , .		31
177	Validating rationale of group-level component analysis based on estimating number of sources in EEG through model order selection. Journal of Neuroscience Methods, 2013, 212, 165-172.	1.3	31
178	Decoding EEG in Cognitive Tasks With Time-Frequency and Connectivity Masks. IEEE Transactions on Cognitive and Developmental Systems, 2016, 8, 298-308.	2.6	31
179	Simplified neural networks for solving linear least squares and total least squares problems in real time. IEEE Transactions on Neural Networks, 1994, 5, 910-923.	4.8	30
180	Probability estimation for recoverability analysis of blind source separation based on sparse representation. IEEE Transactions on Information Theory, 2006, 52, 3139-3152.	1.5	30

#	ARTICLE	IF	CITATIONS
181	Blind source extraction based on a linear predictor. IET Signal Processing, 2007, 1, 29-34.	0.9	30
182	Optimization of EEG frequency bands for improved diagnosis of Alzheimer disease. , 2011, 2011, 6087-91.		30
183	Tongue-Rudder: A Glossokinetic-Potential-Based Tongueâ€“Machine Interface. IEEE Transactions on Biomedical Engineering, 2012, 59, 290-299.	2.5	30
184	Regularized Group Sparse Discriminant Analysis for P300-Based Brainâ€“Computer Interface. International Journal of Neural Systems, 2019, 29, 1950002.	3.2	30
185	A joint optimization framework to semi-supervised RVFL and ELM networks for efficient data classification. Applied Soft Computing Journal, 2020, 97, 106756.	4.1	30
186	SincNet-Based Hybrid Neural Network for Motor Imagery EEG Decoding. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 540-549.	2.7	30
187	Second-order statistics based blind source separation using a bank of subband filters. , 2003, 13, 252-274.		29
188	Sequential blind source separation based exclusively on second-order statistics developed for a class of periodic signals. IEEE Transactions on Signal Processing, 2006, 54, 1028-1040.	3.2	29
189	Multichannel EEG brain activity pattern analysis in timeâ€“frequency domain with nonnegative matrix factorization support. International Congress Series, 2007, 1301, 266-269.	0.2	29
190	Estimate of Causality Between Independent Cortical Spatial Patterns During Movement Volition in Spinal Cord Injured Patients. Brain Topography, 2007, 19, 107-123.	0.8	29
191	Split-test Bonferroni correction for QEEG statistical maps. Biological Cybernetics, 2008, 98, 295-303.	0.6	29
192	Diagnosis of Alzheimer's disease from EEG by means of synchrony measures in optimized frequency bands. , 2012, 2012, 4266-70.		29
193	Epileptic seizure characterization by Lyapunov exponent of EEG signal. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2007, 26, 1276-1287.	0.5	28
194	Multikernel Capsule Network for Schizophrenia Identification. IEEE Transactions on Cybernetics, 2022, 52, 4741-4750.	6.2	28
195	EEG windowed statistical wavelet scoring for evaluation and discrimination of muscular artifacts. Physiological Measurement, 2008, 29, 1435-1452.	1.2	27
196	A survey of the dummy face and human face stimuli used in BCI paradigm. Journal of Neuroscience Methods, 2015, 239, 18-27.	1.3	27
197	Learning the Hierarchical Parts of Objects by Deep Non-Smooth Nonnegative Matrix Factorization. IEEE Access, 2018, 6, 58096-58105.	2.6	27
198	Novel hybrid brainâ€“computer interface system based on motor imagery and P300. Cognitive Neurodynamics, 2020, 14, 253-265.	2.3	27

#	ARTICLE	IF	CITATIONS
199	A new neural network for solving linear programming problems. <i>European Journal of Operational Research</i> , 1996, 93, 244-256.	3.5	26
200	Modified Herault's "Jutten Algorithms for Blind Separation of Sources. , 1997, 7, 80-93.		26
201	Bayesian estimation of the number of principal components. <i>Signal Processing</i> , 2007, 87, 562-568.	2.1	26
202	A Note on Lewicki-Sejnowski Gradient for Learning Overcomplete Representations. <i>Neural Computation</i> , 2008, 20, 636-643.	1.3	26
203	Deep Learning of Multifractal Attributes from Motor Imagery Induced EEG. <i>Lecture Notes in Computer Science</i> , 2014, , 503-510.	1.0	26
204	Robust estimation of principal components by using neural network learning algorithms. <i>Electronics Letters</i> , 1993, 29, 1869.	0.5	25
205	Multichannel Blind Deconvolution of Nonminimum-Phase Systems Using Filter Decomposition. <i>IEEE Transactions on Signal Processing</i> , 2004, 52, 1430-1442.	3.2	25
206	The Effects of Audiovisual Inputs on Solving the Cocktail Party Problem in the Human Brain: An fMRI Study. <i>Cerebral Cortex</i> , 2018, 28, 3623-3637.	1.6	25
207	Multiband entropy-based feature-extraction method for automatic identification of epileptic focus based on high-frequency components in interictal iEEG. <i>Scientific Reports</i> , 2020, 10, 7044.	1.6	25
208	Bicriteria Sparse Nonnegative Matrix Factorization via Two-Timescale Duplex Neurodynamic Optimization. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2023, 34, 4881-4891.	7.2	25
209	Bias removal technique for blind source separation with noisy measurements. <i>Electronics Letters</i> , 1998, 34, 1379.	0.5	24
210	Nonnegative Tucker decomposition with alpha-divergence. , 2008, , .		24
211	Quantifying Statistical Interdependence by Message Passing on Graphs"Part I: One-Dimensional Point Processes. <i>Neural Computation</i> , 2009, 21, 2152-2202.	1.3	24
212	Bump time-frequency toolbox: a toolbox for time-frequency oscillatory bursts extraction in electrophysiological signals. <i>BMC Neuroscience</i> , 2009, 10, 46.	0.8	24
213	A Theta-Band EEG Based Index for Early Diagnosis of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 1175-1184.	1.2	24
214	Information Theoretic Approaches for Motor-Imagery BCI Systems: Review and Experimental Comparison. <i>Entropy</i> , 2018, 20, 7.	1.1	24
215	Nonnegative Matrix Factorization for Motor Imagery EEG Classification. <i>Lecture Notes in Computer Science</i> , 2006, , 250-259.	1.0	23
216	Novel Multi-layer Non-negative Tensor Factorization with Sparsity Constraints. <i>Lecture Notes in Computer Science</i> , 2007, , 271-280.	1.0	23

#	ARTICLE	IF	CITATIONS
217	Sparse Component Analysis: a New Tool for Data Mining. Springer Optimization and Its Applications, 2007, , 91-116.	0.6	23
218	Equivalence Probability and Sparsity of Two Sparse Solutions in Sparse Representation. IEEE Transactions on Neural Networks, 2008, 19, 2009-2021.	4.8	23
219	LOW-RANK APPROXIMATION BASED NON-NEGATIVE MULTI-WAY ARRAY DECOMPOSITION ON EVENT-RELATED POTENTIALS. International Journal of Neural Systems, 2014, 24, 1440005.	3.2	23
220	Estimating a Few Extreme Singular Values and Vectors for Large-Scale Matrices in Tensor Train Format. SIAM Journal on Matrix Analysis and Applications, 2015, 36, 994-1014.	0.7	23
221	A New Generation of Brain-Computer Interfaces Driven by Discovery of Latent EEG-fMRI Linkages Using Tensor Decomposition. Frontiers in Neuroscience, 2017, 11, 246.	1.4	23
222	A switched-capacitor interface for capacitive sensors based on relaxation oscillators. IEEE Transactions on Instrumentation and Measurement, 1990, 39, 797-799.	2.4	22
223	Neural networks for linear inverse problems with incomplete data especially in applications to signal and image reconstruction. Neurocomputing, 1995, 8, 7-41.	3.5	22
224	Generalized optimal spatial filtering using a kernel approach with application to EEG classification. Cognitive Neurodynamics, 2010, 4, 355-358.	2.3	22
225	Matrix and Tensor Completion in Multiway Delay Embedded Space Using Tensor Train, With Application to Signal Reconstruction. IEEE Signal Processing Letters, 2020, 27, 810-814.	2.1	22
226	Future Trends for Human-AI Collaboration: A Comprehensive Taxonomy of AI/AGI Using Multiple Intelligences and Learning Styles. Computational Intelligence and Neuroscience, 2021, 2021, 1-21.	1.1	22
227	Quantifying Statistical Interdependence by Message Passing on Graphsâ€”Part II: Multidimensional Point Processes. Neural Computation, 2009, 21, 2203-2268.	1.3	21
228	On the synchrony of steady state visual evoked potentials and oscillatory burst events. Cognitive Neurodynamics, 2009, 3, 251-261.	2.3	21
229	The Uncinate Fasciculus as a Predictor of Conversion from Amnesic Mild Cognitive Impairment to Alzheimer Disease. Journal of Neuroimaging, 2015, 25, 748-753.	1.0	21
230	Tensor Deflation for CANDECOMP/PARAFACâ€” Part I: Alternating Subspace Update Algorithm. IEEE Transactions on Signal Processing, 2015, 63, 5924-5938.	3.2	21
231	Optimization of Model Training Based on Iterative Minimum Covariance Determinant In Motor-Imagery BCI. International Journal of Neural Systems, 2021, 31, 2150030.	3.2	21
232	Ocular Artifacts Removal from EEG Using EMD. , 2008, , 831-835.		21
233	A Novel Classification Framework Using the Graph Representations of Electroencephalogram for Motor Imagery Based Brain-Computer Interface. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 20-29.	2.7	21
234	On the Early Diagnosis of Alzheimerâ€™s Disease from EEG Signals: A Mini-Review. , 2011, , 709-716.		20

#	ARTICLE	IF	CITATIONS
235	Kurtosis-Based Blind Source Extraction of Complex Non-Circular Signals with Application in EEG Artifact Removal in Real-Time. <i>Frontiers in Neuroscience</i> , 2011, 5, 105.	1.4	20
236	EEG auditory steady state responses classification for the novel BCI. , 2011, 2011, 4576-9.		20
237	On Similarity Measures for Spike Trains. <i>Lecture Notes in Computer Science</i> , 2009, , 177-185.	1.0	20
238	Convergence Analysis of the FOCUSS Algorithm. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2015, 26, 601-613.	7.2	19
239	Multichannel spectral pattern separation - An EEG processing application -. , 2009, , .		18
240	Multi-channel EEG compression based on matrix and tensor decompositions. , 2011, , .		18
241	Accelerated Canonical Polyadic Decomposition Using Mode Reduction. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2013, 24, 2051-2062.	7.2	18
242	Effects of Background Music on Objective and Subjective Performance Measures in an Auditory BCI. <i>Frontiers in Computational Neuroscience</i> , 2016, 10, 105.	1.2	18
243	Single-class SVM and directed transfer function approach to the localization of the region containing epileptic focus. <i>Neurocomputing</i> , 2009, 72, 1575-1583.	3.5	17
244	On Fast algorithms for orthogonal Tucker decomposition. , 2014, , .		17
245	Regularized Computation of Approximate Pseudoinverse of Large Matrices Using Low-Rank Tensor Train Decompositions. <i>SIAM Journal on Matrix Analysis and Applications</i> , 2016, 37, 598-623.	0.7	17
246	Numerical CP decomposition of some difficult tensors. <i>Journal of Computational and Applied Mathematics</i> , 2017, 317, 362-370.	1.1	17
247	Optimization of Alpha-Beta Log-Det Divergences and their Application in the Spatial Filtering of Two Class Motor Imagery Movements. <i>Entropy</i> , 2017, 19, 89.	1.1	17
248	Error Preserving Correction: A Method for CP Decomposition at a Target Error Bound. <i>IEEE Transactions on Signal Processing</i> , 2019, 67, 1175-1190.	3.2	17
249	Flexible Component Analysis for Sparse, Smooth, Nonnegative Coding or Representation. <i>Lecture Notes in Computer Science</i> , 2007, , 811-820.	1.0	17
250	A Six-Step Framework on Biomedical Signal Analysis for Tackling Noncommunicable Diseases: Current and Future Perspectives. <i>JMIR Biomedical Engineering</i> , 2016, 1, e1.	0.7	17
251	ADAPTIVE NOISE CANCELLATION FOR MULTI-SENSORY SIGNALS. <i>Fluctuation and Noise Letters</i> , 2001, 01, R13-R24.	1.0	16
252	Auditory Feedback for Brain Computer Interface Management – An EEG Data Sonification Approach. <i>Lecture Notes in Computer Science</i> , 2006, , 1232-1239.	1.0	16

#	ARTICLE	IF	CITATIONS
253	Fast and unique Tucker decompositions via multiway blind source separation. Bulletin of the Polish Academy of Sciences: Technical Sciences, 2012, 60, 389-405.	0.8	16
254	Linked PARAFAC/CP Tensor Decomposition and Its Fast Implementation for Multi-block Tensor Analysis. Lecture Notes in Computer Science, 2012, , 84-91.	1.0	16
255	Canonical Polyadic Decomposition With Auxiliary Information for Brain-Computer Interface. IEEE Journal of Biomedical and Health Informatics, 2017, 21, 263-271.	3.9	16
256	A Robust PCA Approach With Noise Structure Learning and Spatial-Spectral Low-Rank Modeling for Hyperspectral Image Restoration. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 3863-3879.	2.3	16
257	Feature Selection Combining Filter and Wrapper Methods for Motor-Imagery Based Brain-Computer Interfaces. International Journal of Neural Systems, 2021, 31, 2150040.	3.2	16
258	Improving the Quality of EEG Data in Patients with Alzheimer's Disease Using ICA. Lecture Notes in Computer Science, 2009, , 979-986.	1.0	16
259	A novel switched-capacitor four-quadrant analog multiplier-divider and some of its applications. IEEE Transactions on Instrumentation and Measurement, 1986, IM-35, 156-162.	2.4	15
260	Switched-capacitor neural networks for differential optimization. International Journal of Circuit Theory and Applications, 1991, 19, 161-187.	1.3	15
261	Blind multispectral image decomposition by 3D nonnegative tensor factorization. Optics Letters, 2009, 34, 2210.	1.7	15
262	A Two-Stage MMSE Beamformer for Underdetermined Signal Separation. IEEE Signal Processing Letters, 2013, 20, 1227-1230.	2.1	15
263	Predicting traffic speed in urban transportation subnetworks for multiple horizons. , 2014, , .		15
264	Tensor Networks for Latent Variable Analysis: Novel Algorithms for Tensor Train Approximation. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 4622-4636.	7.2	15
265	OGSSL: A Semi-Supervised Classification Model Coupled With Optimal Graph Learning for EEG Emotion Recognition. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 1288-1297.	2.7	15
266	Sparse signal reconstruction via collaborative neurodynamic optimization. Neural Networks, 2022, 154, 255-269.	3.3	15
267	Application of switched-capacitor self-oscillating circuits to the conversion of RLC parameters into a frequency or digital signal. Sensors and Actuators A: Physical, 1990, 24, 129-137.	2.0	14
268	Fast-convergence filtered regressor algorithms for blind equalisation. Electronics Letters, 1996, 32, 2114.	0.5	14
269	Hyper Radial Basis Function Neural Networks for Interference Cancellation with Nonlinear Processing of Reference Signal. , 2001, 11, 204-221.		14
270	Blind Source Extraction From Convolutional Mixtures in Ill-Conditioned Multi-Input Multi-Output Channels. IEEE Transactions on Circuits and Systems Part 1: Regular Papers, 2004, 51, 1814-1822.	0.1	14

#	ARTICLE	IF	CITATIONS
271	Improving the Specificity of EEG for Diagnosing Alzheimer's Disease. International Journal of Alzheimer's Disease, 2011, 2011, 1-7.	1.1	14
272	Exploring Combinations of Different Color and Facial Expression Stimuli for Gaze-Independent BCIs. Frontiers in Computational Neuroscience, 2016, 10, 5.	1.2	14
273	Evaluation of color modulation in visual P300-speller using new stimulus patterns. Cognitive Neurodynamics, 2021, 15, 873-886.	2.3	14
274	On Revealing Replicating Structures in Multiway Data: A Novel Tensor Decomposition Approach. Lecture Notes in Computer Science, 2012, , 297-305.	1.0	14
275	Multi-view optimization of time-frequency common spatial patterns for brain-computer interfaces. Journal of Neuroscience Methods, 2022, 365, 109378.	1.3	14
276	Blind equalisation using approximate maximum likelihood source separation. Electronics Letters, 2001, 37, 61.	0.5	13
277	Fast and Efficient Algorithms for Nonnegative Tucker Decomposition. Lecture Notes in Computer Science, 2008, , 772-782.	1.0	13
278	Efficient method for Tucker3 model selection. Electronics Letters, 2009, 45, 805.	0.5	13
279	Blind decomposition of low-dimensional multi-spectral image by sparse component analysis. Journal of Chemometrics, 2009, 23, 590-597.	0.7	13
280	Blind Extraction of Global Signal From Multi-Channel Noisy Observations. IEEE Transactions on Neural Networks, 2010, 21, 1472-1481.	4.8	13
281	Non-Linear Canonical Correlation Analysis Using Alpha-Beta Divergence. Entropy, 2013, 15, 2788-2804.	1.1	13
282	A further improvement of a fast damped Gauss-Newton algorithm for candecomp-parafac tensor decomposition. , 2013, , .		13
283	Tensor-variate Gaussian processes regression and its application to video surveillance. , 2014, , .		13
284	Multifactor sparse feature extraction using Convolutional Nonnegative Tucker Decomposition. Neurocomputing, 2014, 129, 17-24.	3.5	13
285	Partitioned Alternating Least Squares Technique for Canonical Polyadic Tensor Decomposition. IEEE Signal Processing Letters, 2016, 23, 993-997.	2.1	13
286	Nonnegative Tensor Train Decompositions for Multi-domain Feature Extraction and Clustering. Lecture Notes in Computer Science, 2016, , 87-95.	1.0	13
287	Removal of EEG artifacts for BCI applications using fully Bayesian tensor completion. , 2016, , .		13
288	Comparison of the ERP-Based BCI Performance Among Chromatic (RGB) Semitransparent Face Patterns. Frontiers in Neuroscience, 2020, 14, 54.	1.4	13

#	ARTICLE	IF	CITATIONS
289	Incremental Common Spatial Pattern algorithm for BCI. , 2008, , .		12
290	Estimation of Sparse Nonnegative Sources from Noisy Overcomplete Mixtures Using MAP. Neural Computation, 2009, 21, 3487-3518.	1.3	12
291	Interactive component extraction from fEEG, fNIRS and peripheral biosignals for affective brain-machine interfacing paradigms. Computers in Human Behavior, 2011, 27, 1512-1518.	5.1	12
292	Noninvasive diagnosis of melanoma with tensor decomposition-based feature extraction from clinical color image. Biomedical Signal Processing and Control, 2013, 8, 755-763.	3.5	12
293	Advances in Electroencephalography Signal Processing [Life Sciences]. IEEE Signal Processing Magazine, 2013, 30, 170-176.	4.6	12
294	An exploration of spatial auditory BCI paradigms with different sounds: music notes versus beeps. Cognitive Neurodynamics, 2016, 10, 201-209.	2.3	12
295	Biomedical Signal Processing: From a Conceptual Framework to Clinical Applications [Scanning the Issue]. Proceedings of the IEEE, 2016, 104, 220-222.	16.4	12
296	Whole Brain fMRI Pattern Analysis Based on Tensor Neural Network. IEEE Access, 2018, 6, 29297-29305.	2.6	12
297	The Minimum Entropy and Cumulants Based Contrast Functions for Blind Source Extraction. Lecture Notes in Computer Science, 2001, , 786-793.	1.0	12
298	A Spurious Equilibria-free Learning Algorithm for the Blind Separation of Non-zero Skewness Signals. Neural Processing Letters, 1998, 7, 61-68.	2.0	11
299	Semiparametric model and superefficiency in blind deconvolution. Signal Processing, 2001, 81, 2535-2553.	2.1	11
300	Blind source estimation of FIR channels for binary sources: a grouping decision approach. Signal Processing, 2004, 84, 2245-2263.	2.1	11
301	Statistical Modeling and Analysis of Laser-Evoked Potentials of Electrocorticogram Recordings from Awake Humans. Computational Intelligence and Neuroscience, 2007, 2007, 1-24.	1.1	11
302	Blind Image Separation Using Nonnegative Matrix Factorization with Gibbs Smoothing. Lecture Notes in Computer Science, 2007, , 519-528.	1.0	11
303	Fast damped gauss-newton algorithm for sparse and nonnegative tensor factorization. , 2011, , .		11
304	Kernel-based tensor partial least squares for reconstruction of limb movements. , 2013, , .		11
305	Multilinear tensor rank estimation via Sparse Tucker Decomposition. , 2014, , .		11
306	Non-orthogonal tensor diagonalization. Signal Processing, 2017, 138, 313-320.	2.1	11

#	ARTICLE	IF	CITATIONS
307	Manifold Modeling in Embedded Space: An Interpretable Alternative to Deep Image Prior. IEEE Transactions on Neural Networks and Learning Systems, 2022, 33, 1022-1036.	7.2	11
308	The Influence of Visual Attention on The Performance of A Novel Tactile P300 Brain-Computer Interface with Cheeks-Stim Paradigm. International Journal of Neural Systems, 2021, 31, 2150004.	3.2	11
309	Inferring Brain Networks through Graphical Models with Hidden Variables. Lecture Notes in Computer Science, 2012, , 194-201.	1.0	11
310	EEG Classification of Mild and Severe Alzheimer's Disease Using Parallel Factor Analysis Method. Lecture Notes in Electrical Engineering, 2009, , 705-715.	0.3	11
311	Segmentation and tracking of the electro-encephalogram signal using an adaptive recursive bandpass filter. Medical and Biological Engineering and Computing, 2001, 39, 237-248.	1.6	10
312	Algebraic differential decorrelation for nonstationary source separation. Electronics Letters, 2001, 37, 1414.	0.5	10
313	Measurement of the Elastic Magnetic Form Factor of ³ Heat High Momentum Transfer. Physical Review Letters, 2001, 86, 5446-5449.	2.9	10
314	A near real-time approach for convolutive blind source separation. IEEE Transactions on Circuits and Systems Part 1: Regular Papers, 2006, 53, 114-128.	0.1	10
315	Sparse blind identification and separation by using adaptive K-orthodrome clustering. Neurocomputing, 2008, 71, 2321-2329.	3.5	10
316	Damped Gauss-Newton algorithm for nonnegative Tucker decomposition. , 2011, , .		10
317	Common spatial patterns for steady-state somatosensory evoked potentials. , 2013, 2013, 2255-8.		10
318	A Contrast Function Based on Generalized Divergences for Solving the Permutation Problem in Convolved Speech Mixtures. IEEE/ACM Transactions on Audio Speech and Language Processing, 2015, 23, 1713-1726.	4.0	10
319	Sensitivity in Tensor Decomposition. IEEE Signal Processing Letters, 2019, 26, 1653-1657.	2.1	10
320	Tensor Networks for Latent Variable Analysis: Higher Order Canonical Polyadic Decomposition. IEEE Transactions on Neural Networks and Learning Systems, 2020, 31, 2174-2188.	7.2	10
321	Winner-take-all neural network and its application to minimax optimisation problems. Electronics Letters, 1991, 27, 2026.	0.5	9
322	When is non-negative matrix decomposition unique?. , 2008, , .		9
323	Tensor classification for P300-based brain computer interface. , 2012, , .		9
324	From basis components to complex structural patterns. , 2013, , .		9

#	ARTICLE	IF	CITATIONS
325	Multilinear and nonlinear generalizations of partial least squares: an overview of recent advances. Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery, 2014, 4, 104-115.	4.6	9
326	Hybrid-BCI: Classification of auditory and visual related potentials. , 2014, , .		9
327	Source Separation and Applications [From the Guest Editors]. IEEE Signal Processing Magazine, 2014, 31, 16-17.	4.6	9
328	EEG Correlates of Voice and Face Emotional Judgments in the Human Brain. Cognitive Computation, 2015, 7, 11-19.	3.6	9
329	Tensor Networks for Dimensionality Reduction, Big Data and Deep Learning. Studies in Computational Intelligence, 2018, , 3-49.	0.7	9
330	Task-Independent EEG Identification via Low-Rank Matrix Decomposition. , 2018, , .		9
331	Effects of Visual Attention on Tactile P300 BCI. Computational Intelligence and Neuroscience, 2020, 2020, 1-11.	1.1	9
332	Adaptive Rank Selection for Tensor Ring Decomposition. IEEE Journal on Selected Topics in Signal Processing, 2021, 15, 454-463.	7.3	9
333	Sparse Bump Sonification: A New Tool for Multichannel EEG Diagnosis of Mental Disorders; Application to the Detection of the Early Stage of Alzheimer's Disease. Lecture Notes in Computer Science, 2006, , 92-101.	1.0	9
334	Information Fusion for Perceptual Feedback: A Brain Activity Sonification Approach. , 2008, , 261-273.		9
335	Steady State Visual Evoked Potentials in the Delta Range (0.5-5 Hz). Lecture Notes in Computer Science, 2009, , 400-407.	1.0	9
336	Randomized algorithms for fast computation of low rank tensor ring model. Machine Learning: Science and Technology, 2021, 2, 011001.	2.4	9
337	Cross Tensor Approximation Methods for Compression and Dimensionality Reduction. IEEE Access, 2021, 9, 150809-150838.	2.6	9
338	Cascade neural networks for multichannel blind deconvolution. Electronics Letters, 1998, 34, 1186.	0.5	8
339	Blind Source Separation Based on Generalised Canonical Correlation Analysis and Its Adaptive Realization. , 2008, , .		8
340	Rational Variety Mapping for Contrast-Enhanced Nonlinear Unsupervised Segmentation of Multispectral Images of Unstained Specimen. American Journal of Pathology, 2011, 179, 547-554.	1.9	8
341	Quantifying Statistical Interdependence, Part III: $N > 2$ Point Processes. Neural Computation, 2012, 24, 408-454.	1.3	8
342	Tensor completion through multiple Kronecker product decomposition. , 2013, , .		8

#	ARTICLE	IF	CITATIONS
343	Cyborg Intelligence: Towards Bio-Machine Intelligent Systems. IEEE Intelligent Systems, 2014, 29, 2-4.	4.0	8
344	Optimizing the Face Paradigm of BCI System by Modified Mismatch Negative Paradigm. Frontiers in Neuroscience, 2016, 10, 444.	1.4	8
345	A Hybrid System for Distinguishing between Brain Death and Coma Using Diverse EEG Features. Sensors, 2019, 19, 1342.	2.1	8
346	On the robustness of EEG tensor completion methods. Science China Technological Sciences, 2021, 64, 1828-1842.	2.0	8
347	EMD Approach to Multichannel EEG Data - The Amplitude and Phase Synchrony Analysis Technique. Lecture Notes in Computer Science, 2008, , 122-129.	1.0	8
348	CG-M-FOCUSS and Its Application to Distributed Compressed Sensing. Lecture Notes in Computer Science, 2008, , 237-245.	1.0	8
349	Robust Blind Source Separation Utilizing Second and Fourth Order Statistics. Lecture Notes in Computer Science, 2002, , 1162-1167.	1.0	8
350	Realisation of resistive N-port networks using operational amplifiers. Electronics Letters, 1978, 14, 412.	0.5	7
351	Geometrical Structures of FIR Manifold and Multichannel Blind Deconvolution. Journal of Signal Processing Systems, 2002, 31, 31-44.	1.0	7
352	Robust Sparse Component Analysis Based on a Generalized Hough Transform. Eurasip Journal on Advances in Signal Processing, 2006, 2007, 1.	1.0	7
353	Block decomposition for very large-scale nonnegative tensor factorization. , 2009, , .		7
354	Tensor completion via functional smooth component deflation. , 2016, , .		7
355	Rate of Convergence of the FOCUSS Algorithm. IEEE Transactions on Neural Networks and Learning Systems, 2017, 28, 1276-1289.	7.2	7
356	Quadratic programming over ellipsoids with applications to constrained linear regression and tensor decomposition. Neural Computing and Applications, 2020, 32, 7097-7120.	3.2	7
357	Krylov-Levenberg-Marquardt Algorithm for Structured Tucker Tensor Decompositions. IEEE Journal on Selected Topics in Signal Processing, 2021, 15, 550-559.	7.3	7
358	Image Completion in Embedded Space Using Multistage Tensor Ring Decomposition. Frontiers in Artificial Intelligence, 2021, 4, 687176.	2.0	7
359	Slice Oriented Tensor Decomposition of EEG Data for Feature Extraction in Space, Frequency and Time Domains. Lecture Notes in Computer Science, 2009, , 221-228.	1.0	7
360	Local Learning Rules for Nonnegative Tucker Decomposition. Lecture Notes in Computer Science, 2009, , 538-545.	1.0	7

#	ARTICLE	IF	CITATIONS
361	Tensor Based Simultaneous Feature Extraction and Sample Weighting for EEG Classification. Lecture Notes in Computer Science, 2010, , 26-33.	1.0	7
362	Multi-domain Feature of Event-Related Potential Extracted by Nonnegative Tensor Factorization: 5 vs. 14 Electrodes EEG Data. Lecture Notes in Computer Science, 2012, , 502-510.	1.0	7
363	Self-Weighted Semi-Supervised Classification for Joint EEG-Based Emotion Recognition and Affective Activation Patterns Mining. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-11.	2.4	7
364	Feature selection method based on Menger curvature and LDA theory for a P300 brainâ€“computer interface. Journal of Neural Engineering, 2021, 18, 066050.	1.8	7
365	A sinusoidal frequency multiplying and dividing technique. International Journal of Electronics, 1983, 54, 427-436.	0.9	6
366	Robust image association by recurrent neural subnetworks. Neural Processing Letters, 1996, 3, 131-138.	2.0	6
367	Blind Signal Separation and Extraction: Recent Trends, Future Perspectives, and Applications. Lecture Notes in Computer Science, 2004, , 30-37.	1.0	6
368	Blind source separation of acoustic signals in realistic environments based on ICA in the timeâ€“frequency domain. International Journal of Pervasive Computing and Communications, 2005, 1, 89-100.	1.1	6
369	Research for estimating direction of saccadic eye movements by single trial processing. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 4723-6.	0.5	6
370	A New Nonlinear Similarity Measure for Multichannel Biological Signals. Neural Networks (IJCNN), International Joint Conference on, 2007, , .	0.0	6
371	Speech comprehension assessed by electroencephalography: A new method using m-sequence modulation. Neuroscience Research, 2007, 57, 314-318.	1.0	6
372	A Novel Measure for Synchrony and its Application to Neural Signals. , 2007, , .		6
373	Emotional States Estimation from Multichannel EEG Maps. , 2008, , 695-698.		6
374	Blind decomposition of infrared spectra using flexible component analysis. Chemometrics and Intelligent Laboratory Systems, 2009, 97, 170-178.	1.8	6
375	A Novel Oddball Paradigm for Affective BCIs Using Emotional Faces as Stimuli. Lecture Notes in Computer Science, 2011, , 279-286.	1.0	6
376	Seeking an appropriate alternative least squares algorithm for nonnegative tensor factorizations. Neural Computing and Applications, 2012, 21, 623-637.	3.2	6
377	Tensor Deflation for CANDECOMP/PARAFACâ€” Part II: Initialization and Error Analysis. IEEE Transactions on Signal Processing, 2015, 63, 5939-5950.	3.2	6
378	Exploiting ongoing EEG with multilinear partial least squares during free-listening to music. , 2016, , .		6

#	ARTICLE	IF	CITATIONS
379	Flexible Non-negative Matrix Factorization with Adaptively Learned Graph Regularization. , 2019, , .		6
380	Distinguishable spatial-spectral feature learning neural network framework for motor imagery-based brain-computer interface. Journal of Neural Engineering, 2021, 18, 0460e4.	1.8	6
381	A Flexible Method for Envelope Estimation in Empirical Mode Decomposition. Lecture Notes in Computer Science, 2006, , 1248-1255.	1.0	6
382	A Comparative Study of Synchrony Measures for the Early Detection of Alzheimer's Disease Based on EEG. Lecture Notes in Computer Science, 2008, , 112-125.	1.0	6
383	Classifying Healthy Children and Children with Attention Deficit through Features Derived from Sparse and Nonnegative Tensor Factorization Using Event-Related Potential. Lecture Notes in Computer Science, 2010, , 620-628.	1.0	6
384	Synthesis of nonlinear functions using continued fraction expansion. Electronics Letters, 1980, 16, 431.	0.5	5
385	Process-Based E-Service Composition for Modeling and Automating Zero Latency Supply Chains. Information Systems Frontiers, 2002, 4, 33-54.	4.1	5
386	Single trial method for Brain-Computer Interface. , 2006, 2006, 5277-81.		5
387	A Unifying Approach to the Derivation of the Class of PNLMS Algorithms. , 2007, , .		5
388	Algorithms with high order convergence speed for blind source extraction. Computational Optimization and Applications, 2007, 38, 123-131.	0.9	5
389	Fast nonnegative tensor factorization for very large-scale problems using two-stage procedure. , 2009, , .		5
390	Analysis of environmental electromagnetic signal using nonnegative Matrix Factorization minimizing quasi-L1 norm. , 2011, , .		5
391	EOG/ERP hybrid human-machine interface for robot control. , 2013, , .		5
392	A greedy algorithm for model selection of tensor decompositions. , 2013, , .		5
393	Image Classification with Nonnegative Matrix Factorization Based on Spectral Projected Gradient. Springer Series in Bio-/neuroinformatics, 2015, , 31-50.	0.1	5
394	Canonical Polyadic Tensor Decomposition With Low-Rank Factor Matrices. , 2021, , .		5
395	B-Spline Smoothing of Feature Vectors in Nonnegative Matrix Factorization. Lecture Notes in Computer Science, 2014, , 72-81.	1.0	5
396	Analysis of active networks using flow-graph technique. Electronics Letters, 1978, 14, 227.	0.5	4

#	ARTICLE	IF	CITATIONS
397	Monolithic MOS switched-capacitor microsystems for nonlinear analog signal processing. IEEE Transactions on Instrumentation and Measurement, 1988, 37, 18-24.	2.4	4
398	Switched-capacitor transducers with digital or duty-cycle output based on pulse-width modulation technique. International Journal of Electronics, 1991, 71, 265-278.	0.9	4
399	Adaptive neural networks for robust estimation of signal parameters. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2000, 19, 903-912.	0.5	4
400	Constrained Projection Approximation Algorithms for Principal Component Analysis. Neural Processing Letters, 2006, 24, 53-65.	2.0	4
401	Extraction of Steady State Visually Evoked Potential Signal and Estimation of Distribution Map from EEG Data. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 5449-52.	0.5	4
402	An Efficient K-Hyperplane Clustering Algorithm and Its Application to Sparse Component Analysis. Lecture Notes in Computer Science, 2007, , 1032-1041.	1.0	4
403	Simple and efficient algorithm for distributed compressed sensing. , 2008, , .		4
404	Regularized CSP with Fisher's criterion to improve classification of single-trial ERPs for BCI. , 2012, , .		4
405	Low-rank blind nonnegative matrix deconvolution. , 2012, , .		4
406	Extracting commuting patterns in railway networks through matrix decompositions. , 2014, , .		4
407	Revising algorithm for nonnegative matrix factorization based on minimizing quasi-L1 norm. , 2014, , .		4
408	A fast automatic low-rank determination algorithm for noisy matrix completion. , 2015, , .		4
409	Low rank tensor deconvolution. , 2015, , .		4
410	Epileptic EEG visualization and sonification based on linear discriminate analysis. , 2015, 2015, 4466-9.		4
411	Effect of a combination of flip and zooming stimuli on the performance of a visual brain-computer interface for spelling. Biomedizinische Technik, 2018, 64, 29-38.	0.9	4
412	Weighted Krylov-Levenberg-Marquardt Method for Canonical Polyadic Tensor Decomposition. , 2020, , .		4
413	Effects of Skin Friction on Tactile P300 Brain-Computer Interface Performance. Computational Intelligence and Neuroscience, 2021, 2021, 1-10.	1.1	4
414	Matrix and tensor completion using tensor ring decomposition with sparse representation. Machine Learning: Science and Technology, 2021, 2, 035008.	2.4	4

#	ARTICLE	IF	CITATIONS
415	WLnet: Towards an Approach for Robust Workload Estimation Based on Shallow Neural Networks. IEEE Access, 2021, 9, 3165-3173.	2.6	4
416	From Auditory and Visual to Immersive Neurofeedback: Application to Diagnosis of Alzheimer's Disease. , 2014, , 63-97.		4
417	Fast Nonnegative Tensor Factorization by Using Accelerated Proximal Gradient. Lecture Notes in Computer Science, 2014, , 459-468.	1.0	4
418	Sparse Super Symmetric Tensor Factorization. Lecture Notes in Computer Science, 2007, , 781-790.	1.0	4
419	Nonlinear Band Expansion and 3D Nonnegative Tensor Factorization for Blind Decomposition of Magnetic Resonance Image of the Brain. Lecture Notes in Computer Science, 2010, , 490-497.	1.0	4
420	Feature Extraction by Nonnegative Tucker Decomposition from EEG Data Including Testing and Training Observations. Lecture Notes in Computer Science, 2012, , 166-173.	1.0	4
421	Real-Time Wireless Sonification of Brain Signals. , 2013, , 175-181.		4
422	Audio representations of multi-channel EEG: a new tool for diagnosis of brain disorders. American Journal of Neurodegenerative Disease, 2012, 1, 292-304.	0.1	4
423	S ³ LRR: A Unified Model for Joint Discriminative Subspace Identification and Semisupervised EEG Emotion Recognition. IEEE Transactions on Instrumentation and Measurement, 2022, 71, 1-13.	2.4	4
424	Synthesis of rational transfer matrices with active RC networks using equal valued grounded capacitors. International Journal of Electronics, 1977, 42, 229-239.	0.9	3
425	Synthesis of n -port networks by a matrix-continued fraction. International Journal of Circuit Theory and Applications, 1979, 7, 77-86.	1.3	3
426	Novel switched-capacitor generalised integrator. Electronics Letters, 1985, 21, 158.	0.5	3
427	MOS SC microsystem for generating trigonometrical functions and their inverses. Electronics Letters, 1986, 22, 1056.	0.5	3
428	Simple technique for analysis of SC networks using general-purpose circuit simulation programs. Electronics Letters, 1986, 22, 956.	0.5	3
429	Switched-capacitor function generators. International Journal of Electronics, 1988, 64, 359-375.	0.9	3
430	Hybrid learning approach to blind deconvolution of linear MIMO systems. Electronics Letters, 1999, 35, 1429.	0.5	3
431	Learning in dynamic neural networks using signal flow graphs. International Journal of Circuit Theory and Applications, 1999, 27, 209-228.	1.3	3
432	Stereophonic noise reduction using a combined sliding subspace projection and adaptive signal enhancement. IEEE Transactions on Speech and Audio Processing, 2005, 13, 309-320.	2.0	3

#	ARTICLE	IF	CITATIONS
433	Removal of ocular artifacts for high resolution EEG studies: a simulation study. , 2006, 2006, 976-9.		3
434	Advances in Blind Source Separation. Eurasip Journal on Advances in Signal Processing, 2007, 2007, .	1.0	3
435	Signal Modality Characterisation of EEG with Response to Steady-State Auditory and Visual BCI Paradigms. IEEE International Workshop on Machine Learning for Signal Processing, 2007, , .	0.0	3
436	Tomographic image reconstruction from limited-view projections with Wiener filtered focuss algorithm. , 2008, , .		3
437	Determining the number of sources in high-density EEG recordings of event-related potentials by model order selection. , 2011, , .		3
438	Canonical Polyadic Decomposition: From 3-way to N-Way. , 2012, , .		3
439	Patients' consciousness analysis using dynamic approximate entropy and MEMD method. , 2013, , .		3
440	Multi-tensor completion for estimating missing values in video data. , 2014, , .		3
441	Deflation method for CANDECOMP/PARAFAC tensor decomposition. , 2014, , .		3
442	Common components analysis via linked blind source separation. , 2015, , .		3
443	Joint Semi-Supervised Feature Auto-Weighting and Classification Model for EEG-Based Cross-Subject Sleep Quality Evaluation. , 2020, , .		3
444	Canonical polyadic decomposition (CPD) of big tensors with low multilinear rank. Multimedia Tools and Applications, 2021, 80, 22987-23007.	2.6	3
445	MERACLE: Constructive Layer-Wise Conversion of a Tensor Train into a MERA. Communications on Applied Mathematics and Computation, 2021, 3, 257-279.	0.7	3
446	Enhancing P300 based character recognition performance using a combination of ensemble classifiers and a fuzzy fusion method. Journal of Neuroscience Methods, 2021, 362, 109300.	1.3	3
447	Oscillatory Event Synchrony During Steady State Visual Evoked Potentials. , 2008, , 439-442.		3
448	Optimization Techniques for Independent Component Analysis with Applications to EEG Data. Biocomputing, 2004, , 53-68.	0.2	3
449	Linked Tucker2 Decomposition for Flexible Multi-block Data Analysis. Lecture Notes in Computer Science, 2014, , 111-118.	1.0	3
450	Improved Sparse Bump Modeling for Electrophysiological Data. Lecture Notes in Computer Science, 2009, , 224-231.	1.0	3

#	ARTICLE	IF	CITATIONS
451	Clustering of Spectral Patterns Based on EMD Components of EEG Channels with Applications to Neurophysiological Signals Separation. Lecture Notes in Computer Science, 2009, , 453-460.	1.0	3
452	On Connection between the Convolutional and Ordinary Nonnegative Matrix Factorizations. Lecture Notes in Computer Science, 2012, , 288-296.	1.0	3
453	Data augmentation for Convolutional LSTM based brain computer interface system. Applied Soft Computing Journal, 2022, 122, 108811.	4.1	3
454	Bispectrum-based hybrid neural network for motor imagery classification. Journal of Neuroscience Methods, 2022, 375, 109593.	1.3	3
455	Synthesis of an arbitrary voltage transfer function. International Journal of Electronics, 1976, 41, 73-80.	0.9	2
456	Analysis of active ladder network by using coates flow graphs and continuants. International Journal for Numerical Methods in Engineering, 1977, 11, 900-904.	1.5	2
457	Synthesis of active RC multiport voltage transfer functions with reduced number of operational amplifiers. Electronics Letters, 1978, 14, 665.	0.5	2
458	Nested-feedback-loops realization of 2-D systems. Circuits, Systems, and Signal Processing, 1982, 1, 321-343.	1.2	2
459	Realization of arbitrary linear resistive multiports using a switched-capacitor technique. International Journal of Electronics, 1986, 60, 463-480.	0.9	2
460	Blind source separation with convolutional noise cancellation. Neural Computing and Applications, 1997, 6, 127-141.	3.2	2
461	Approximate maximum likelihood source separation using the natural gradient. , 0, , .		2
462	Guest Editorial Special Issue on Information Theoretic Learning. IEEE Transactions on Neural Networks, 2004, 15, 789-791.	4.8	2
463	Single trial analysis on saccade-related EEG signal. , 2007, , .		2
464	Dynamic online target control of SSVEP-based brain-computer interface with multiple commands. Neuroscience Research, 2007, 58, S70.	1.0	2
465	Introduction to the Issue on fMRI Analysis for Human Brain Mapping. IEEE Journal on Selected Topics in Signal Processing, 2008, 2, 813-816.	7.3	2
466	Improvement of Earthquake Prediction by using Global Signal Elimination from Environmental Electromagnetic Signals. , 2008, , .		2
467	A dual-linear predictor approach to blind source extraction for noisy mixtures. , 2008, , .		2
468	PW-Sat on-board flight computer, hardware and software design. Proceedings of SPIE, 2009, , .	0.8	2

#	ARTICLE	IF	CITATIONS
469	Signal Processing for Neural Spike Trains. Computational Intelligence and Neuroscience, 2010, 2010, 1-2.	1.1	2
470	Regularization using geometric information between sensors capturing features from brain signals. , 2012, , .		2
471	Sequential nonnegative tucker decomposition on multi-way array of time-frequency transformed event-related potentials. , 2012, , .		2
472	Decreasing the interference of visual-based P300 BCI using facial expression changes. , 2014, , .		2
473	Synchrony analysis of paroxysmal gamma waves in meditation EEG. , 2014, , .		2
474	Fast and stable recovery of Approximately low multilinear rank tensors from multi-way compressive measurements. , 2014, , .		2
475	Partitioned Hierarchical alternating least squares algorithm for CP tensor decomposition. , 2017, , .		2
476	Medical Image De-noising Using Deep Networks. , 2018, , .		2
477	Joint Structured Graph Learning and Unsupervised Feature Selection. , 2019, , .		2
478	Joint Structured Graph Learning and Clustering Based on Concept Factorization. , 2019, , .		2
479	Extract Mismatch Negativity and P3a through Two-Dimensional Nonnegative Decomposition on Time-Frequency Represented Event-Related Potentials. Lecture Notes in Computer Science, 2010, , 385-391.	1.0	2
480	GNMF with Newton-Based Methods. Lecture Notes in Computer Science, 2013, , 90-97.	1.0	2
481	Global Noise Elimination from ELF Band Electromagnetic Signals by Independent Component Analysis. Lecture Notes in Computer Science, 2006, , 384-391.	1.0	2
482	Global Signal Elimination and Local Signals Enhancement from EM Radiation Waves Using Independent Component Analysis. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2008, E91-A, 1875-1882.	0.2	2
483	Imagery Movement Paradigm User Adaptation Improvement with Quasi-movements Phenomenon. , 2011, , 677-681.		2
484	Feature Extraction for Cancer Prediction by Tensor Decomposition of 1D Protein Expression Levels. , 2011, , .		2
485	Technique for compensation of errors in analogue multipliers. Electronics Letters, 1989, 25, 305.	0.5	2
486	Usefulness of Quasi-L1 Norm-Based Nonnegative Matrix Factorization Algorithm to Estimate Background Signal using Environmental Electromagnetic Field Measurements at ELF Band. IEEE Transactions on Fundamentals and Materials, 2016, 136, 241-251.	0.2	2

#	ARTICLE	IF	CITATIONS
487	Multi-Command Real-Time Brain Machine Interface Using SSVEP: Feasibility Study for Occipital and Forehead Sensor Locations. , 2008, , 783-786.		2
488	The explicit inverses of general tridiagonal matrices and some applications. Archiv Fuer Elektrotechnik, 1986, 69, 255-260.	0.1	1
489	New analogue four-quadrant voltage divider. Electronics Letters, 1990, 26, 1580.	0.5	1
490	Non-negative matrix factorization and its application in blind sparse source separation with less sensors than sources. COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering, 2005, 24, 695-706.	0.5	1
491	Combining the extremities on the basis of separation: a new approach to EEG/ERP source localization. International Congress Series, 2005, 1278, 119-122.	0.2	1
492	Relationship between saccade to EEG signals in time-frequency domain. , 2007, , .		1
493	<title>Integrated extension board for on-board computer (OBDH) of SSETI ESEO satellite</title>. Proceedings of SPIE, 2007, , .	0.8	1
494	Effectiveness of global signal elimination from environmental electromagnetic signals for earthquake prediction. , 2008, , .		1
495	On the synchrony of empirical mode decompositions with application to electroencephalography. Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing, 2008, , .	1.8	1
496	NeuroMath: Advanced Methods for the Estimation of Human Brain Activity and Connectivity. Computational Intelligence and Neuroscience, 2009, 2009, 1-2.	1.1	1
497	Guest Editorial Special Section on Blind Signal Processing and Its Applications. IEEE Transactions on Circuits and Systems I: Regular Papers, 2010, 57, 1401-1403.	3.5	1
498	A tensorial approach to single trial recognition for Brain Computer Interface. , 2010, , .		1
499	Classification of scenes based on multiway feature extraction. , 2010, , .		1
500	Emotional empathy transition patterns from human brain responses in interactive communication situations. AI and Society, 2011, 26, 301-315.	3.1	1
501	Novel hierarchical ALS algorithm for nonnegative tensor factorization. , 2011, , .		1
502	Non-linear filter based outer product expansion with reference signal for EEG analysis. , 2012, , .		1
503	Dynamic routing control in heterogeneous tactical networks with multiple traffic priorities. , 2012, , .		1
504	Multi-channel EEG compression based on 3D decompositions. , 2012, , .		1

#	ARTICLE	IF	CITATIONS
505	Nonnegative Shifted Tensor Factorization in time frequency domain. , 2014, , .		1
506	Unsupervised Learning Algorithms and Latent Variable Models: PCA/SVD, CCA/PLS, ICA, NMF, etc.. Academic Press Library in Signal Processing, 2014, 1, 1151-1238.	0.8	1
507	Methods for Transition Toward Computer Assisted Cognitive Examination. Methods of Information in Medicine, 2015, 54, 256-261.	0.7	1
508	Video denoising using low rank tensor decomposition. , 2017, , .		1
509	An augmented Lagrangian algorithm for decomposition of symmetric tensors of order-4. , 2017, , .		1
510	Face Representations via Tensorfaces of Various Complexities. Neural Computation, 2020, 32, 281-329.	1.3	1
511	Analysis on EEG Signals in Visually and Auditorily Guided Saccade Task by FICAR. Lecture Notes in Computer Science, 2006, , 438-445.	1.0	1
512	K-Hyperplanes Clustering and Its Application to Sparse Component Analysis. Lecture Notes in Computer Science, 2006, , 1038-1047.	1.0	1
513	Modified Modulated Hebb-Oja Learning Rule: A Method for Biologically Plausible Principal Component Analysis. Lecture Notes in Computer Science, 2007, , 527-536.	1.0	1
514	Sequential Coordinate-Wise DNMF for Face Recognition. Lecture Notes in Computer Science, 2010, , 563-570.	1.0	1
515	A Tongue-Machine Interface: Detection of Tongue Positions by Glossokinetic Potentials. Lecture Notes in Computer Science, 2010, , 34-41.	1.0	1
516	Towards Affective BCI/BMI Paradigms – Analysis of fEEG and fNIRS Brain Responses to Emotional Speech and Facial Videos. , 2011, , 671-675.		1
517	Modeling Transient Oscillations in the EEG of Patients with Mild Cognitive Impairment. , 2011, , 723-727.		1
518	Spectral Power Estimation for Unevenly Spaced Motor Imagery Data. Lecture Notes in Computer Science, 2013, , 168-175.	1.0	1
519	Matrix Coates flow graphs. IEE Journal on Electronic Circuits and Systems, 1978, 2, 199.	0.4	1
520	Rank Splitting for CANDECOMP/PARAFAC. Lecture Notes in Computer Science, 2015, , 31-40.	1.0	1
521	A Regional Smoothing Block Sparse Bayesian Learning Method With Temporal Correlation for Channel Selection in P300 Speller. Frontiers in Human Neuroscience, 0, 16, .	1.0	1
522	Analysis of cascade connection of nonalike 2-ports. IEEE Transactions on Circuits and Systems, 1977, 24, 275-277.	0.9	0

#	ARTICLE	IF	CITATIONS
523	Reply: Synthesis of active RC multiport voltage transfer functions with reduced number of operational amplifiers. Electronics Letters, 1980, 16, 333.	0.5	0
524	Neural networks for real-time estimation of the basic waveforms of voltages and currents encountered in power systems. International Journal of Electronics, 1993, 74, 307-318.	0.9	0
525	Dynamic Brain Sources of Single-Trial Auditory Evoked Potentials Data Using Complex ICA Approach. , 2005, 2005, 4191-4.		0
526	Erratum for "Multilayer nonnegative matrix factorisation". Electronics Letters, 2007, 43, 425.	0.5	0
527	Measuring Sentence Processing by Electroencephalography (EEG): New Technique Using M-Sequence Modulation. , 2007, , .		0
528	Speech comprehension assessed by electroencephalography with m-sequence technique. International Congress Series, 2007, 1301, 83-86.	0.2	0
529	Correlation analysis of scalp EEG responses to spoken sentences modulated by M-sequence. Neuroscience Research, 2007, 58, S172.	1.0	0
530	Analyzing brain signals by combinatorial optimization. , 2008, , .		0
531	Saccade-related EEG signals by ICA algorithms. , 2008, , .		0
532	Novel approach for multidimensional data reconstruction and compression. , 2008, , .		0
533	Blind source extraction using spatio-temporal inverse filter. , 2009, , .		0
534	Hierarchical model with piecewise latent process for globally sparse / locally smooth brain generators imaging. , 2009, , .		0
535	Methods for factorization and approximation of Tensors by partial Fiber Sampling. , 2009, , .		0
536	Projected Gradient Algorithms. , 0, , 267-294.		0
537	Comment on "Blind source separation based on endpoint estimation with applications to the MLSP 2006 data competition". Neurocomputing, 2011, 74, 863-865.	3.5	0
538	Selected Papers from the 4th International Conference on Bioinspired Systems and Cognitive Signal Processing. Computational Intelligence and Neuroscience, 2011, 2011, 1-3.	1.1	0
539	Effect of step-by-step estimation technique on uniqueness of solution in nonnegative matrix factorization minimizing quasi-L1 norm. , 2012, , .		0
540	Rank-one tensor injection: A novel method for canonical polyadic tensor decomposition. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
541	Intraoperative neurolytic coeliac plexus block for pain control in pancreatic cancer. <i>The Pain Clinic</i> , 2000, 12, 87-91.	0.1	0
542	An Exemplar-Based Statistical Model for the Dynamics of Neural Synchrony. <i>Lecture Notes in Computer Science</i> , 2009, , 318-326.	1.0	0
543	Suitable ICA Algorithm for Extracting Saccade-Related EEG Signals. <i>Lecture Notes in Computer Science</i> , 2009, , 409-416.	1.0	0
544	Analysis on Saccade-Related Independent Components by Various ICA Algorithms for Developing BCI. <i>Lecture Notes in Computer Science</i> , 2009, , 1021-1028.	1.0	0
545	Research on Relationship between Saccade-Related EEG Signals and Selection of Electrode Position by Independent Component Analysis. <i>Lecture Notes in Computer Science</i> , 2010, , 74-81.	1.0	0
546	A Two Stage Algorithm for K-Mode Convolutional Nonnegative Tucker Decomposition. <i>Lecture Notes in Computer Science</i> , 2011, , 663-670.	1.0	0
547	Research on Relationship between Saccadic Eye Movements and EEG Signals in the Case of Free Movements and Cued Movements. <i>Lecture Notes in Computer Science</i> , 2011, , 322-328.	1.0	0
548	Design of Adaptive and Nonlinear Analog CMOS Circuits: Building Block Approach. , 1989, , 445-554.		0
549	Evoked Response Potentials. , 2018, , 1-3.		0
550	Effects of the combination of block-shape and face flashing stimuli on a P300 brain computer interface. , 2020, , .		0
551	Evoked Response Potentials. , 2022, , 2475-2478.		0