Challa Gangu Naidu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6400566/publications.pdf

Version: 2024-02-01

1162367 1281420 22 131 8 11 citations g-index h-index papers 22 22 22 178 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Liquid Chromatographic Separation of Darunavir Enantiomers on Coated and Immobilized Amylose Tris(3, 5â€Dimethylphenylcarbamate) Chiral Stationary Phases. Chirality, 2012, 24, 652-660.	1.3	19
2	Development of a validated liquid chromatographic method for determination of related substances of telmisartan in bulk drugs and formulations. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 471-478.	1.4	13
3	"Quinoline Consists of 1 <i>H</i> à€1,2,3â€Triazole Hybrids: Design, Synthesis and Anticancer Evaluationâ€. ChemistrySelect, 2019, 4, 14184-14190.	0.7	12
4	Development of a validated LC-MS/MS method for determination of doxofylline on rat dried blood spots and urine: Application to pharmacokinetics. Journal of Pharmaceutical and Biomedical Analysis, 2013, 78-79, 211-216.	1.4	11
5	Development and validation of a stability indicating assay of doxofylline by RP-HPLC: ESI-MS/MS, 1H and 13C NMR spectroscopic characterization of degradation products and process related impurities. Journal of Pharmaceutical and Biomedical Analysis, 2013, 78-79, 92-99.	1.4	9
6	Rat dried blood spot analysis of (R,S)-(â^')- and (S,R)-(+)- enantiomers of emtricitabin on immobilized tris-(3,5-dimethylphenyl carbamate) amylose silica as a chiral stationary phase. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2015, 1002, 160-168.	1,2	9
7	Design, Synthesis, and Evaluation of the Anticancer Properties of Novel Quinone Bearing Carbamyl Î²â€Łactam Hybrids. Journal of Heterocyclic Chemistry, 2018, 55, 1358-1365.	1.4	8
8	Supported liquid extraction and LC–MS-MS determination of iloperidone and olanzapine in rat plasma: Application to a pharmacokinetic study. Journal of Chromatographic Science, 2018, 56, 879-887.	0.7	8
9	Synthesis of dibenzo[<i>a</i> , <i>d</i>]cycloheptanoids <i>via</i> aryne insertion into 2-arylidene-1,3-indandiones. Organic and Biomolecular Chemistry, 2019, 17, 9442-9446.	1.5	8
10	Liquid chromatographic separation, determination and ESI-MS/MS, FT-IR and NMR characterization of the forced degradation products of cinacalcet. Analytical Methods, 2014, 6, 5076.	1.3	7
11	lonic liquid based dispersive liquid–liquid microextraction followed by RP-HPLC determination of balofloxacin in rat serum. Analytical Methods, 2014, 6, 1674.	1.3	7
12	LC–ESI-MS/MS determination of in vivo metabolites of almotriptan in rat plasma, urine and feces: Application to pharmacokinetics. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 891-892, 44-51.	1.2	6
13	Development and validation of a stabilityâ€indicating assay including the isolation and characterization of degradation products of metaxalone by LCâ€MS. Biomedical Chromatography, 2013, 27, 1733-1740.	0.8	3
14	lonic liquidâ€based dispersive liquid–liquid microextraction followed by RPâ€HPLC determination of saquinavir in rat serum: application to pharmacokinetics. Biomedical Chromatography, 2014, 28, 1874-1880.	0.8	3
15	Ionic liquid-based vortex-assisted DLLME followed by RP-LC-PDA method for bioassay of daclatasvir in rat serum: application to pharmacokinetics. Journal of Analytical Science and Technology, 2019, 10, .	1.0	3
16	Synthesis of 2,4-dihydro-3H-1,2,4-triazol-3-ylidene derivatives from 1,3-Indanediones. Tetrahedron Letters, 2021, 67, 152832.	0.7	2
17	First total synthesis of medicinally important 3,4,7-trimethoxy-9,10-dihydrophenanthrene-1,5-diol. Tetrahedron Letters, 2018, 59, 1670-1673.	0.7	1
18	Chemical Stability and Spectroscopic Characterization of Balofloxacin and its Stress Degradation Products by LC-PDA, LC-MS/MS, NMR and FT-IR. Analytical Chemistry Letters, 2019, 9, 535-551.	0.4	1

#	Article	IF	CITATIONS
19	Bioassay studies of Risperidone and its active metabolite in rat dried blood spots and dried plasma spots using LCâ€ESlâ€MS/MS: Comparison of their pharmacokinetic profiles. Separation Science Plus, 2020, 3, 444-450.	0.3	1
20	LC-PDA-ORD Bioassay of S-(+) and R-(-) Colchicine on Rat Dried Blood Spots: Application to a Pharmacokinetic Study. Analytical Chemistry Letters, 2018, 8, 139-151.	0.4	O
21	A Validated SPE-UPLC-DAD Method for Quantification of Parabens in Industrial Waste Effluent Water Samples by Using Activated Carbon Nanofiber Modified Filter Paper. Asian Journal of Chemistry, 2021, 33, 350-358.	0.1	O
22	Simple and rapid analysis of Linagliptin in dried blood spot using an ionic liquid based vortexâ€assisted dispersive liquid–liquid microextraction coupled with liquid chromatography–electrospray ionization–tandem mass spectrometry: Application to pharmacokinetic studies. Separation Science Plus, 2021, 4, 328-336.	0.3	0