Cor J Kalkman

List of Publications by Citations

Source: https://exaly.com/author-pdf/6401990/cor-j-kalkman-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 309
 15,582
 61
 113

 papers
 citations
 h-index
 g-index

 332
 18,230
 4.8
 6.3

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
309	Pain intensity on the first day after surgery: a prospective cohort study comparing 179 surgical procedures. <i>Anesthesiology</i> , 2013 , 118, 934-44	4.3	701
308	Decontamination of the digestive tract and oropharynx in ICU patients. <i>New England Journal of Medicine</i> , 2009 , 360, 20-31	59.2	673
307	Long-term propofol infusion and cardiac failure in adult head-injured patients. <i>Lancet, The</i> , 2001 , 357, 117-8	40	386
306	Cognitive outcome after off-pump and on-pump coronary artery bypass graft surgery: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1405-12	27.4	375
305	Preoperative prediction of severe postoperative pain. <i>Pain</i> , 2003 , 105, 415-423	8	357
304	Incidence of intraoperative hypotension as a function of the chosen definition: literature definitions applied to a retrospective cohort using automated data collection. <i>Anesthesiology</i> , 2007 , 107, 213-20	4.3	354
303	A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. <i>New England Journal of Medicine</i> , 2003 , 348, 394-402	59.2	341
302	Neurodevelopmental outcome at 5 years of age after general anaesthesia or awake-regional anaesthesia in infancy (GAS): an international, multicentre, randomised, controlled equivalence trial. <i>Lancet, The</i> , 2019 , 393, 664-677	40	302
301	Behavior and development in children and age at the time of first anesthetic exposure. <i>Anesthesiology</i> , 2009 , 110, 805-12	4.3	285
300	Effects of the introduction of the WHO "Surgical Safety Checklist" on in-hospital mortality: a cohort study. <i>Annals of Surgery</i> , 2012 , 255, 44-9	7.8	275
299	Intraoperative high-dose dexamethasone for cardiac surgery: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1761-7	27.4	274
298	Effect of intracranial pressure monitoring and targeted intensive care on functional outcome after severe head injury. <i>Critical Care Medicine</i> , 2005 , 33, 2207-13	1.4	267
297	Determination of moderate-to-severe postoperative pain on the numeric rating scale: a cut-off point analysis applying four different methods. <i>British Journal of Anaesthesia</i> , 2011 , 107, 619-26	5.4	2 60
296	Intraoperative hypotension and perioperative ischemic stroke after general surgery: a nested case-control study. <i>Anesthesiology</i> , 2012 , 116, 658-64	4.3	259
295	Updating methods improved the performance of a clinical prediction model in new patients. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 76-86	5.7	224
294	Cognitive and cardiac outcomes 5 years after off-pump vs on-pump coronary artery bypass graft surgery. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 701-8	27.4	222
293	Improving patient handovers from hospital to primary care: a systematic review. <i>Annals of Internal Medicine</i> , 2012 , 157, 417-28	8	214

2	292	Myocardial injury after noncardiac surgery and its association with short-term mortality. <i>Circulation</i> , 2013 , 127, 2264-71	16.7	203
2	291	Intraoperative hypotension and 1-year mortality after noncardiac surgery. <i>Anesthesiology</i> , 2009 , 111, 1217-26	4.3	198
2	290	When do supervising physicians decide to entrust residents with unsupervised tasks?. <i>Academic Medicine</i> , 2010 , 85, 1408-17	3.9	193
2	289	Procedure-specific risk factor analysis for the development of severe postoperative pain. <i>Anesthesiology</i> , 2014 , 120, 1237-45	4.3	186
2	288	The effect of outpatient preoperative evaluation of hospital inpatients on cancellation of surgery and length of hospital stay. <i>Anesthesia and Analgesia</i> , 2002 , 94, 644-9; table of contents	3.9	168
2	287	Efficacy of transcranial motor-evoked myogenic potentials to detect spinal cord ischemia during operations for thoracoabdominal aneurysms. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 113, 87-100; discussion 100-1	1.5	150
2	286	The PINE study of epidural steroids and local anaesthetics to prevent postherpetic neuralgia: a randomised controlled trial. <i>Lancet, The</i> , 2006 , 367, 219-24	40	150
2	285	Strategies to prevent neurologic deficit based on motor-evoked potentials in type I and II thoracoabdominal aortic aneurysm repair. <i>Journal of Vascular Surgery</i> , 1999 , 29, 48-57; discussion 57-9	3.5	139
2	284	Electrocardiographic changes predicting sudden death in propofol-related infusion syndrome. Heart Rhythm, 2006 , 3, 131-7	6.7	127
2	283	Biphasic EEG changes in relation to loss of consciousness during induction with thiopental, propofol, etomidate, midazolam or sevoflurane. <i>British Journal of Anaesthesia</i> , 2001 , 86, 354-60	5.4	122
2	282	Meta-analysis of thoracic epidural anesthesia versus general anesthesia for cardiac surgery. <i>Anesthesiology</i> , 2011 , 114, 271-82	4.3	115
2	281	C-reactive protein is a risk indicator for atrial fibrillation after myocardial revascularization. <i>Annals of Thoracic Surgery</i> , 2005 , 79, 1530-5	2.7	114
2	280	Spinal cord blood supply in patients with thoracoabdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2002 , 35, 30-7	3.5	110
2	279	Comparison of transcranial motor evoked potentials and somatosensory evoked potentials during thoracoabdominal aortic aneurysm repair. <i>Annals of Surgery</i> , 1999 , 230, 742-9	7.8	105
2	278	Are patients discharged with care? A qualitative study of perceptions and experiences of patients, family members and care providers. <i>BMJ Quality and Safety</i> , 2012 , 21 Suppl 1, i39-49	5.4	104
2	277	Dynamic preload indicators fail to predict fluid responsiveness in open-chest conditions. <i>Critical Care Medicine</i> , 2009 , 37, 510-5	1.4	102
2	276	Influence of isoflurane on myogenic motor evoked potentials to single and multiple transcranial stimuli during nitrous oxide/opioid anesthesia. <i>Neurosurgery</i> , 1998 , 43, 90-4; discussion 94-5	3.2	96
2	² 75	Intraoperative monitoring of tibialis anterior muscle motor evoked responses to transcranial electrical stimulation during partial neuromuscular blockade. <i>Anesthesia and Analgesia</i> , 1992 , 75, 584-9	3.9	96

274	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: patient comfort. <i>British Journal of Anaesthesia</i> , 2018 , 120, 705-711	5.4	94
273	Does measurement of preoperative anxiety have added value for predicting postoperative nausea and vomiting?. <i>Anesthesia and Analgesia</i> , 2005 , 100, 1525-1532	3.9	93
272	Pulmonary function and stress response after laparoscopic cholecystectomy: comparison with subcostal incision and influence of thoracic epidural analgesia. <i>Anesthesia and Analgesia</i> , 1992 , 75, 381-5	₅ 3.9	92
271	The effect of stress on core and peripheral body temperature in humans. <i>Stress</i> , 2013 , 16, 520-30	3	90
270	Validation of a new arterial pulse contour-based cardiac output device. <i>Critical Care Medicine</i> , 2007 , 35, 1904-9	1.4	90
269	Prediction models for prolonged intensive care unit stay after cardiac surgery: systematic review and validation study. <i>Circulation</i> , 2010 , 122, 682-9, 7 p following p 689	16.7	89
268	Low concentrations of isoflurane abolish motor evoked responses to transcranial electrical stimulation during nitrous oxide/opioid anesthesia in humans. <i>Anesthesia and Analgesia</i> , 1991 , 73, 410-5	3.9	89
267	Assessing the applicability of scoring systems for predicting postoperative nausea and vomiting. <i>Anaesthesia</i> , 2005 , 60, 323-31	6.6	86
266	Improving patient discharge and reducing hospital readmissions by using Intervention Mapping. BMC Health Services Research, 2014 , 14, 389	2.9	85
265	Intraperitoneal local anaesthetics after laparoscopic cholecystectomy: effects on postoperative pain, metabolic responses and lung function. <i>British Journal of Anaesthesia</i> , 1994 , 72, 263-6	5.4	82
264	Methodological quality of animal studies on neuroprotection in focal cerebral ischaemia. <i>Journal of Neurology</i> , 2005 , 252, 1108-14	5.5	81
263	Myogenic motor-evoked potential monitoring using partial neuromuscular blockade in surgery of the spine. <i>Spine</i> , 1996 , 21, 1676-86	3.3	81
262	Infantile postoperative encephalopathy: perioperative factors as a cause for concern. <i>Pediatrics</i> , 2014 , 133, e751-7	7.4	79
261	Postoperative pain assessment based on numeric ratings is not the same for patients and professionals: a cross-sectional study. <i>International Journal of Nursing Studies</i> , 2012 , 49, 65-71	5.8	72
260	A simple method to adjust clinical prediction models to local circumstances. <i>Canadian Journal of Anaesthesia</i> , 2009 , 56, 194-201	3	70
259	Improved amplitude of myogenic motor evoked responses after paired transcranial electrical stimulation during sufentanil/nitrous oxide anesthesia. <i>Anesthesiology</i> , 1995 , 83, 270-6	4.3	70
258	Effects of interpleurally administered bupivacaine 0.5% on opioid analgesic requirements and endocrine response during and after cholecystectomy: a randomized double-blind controlled study. <i>Acta Anaesthesiologica Scandinavica</i> , 1991 , 35, 108-12	1.9	70
257	The risk of severe postoperative pain: modification and validation of a clinical prediction rule. <i>Anesthesia and Analgesia</i> , 2008 , 107, 1330-9	3.9	69

(2006-1996)

256	A comparison of the electrophysiologic characteristics of EEG burst-suppression as produced by isoflurane, thiopental, etomidate, and propofol. <i>Journal of Neurosurgical Anesthesiology</i> , 1996 , 8, 40-6	3	69
255	Fast-track anesthesia and cardiac surgery: a retrospective cohort study of 7989 patients. <i>Anesthesia and Analgesia</i> , 2009 , 108, 727-33	3.9	67
254	Monitors of depth of anesthesia, quo vadis?. <i>Anesthesiology</i> , 2002 , 96, 784-7	4.3	66
253	Effects of dexamethasone on cognitive decline after cardiac surgery: a randomized clinical trial. <i>Anesthesiology</i> , 2014 , 121, 492-500	4.3	66
252	LabVIEW: a software system for data acquisition, data analysis, and instrument control. <i>Journal of Clinical Monitoring and Computing</i> , 1995 , 11, 51-8		64
251	Effects of droperidol, pentobarbital, and ketamine on myogenic transcranial magnetic motor-evoked responses in humans. <i>Neurosurgery</i> , 1994 , 35, 1066-71	3.2	64
250	Cerebral hemodynamic responses to blood pressure manipulation in severely head-injured patients in the presence or absence of intracranial hypertension. <i>Anesthesia and Analgesia</i> , 2004 , 99, 1211-1217	3.9	63
249	The value of routine preoperative electrocardiography in predicting myocardial infarction after noncardiac surgery. <i>Annals of Surgery</i> , 2007 , 246, 165-70	7.8	61
248	Effect of Fibrinogen Concentrate on Intraoperative Blood Loss Among Patients With Intraoperative Bleeding During High-Risk Cardiac Surgery: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 317, 738-747	27.4	60
247	The incidence of cognitive decline after (not) undergoing coronary artery bypass grafting: the impact of a controlled definition. <i>Acta Anaesthesiologica Scandinavica</i> , 2005 , 49, 1232-5	1.9	60
246	Differential effects of propofol and nitrous oxide on posterior tibial nerve somatosensory cortical evoked potentials during alfentanil anaesthesia. <i>British Journal of Anaesthesia</i> , 1991 , 66, 483-9	5.4	60
245	Incidence of intraoperative hypoxemia in children in relation to age. <i>Anesthesia and Analgesia</i> , 2013 , 117, 169-75	3.9	59
244	Postoperative cognitive decline. <i>Journal of Anesthesia</i> , 2009 , 23, 256-9	2.2	59
243	Intrathecal opioids and lower urinary tract function: a urodynamic evaluation. <i>Anesthesiology</i> , 2004 , 100, 1497-503	4.3	57
242	Stress-induced hyperthermia and infection-induced fever: two of a kind?. <i>Physiology and Behavior</i> , 2009 , 98, 37-43	3.5	56
241	Activation of hemostasis after coronary artery bypass grafting with or without cardiopulmonary bypass. <i>Anesthesia and Analgesia</i> , 2004 , 99, 634-640	3.9	56
240	Evaluating the impact of prediction models: lessons learned, challenges, and recommendations. <i>Diagnostic and Prognostic Research</i> , 2018 , 2, 11	5.5	56
239	The effect of addition of intrathecal clonidine to hyperbaric bupivacaine on postoperative pain and morphine requirements after Caesarean section: a randomized controlled trial. <i>British Journal of Anaesthesia</i> , 2006 , 97, 365-70	5.4	55

238	Effect of chronic nonmalignant pain on highway driving performance. Pain, 2006, 122, 28-35	8	55
237	Effect of postoperative experiences on willingness to pay to avoid postoperative pain, nausea, and vomiting. <i>Anesthesiology</i> , 2006 , 104, 1033-9	4.3	55
236	Thoracic epidural anesthesia for cardiac surgery: a randomized trial. <i>Anesthesiology</i> , 2011 , 114, 262-70	4.3	54
235	Near-infrared light to aid peripheral intravenous cannulation in children: a cluster randomised clinical trial of three devices. <i>Anaesthesia</i> , 2013 , 68, 835-45	6.6	53
234	Use of serotonergic antidepressants and bleeding risk in orthopedic patients. <i>Anesthesiology</i> , 2010 , 112, 631-6	4.3	53
233	The use of ketamine or etomidate to supplement sufentanil/N2O anesthesia does not disrupt monitoring of myogenic transcranial motor evoked responses. <i>Journal of Neurosurgical Anesthesiology</i> , 1997 , 9, 228-33	3	53
232	Reliability of wireless monitoring using a wearable patch sensor in high-risk surgical patients at a step-down unit in the Netherlands: a clinical validation study. <i>BMJ Open</i> , 2018 , 8, e020162	3	51
231	Doctors' perceptions and use of evidence-based medicine: a systematic review and thematic synthesis of qualitative studies. <i>Academic Medicine</i> , 2013 , 88, 1384-96	3.9	50
230	One-Year Mortality, Causes of Death, and Cardiac Interventions in Patients with Postoperative Myocardial Injury. <i>Anesthesia and Analgesia</i> , 2016 , 123, 29-37	3.9	49
229	Reduced renal failure following thoracoabdominal aortic aneurysm repair by selective perfusion. <i>European Journal of Cardio-thoracic Surgery</i> , 1998 , 14, 201-5	3	49
228	Effect of ibuprofen on regional eicosanoid production and neuronal injury after forebrain ischemia in rats. <i>Brain Research</i> , 1993 , 614, 315-24	3.7	49
227	Predictive factors for difficult intravenous cannulation in pediatric patients at a tertiary pediatric hospital. <i>Paediatric Anaesthesia</i> , 2012 , 22, 223-9	1.8	47
226	Spinal cord monitoring: somatosensory- and motor-evoked potentials. <i>Anesthesiology Clinics</i> , 2001 , 19, 923-45		47
225	Pharmacologic neuroprotection in experimental spinal cord ischemia: a systematic review. <i>Journal of Neurosurgical Anesthesiology</i> , 2001 , 13, 3-12	3	47
224	Effects of pneumoperitoneum with helium on hemodynamics and oxygen transport: a comparison with carbon dioxide. <i>Journal of Laparoendoscopic Surgery</i> , 1995 , 5, 15-20		47
223	Searching for the missing pieces between the hospital and primary care: mapping the patient process during care transitions. <i>BMJ Quality and Safety</i> , 2012 , 21 Suppl 1, i97-105	5.4	45
222	Intraoperative monitoring of spinal cord function. A review. <i>Acta Orthopaedica</i> , 1993 , 64, 114-23		45
221	Association between delirium and cognitive change after cardiac surgery. <i>British Journal of Anaesthesia</i> , 2017 , 119, 308-315	5.4	44

(2011-2014)

220	Monitoring depth of anesthesia utilizing a combination of electroencephalographic and standard measures. <i>Anesthesiology</i> , 2014 , 120, 819-28	4.3	44	
219	Global comparators project: international comparison of hospital outcomes using administrative data. <i>Health Services Research</i> , 2013 , 48, 2081-100	3.4	44	
218	Hand-hygiene practices in the operating theatre: an observational study. <i>British Journal of Anaesthesia</i> , 2011 , 107, 553-8	5.4	44	
217	Impact of risk assessments on prophylactic antiemetic prescription and the incidence of postoperative nausea and vomiting: a cluster-randomized trial. <i>Anesthesiology</i> , 2014 , 120, 343-54	4.3	43	
216	Retrograde aortic and selective organ perfusion during thoracoabdominal aortic aneurysm repair. <i>European Journal of Vascular and Endovascular Surgery</i> , 1997 , 14, 360-6	2.3	43	
215	Processing capacity in chronic pain patients: a visual event-related potentials study. <i>Pain</i> , 2006 , 121, 60)-88	43	
214	Haemodynamic changes during low-pressure carbon dioxide pneumoperitoneum in young children. <i>Paediatric Anaesthesia</i> , 2003 , 13, 18-25	1.8	43	
213	Quantitative electroencephalographic analysis of the biphasic concentration-effect relationship of propofol in surgical patients during extradural analgesia. <i>British Journal of Anaesthesia</i> , 1998 , 80, 725-3	32 ^{5.4}	43	
212	Vital Signs Monitoring with Wearable Sensors in High-risk Surgical Patients: A Clinical Validation Study. <i>Anesthesiology</i> , 2020 , 132, 424-439	4.3	43	
211	Prognosis following severe head injury: Development and validation of a model for prediction of death, disability, and functional recovery. <i>Journal of Trauma</i> , 2006 , 61, 1484-91		42	
210	Spinal cord monitoring with myogenic motor evoked potentials: early detection of spinal cord ischemia as an integral part of spinal cord protective strategies during thoracoabdominal aneurysm surgery. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 1998 , 10, 19-24	1.7	42	
209	A Dutch guideline for the treatment of scoliosis in neuromuscular disorders. <i>Scoliosis</i> , 2008 , 3, 14		41	
208	The accuracy of trained nurses in pre-operative health assessment: results of the OPEN study. <i>Anaesthesia</i> , 2004 , 59, 971-8	6.6	40	
207	Neuropathic pain: a possible role for the melanocortin system?. European Journal of Pharmacology, 2001 , 429, 61-9	5.3	40	
206	The role of transcranial motor evoked potentials in predicting neurologic and histopathologic outcome after experimental spinal cord ischemia. <i>Anesthesiology</i> , 2002 , 97, 183-91	4.3	40	
205	Neuroprotective effects of riluzole and ketamine during transient spinal cord ischemia in the rabbit. <i>Anesthesiology</i> , 2000 , 93, 1303-11	4.3	40	
204	Patient-Controlled Versus Anesthesiologist-Controlled Conscious Sedation with Propofol for Dental Treatment in Anxious Patients. <i>Anesthesia and Analgesia</i> , 1998 , 86, 967-972	3.9	40	
203	Patient safety culture measurement in general practice. Clinimetric properties of 'SCOPE'. <i>BMC Family Practice</i> , 2011 , 12, 117	2.6	39	

202	Cognitive self-assessment one year after on-pump and off-pump coronary artery bypass grafting. <i>Annals of Thoracic Surgery</i> , 2003 , 75, 835-8; discussion 838-9	2.7	39
201	Neurologic injury after insertion of laminar hooks during Cotrel-Dubousset instrumentation. <i>Spine</i> , 1994 , 19, 1402-5	3.3	39
200	Capnography during deep sedation with propofol by nonanesthesiologists: a randomized controlled trial. <i>Anesthesia and Analgesia</i> , 2014 , 119, 49-55	3.9	38
199	Blood volume measurement to guide fluid therapy after aneurysmal subarachnoid hemorrhage: a prospective controlled study. <i>Stroke</i> , 2009 , 40, 2575-7	6.7	38
198	Fluid balance and blood volume measurement after aneurysmal subarachnoid hemorrhage. <i>Neurocritical Care</i> , 2008 , 8, 391-7	3.3	38
197	Decontamination of cephalosporin-resistant Enterobacteriaceae during selective digestive tract decontamination in intensive care units. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 2250-3	5.1	37
196	Assessment of stroke volume index with three different bioimpedance algorithms: lack of agreement compared to thermodilution. <i>Intensive Care Medicine</i> , 2008 , 34, 735-9	14.5	37
195	Prevention of paraplegia in pigs by selective segmental artery perfusion during aortic cross-clamping. <i>Journal of Vascular Surgery</i> , 2000 , 32, 160-70	3.5	37
194	Variability of somatosensory cortical evoked potentials during spinal surgery. Effects of anesthetic technique and high-pass digital filtering. <i>Spine</i> , 1991 , 16, 924-9	3.3	37
193	Comparative effectiveness of a serious game and an e-module to support patient safety knowledge and awareness. <i>BMC Medical Education</i> , 2017 , 17, 30	3.3	36
192	Prophylactic corticosteroids for cardiopulmonary bypass in adults. <i>The Cochrane Library</i> , 2011 , CD00556	5 6 5.2	36
191	Cognitive outcomes five years after not undergoing coronary artery bypass graft surgery. <i>Annals of Thoracic Surgery</i> , 2008 , 85, 60-4	2.7	36
190	The effects of glucocorticoids on neuropathic pain: a review with emphasis on intrathecal methylprednisolone acetate delivery. <i>Anesthesia and Analgesia</i> , 2014 , 118, 1097-112	3.9	35
189	Adaptation of clinical prediction models for application in local settings. <i>Medical Decision Making</i> , 2012 , 32, E1-10	2.5	35
188	Intrathecal low-dose hyperbaric bupivacaine-clonidine combination in outpatient knee arthroscopy: a randomized controlled trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 343-9	1.9	35
187	Assessment of spinal cord ischemia by means of evoked potential monitoring during thoracoabdominal aortic surgery. <i>Seminars in Vascular Surgery</i> , 2000 , 13, 299-307	1.2	35
186	The influence of regional spinal cord hypothermia on transcranial myogenic motor-evoked potential monitoring and the efficacy of spinal cord ischemia detection. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 118, 1038-45	1.5	34
185	The influence of nitrous oxide to supplement fentanyl/low-dose propofol anesthesia on transcranial myogenic motor-evoked potentials during thoracic aortic surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999 , 13, 30-4	2.1	34

184	The effectiveness of a near-infrared vascular imaging device to support intravenous cannulation in children with dark skin color: a cluster randomized clinical trial. <i>Anesthesia and Analgesia</i> , 2013 , 116, 126	i <i>ĝ</i> :91	33
183	Impact of adding therapeutic recommendations to risk assessments from a prediction model for postoperative nausea and vomiting. <i>British Journal of Anaesthesia</i> , 2015 , 114, 252-60	5.4	32
182	Influence of propofol-opioid vs isoflurane-opioid anaesthesia on postoperative troponin release in patients undergoing coronary artery bypass grafting. <i>British Journal of Anaesthesia</i> , 2010 , 105, 122-30	5.4	32
181	The effects of low-pressure carbon dioxide pneumoperitoneum on cerebral oxygenation and cerebral blood volume in children. <i>Anesthesia and Analgesia</i> , 2002 , 94, 500-5; table of contents	3.9	32
180	Middle Latency Auditory Evoked Responses and Electroencephalographic Derived Variables Do Not Predict Movement to Noxious Stimulation During 1 Minimum Alveolar Anesthetic Concentration Isoflurane/Nitrous Oxide Anesthesia. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1412-1417	3.9	32
179	A Comparison of the Sensitivity of Epidural and Myogenic Transcranial Motor-Evoked Responses in the Detection of Acute Spinal Cord Ischemia in the Rabbit. <i>Anesthesia and Analgesia</i> , 1996 , 83, 1022-102	.7 .9	32
178	A comparison of the sensitivity of epidural and myogenic transcranial motor-evoked responses in the detection of acute spinal cord ischemia in the rabbit. <i>Anesthesia and Analgesia</i> , 1996 , 83, 1022-7	3.9	32
177	A Comparison of Myogenic Motor Evoked Responses to Electrical and Magnetic Transcranial Stimulation During Nitrous Oxide/Opioid Anesthesia. <i>Anesthesia and Analgesia</i> , 1999 , 88, 568-572	3.9	31
176	Postoperative patients' perspectives on rating pain: A qualitative study. <i>International Journal of Nursing Studies</i> , 2016 , 53, 260-9	5.8	30
175	Stakeholder perspectives on handovers between hospital staff and general practitioners: an evaluation through the microsystems lens. <i>BMJ Quality and Safety</i> , 2012 , 21 Suppl 1, i106-13	5.4	30
174	Influence of pulse oximeter settings on the frequency of alarms and detection of hypoxemia: Theoretical effects of artifact rejection, alarm delay, averaging, median filtering or a lower setting of the alarm limit. <i>Journal of Clinical Monitoring and Computing</i> , 1998 , 14, 151-6	2	30
173	Jugular bulb desaturation during coronary artery surgery: a comparison of off-pump and on-pump procedures. <i>British Journal of Anaesthesia</i> , 2005 , 94, 715-20	5.4	30
172	Influence of changes in arterial carbon dioxide tension on the electroencephalogram and posterior tibial nerve somatosensory cortical evoked potentials during alfentanil/nitrous oxide anesthesia. <i>Anesthesiology</i> , 1991 , 75, 68-74	4.3	30
171	Successful interventions to reduce first-case tardiness in Dutch university medical centers: results of a nationwide operating room benchmark study. <i>American Journal of Surgery</i> , 2014 , 207, 949-59	2.7	29
170	The diagnostic value of the numeric pain rating scale in older postoperative patients. <i>Journal of Clinical Nursing</i> , 2012 , 21, 3018-24	3.2	29
169	Feasibility of centre-based incident reporting in primary healthcare: the SPIEGEL study. <i>BMJ Quality and Safety</i> , 2011 , 20, 121-7	5.4	29
168	Influence of pulse oximeter lower alarm limit on the incidence of hypoxaemia in the recovery room. British Journal of Anaesthesia, 1997 , 79, 460-4	5.4	29
167	Barriers and facilitators perceived by physicians when using prediction models in practice. <i>Journal of Clinical Epidemiology</i> , 2016 , 70, 136-45	5.7	29

166	Quality of pain treatment after caesarean section: Results of a multicentre cohort study. <i>European Journal of Pain</i> , 2015 , 19, 929-39	3.7	28
165	Central or local incident reporting? A comparative study in Dutch GP out-of-hours services. <i>British Journal of General Practice</i> , 2011 , 61, 183-7	1.6	28
164	Pulmonary edema and blood volume after aneurysmal subarachnoid hemorrhage: a prospective observational study. <i>Critical Care</i> , 2010 , 14, R43	10.8	28
163	Multitasking during patient handover in the recovery room. <i>Anesthesia and Analgesia</i> , 2012 , 115, 1183-7	3.9	28
162	Interaction between the spinal melanocortin and opioid systems in a rat model of neuropathic pain. <i>Anesthesiology</i> , 2003 , 99, 449-54	4.3	28
161	The use of a circumferential cathode improves amplitude of intraoperative electrical transcranial myogenic motor evoked responses. <i>Anesthesia and Analgesia</i> , 1996 , 82, 1011-4	3.9	28
160	No beneficial effect of intrathecal methylprednisolone acetate in postherpetic neuralgia patients. <i>European Journal of Pain</i> , 2013 , 17, 714-23	3.7	27
159	Hospital standardized mortality ratio: consequences of adjusting hospital mortality with indirect standardization. <i>PLoS ONE</i> , 2013 , 8, e59160	3.7	27
158	Electroencephalographic characteristics of emergence from propofol/sufentanil total intravenous anesthesia. <i>Anesthesia and Analgesia</i> , 1995 , 81, 366-71	3.9	27
157	Haematoma and abscess after neuraxial anaesthesia: a review of 647 cases. <i>British Journal of Anaesthesia</i> , 2018 , 120, 693-704	5.4	26
156	Preadmission interventions to prevent postoperative complications in older cardiac surgery patients: a systematic review. <i>International Journal of Nursing Studies</i> , 2014 , 51, 251-60	5.8	26
155	Non-Invasive Continuous Respiratory Monitoring on General Hospital Wards: A Systematic Review. <i>PLoS ONE</i> , 2015 , 10, e0144626	3.7	26
154	Visualizing veins with near-infrared light to facilitate blood withdrawal in children. <i>Clinical Pediatrics</i> , 2011 , 50, 508-12	1.2	26
153	Near-infrared imaging in intravenous cannulation in children: a cluster randomized clinical trial. <i>Pediatrics</i> , 2013 , 131, e191-7	7.4	25
152	Why patient safety is such a tough nut to crack. <i>BMJ, The</i> , 2011 , 342, d3447	5.9	25
151	Safety assessment and pharmacokinetics of intrathecal methylprednisolone acetate in dogs. <i>Anesthesiology</i> , 2012 , 116, 170-81	4.3	25
150	Predictability of processed electroencephalography effects on the basis of pharmacokinetic-pharmacodynamic modeling during repeated propofol infusions in patients with extradural analgesia. <i>Anesthesiology</i> , 2001 , 95, 607-15	4.3	25
149	Antidepressive treatment with monoamine oxidase inhibitors and the occurrence of intraoperative hemodynamic events: a retrospective observational cohort study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1103-9	4.6	25

(2010-2015)

148	Dexamethasone for the prevention of postoperative atrial fibrillation. <i>International Journal of Cardiology</i> , 2015 , 182, 431-7	3.2	24
147	Quality metrics for the evaluation of Rapid Response Systems: Proceedings from the third international consensus conference on Rapid Response Systems. <i>Resuscitation</i> , 2019 , 141, 1-12	4	23
146	Epidural analgesia for cardiac surgery. <i>The Cochrane Library</i> , 2013 , CD006715	5.2	23
145	Cognitive outcomes 7.5 years after angioplasty compared with off-pump coronary bypass urgery. <i>Annals of Thoracic Surgery</i> , 2013 , 96, 1294-1300	2.7	23
144	Handover in the perioperative care process. Current Opinion in Anaesthesiology, 2010, 23, 749-53	2.9	23
143	A comparison of the effects of propofol and nitrous oxide on the electroencephalogram in epileptic patients during conscious sedation for dental procedures. <i>Anesthesia and Analgesia</i> , 1992 , 75, 708-14	3.9	23
142	Influence of high-dose opioid anesthesia on posterior tibial nerve somatosensory cortical evoked potentials: effects of fentanyl, sufentanil, and alfentanil. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1988 , 2, 758-64		23
141	Fibrinogen concentrate therapy in complex cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013 , 27, 12-7	2.1	21
140	Continuous monitoring of cerebrospinal fluid oxygen tension in relation to motor evoked potentials during spinal cord ischemia in pigs. <i>Anesthesiology</i> , 2005 , 102, 340-5	4.3	21
139	Postoperative pain: knowledge and beliefs of patients and nurses. <i>Journal of Clinical Nursing</i> , 2017 , 26, 3500-3510	3.2	20
138	Stress-induced hyperthermia is reduced by rapid-acting anxiolytic drugs independent of injection stress in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 93, 413-8	3.9	20
137	Stroke volume variation obtained with FloTrac/Vigileo fails to predict fluid responsiveness in coronary artery bypass graft patients. <i>British Journal of Anaesthesia</i> , 2008 , 100, 725-6	5.4	20
136	Delayed detection of motor pathway dysfunction after selective reduction of thoracic spinal cord blood flow in pigs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002 , 123, 531-8	1.5	20
135	Do herpes zoster patients receive antivirals? A Dutch National Survey in General Practice. <i>Family Practice</i> , 2005 , 22, 523-8	1.9	20
134	Development of spinal cord ischemia after clamping of noncritical segmental arteries in the pig. <i>Annals of Thoracic Surgery</i> , 1999 , 68, 1278-84	2.7	20
133	The influence of anesthesia-controlled time on operating room scheduling in Dutch university medical centres. <i>Canadian Journal of Anaesthesia</i> , 2014 , 61, 524-32	3	19
132	Do general practitioners follow treatment recommendations from guidelines in their decisions on heart failure management? A cross-sectional study. <i>BMJ Open</i> , 2013 , 3, e002982	3	19
131	Do specialty registrars change their attitudes, intentions and behaviour towards reporting incidents following a patient safety course?. <i>BMC Health Services Research</i> , 2010 , 10, 100	2.9	19

130	Acute and subchronic effects of amitriptyline 25mg on actual driving in chronic neuropathic pain patients. <i>Journal of Psychopharmacology</i> , 2006 , 20, 782-8	4.6	19
129	Cerebral pathophysiology and clinical neurology of hyperthermia in humans. <i>Progress in Brain Research</i> , 2007 , 162, 153-69	2.9	19
128	Effect of mild hypothermia and the 21-aminosteroid U-74389G on neurologic and histopathologic outcome after transient spinal cord ischemia in the rabbit. <i>Journal of Neurosurgical Anesthesiology</i> , 1998 , 10, 86-93	3	19
127	Hemodynamics during laparoscopy in the supine or prone position. An experimental study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 1995 , 9, 125-7	5.2	19
126	Computer controlled infusion of propofol for conscious sedation in dental treatment. <i>British Dental Journal</i> , 1997 , 183, 204-8	1.2	19
125	Accuracy of remote continuous respiratory rate monitoring technologies intended for low care clinical settings: a prospective observational study. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1324-133	<i>ž</i>	19
124	The "evidence-based practice inventory": reliability and validity was demonstrated for a novel instrument to identify barriers and facilitators for Evidence Based Practice in health care. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1261-9	5.7	18
123	Postoperative bladder catheterization based on individual bladder capacity: a randomized trial. <i>Anesthesiology</i> , 2015 , 122, 46-54	4.3	18
122	Relationship Between Preoperative Evaluation Blood Pressure and Preinduction Blood Pressure: A Cohort Study in Patients Undergoing General Anesthesia. <i>Anesthesia and Analgesia</i> , 2017 , 124, 431-437	3.9	17
121	Biocompatibility of three different membrane oxygenators: effects on complement, neutrophil and monocyte activation. <i>Perfusion (United Kingdom)</i> , 1997 , 12, 369-75	1.9	17
120	Relatively increased von Willebrand factor activity after off-pump coronary artery bypass graft surgery. <i>Thrombosis and Haemostasis</i> , 2007 , 97, 21-26	7	17
119	Haemodynamic effects of pneumoperitoneum for laparoscopic surgery: a comparison of CO2 with N2O insufflation. <i>European Journal of Anaesthesiology</i> , 1994 , 11, 301-6	2.3	17
118	Variations in assessment and certification in postgraduate anaesthesia training: a European survey. British Journal of Anaesthesia, 2017 , 119, 1009-1014	5.4	16
117	Pick up the pieces: depth of anesthesia and long-term mortality. <i>Anesthesiology</i> , 2011 , 114, 485-7	4.3	16
116	Pre-operative detection of valvular heart disease by anaesthetists. <i>Anaesthesia</i> , 2006 , 61, 127-32	6.6	16
115	Cerebral oxygen extraction and autoregulation during extracorporeal whole body hyperthermia in humans. <i>Anesthesiology</i> , 2004 , 100, 1101-7	4.3	16
114	Influence of motivation of care providers on the incidence of postoperative hypoxaemia in the recovery room. <i>British Journal of Anaesthesia</i> , 1996 , 77, 453-7	5.4	16
113	Severe sensory deficits with preserved motor function after removal of a spinal arteriovenous malformation: correlation with simultaneously recorded somatosensory and motor evoked potentials. <i>Anesthesia and Analgesia</i> , 1994 , 78, 165-8	3.9	16

(2002-2014)

112	QT interval prolongation in users of selective serotonin reuptake inhibitors in an elderly surgical population: a cross-sectional study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 15-21	4.6	16
111	The effect of a preoperative educational film on patients' postoperative pain in relation to their request for opioids. <i>Pain Management Nursing</i> , 2015 , 16, 137-45	2.5	15
110	Enhancement opportunities in operating room utilization; with a statistical appendix. <i>Journal of Surgical Research</i> , 2015 , 194, 43-51.e1-2	2.5	15
109	Ten years of the Helsinki Declaration on patient safety in anaesthesiology: An expert opinion on peri-operative safety aspects. <i>European Journal of Anaesthesiology</i> , 2020 , 37, 521-610	2.3	15
108	Evaluating NIR vascular imaging to support intravenous cannulation in awake children difficult to cannulate; a randomized clinical trial. <i>Paediatric Anaesthesia</i> , 2014 , 24, 1174-9	1.8	15
107	Epidural versus subdural spinal cord cooling: cerebrospinal fluid temperature and pressure changes. <i>Annals of Thoracic Surgery</i> , 2000 , 70, 222-7; discussion 228	2.7	15
106	Laparoscopy without pneumoperitoneum. Effects of abdominal wall retraction versus carbon dioxide insufflation on hemodynamics and gas exchange in pigs. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 1995 , 9, 797-801	5.2	15
105	Influence of Moderate Hypothermia on Posterior Tibial Nerve Somatosensory Evoked Potentials. <i>Anesthesia and Analgesia</i> , 1986 , 65, 475???480	3.9	15
104	Development of a national core dataset for preoperative assessment. <i>Methods of Information in Medicine</i> , 2009 , 48, 155-61	1.5	14
103	Difficult arterial cannulation in children: is a near-infrared vascular imaging system the answer?. <i>British Journal of Anaesthesia</i> , 2012 , 109, 420-6	5.4	14
102	Nurses' prediction of volume status after aneurysmal subarachnoid haemorrhage: a prospective cohort study. <i>Critical Care</i> , 2008 , 12, R153	10.8	14
101	Effect of ischemic pretreatment on heat shock protein 72, neurologic outcome, and histopathologic outcome in a rabbit model of spinal cord ischemia. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000 , 120, 513-9	1.5	14
100	Advanced pulse oximeter signal processing technology compared to simple averaging. II. Effect on frequency of alarms in the postanesthesia care unit. <i>Journal of Clinical Anesthesia</i> , 1999 , 11, 196-200	1.9	14
99	Stress-Induced Hyperthermia in Translational Stress Research. <i>The Open Pharmacology Journal</i> , 2010 , 4, 30-35	0.3	14
98	Is "really conscious" sedation with solely an opioid an alternative to every day used sedation regimes for colonoscopies in a teaching hospital? Midazolam/fentanyl, propofol/alfentanil, or alfentanil only for colonoscopy: a randomized trial. <i>Techniques in Coloproctology</i> , 2014 , 18, 745-52	2.9	13
97	Lessons learnt from incidents reported by postgraduate trainees in Dutch general practice. A prospective cohort study. <i>BMJ Quality and Safety</i> , 2011 , 20, 857-62	5.4	13
96	Cardiopulmonary bypass and long-term neurocognitive dysfunction in the rat. <i>Life Sciences</i> , 2006 , 79, 551-8	6.8	13
95	Validation of a clinical prediction rule to reduce preoperative type and screen procedures. <i>British Journal of Anaesthesia</i> , 2002 , 89, 221-5	5.4	13

94	Risk factors and prognosis of postpericardiotomy syndrome in patients undergoing valve surgery. Journal of Thoracic and Cardiovascular Surgery, 2017, 153, 878-885.e1	1.5	12
93	Development of a nursing intervention to prepare frail older patients for cardiac surgery (the PREDOCS programme), following phase one of the guidelines of the Medical Research Council. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 494-505	3.3	12
92	Presence of coronary collaterals is associated with a decreased incidence of cognitive decline after coronary artery bypass surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2009 , 35, 48-53	3	12
91	Effects of cardiopulmonary bypass on neurocognitive performance and cytokine release in old and diabetic rats. <i>British Journal of Anaesthesia</i> , 2007 , 99, 177-83	5.4	12
90	Con: Routine shunting is not the optimal management of the patient undergoing carotid endarterectomy, but neither is neuromonitoring. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004 , 18, 381-3	2.1	12
89	Advanced pulse oximeter signal processing technology compared to simple averaging. I. Effect on frequency of alarms in the operating room. <i>Journal of Clinical Anesthesia</i> , 1999 , 11, 192-5	1.9	12
88	Are current wireless monitoring systems capable of detecting adverse events in high-risk surgical patients? A descriptive study. <i>Injury</i> , 2020 , 51 Suppl 2, S97-S105	2.5	12
87	Second victims, organizational resilience and the role of hospital administration. <i>Journal of Hospital Administration</i> , 2014 , 3, 95	0.3	11
86	The effect of a preoperative erythropoietin protocol as part of a multifaceted blood management program in daily clinical practice (CME). <i>Transfusion</i> , 2013 , 53, 1930-9	2.9	11
85	Predicting prolonged intensive care unit stays in older cardiac surgery patients: a validation study. <i>Intensive Care Medicine</i> , 2011 , 37, 1480-7	14.5	11
84	Hypotension in anaesthetized patients during aneurysm clipping: not as bad as expected?. <i>Acta Anaesthesiologica Scandinavica</i> , 2008 , 52, 1006-11	1.9	11
83	The effects of spinal anesthesia with lidocaine and sufentanil on lower urinary tract functions. <i>Anesthesia and Analgesia</i> , 2008 , 107, 2073-8	3.9	11
82	Beating heart versus conventional cardiopulmonary bypass: the octopus experience: a randomized comparison of 281 patients undergoing coronary artery bypass surgery with or without cardiopulmonary bypass. Seminars in Cardiothoracic and Vascular Anesthesia, 2006, 10, 167-70	1.4	11
81	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: infection and sepsis. <i>British Journal of Anaesthesia</i> , 2019 , 122, 500-508	5.4	11
80	Non-invasive bladder volume measurement for the prevention of postoperative urinary retention: validation of two ultrasound devices in a clinical setting. <i>Journal of Clinical Monitoring and Computing</i> , 2018 , 32, 1117-1126	2	10
79	Acute and subchronic effects of amitriptyline on processing capacity in neuropathic pain patients	4.7	10
	using visual event-related potentials: preliminary findings. <i>Psychopharmacology</i> , 2006 , 183, 462-70	4.7	
78	A comparison of myogenic motor evoked responses to electrical and magnetic transcranial stimulation during nitrous oxide/opioid anesthesia. <i>Anesthesia and Analgesia</i> , 1999 , 88, 568-72	3.9	10

76	Systematic review and consensus definitions for the Standardized Endpoints in Perioperative Medicine (StEP) initiative: cardiovascular outcomes. <i>British Journal of Anaesthesia</i> , 2021 , 126, 56-66	5.4	10
75	Feasibility of continuous monitoring of vital signs in surgical patients on a general ward: an observational cohort study. <i>BMJ Open</i> , 2021 , 11, e042735	3	10
74	Long-term outcomes and cost effectiveness of high-dose dexamethasone for cardiac surgery: a randomised trial. <i>Anaesthesia</i> , 2017 , 72, 704-713	6.6	9
73	Serious play in the virtual world: can we use games to train young doctors?. <i>Journal of Graduate Medical Education</i> , 2012 , 4, 11-3	1.6	9
72	Quality of perioperative AEPvariability of expert ratings. British Journal of Anaesthesia, 2003, 91, 905-8	85.4	9
71	Connecting undergraduate and postgraduate medical education through an elective EPA-based transitional year in acute care: an early project report. <i>GMS Journal for Medical Education</i> , 2017 , 34, Doc	64 ^{.8}	9
70	Rethinking Patient Surveillance on Hospital Wards. <i>Anesthesiology</i> , 2021 , 135, 531-540	4.3	9
69	Feasibility of a nursing intervention to prepare frail older patients for cardiac surgery: a mixed-methods study. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 342-51	3.3	8
68	Motor-evoked potential monitoring. Current Opinion in Anaesthesiology, 1997, 10, 327-332	2.9	8
67	Wireless Remote Home Monitoring of Vital Signs in Patients Discharged Early After Esophagectomy: Observational Feasibility Study. <i>JMIR Perioperative Medicine</i> , 2020 , 3, e21705	1.5	8
66	Selective serotonin reuptake inhibitors and intraoperative blood pressure. <i>American Journal of Hypertension</i> , 2012 , 25, 223-8	2.3	6
65	Does cerebral monitoring improve ophthalmic surgical operating conditions during propofol-induced sedation?. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1189-95	3.9	6
64	The effect of zero-balanced ultrafiltration during cardiopulmonary bypass on S100b release and cognitive function. <i>Perfusion (United Kingdom)</i> , 2003 , 18, 9-14	1.9	6
63	Middle latency auditory evoked responses and electroencephalographic derived variables do not predict movement to noxious stimulation during 1 minimum alveolar anesthetic concentration isoflurane/nitrous oxide anesthesia. <i>Anesthesia and Analgesia</i> , 1999 , 88, 1412-7	3.9	6
62	Career stage and work setting create different barriers for evidence-based medicine. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 775-85	2.5	5
61	Predictive performance of three multivariate difficult tracheal intubation models: a double-blind, case-control study. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1579-81; author reply 1581	3.9	5
60	Monitor-induced tachycardia in a patient with a rate-responsive pacemaker. <i>Anaesthesia</i> , 2006 , 61, 399-	46.6	5
59	Remote controlled prolonged conscious sedation for gynaecological radiotherapy. <i>Anaesthesia</i> , 1996 , 51, 866-8	6.6	5

58	Eliminating diathermy-induced artifacts during intraoperative monitoring of somatosensory-evoked potentials: a hardware solution. <i>Journal of Clinical Monitoring and Computing</i> , 1991 , 7, 320-4		5
57	Effects of Droperidol, Pentobarbital, and Ketamine on Myogenic Transcranial Magnetic Motor-evoked Responses in Humans. <i>Neurosurgery</i> , 1994 , 35, 1066???1071	3.2	5
56	The Effect of Steroids in Patients Undergoing Cardiopulmonary Bypass: An Individual Patient Meta-Analysis of Two Randomized Trials. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020 , 34, 99-105	2.1	5
55	Adaptive threshold-based alarm strategies for continuous vital signs monitoring. <i>Journal of Clinical Monitoring and Computing</i> , 2021 , 1	2	5
54	Analgesic properties of intrathecal glucocorticoids in three well established preclinical pain models. <i>Scandinavian Journal of Pain</i> , 2016 , 10, 90-102	1.9	4
53	Role of history and physical examination in preoperative evaluation. <i>European Journal of Anaesthesiology</i> , 2003 , 20, 612-8	2.3	4
52	Activation of hemostasis is associated with early cognitive decline after off-pump coronary artery bypass surgery. <i>Journal of Thrombosis and Haemostasis</i> , 2005 , 3, 2114-7	15.4	4
51	Would you trust your loved ones to this trainee? Certification decisions in postgraduate anaesthesia training. <i>British Journal of Anaesthesia</i> , 2020 , 125, e408-e410	5.4	4
50	Effect of intrathecal glucocorticoids on the central glucocorticoid receptor in a rat nerve ligation model. <i>Scandinavian Journal of Pain</i> , 2017 , 16, 1-9	1.9	3
49	Patient reported postoperative pain with a smartphone application: A proof of concept. <i>PLoS ONE</i> , 2020 , 15, e0232082	3.7	3
48	Effectiveness of a cardiac surgery-specific transfusion protocol. <i>Transfusion</i> , 2014 , 54, 708-16	2.9	3
47	Occurrence and determinants of poor response to short-term pre-operative erythropoietin treatment. <i>Acta Anaesthesiologica Scandinavica</i> , 2013 , 57, 350-7	1.9	3
46	Unilateral intracarotid injection of holmium microspheres to induce bilateral MRI-validated cerebral embolization in rats. <i>Journal of Neuroscience Methods</i> , 2009 , 176, 152-6	3	3
45	Predictive performance of a physiological model for enflurane closed-circuit anaesthesia: effects of continuous cardiac output measurements and age-related solubility data. <i>British Journal of Anaesthesia</i> , 2002 , 88, 38-45	5.4	3
44	MONITORING THE CENTRAL NERVOUS SYSTEM. Anesthesiology Clinics, 1994 , 12, 173-196		3
43	Relatively increased von Willebrand factor activity after off-pump coronary artery bypass graft surgery. <i>Thrombosis and Haemostasis</i> , 2007 , 97, 21-6	7	3
42	Trends in practice and safety measures of epidural analgesia: Report of a national survey. <i>Acta Anaesthesiologica Scandinavica</i> , 2018 , 62, 1466-1472	1.9	2
41	The role of intraoperative blood pressure in the association between low bispectral index values and mortality within two years after surgery. <i>Anesthesia and Analgesia</i> , 2010 , 110, 639; author reply 639	3.9	2

Motor evoked potentials. Seminars in Anesthesia, 1997, 16, 28-35 40 2 Effects of an anesthesia preoperative medicine clinic. Anesthesiology, 2006, 105, 224; author reply 225-64.3 39 The evolving management of traumatic brain injury: Don'll shoot the messenger. Critical Care 38 2 1.4 Medicine, 2006, 34, 2262-2263 Peri-ischemic aminoguanidine fails to ameliorate neurologic and histopathologic outcome after 37 transient spinal cord ischemia. Journal of Neurosurgical Anesthesiology, 2002, 14, 35-42 Gaming to Enhance Students Patient-Safety Skills: Evaluation of Air Medic Sky One. MedEdPublish, 3.8 36 2 2015. 4. Minimal Clinically Important Difference, Maximum Impact. Anesthesiology, 2020, 132, 1296-1298 35 2 4.3 Haematoma, abscess or meningitis after neuraxial anaesthesia in the USA and the Netherlands: A 2.3 2 34 closed claims analysis. European Journal of Anaesthesiology, 2020, 37, 743-751 Effects of dobutamine and phenylephrine on cerebral perfusion in patients undergoing cerebral 33 5.4 bypass surgery: a randomised crossover trial. British Journal of Anaesthesia, 2020, 125, 539-547 A serious game to train patient safety outside the classroom: a pilot study of acceptability.. BMJ 1.1 2 32 Simulation and Technology Enhanced Learning, 2019, 5, 227-228 Expectations of Continuous Vital Signs Monitoring for Recognizing Complications After Esophagectomy: Interview Study Among Nurses and Surgeons. JMIR Perioperative Medicine, 2021, 1.5 31 4, e22387 Risk of perioperative thyroid storm in hyperthyroid patients: a systematic review. British Journal of 30 5.4 2 Anaesthesia, 2021, 127, 879-889 Effects of Dexamethasone on Cognitive Decline After Cardiac Surgery. Survey of Anesthesiology, 29 **2015**, 59, 166-167 General anesthesia as a possible GABAergic modulator affects visual processing in children. 28 6.1 1 Frontiers in Cellular Neuroscience, 2013, 7, 42 1198 Predictability of Complicated Peripheral Venous Access in Children. Pediatric Research, 2010, 27 3.2 1 68, 592-592 Need for Intracranial Pressure Monitoring Following Severe Traumatic Brain Injury. Critical Care 26 1.4 1 Medicine, 2006, 34, 1583-1584 Preoperative risk factors of intraoperative hypothermia in major surgery under general anesthesia. 25 3.9 1 Anesthesia and Analgesia, 2003, 96, 1843-1844 Pro: OPCAB surgery is the ideal treatment for coronary artery disease. Journal of Cardiothoracic and 2.1 1 24 Vascular Anesthesia, 2003, 17, 396-9 Depth of Anesthesia Monitors: Status Quo. Anesthesiology, 2003, 98, 794-795 23 4.3

The Effectiveness of an Infrared Vascular Imaging Device to Support Intravenous Cannulation in Children With Dark Skin Color. *Survey of Anesthesiology*, **2014**, 58, 42

21	Het melden van incidenten door huisartsen-in-opleiding. <i>Huisarts En Wetenschap</i> , 2012 , 55, 200-203	0.1
20	Multitasking During Patient Handover in the Recovery Room. Survey of Anesthesiology, 2013, 57, 64	
19	Intraoperative Hypotension and Perioperative Ischemic Stroke After General Surgery. <i>Survey of Anesthesiology</i> , 2013 , 57, 144-145	
18	Incorrect predictions, not incorrect statistics!. <i>Critical Care</i> , 2009 , 13, 406	10.8
17	The Use of a Circumferential Cathode Improves Amplitude of Intraoperative Electrical Transcranial Myogenic Motor Evoked Responses. <i>Anesthesia and Analgesia</i> , 1996 , 82, 1011-1014	3.9
16	Electroencephalographic Characteristics of Emergence from Propofol/Sufentanil Total Intravenous Anesthesia. <i>Anesthesia and Analgesia</i> , 1995 , 81, 366-371	3.9
15	The BIS Inverse Problem and Pharmacodynamics. <i>Anesthesiology</i> , 2002 , 97, 757-757	4.3
14	Medical Devices, Electronic Health Records and Assuring Patient Safety: Future Challenges?. <i>Lecture Notes in Computer Science</i> , 2015 , 3-6	0.9
13	Propensity scores do not necessarily lie!. <i>Anesthesiology</i> , 2008 , 109, 746-7; author reply 747	4.3
12	De overdracht. <i>Kernboek</i> , 2013 , 115-124	
11	Epidural needle damage after difficult or complicated neuraxial procedures. <i>Journal of Clinical Anesthesia</i> , 2021 , 74, 110427	1.9
10	Feasibility of wireless continuous monitoring of vital signs without using alarms on a general surgical ward: A mixed methods study <i>PLoS ONE</i> , 2022 , 17, e0265435	3.7
9	Adoption of a Postoperative Pain Self-Report Tool: Qualitative Study JMIR Human Factors, 2022 , 9, e3	3706
8	Patient reported postoperative pain with a smartphone application: A proof of concept 2020 , 15, e023	2082
7	Patient reported postoperative pain with a smartphone application: A proof of concept 2020 , 15, e023	2082
6	Patient reported postoperative pain with a smartphone application: A proof of concept 2020 , 15, e023	2082
5	Patient reported postoperative pain with a smartphone application: A proof of concept 2020 , 15, e023	2082

LIST OF PUBLICATIONS

- Patient reported postoperative pain with a smartphone application: A proof of concept **2020**, 15, e0232082
- Patient reported postoperative pain with a smartphone application: A proof of concept **2020**, 15, e0232082
- 2 Patient reported postoperative pain with a smartphone application: A proof of concept **2020**, 15, e0232082
- Patient reported postoperative pain with a smartphone application: A proof of concept **2020**, 15, e0232082