Jung Hun Kang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6403/publications.pdf

Version: 2024-02-01

430843 501174 1,028 75 18 28 citations h-index g-index papers 81 81 81 1786 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Simvastatin plus capecitabine–cisplatin versus placebo plus capecitabine–cisplatin in patients with previously untreated advanced gastric cancer: A double-blind randomised phase 3 study. European Journal of Cancer, 2014, 50, 2822-2830.	2.8	79
2	Changes in Symptom Intensity Among Cancer Patients Receiving Outpatient Palliative Care. Journal of Pain and Symptom Management, 2013, 46, 652-660.	1.2	68
3	Chemotherapy vs supportive care alone for relapsed gastric, gastroesophageal junction, and oesophageal adenocarcinoma: a meta-analysis of patient-level data. British Journal of Cancer, 2016, 114, 381-387.	6.4	56
4	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives. Supportive Care in Cancer, 2013, 21, 1437-1444.	2.2	48
5	Priorities of a "good death―according to cancer patients, their family caregivers, physicians, and the general population: a nationwide survey. Supportive Care in Cancer, 2018, 26, 3479-3488.	2.2	46
6	Comprehensive approaches to managing delirium in patients with advanced cancer. Cancer Treatment Reviews, 2013, 39, 105-112.	7.7	39
7	Regorafenib in patients with advanced Childâ€Pugh B hepatocellular carcinoma: A multicentre retrospective study. Liver International, 2020, 40, 2544-2552.	3.9	32
8	Corticosteroid Rotation to Alleviate Dexamethasone-Induced Hiccup: A Case Series at a Single Institution. Journal of Pain and Symptom Management, 2012, 43, 625-630.	1.2	31
9	Phase II trial of S-1 in combination with gemcitabine for chemo-na \tilde{A} -ve patients with locally advanced or metastatic pancreatic cancer. Cancer Chemotherapy and Pharmacology, 2009, 64, 707-713.	2.3	28
10	Treatment of Dexamethasone-Induced Hiccup in Chemotherapy Patients by Methylprednisolone Rotation. Oncologist, 2013, 18, 1229-1234.	3.7	28
11	Pazopanib for the Treatment of Non-clear Cell Renal Cell Carcinoma: A Single-Arm, Open-Label, Multicenter, Phase II Study. Cancer Research and Treatment, 2018, 50, 488-494.	3.0	28
12	A comparison of pectoralis versus lumbar skeletal muscle indices for defining sarcopenia in diffuse large B-cell lymphoma - two are better than one. Oncotarget, 2017, 8, 47007-47019.	1.8	26
13	Gender Differences in Hiccup Patients: Analysis of Published Case Reports and Case-Control Studies. Journal of Pain and Symptom Management, 2016, 51, 278-283.	1.2	25
14	Attitudes of the General Public, Cancer Patients, Family Caregivers, and Physicians Toward Advance Care Planning: A Nationwide Survey Before the Enforcement of the Life-Sustaining Treatment Decision-Making Act. Journal of Pain and Symptom Management, 2019, 57, 774-782.	1.2	25
15	Association of illness understanding with advance care planning and end-of-life care preferences for advanced cancer patients and their family members. Supportive Care in Cancer, 2020, 28, 2959-2967.	2.2	25
16	Antiemetic Corticosteroid Rotation from Dexamethasone to Methylprednisolone to Prevent Dexamethasone-Induced Hiccup in Cancer Patients Treated with Chemotherapy: A Randomized, Single-Blind, Crossover Phase III Trial. Oncologist, 2017, 22, 1354-1361.	3.7	24
17	Attenuated FOLFIRINOX in the salvage treatment of gemcitabineâ€refractory advanced pancreatic cancer: a phase II study. Cancer Communications, 2018, 38, 1-8.	9.2	23
18	Attitudes toward early palliative care in cancer patients and caregivers: a Korean nationwide survey. Cancer Medicine, 2018, 7, 1784-1793.	2.8	22

#	Article	IF	Citations
19	Cachexia index as a potential biomarker for cancer cachexia and a prognostic indicator in diffuse large Bâ€cell lymphoma. Journal of Cachexia, Sarcopenia and Muscle, 2021, 12, 2211-2219.	7.3	22
20	Comparison of attitudes towards five end-of-life care interventions (active pain control, withdrawal) Tj ETQq0 caregivers, physicians and the general Korean population. BMJ Open, 2018, 8, e020519.	0 0 rgBT /Ov 1.9	verlock 10 Tf 5 20
21	The Impacts of Prognostic Awareness on Mood and Quality of Life Among Patients With Advanced Cancer. American Journal of Hospice and Palliative Medicine, 2020, 37, 904-912.	1.4	18
22	Modified FOLFIRINOX versus S-1 as second-line chemotherapy in gemcitabine-failed metastatic pancreatic cancer patients: A randomised controlled trial (MPACA-3). European Journal of Cancer, 2021, 157, 21-30.	2.8	18
23	Qualitative Study on the Perceptions of Terminally III Cancer Patients and Their Family Members Regarding End-of-Life Experiences Focusing on Palliative Sedation. Journal of Pain and Symptom Management, 2017, 53, 1010-1016.	1.2	17
24	Clinical Patterns of Continuous and Intermittent Palliative Sedation in Patients With Terminal Cancer: A Descriptive, Observational Study. Journal of Pain and Symptom Management, 2019, 58, 65-71.	1.2	17
25	Long-Term Intermittent Palliative Sedation for Refractory Symptoms at the End of Life in Two Cancer Patients. Journal of Palliative Medicine, 2015, 18, 807-810.	1.1	16
26	Pilot study of irinotecan/oxalipltin (IROX) combination chemotherapy for patients with gemcitabine-and 5-fluorouracil- refractory pancreatic cancer. Investigational New Drugs, 2010, 28, 343-349.	2.6	15
27	Intraocular lymphoma in Korea: the Consortium for Improving Survival of Lymphoma (CISL) study. Blood Research, 2015, 50, 242.	1.3	15
28	Is There a Role for Adjuvant Therapy in RO Resected Gallbladder Cancer?: A Propensity Score-Matched Analysis. Cancer Research and Treatment, 2016, 48, 1274-1285.	3.0	14
29	Development and validation of the quality care questionnaire –palliative care (QCQ-PC): patient-reported assessment of quality of palliative care. BMC Palliative Care, 2018, 17, 40.	1.8	13
30	Pembrolizumab for Refractory Metastatic Myxofibrosarcoma: A Case Report. Cancer Research and Treatment, 2018, 50, 1458-1461.	3.0	13
31	Sedation for terminally ill cancer patients. Medicine (United States), 2019, 98, e14278.	1.0	12
32	The Understanding of Terminal Cancer and Its Relationship with Attitudes toward End-of-Life Care Issues. Medical Decision Making, 2014, 34, 720-730.	2.4	11
33	Phase II trial of epidermal growth factor ointment for patients with Erlotinib-related skin effects. Supportive Care in Cancer, 2016, 24, 301-309.	2.2	11
34	Changes in health-related quality of life and quality of care among terminally ill cancer patients and survival prediction: Multicenter prospective cohort study. Palliative and Supportive Care, 2015, 13, 1103-1111.	1.0	10
35	A Randomized Controlled Trial of Epidermal Growth Factor Ointment for Treating Epidermal Growth Factor Receptor Inhibitor-Induced Skin Toxicities. Oncologist, 2020, 25, e186-e193.	3.7	10
36	Retrospective analysis of palliative chemotherapy for the patients with bladder adenocarcinoma: Korean Cancer Study Group Genitourinary and Gynecology Cancer Committee. Korean Journal of Internal Medicine, 2018, 33, 383-390.	1.7	9

#	Article	IF	Citations
37	Craving Behavior from Opioid Addiction Controlled with Olanzapine in an Advanced Cancer Patient: A Case Report. Journal of Palliative Medicine, 2018, 21, 1367-1370.	1.1	8
38	rhEGF Treatment Improves EGFR Inhibitor-Induced Skin Barrier and Immune Defects. Cancers, 2020, 12, 3120.	3.7	8
39	Interference with daily functioning by breakthrough pain in patients with cancer. Supportive Care in Cancer, 2020, 28, 5177-5183.	2.2	8
40	Discordance between Physician and the General Public Perceptions of Prognostic Disclosure to Children with Serious Illness: a Korean Nationwide Study. Journal of Korean Medical Science, 2018, 33, e327.	2.5	7
41	Capecitabine plus Oxaliplatin as a Second-Line Therapy for Advanced Biliary Tract Cancers: A Multicenter, Open-Label, Phase II Trial. Journal of Cancer, 2019, 10, 6185-6190.	2.5	7
42	Factors Influencing Clinicians' Choice of Adjuvant S-1 versus Capecitabine plus Oxaliplatin after Curative Gastrectomy in Patients with Gastric Cancer. Journal of Cancer, 2016, 7, 1711-1715.	2.5	6
43	The impact of caregiver's role preference on decisional conflicts and psychiatric distresses in decision making to help caregiver's disclosure of terminal disease status. Quality of Life Research, 2018, 27, 1571-1581.	3.1	6
44	Safety and efficacy of trastuzumab administered as a 30-min infusion in patients with HER2-positive advanced gastric cancer. Cancer Chemotherapy and Pharmacology, 2019, 83, 501-508.	2.3	6
45	Physical Symptoms and Psychiatric, Social, Spiritual and Economical Care Needs of Patients under Home-based Cancer Service. The Korean Journal of Hospice and Palliative Care, 2014, 17, 216-222.	0.7	6
46	Clinical Practice Guideline for Care in the Last Days of Life. The Korean Journal of Hospice and Palliative Care, 2020, 23, 103-113.	0.7	6
47	Clinical Usefulness of Hydromorphone-OROS in Improving Sleep Disturbances in Korean Cancer Patients: A Multicenter, Prospective, Open-Label Study. Cancer Research and Treatment, 2014, 46, 331-338.	3.0	6
48	Efficacy and Safety of FOLFIRI Regimen in Elderly Versus Nonelderly Patients with Metastatic Colorectal or Gastric Cancer. Oncologist, 2017, 22, 293-303.	3.7	5
49	Comparison of Failure Patterns Between Conventional and Intensity-modulated Radiotherapy for Stage III and IV Head and Neck Squamous Cell Carcinoma. Anticancer Research, 2015, 35, 6833-40.	1.1	5
50	Role of adjuvant therapy after RO resection for patients with distal cholangiocarcinoma Journal of Clinical Oncology, 2016, 34, 355-355.	1.6	4
51	Palliative Sedation in End-of-Life Patients in Eastern Asia: A Narrative Review. Cancer Research and Treatment, 2022, 54, 644-650.	3.0	3
52	Modified FOLFIRINOX as a Second-Line Treatment for Patients with Gemcitabine-Failed Advanced Biliary Tract Cancer: A Prospective Multicenter Phase II Study. Cancers, 2022, 14, 1950.	3.7	3
53	Compassion is a key quality for palliative care teams. Cancer Medicine, 2018, 7, 5325-5326.	2.8	2
54	Community Care for Cancer Patients in Rural Areas: An Integrated Regional Cancer Center and Public Health Center Partnership Model. The Korean Journal of Hospice and Palliative Care, 2021, 24, 226-234.	0.7	2

#	Article	IF	CITATIONS
55	Using primary tumor volumetry to predict treatment outcome for patients with oropharyngeal cancer who were treated with definitive chemoradiotherapy. Asia-Pacific Journal of Clinical Oncology, 2018, 14, e21-e28.	1.1	1
56	Modified FOLFIRINOX versus S-1 as second-line chemotherapy in patients with gemcitabine-failed metastatic pancreatic cancer: A randomized phase III trial (MPACA-3) Journal of Clinical Oncology, 2021, 39, 4119-4119.	1.6	1
57	The attitudes of Korean cancer patients, family caregivers, oncologists, and members of the general public toward advance directives., 2013, 21, 1437.		1
58	Targeted agent use in patients with cancer at the end of life Journal of Clinical Oncology, 2012, 30, 215-215.	1.6	1
59	Chemotherapy versus best supportive care in patients with advanced biliary tract carcinoma: A propensity score-matched analysis Journal of Clinical Oncology, 2016, 34, 316-316.	1.6	1
60	Molecular characterization of urothelial carcinoma of bladder and upper urinary tract Journal of Clinical Oncology, 2017, 35, 361-361.	1.6	1
61	Successful Treatment with Transdermal Buprenorphine Patch in Opioid-Dependent Cancer Patients: Case Series. The Korean Journal of Hospice and Palliative Care, 2018, 21, 152-157.	0.7	1
62	Preference and Performance Fidelity of Modified Korean Physician Order for Life-Sustaining Treatment (MK-POLST) Items in Hospice Patients with Cancer. The Korean Journal of Hospice and Palliative Care, 2019, 22, 198-206.	0.7	1
63	Safe use of opioids. Journal of the Korean Medical Association, 2022, 65, 57-65.	0.3	1
64	Debatable Issues in Palliative Sedation; Authors' Reply to the Response by Robert Twycross. Journal of Pain and Symptom Management, 2020, 59, e2-e3.	1.2	0
65	Korean Version of the Patient Dignity Inventory: Translation and Validation in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2021, 62, 416-424.e2.	1.2	0
66	Clinical Features and Treatment Outcomes of Primary Testicular Lymphoma Blood, 2006, 108, 4670-4670.	1.4	0
67	Natural history of untreated patients who had metastatic biliary tract cancer (BTC) with good performance status (PS) Journal of Clinical Oncology, 2014, 32, e15106-e15106.	1.6	0
68	Clinical significance of the neutrophil–lymphocyte ratio in venous thromboembolism patients with lung cancer Journal of Clinical Oncology, 2014, 32, e19118-e19118.	1.6	0
69	The prognostic impact of the neutrophil-to-lymphocyte ratio in patients with small-cell lung cancer Journal of Clinical Oncology, 2014, 32, e18550-e18550.	1.6	0
70	Minimal clinically important differences in the Edmonton Symptom Assessment Scale in cancer patients: A prospective study Journal of Clinical Oncology, 2015, 33, 9601-9601.	1.6	0
71	Attenuated FOLFIRINOX (5-FU/LV, irinotecan and oxaliplatin) as second-line chemotherapy for the Koreans (Asian population) with gemcitabine-resistant or $\hat{a} \in \text{``refractory advanced pancreatic cancer}$ Journal of Clinical Oncology, 2016, 34, e15731-e15731.	1.6	0
72	Liposomal irinotecan plus fluorouracil/leucovorin versus FOLFIRINOX as the second-line chemotherapy for patients with metastatic pancreatic cancer: Multicenter study of the Korean Cancer Study Group (KCSG) Journal of Clinical Oncology, 2020, 38, 4624-4624.	1.6	0

#	Article	IF	CITATIONS
73	The prognostic significance of the advanced lung cancer inflammation index(ALI) in patients with advanced biliary tract cancer: A retrospective study Journal of Clinical Oncology, 2020, 38, e16613-e16613.	1.6	0
74	The Attitudes of Physicians and the General Public toward Prognostic Disclosure of Different Serious Illnesses: a Korean Nationwide Study. Journal of Korean Medical Science, 2020, 35, e401.	2.5	0
75	Survey of Opioid Risk Tool Among Cancer Patients Receiving Opioid Analgesics. Journal of Korean Medical Science, 2022, 37, .	2.5	0