

Abdollah Ghasemi Pirbalouti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6403606/publications.pdf>

Version: 2024-02-01

126
papers

3,438
citations

136950

32
h-index

175258

52
g-index

128
all docs

128
docs citations

128
times ranked

3620
citing authors

#	ARTICLE	IF	CITATIONS
1	Phytochemical and morpho-physiological changes of hyssop in response to chitosan-spraying under different levels of irrigation. <i>Industrial Crops and Products</i> , 2022, 176, 114330.	5.2	9
2	Responses to Morpho-physiological, Phytochemical, and Nutritional Characteristics of Damask Rose (<i>Rosa damascena</i> Mill.) to the Applied of Organic and Chemical Fertilizers. <i>Communications in Soil Science and Plant Analysis</i> , 2022, 53, 2156-2169.	1.4	3
3	Variability in the essential oil of different wild populations of <i>Prangos platychlaena</i> collected from Southwestern Iran. <i>Plant Biosystems</i> , 2021, 155, 1100-1110.	1.6	5
4	Chemical composition of essential oils from the underground parts of <i>Glycyrrhiza echinata</i> L. accessions growing wild in Northern Iran. <i>Natural Product Research</i> , 2021, 35, 162-166.	1.8	5
5	Effects of bio-fertilizers on the production of specialized metabolites in <i>Salvia officinalis</i> L. leaves: An analytical approach based on LC-ESI/LTQ-Orbitrap/MS and multivariate data analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 197, 113951.	2.8	7
6	Essential oil variation among different populations of <i>Ziziphora tenuior</i> L. cultivated at semiarid climate. <i>Journal of Essential Oil Research</i> , 2021, 33, 385-393.	2.7	10
7	QUANTITY AND QUALITY YIELD OF ESSENTIAL OIL FROM <i>Mentha</i> \tilde{A} — <i>piperita</i> L. UNDER FOLIAR-APPLIED CHITOSAN AND INOCULATION OF ARBUSCULAR MYCORRHIZAL FUNGI. <i>Acta Scientiarum Polonorum, Hortorum Cultus</i> , 2021, 20, 43-52.	0.6	1
8	Morphological, physiological and phytochemical responses of Mexican marigold (<i>Tagetes minuta</i> L.) to drought stress. <i>Scientia Horticulturae</i> , 2021, 284, 110116.	3.6	36
9	Chemical Compositions of Essential Oil from the Aerial Parts of <i>Tagetes patula</i> L. and <i>Tagetes erecta</i> L. Cultivated in Northeastern Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2021, 24, 990-997.	1.9	5
10	Ultrasonically improved convective drying of peppermint leaves: Influence on the process time and energetic indices. <i>Renewable Energy</i> , 2020, 153, 67-73.	8.9	27
11	Phytochemical and morpho-physiological traits of mullein as a new medicinal crop under different planting pattern and soil moisture conditions. <i>Industrial Crops and Products</i> , 2020, 145, 111976.	5.2	9
12	Growth, Physiological and Biochemical Traits of Sage under the Exogenous Stimulating and Stress Factors. <i>Russian Journal of Plant Physiology</i> , 2020, 67, 933-944.	1.1	3
13	Menthol, Balance of Menthol/Menthone, and Essential Oil Contents of <i>Mentha</i> \tilde{A} — <i>Piperita</i> L. under Foliar-Applied Chitosan and Inoculation of Arbuscular Mycorrhizal Fungi. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2020, 23, 1012-1021.	1.9	19
14	Effect of Foliar Applications of Salicylic Acid and Chitosan on the Essential Oil of <i>Thymbra spicata</i> L. under Different Soil Moisture Conditions. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2020, 23, 1142-1153.	1.9	18
15	Changes in essential oil compositions, total phenol, flavonoids and antioxidant capacity of <i>Achillea millefolium</i> at different growth stages. <i>Industrial Crops and Products</i> , 2020, 152, 112570.	5.2	59
16	Changes in growth and essential oil composition of sweet basil in response of salinity stress and superabsorbents application. <i>Scientia Horticulturae</i> , 2020, 271, 109465.	3.6	44
17	Bakhtiari savory (<i>Satureja bachtiarica</i> Bunge.) essential oil and its chemical profile, antioxidant activities, and leaf micromorphology under green and conventional extraction techniques. <i>Industrial Crops and Products</i> , 2020, 154, 112719.	5.2	30
18	Optimization of sunflower oil bleaching parameters: using Response Surface Methodology (RSM). <i>Food Science and Technology</i> , 2020, 40, 322-330.	1.7	4

#	ARTICLE	IF	CITATIONS
19	Chemical Composition of Essential Oils of Four <i>Tanacetum</i> Species from the Alpine Regions in Iran. Journal of Essential Oil-bearing Plants: JEOP, 2019, 22, 1129-1143.	1.9	7
20	Chemical Compositions and Antioxidant Activity of Essential Oils from Inflorescences of Two Landraces of Hyssop [<i>Hyssopus officinalis</i> L. subsp. <i>angustifolius</i> (Bieb.)] Cultivated in Southwestern, Iran. Journal of Essential Oil-bearing Plants: JEOP, 2019, 22, 1074-1081.	1.9	14
21	Effects of foliar spraying of l-phenylalanine and application of bio-fertilizers on growth, yield, and essential oil of hyssop [<i>Hyssopus officinalis</i> l. subsp. <i>angustifolius</i> (Bieb.)]. Biocatalysis and Agricultural Biotechnology, 2019, 21, 101318.	3.1	29
22	Phytochemical, antioxidant and antibacterial properties of extracts from two spice herbs under different extraction solvents. Journal of Food Measurement and Characterization, 2019, 13, 2470-2480.	3.2	23
23	L-Phenylalanine and bio-fertilizers interaction effects on growth, yield and chemical compositions and content of essential oil from the sage (<i>Salvia officinalis</i> L.) leaves. Industrial Crops and Products, 2019, 137, 1-8.	5.2	37
24	Chemical composition and yield of essential oil from lemon balm (<i>Melissa officinalis</i> L.) under foliar applications of jasmonic and salicylic acids. Biocatalysis and Agricultural Biotechnology, 2019, 19, 101144.	3.1	19
25	PHYTOCHEMICAL AND BIOACTIVITY DIVERSITY IN THE EXTRACTS FROM BULBS AND LEAVES OF DIFFERENT POPULATIONS OF <i>Allium jesdianum</i> , A VALUABLE UNDERUTILIZED VEGETABLE. Acta Scientiarum Polonorum, Hortorum Cultus, 2019, 18, .	0.6	6
26	Variability in essential oil content and composition of <i>Bunium persicum</i> Boiss. populations growing wild in northeast of Iran. Journal of Essential Oil Research, 2018, 30, 258-264.	2.7	9
27	Chemical composition, antibacterial and antifungal activities of seed essential oil of <i>Ferulago angulata</i> . International Journal of Food Properties, 2018, 21, 158-170.	3.0	28
28	Quantity and chemical composition of essential oil of peppermint (<i>Mentha piperita</i> L.) leaves under different drying methods. International Journal of Food Properties, 2018, 21, 267-276.	3.0	84
29	Seasonal variation in <i>Juniperus polycarpos</i> var. <i>turcomanica</i> essential oil from northeast of Iran. Journal of Essential Oil Research, 2018, 30, 225-231.	2.7	15
30	Methyl jasmonate effects on volatile oil compounds and antioxidant activity of leaf extract of two basil cultivars under salinity stress. Acta Physiologiae Plantarum, 2018, 40, 1.	2.1	44
31	Influence of Microwave Power on Drying Kinetic, Chemical Composition and Antioxidant Capacity of Peppermint Leaves. Journal of Essential Oil-bearing Plants: JEOP, 2018, 21, 430-439.	1.9	9
32	Essential oil composition and total phenolic, flavonoid contents, and antioxidant activity of sage (<i>Salvia officinalis</i> L.) and Products, 2018, 117, 366-374.	5.2	93
33	Quali-quantitative variation of essential oil from Iranian rosemary (<i>Rosmarinus officinalis</i> L.) accessions according to environmental factors. Journal of Essential Oil Research, 2018, 30, 16-24.	2.7	30
34	Application of combined fertilizers improves biomass, essential oil yield, aroma profile, and antioxidant properties of <i>Thymus daenensis</i> Celak.. Industrial Crops and Products, 2018, 121, 434-440.	5.2	85
35	Essential Oil Composition of <i>Rosa damascena</i> Mill. Produced With Different Storage Temperatures and Durations. Horticultural Science and Technology, 2018, 36, .	0.6	3
36	Variation in Chemical Composition and Antibacterial Activity of the Essential Oil of Wild Populations of <i>Phlomis olivieri</i> . Chemistry and Biodiversity, 2017, 14, e1600444.	2.1	8

#	ARTICLE	IF	CITATIONS
37	Exogenous application of chitosan on biochemical and physiological characteristics, phenolic content and antioxidant activity of two species of basil (<i>Ocimum ciliatum</i> and <i>Ocimum basilicum</i>) under reduced irrigation. <i>Scientia Horticulturae</i> , 2017, 217, 114-122.	3.6	131
38	Agro-morphological and phytochemical diversity of Iranian <i>Cuminum cyminum</i> accessions. <i>Industrial Crops and Products</i> , 2017, 99, 205-213.	5.2	25
39	Interactive effects of drought stress and chitosan application on physiological characteristics and essential oil yield of <i>Thymus daenensis</i> Celak. <i>Crop Journal</i> , 2017, 5, 407-415.	5.2	224
40	Chemical Composition of the Essential Oils from the Leaves and Flowers of Two <i>Achillea</i> species from Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2017, 20, 205-214.	1.9	8
41	Antioxidant and antibacterial activities of the essential oils obtained from seven Iranian populations of <i>Rosmarinus officinalis</i> . <i>Industrial Crops and Products</i> , 2017, 107, 305-311.	5.2	98
42	Variation in Chemical Composition and Antibacterial Activity of Essential Oils from Bakhtiari Savory (<i>Satureja bachtiarica</i> Bunge.). <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2017, 20, 474-484.	1.9	12
43	Chemical Composition and Antibacterial Activity of Iranian <i>Lavandula</i> — <i>hybrida</i> . <i>Chemistry and Biodiversity</i> , 2017, 14, e1700064.	2.1	27
44	Morpho-physiological and phytochemical traits of (<i>Thymus daenensis</i> Celak.) in response to deficit irrigation and chitosan application. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1.	2.1	45
45	Effect of drying methods on qualitative and quantitative properties of essential oil from the aerial parts of coriander. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2017, 4, 35-40.	1.5	37
46	Design of stirred digester with optimization of energy and power consumption. <i>Environmental Progress and Sustainable Energy</i> , 2017, 36, 104-110.	2.3	6
47	EFFECTS OF FOLIAR OF THE APPLICATION CHITOSAN AND REDUCED IRRIGATION ON ESSENTIAL OIL YIELD, TOTAL PHENOL CONTENT AND ANTIOXIDANT ACTIVITY OF EXTRACTS FROM GREEN AND PURPLE BASIL. <i>Acta Scientiarum Polonorum, Hortorum Cultus</i> , 2017, 16, 177-186.	0.6	21
48	The effect of foliar application of chitosan on yield and essential oil of savory (<i>Saturejaisophylla</i> L.) under salt stress. <i>Journal of Herbal Drugs</i> , 2017, 08, 101-108.	0.3	2
49	Effect of different growth regulators and wound treatment in increasing rooting of <i>Myrtus Communis</i> cuttings. <i>Journal of Herbal Drugs</i> , 2017, 8, 159-168.	0.3	0
50	Total phenolic and flavonoid contents and antioxidant activity of extracts from different populations of lavandin. <i>Industrial Crops and Products</i> , 2016, 87, 255-260.	5.2	62
51	Chemical composition, antioxidant and antibacterial activities of essential oils from <i>Ferulago angulata</i> . <i>Pharmaceutical Biology</i> , 2016, 54, 2515-2520.	2.9	47
52	Dehydration behaviour, mathematical modelling, energy efficiency and essential oil yield of peppermint leaves undergoing microwave and hot air treatments. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 58, 407-418.	16.4	110
53	Chemical composition, antimicrobial and antioxidant activities of essential oil from <i>Echinophora cinerea</i> harvested at two phenological stages. <i>Journal of Essential Oil Research</i> , 2016, 28, 501-511.	2.7	13
54	In vitro Effect of Essential Oils on Rumen Fermentation and Microbial Nitrogen Yield of High Concentrate Dairy Cow Diet. <i>Biosciences, Biotechnology Research Asia</i> , 2016, 16, 333-341.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Investigation Cytotoxic Effect of Hydroalcoholic Extract from Combination of <i>Kelussia odoratissima</i> Mozaff and <i>Thymus daenesis</i> Celak on MCF-7 Cancer Cells Line. <i>Pars of Jahrom University of Medical Sciences</i> , 2016, 14, 59-67.	0.1	2
56	Effect of foliar application of chitosan on morphological and physiological characteristics of basil under reduced irrigation. <i>Research on Crops</i> , 2016, 17, 354.	0.1	33
57	EFFECT OF JASMONIC ACID ON TOTAL PHENOLIC CONTENT AND ANTIOXIDANT ACTIVITY OF EXTRACT FROM THE GREEN AND PURPLE LANDRACES OF SWEET BASIL. <i>Acta Poloniae Pharmaceutica</i> , 2016, 73, 1229-1234.	0.1	17
58	Chemical composition and antifungal activity of essential oil from the seed of <i>Echinophora platyloba</i> DC. against phytopathogens fungi by two different screening methods. <i>LWT - Food Science and Technology</i> , 2015, 61, 536-542.	5.2	24
59	Variation in chemical composition of essential oil of populations of <i>Lavandula Å— intermedia</i> collected from Western Iran. <i>Industrial Crops and Products</i> , 2015, 69, 344-347.	5.2	24
60	Diversity in chemical compositions of essential oil of myrtle leaves from various natural habitats in south and southwest Iran. <i>Journal of Forestry Research</i> , 2015, 26, 971-981.	3.6	11
61	Chemical Compositions of Essential Oil of <i>Artemisia aucheri</i> Collected from the Alpine Regions in Kerman, Iran. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2015, 18, 596-604.	1.9	2
62	Effect of different drying treatments on essential oil yield, composition and color characteristics of <i>Kelussia odoratissima</i> Mozaff. <i>Journal of Essential Oil Research</i> , 2015, 27, 204-211.	2.7	31
63	Variation in essential oil composition and antioxidant activity of cumin (<i>Cuminum cyminum</i> L.) fruits during stages of maturity. <i>Industrial Crops and Products</i> , 2015, 70, 163-169.	5.2	80
64	Growth, yield, chemical composition, and antioxidant activity of essential oils from two thyme species under foliar application of jasmonic acid and water deficit conditions. <i>Horticulture Environment and Biotechnology</i> , 2015, 56, 411-420.	2.1	59
65	Chemical composition and yield of essential oils from <i>Bakhtiari savory</i> (<i>Satureja bachtiarica</i> Bunge.) under different extraction methods. <i>Industrial Crops and Products</i> , 2015, 76, 809-816.	5.2	44
66	Changes in composition and essential oil yield of <i>Ocimum ciliatum</i> at different phenological stages. <i>European Food Research and Technology</i> , 2015, 240, 199-204.	3.3	28
67	Chemical composition of essential oils from the aerial parts and underground parts of Iranian valerian collected from different natural habitats. <i>Industrial Crops and Products</i> , 2015, 63, 147-151.	5.2	26
68	Variation in antioxidant, and antibacterial activities and total phenolic content of the bulbs of mooseer (<i>Allium hirtifolium</i> Boiss.). <i>Acta Agriculturae Slovenica</i> , 2015, 105, .	0.3	17
69	Chemical composition and antioxidant activity of essential oils of three endemic medicinal plants of Iran. <i>Bangladesh Journal of Botany</i> , 2014, 42, 327-332.	0.4	12
70	Chemical composition and bioactivity of essential oils of <i>Hypericum helianthemoides</i> . <i>Hypericum perforatum</i> and <i>Hypericum scabrum</i> . <i>Pharmaceutical Biology</i> , 2014, 52, 175-181.	2.9	54
71	Antibacterial activity of the essential oils of myrtle leaves against <i>Erysipelothrix rhusiopathiae</i> . <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2014, 4, S505-S509.	1.2	28
72	Essential oil compositions of summer savory under foliar application of jasmonic acid and salicylic acid. <i>Journal of Essential Oil Research</i> , 2014, 26, 342-347.	2.7	17

#	ARTICLE	IF	CITATIONS
73	Chemical composition of the essential oil of <i>Satureja kallarica</i> Jamzad. <i>Journal of Essential Oil Research</i> , 2014, 26, 228-231.	2.7	5
74	Salicylic acid affects growth, essential oil and chemical compositions of thyme (<i>Thymus daenensis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	3.4	68
75	A Review (Research and Patents) on Jasmonic Acid and Its Derivatives. <i>Archiv Der Pharmazie</i> , 2014, 347, 229-239.	4.1	81
76	Antioxidant Activity, Total Phenolic and Flavonoid Contents of Some Medicinal and Aromatic Plants Used as Herbal Teas and Condiments in Iran. <i>Journal of Medicinal Food</i> , 2014, 17, 1151-1157.	1.5	47
77	Chemical Composition and Antibacterial Activity of Essential Oils of Iranian Herbs Against <i>Staphylococcus Aureus</i> Isolated from Milk. <i>International Journal of Food Properties</i> , 2014, 17, 2063-2071.	3.0	15
78	Variation in antibacterial activity and chemical compositions of essential oil from different populations of myrtle. <i>Industrial Crops and Products</i> , 2014, 61, 303-307.	5.2	31
79	Chemical composition and antibacterial activity of essential oil of <i>Ocimum ciliatum</i> , as a new source of methyl chavicol, against ten phytopathogens. <i>Industrial Crops and Products</i> , 2014, 59, 144-148.	5.2	54
80	Diversity in chemical composition and yield of essential oil from two Iranian landraces of sweet basil. <i>Genetika</i> , 2014, 46, 419-426.	0.4	4
81	Effect of Hydro-alcoholic Extract of Persian Oak (<i>Quercus brantii</i>) in Experimentally Gastric Ulcer. <i>Iranian Journal of Pharmaceutical Research</i> , 2014, 13, 967-74.	0.5	5
82	Essential oil and chemical compositions of wild and cultivated <i>Thymus daenensis</i> Celak and <i>Thymus vulgaris</i> L.. <i>Industrial Crops and Products</i> , 2013, 48, 43-48.	5.2	160
83	Effects of drying methods on qualitative and quantitative of the essential oil of <i>Bakhtiari</i> savory (<i>Satureja bachtiarica</i> Bunge.). <i>Industrial Crops and Products</i> , 2013, 46, 324-327.	5.2	55
84	Phytochemical composition of the essential oil of different populations of <i>Stachys lavandulifolia</i> Vahl. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2013, 3, 123-128.	1.2	35
85	Essential oil variation among 21 wild myrtle (<i>Myrtus communis</i> L.) populations collected from different geographical regions in Iran. <i>Industrial Crops and Products</i> , 2013, 51, 328-333.	5.2	58
86	Essential oil variation, antioxidant and antibacterial activity of mountain fennel (<i>Zaravschanica</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	9.2	26
87	Essential oil compositions, antibacterial and antioxidant activities of various populations of <i>Artemisia chamaemelifolia</i> at two phenological stages. <i>Revista Brasileira De Farmacognosia</i> , 2013, 23, 861-869.	1.4	38
88	Effects of drying methods on qualitative and quantitative properties of essential oil of two basil landraces. <i>Food Chemistry</i> , 2013, 141, 2440-2449.	8.2	143
89	Antioxidant activity, total phenolic and flavonoids contents of three herbs used as condiments and additives in pickles products. <i>Herba Polonica</i> , 2013, 59, 51-62.	0.6	20
90	Ethnobotanical study of medicinal plants used by Kurd tribe in Dehloran and Abdanan districts, Ilam province, Iran. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2013, 10, 368-85.	0.3	62

#	ARTICLE	IF	CITATIONS
91	Chemical constituents and antibacterial activity of essential oil of <i>Satureja bachtiarica</i> (Lamiaceae). <i>Acta Poloniae Pharmaceutica</i> , 2013, 70, 933-8.	0.1	8
92	Healing effect of hydro-alcoholic extract of <i>Ephedra pachyclada</i> Boiss. in experimental gastric ulcer in rat. <i>Acta Poloniae Pharmaceutica</i> , 2013, 70, 1003-9.	0.1	5
93	Chemical composition of the essential oil of wild and cultivated plant populations of <i>Kelussia odoratissima</i> Mozaff.. <i>Journal of Medicinal Plants Research</i> , 2012, 6, .	0.4	3
94	Healing potential of Iranian traditional medicinal plants on burn wounds in alloxan-induced diabetic rats. <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 397-403.	1.4	19
95	COMPOSITION OF THE ESSENTIAL OIL OF <i>STACHYS LAVANDULIFOLIA</i> FROM CENTRAL ZAGROS MOUNTAINS. <i>Acta Horticulturae</i> , 2012, , 101-104.	0.2	2
96	The effect of foliar application of jasmonic acid on hypercine of <i>Hypericum perforatum</i> L.. <i>Planta Medica</i> , 2012, 78, .	1.3	2
97	The effect of foliar application of jasmonic acid on <i>Thymus daenensis</i> Celak. <i>Planta Medica</i> , 2012, 78, .	1.3	2
98	Ethnobotany and antimicrobial activity of medicinal plants of Bakhtiari Zagross mountains, Iran. <i>Journal of Medicinal Plants Research</i> , 2012, 6, .	0.4	7
99	The essential oils of some medicinal plants on the immune system of rainbow trout (<i>Oncorhynchus</i>) Tj ETQq1 1 0.784314 rgBT /Overl 1.3	1.3	1
100	Composition of the essential oil of different populations of <i>Ziziphora tenuior</i> from Iran. <i>Planta Medica</i> , 2012, 78, .	1.3	0
101	Antimicrobial activity of ethanol extract of <i>Thymus daenensis</i> Celak. under different water conditions. <i>Planta Medica</i> , 2012, 78, .	1.3	0
102	Antioxidant activity some endemic Iranian medicinal plants (Lamiaceae). <i>Planta Medica</i> , 2012, 78, .	1.3	0
103	Antioxidant and antibacterial activity of essential oil of iranian endemic medicinal herbs. <i>Planta Medica</i> , 2012, 78, .	1.3	0
104	Antioxidant activity some endemic Iranian medicinal plants (Apiaceae). <i>Planta Medica</i> , 2012, 78, .	1.3	0
105	Composition of the essential oil of different populations of <i>Myrtus communis</i> L. from Iran. <i>Planta Medica</i> , 2012, 78, .	1.3	0
106	Influence of Ecological Factors on Carvacrol Content of <i>Satureja khuzestanica</i> Jamzad. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2011, 14, 630-638.	1.9	5
107	Inhibitory activity of Iranian endemic medicinal plants against <i>Vibrio parahaemolyticus</i> and <i>Vibrio harveyi</i> . <i>Journal of Medicinal Plants Research</i> , 2011, 5, .	0.4	11
108	Antibacterial activity of Iranian medicinal plants against <i>Streptococcus iniae</i> isolated from rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Archives of Biological Sciences</i> , 2011, 63, 59-66.	0.5	25

#	ARTICLE	IF	CITATIONS
109	Antibacterial activity of some folklore medicinal plants used by Bakhtiari tribal in Southwest Iran. International Journal of Biology, 2010, 2, .	0.2	20
110	Wound Healing Activity of Extracts of Malva sylvestris and Stachys lavandulifolia. International Journal of Biology, 2010, 3, .	0.2	13
111	Bioactivity of Iranian medicinal plants against Yersinia enterocolitica. Nutrition and Food Science, 2010, 40, 515-522.	0.9	3
112	Antimicrobial activity of some Iranian medicinal plants. Archives of Biological Sciences, 2010, 62, 633-641.	0.5	54
113	Antimicrobial activity of essential oils of three herbs against Listeria monocytogenes on chicken frankfurters. Acta Agriculturae Slovenica, 2010, 95, .	0.3	9
114	Determination of the best selection criteria for genetic improvement of seed and oil yield in spring safflower cultivars. Planta Medica, 2010, 76, .	1.3	1
115	Evaluation of the burn healing properties of five Iranian medicinal plants in diabetic rats. Planta Medica, 2010, 76, .	1.3	0
116	The wound healing activity of flower extracts of Punica granatum and Achillea kellalensis in Wistar rats. Acta Poloniae Pharmaceutica, 2010, 67, 107-110.	0.1	36
117	Wound healing activity of Malva sylvestris and Punica granatum in alloxan-induced diabetic rats. Acta Poloniae Pharmaceutica, 2010, 67, 511-6.	0.1	44
118	Evaluating Agro-Climatologically Variables to Identify Suitable Areas for Rapeseed in Different Dates of Sowing by GIS approach. American Journal of Agricultural and Biological Science, 2008, 3, 656-660.	0.4	3
119	Genetic Control of Some Physiological Attributes in Wheat under Drought Stress Conditions. Pakistan Journal of Biological Sciences, 2006, 9, 1442-1446.	0.5	10
120	Effects of Different Strains of Rhizobium leguminosarum biovar phaseoli on Yield and N ₂ Fixation Rate of Common Bean (Phaseolus vulgaris L.) Iranian Cultivars. Pakistan Journal of Biological Sciences, 2006, 9, 1738-1743.	0.5	3
121	Indirect Selection for Genetic Improvement of Seed Yield and Biological Nitrogen Fixation in Iranian Common Bean Genotypes (Phaseolus vulgaris L.). Pakistan Journal of Biological Sciences, 2006, 9, 2097-2101.	0.5	1
122	Evaluation of Seed Yield and Yield Components of Common Bean Iranian Cultivars for Inoculation with Four Strains of Rhizobium leguminosarum biovar phaseoli. Journal of Agronomy, 2006, 5, 382-386.	0.4	4
123	Nitrogen Biological Fixation Ability by Rhizobium leguminosarum Biovar phaseoli on Cultivars of Phaseolus vulgaris L., 0, , 427-434.		0
124	Storage stability of essential oil of cumin (<i>Cuminum Cyminum</i> L.) as a function of temperature. International Journal of Food Properties, 0, , 1-9.	3.0	12
125	Essential oil composition of seven populations belonging to two <i>Nepeta</i> species from Northwestern Iran. International Journal of Food Properties, 0, , 1-8.	3.0	8
126	Chemical compositions, yield and antioxidant activity of the essential oil of hyssop (<i>Hyssopus</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 00 Product Research, 0, , 1-6.	1.8	1