Shingo Fukuma

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6405337/publications.pdf

Version: 2024-02-01

1040056 1058476 29 242 9 14 citations h-index g-index papers 29 29 29 412 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Association of coping strategies with mortality and health-related quality of life in hemodialysis patients: The Japan Dialysis Outcomes and Practice Patterns Study. PLoS ONE, 2017, 12, e0180498.	2.5	26
2	Postdialysis Hypokalemia and All-Cause Mortality in Patients Undergoing Maintenance Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 873-881.	4.5	21
3	Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. Journal of Gastroenterology, 2018, 53, 873-882.	5.1	18
4	Association between pancreatic fat and incidence of metabolic syndrome: a 5â€year Japanese cohort study. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 2048-2054.	2.8	16
5	Wholeâ€Body Computed Tomography During Initial Management and Mortality Among Adult Severe Blunt Trauma Patients: A Nationwide Cohort Study. World Journal of Surgery, 2018, 42, 3939-3946.	1.6	16
6	Changes in Older People's Activities During the Coronavirus Disease 2019 Pandemic in Japan. Journal of the American Medical Directors Association, 2020, 21, 1387-1388.e1.	2.5	15
7	Association between social networks and discussions regarding advance care planning among Japanese older adults. PLoS ONE, 2019, 14, e0213894.	2.5	14
8	Influence of family dynamics on burden among family caregivers in aging Japan. Family Practice, 2016, 33, 466-470.	1.9	13
9	Association between contrast extravasation on computed tomography scans and pseudoaneurysm formation in pediatric blunt splenic and hepatic injury: A multi-institutional observational study. Journal of Pediatric Surgery, 2020, 55, 681-687.	1.6	13
10	Association between vision-specific quality of life and falls in community-dwelling older adults: LOHAS. PLoS ONE, 2018, 13, e0195806.	2.5	12
11	Development of a new risk model for predicting cardiovascular events among hemodialysis patients: Population-based hemodialysis patients from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). PLoS ONE, 2017, 12, e0173468.	2.5	10
12	Development and validation of a prediction model for loss of physical function in elderly hemodialysis patients. Nephrology Dialysis Transplantation, 2018, 33, 1452-1458.	0.7	9
13	Undiagnosed and untreated chronic kidney disease and its impact on renal outcomes in the Japanese middle-aged general population. Journal of Epidemiology and Community Health, 2019, 73, 1122-1127.	3.7	9
14	Lineage tracing analysis defines erythropoietin-producing cells as a distinct subpopulation of resident fibroblasts with unique behaviors. Kidney International, 2022, 102, 280-292.	5.2	9
15	High variability in results and methodological quality among overlapping systematic reviews on the same topics in surgery: a meta-epidemiological study. British Journal of Surgery, 2021, 108, 1521-1529.	0.3	8
16	Nudging patients with chronic kidney disease at screening to visit physicians: A protocol of a pragmatic randomized controlled trial. Contemporary Clinical Trials Communications, 2019, 16, 100429.	1.1	7
17	Variations and characteristics of quality indicators for maintenance hemodialysis patients: A systematic review. Health Science Reports, 2018, 1, e89.	1.5	6
18	Lack of a bridge between screening and medical management for hypertension: health screening cohort in Japan. BMC Public Health, 2020, 20, 1419.	2.9	5

#	Article	IF	CITATIONS
19	Changes in Drug Utilization After Publication of Clinical Trials and Drug-Related Scandals in Japan: An Interrupted Time Series Analysis, 2005–2017. Journal of Epidemiology, 2021, 31, 410-416.	2.4	3
20	Influence of Staff Encouragement on Perceived Burden of Dietary Restriction Among Patients Living Alone. Therapeutic Apheresis and Dialysis, 2016, 20, 623-631.	0.9	2
21	RAS Inhibitor Is Not Associated With Cardiovascular Benefits in Patients Undergoing Hemodialysis in Japan. Therapeutic Apheresis and Dialysis, 2017, 21, 326-333.	0.9	2
22	Dialysis physicians' referral behaviors for hemodialysis patients suspected of having cancer: A vignette-based questionnaire study. PLoS ONE, 2018, 13, e0202322.	2.5	2
23	Dialysisâ€related practice patterns among hemodialysis patients with cancer. Health Science Reports, 2018, 1, e46.	1.5	1
24	Population-level associations of achievement of targets for bone-mineral markers with survival in haemodialysis patients with mildly elevated intact-PTH levels: a case-cohort study. Scientific Reports, 2019, 9, 11301.	3.3	1
25	Length of hospital stay is associated with a decline in activities of daily living in hemodialysis patients: a prospective cohort study. BMC Nephrology, 2020, 21, 9.	1.8	1
26	Body mass index change and estimated glomerular filtration rate decline in a middle-aged population: health check-based cohort in Japan. BMJ Open, 2020, 10, e037247.	1.9	1
27	Cohort profile: Alliance for Quality Assessment in Healthcare-Dialysis (AQuAH-D) prospective cohort study of patients on haemodialysis in Japan. BMJ Open, 2022, 12, e054427.	1.9	1
28	Development of a machine learning-based prediction model for extremely rapid decline in estimated glomerular filtration rate in patients with chronic kidney disease: a retrospective cohort study using a large data set from a hospital in Japan. BMJ Open, 2022, 12, e058833.	1.9	1
29	Response to the letter by Dr. Tomoyuki Kawada regarding our manuscript: Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. Journal of Gastroenterology, 2018, 53, 891-892.	5.1	0