Shingo Fukuma

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6405337/publications.pdf

Version: 2024-02-01

1039880 1058333 29 242 9 14 citations g-index h-index papers 29 29 29 412 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cohort profile: Alliance for Quality Assessment in Healthcare-Dialysis (AQuAH-D) prospective cohort study of patients on haemodialysis in Japan. BMJ Open, 2022, 12, e054427.	0.8	1
2	Lineage tracing analysis defines erythropoietin-producing cells as a distinct subpopulation of resident fibroblasts with unique behaviors. Kidney International, 2022, 102, 280-292.	2.6	9
3	Development of a machine learning-based prediction model for extremely rapid decline in estimated glomerular filtration rate in patients with chronic kidney disease: a retrospective cohort study using a large data set from a hospital in Japan. BMJ Open, 2022, 12, e058833.	0.8	1
4	High variability in results and methodological quality among overlapping systematic reviews on the same topics in surgery: a meta-epidemiological study. British Journal of Surgery, 2021, 108, 1521-1529.	0.1	8
5	Changes in Drug Utilization After Publication of Clinical Trials and Drug-Related Scandals in Japan: An Interrupted Time Series Analysis, 2005–2017. Journal of Epidemiology, 2021, 31, 410-416.	1.1	3
6	Association between contrast extravasation on computed tomography scans and pseudoaneurysm formation in pediatric blunt splenic and hepatic injury: A multi-institutional observational study. Journal of Pediatric Surgery, 2020, 55, 681-687.	0.8	13
7	Length of hospital stay is associated with a decline in activities of daily living in hemodialysis patients: a prospective cohort study. BMC Nephrology, 2020, 21, 9.	0.8	1
8	Changes in Older People's Activities During the Coronavirus Disease 2019 Pandemic in Japan. Journal of the American Medical Directors Association, 2020, 21, 1387-1388.e1.	1.2	15
9	Body mass index change and estimated glomerular filtration rate decline in a middle-aged population: health check-based cohort in Japan. BMJ Open, 2020, 10, e037247.	0.8	1
10	Lack of a bridge between screening and medical management for hypertension: health screening cohort in Japan. BMC Public Health, 2020, 20, 1419.	1.2	5
11	Nudging patients with chronic kidney disease at screening to visit physicians: A protocol of a pragmatic randomized controlled trial. Contemporary Clinical Trials Communications, 2019, 16, 100429.	0.5	7
12	Population-level associations of achievement of targets for bone-mineral markers with survival in haemodialysis patients with mildly elevated intact-PTH levels: a case-cohort study. Scientific Reports, 2019, 9, 11301.	1.6	1
13	Undiagnosed and untreated chronic kidney disease and its impact on renal outcomes in the Japanese middle-aged general population. Journal of Epidemiology and Community Health, 2019, 73, 1122-1127.	2.0	9
14	Postdialysis Hypokalemia and All-Cause Mortality in Patients Undergoing Maintenance Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 873-881.	2.2	21
15	Association between social networks and discussions regarding advance care planning among Japanese older adults. PLoS ONE, 2019, 14, e0213894.	1.1	14
16	Association between pancreatic fat and incidence of metabolic syndrome: a 5â€year Japanese cohort study. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 2048-2054.	1.4	16
17	Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. Journal of Gastroenterology, 2018, 53, 873-882.	2.3	18
18	Variations and characteristics of quality indicators for maintenance hemodialysis patients: A systematic review. Health Science Reports, 2018, 1, e89.	0.6	6

#	Article	IF	CITATIONS
19	Dialysis physicians' referral behaviors for hemodialysis patients suspected of having cancer: A vignette-based questionnaire study. PLoS ONE, 2018, 13, e0202322.	1.1	2
20	Response to the letter by Dr. Tomoyuki Kawada regarding our manuscript: Independent association between prediabetes and future pancreatic fat accumulation: a 5-year Japanese cohort study. Journal of Gastroenterology, 2018, 53, 891-892.	2.3	0
21	Wholeâ∈Body Computed Tomography During Initial Management and Mortality Among Adult Severe Blunt Trauma Patients: A Nationwide Cohort Study. World Journal of Surgery, 2018, 42, 3939-3946.	0.8	16
22	Development and validation of a prediction model for loss of physical function in elderly hemodialysis patients. Nephrology Dialysis Transplantation, 2018, 33, 1452-1458.	0.4	9
23	Association between vision-specific quality of life and falls in community-dwelling older adults: LOHAS. PLoS ONE, 2018, 13, e0195806.	1.1	12
24	Dialysisâ€related practice patterns among hemodialysis patients with cancer. Health Science Reports, 2018, 1, e46.	0.6	1
25	RAS Inhibitor Is Not Associated With Cardiovascular Benefits in Patients Undergoing Hemodialysis in Japan. Therapeutic Apheresis and Dialysis, 2017, 21, 326-333.	0.4	2
26	Development of a new risk model for predicting cardiovascular events among hemodialysis patients: Population-based hemodialysis patients from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). PLoS ONE, 2017, 12, e0173468.	1.1	10
27	Association of coping strategies with mortality and health-related quality of life in hemodialysis patients: The Japan Dialysis Outcomes and Practice Patterns Study. PLoS ONE, 2017, 12, e0180498.	1.1	26
28	Influence of family dynamics on burden among family caregivers in aging Japan. Family Practice, 2016, 33, 466-470.	0.8	13
29	Influence of Staff Encouragement on Perceived Burden of Dietary Restriction Among Patients Living Alone. Therapeutic Apheresis and Dialysis, 2016, 20, 623-631.	0.4	2