

Weidong Fei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6405684/weidong-fei-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

2,775
citations

31
h-index

49
g-index

100
ext. papers

3,525
ext. citations

7.4
avg, IF

5.52
L-index

#	Paper	IF	Citations
95	Heterostructural Graphene Quantum Dot/MnO Nanosheets toward High-Potential Window Electrodes for High-Performance Supercapacitors. <i>Advanced Science</i> , 2018 , 5, 1700887	13.6	155
94	Hierarchical NiCo-LDH/NiCoP@NiMn-LDH hybrid electrodes on carbon cloth for excellent supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 15040-15046	13	150
93	Core-branched CoSe ₂ /Ni _{0.85} Se nanotube arrays on Ni foam with remarkable electrochemical performance for hybrid supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 19151-19158	13	136
92	Defect dipole induced large recoverable strain and high energy-storage density in lead-free Na _{0.5} Bi _{0.5} TiO ₃ -based systems. <i>Applied Physics Letters</i> , 2016 , 108, 202902	3.4	108
91	High-Energy Storage Density and Efficiency of (1-x)[0.94 NBT(1-x)ST] Lead-Free Ceramics. <i>Energy Technology</i> , 2015 , 3, 1198-1204	3.5	86
90	In situ encapsulated Fe ₃ O ₄ nanosheet arrays with graphene layers as an anode for high-performance asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 24594-24601	13	82
89	Mn doping to enhance energy storage performance of lead-free 0.7NBT-0.3ST thin films with weak oxygen vacancies. <i>Applied Physics Letters</i> , 2017 , 110, 243901	3.4	79
88	High Energy Storage Performance of Opposite Double-Heterojunction Ferroelectricity Insulators. <i>Advanced Functional Materials</i> , 2018 , 28, 1706211	15.6	79
87	Recent Progress in Graphene/Polymer Nanocomposites. <i>Advanced Materials</i> , 2021 , 33, e2001105	24	75
86	Designing oxygen bonding between reduced graphene oxide and multishelled Mn ₃ O ₄ hollow spheres for enhanced performance of supercapacitors. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 6686-6694	13	71
85	Graphene-copper composite with micro-layered grains and ultrahigh strength. <i>Scientific Reports</i> , 2017 , 7, 41896	4.9	65
84	Fabrication of manganese oxide/three-dimensional reduced graphene oxide composites as the supercapacitors by a reverse microemulsion method. <i>Carbon</i> , 2015 , 85, 249-260	10.4	61
83	Defects and Aliovalent Doping Engineering in Electroceramics. <i>Chemical Reviews</i> , 2020 , 120, 1710-1787	68.1	61
82	Bifunctional Electrocatalysts Based on Mo-Doped NiCoP Nanosheet Arrays for Overall Water Splitting. <i>Nano-Micro Letters</i> , 2019 , 11, 55	19.5	59
81	Magnetic properties of N-doped graphene with high Curie temperature. <i>Scientific Reports</i> , 2016 , 6, 21832	9.9	57
80	Designing and constructing core-shell NiCoS@NiS on Ni foam by facile one-step strategy as advanced battery-type electrodes for supercapattery. <i>Journal of Colloid and Interface Science</i> , 2019 , 536, 456-462	9.3	57
79	Large piezoelectric properties induced by doping ionic pairs in BaTiO ₃ ceramics. <i>Acta Materialia</i> , 2014 , 79, 84-92	8.4	55

78	Mesostructured Carbon Nanotube-on-MnO Nanosheet Composite for High-Performance Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 38963-38969	9.5	55
77	Achieving high strength and ductility in graphene/magnesium composite via an in-situ reaction wetting process. <i>Carbon</i> , 2018 , 139, 954-963	10.4	53
76	Preparation mechanism of hierarchical layered structure of graphene/copper composite with ultrahigh tensile strength. <i>Carbon</i> , 2018 , 127, 329-339	10.4	53
75	Interlayer coupling to enhance the energy storage performance of Na _{0.5} Bi _{0.5} TiO ₃ /rTiO ₃ multilayer films with the electric field amplifying effect. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24550-24559 ⁵¹	13	51
74	Controlled synthesis of MOF-derived quadruple-shelled CoS ₂ hollow dodecahedrons as enhanced electrodes for supercapacitors. <i>Electrochimica Acta</i> , 2019 , 312, 54-61	6.7	47
73	Large-area synthesis of monolayer MoSe ₂ films on SiO ₂ /Si substrates by atmospheric pressure chemical vapor deposition. <i>RSC Advances</i> , 2017 , 7, 27969-27973	3.7	46
72	High-energy storage density and excellent temperature stability in antiferroelectric/ferroelectric bilayer thin films. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3080-3087	3.8	43
71	Hierarchical CuCo ₂ O ₄ @NiMoO ₄ core-shell hybrid arrays as a battery-like electrode for supercapacitors. <i>Inorganic Chemistry Frontiers</i> , 2017 , 4, 1575-1581	6.8	43
70	High apparent strengthening efficiency for reduced graphene oxide in copper matrix composites produced by molecule-lever mixing and high-shear mixing. <i>RSC Advances</i> , 2015 , 5, 51193-51200	3.7	38
69	High energy storage density at low electric field of ABO ₃ antiferroelectric films with ionic pair doping. <i>Energy Storage Materials</i> , 2019 , 18, 238-245	19.4	36
68	Oxygen-vacancy-rich nickel-cobalt layered double hydroxide electrode for high-performance supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2019 , 554, 59-65	9.3	35
67	Electrodeposited nickel cobalt sulfide nanosheet arrays on 3D-graphene/Ni foam for high-performance supercapacitors. <i>RSC Advances</i> , 2015 , 5, 100106-100113	3.7	32
66	Giant electrocaloric effect in PZT bilayer thin films by utilizing the electric field engineering. <i>Applied Physics Letters</i> , 2016 , 108, 162902	3.4	32
65	Rational construction of core-shell Ni ₃ S ₂ @Ni(OH) ₂ nanostructures as battery-like electrodes for supercapacitors. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1985-1991	6.8	32
64	Free-standing porous NiP-NiP heterostructured arrays for efficient electrocatalytic water splitting. <i>Journal of Colloid and Interface Science</i> , 2019 , 552, 332-336	9.3	30
63	Lithium deposition on graphite anode during long-term cycles and the effect on capacity loss. <i>RSC Advances</i> , 2014 , 4, 26335-26341	3.7	29
62	Effect of interfacial state on thermal expansion behaviors of LiAlSiO ₄ particulate-reinforced Cu composites. <i>Scripta Materialia</i> , 2010 , 62, 867-870	5.6	29
61	LaNiO ₃ seed layer induced enhancement of piezoelectric properties in (1 0 0)-oriented (1-x)BZT-xBCT thin films. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 2041-2049	6	28

60	0.6ST-0.4NBT thin film with low level Mn doping as a lead-free ferroelectric capacitor with high energy storage performance. <i>Applied Physics Letters</i> , 2018 , 112, 093902	3.4	28
59	In situ growth of manganese oxide on 3D graphene by a reverse microemulsion method for supercapacitors. <i>Journal of Power Sources</i> , 2016 , 307, 129-137	8.9	28
58	Direct synthesis of high-quality graphene on Cu powders from adsorption of small aromatic hydrocarbons: A route to high strength and electrical conductivity for graphene/Cu composite. <i>Journal of Alloys and Compounds</i> , 2019 , 798, 403-413	5.7	27
57	Positive/negative electrocaloric effect induced by defect dipoles in PZT ferroelectric bilayer thin films. <i>RSC Advances</i> , 2016 , 6, 71934-71939	3.7	27
56	Effect of Ball Milling on the Defeat of Few-Layer Graphene and Properties of Copper Matrix Composites. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014 , 27, 937-943	2.5	25
55	Thermal expansion behavior of copper matrix composite containing negative thermal expansion PbTiO ₃ particles. <i>Materials and Design</i> , 2017 , 132, 442-447	8.1	23
54	Enhanced piezoelectric and mechanical properties of AlN-modified BaTiO ₃ composite ceramics. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 13078-85	3.6	22
53	A supercapacitor with ultrahigh volumetric capacitance produced by self-assembly of reduced graphene oxide through phosphoric acid treatment. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 18933-18944	1.2	21
52	Significantly enhanced energy storage performance in BiFeO ₃ /BaTiO ₃ /BiFeO ₃ sandwich-structured films through crystallinity regulation. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 21917-21924	3.6	20
51	High strength and ductility of graphene-like carbon nanosheet/copper composites fabricated directly from commercial oleic acid coated copper powders. <i>Nanoscale</i> , 2018 , 10, 16990-16995	7.7	20
50	Microstructure and properties of carbon nanosheet/copper composites processed by particle-assisted shear exfoliation. <i>RSC Advances</i> , 2015 , 5, 19321-19328	3.7	20
49	Effects of lanthanum doping on the preferred orientation, phase structure and electrical properties of sol-gel derived Pb _{1-x} La _x (Zr _{0.6} Ti _{0.4})O ₃ thin films. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 2976-2980	5.7	20
48	Ultrahigh energy storage and electrocaloric performance achieved in SrTiO ₃ amorphous thin films via polar cluster engineering. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 17797-17805	13	18
47	Enhanced performance of core-shell-like structure Zr-doped CaCu ₃ Ti ₄ O ₁₂ ceramics prepared by a flame synthetic approach. <i>RSC Advances</i> , 2012 , 2, 6073	3.7	18
46	In situ synthesis of core-shell vanadium nitride@N-doped carbon microspheres as high-performance anode materials for solid-state supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2020 , 560, 122-129	9.3	18
45	Perovskite Sr(NaBi)TiMnO Thin Films with Defect Dipoles for High Energy-Storage and Electrocaloric Performance. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 37947-37954	9.5	16
44	"One-for-All" strategy to design oxygen-deficient triple-shelled MnO and hollow FeO microcubes for high energy density asymmetric supercapacitors. <i>Dalton Transactions</i> , 2019 , 48, 8623-8632	4.3	16
43	Large-scale synthesis of few-layer graphene from magnesium and different carbon sources and its application in dye-sensitized solar cells. <i>Materials and Design</i> , 2016 , 92, 462-470	8.1	16

42	Correlating the electrocatalytic stability of platinum monolayer catalysts with their structural evolution in the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20725-20736	13	15
41	Sea urchin-like CuCo ₂ S ₄ microspheres with a controllable interior structure as advanced electrode materials for high-performance supercapacitors. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 603-609	6.8	14
40	High energy-storage density of lead-free (SrBi)TiMnO thin films induced by Bi-V dipolar defects. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 16359-16366	3.6	12
39	High energy storage density achieved in Bi ³⁺ -Li ⁺ co-doped SrTi _{0.99} Mn _{0.01} O ₃ thin film via ionic pair doping-engineering. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 706-711	6	12
38	Large-scale synthesis and characterization of super-bundle single-walled carbon nanotubes by water-assisted chemical vapor deposition. <i>RSC Advances</i> , 2015 , 5, 30564-30569	3.7	11
37	Effect of defects controlled by preparation condition and heat treatment on the ferromagnetic properties of few-layer graphene. <i>Scientific Reports</i> , 2017 , 7, 5877	4.9	10
36	Effect of H ₂ Reduction Temperature on the Properties of Reduced Graphene Oxide and Copper Matrix Composites. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014 , 27, 924-929	2.5	10
35	Effect of doped boron on the properties of ZnO thin films prepared by sol-gel spin coating. <i>Chemical Research in Chinese Universities</i> , 2014 , 30, 509-512	2.2	9
34	Thermal expansion behavior of a LiAlSiO ₄ /Cu composite. <i>Rare Metals</i> , 2009 , 28, 82-85	5.5	9
33	Tensile properties of ZnO- and ZnAl ₂ O ₄ -coated aluminum borate whiskers reinforced aluminum composites at elevated temperatures. <i>Journal of Composite Materials</i> , 2012 , 46, 1475-1481	2.7	9
32	Enhanced thermal and mechanical properties of Sr _{0.2} Ba _{0.8} TiO ₃ /Cu composites by introducing Cu ₂ O interface coating. <i>Materials and Design</i> , 2019 , 166, 107594	8.1	8
31	Local Order and Oxygen Ion Conduction Induced High-Temperature Colossal Permittivity in Lead-Free Bi _{0.5} Na _{0.5} TiO ₃ -Based Systems. <i>ACS Applied Energy Materials</i> , 2018 , 1, 956-962	6.1	8
30	Hole-pinned defect-dipoles induced colossal permittivity in Bi doped SrTiO ₃ ceramics with Sr deficiency. <i>Journal of Materials Science and Technology</i> , 2020 , 44, 54-61	9.1	8
29	A two-step thermal treatment method to produce reduced graphene oxide with selectively increasing electrochemically active carbonyl group content for high-performance supercapacitor electrode. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 620, 126573	5.1	8
28	All-in-One Sulfur Host: Smart Controls of Architecture and Composition for Accelerated Liquid-Solid Redox Conversion in Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 39424-39434	9.5	8
27	Effect of deformation on thermal expansion behavior of Sr _{0.2} Ba _{0.8} TiO ₃ /Cu composite. <i>Journal of Alloys and Compounds</i> , 2017 , 729, 735-741	5.7	7
26	Enhanced Piezoelectric Properties of Li ⁺ and Al ³⁺ -Modified Barium Titanate Ceramics. <i>Ferroelectrics</i> , 2015 , 489, 156-163	0.6	7
25	Microstructures and Electric Properties of Highly (111)-Oriented Nb-Doped Pb(Zr _{0.2} ,Ti _{0.8})O ₃ Films with Pb _{0.8} La _{0.1} Ca _{0.1} Ti _{0.975} O ₃ Seed Layer. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 1503-1508	3.8	7

24	Ba and Mg co-doping to suppress high-temperature dielectric loss in lead-free Na _{0.5} Bi _{0.5} TiO ₃ -based systems. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 720-727	6	7
23	Facile synthesis of high-performance carbon nanosheet/Cu composites from copper formate. <i>Carbon</i> , 2020 , 165, 349-357	10.4	6
22	Tensile properties of thermally exposed aluminium borate whisker reinforced 6061 aluminium alloy composite. <i>Materials Science and Technology</i> , 2000 , 16, 431-435	1.5	6
21	Large Piezoelectric Response Induced by the Coexistence of Low-Symmetry and Self-Polarization in Li ⁺ -Nb ⁵⁺ -Doped BiFeO ₃ Polycrystalline Films. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 6246-6251	3.8	6
20	PVDF-based composites filled with PZT@Ag core-shell structured particles for enhanced dielectric properties. <i>Modern Physics Letters B</i> , 2019 , 33, 1950139	1.6	5
19	A saddle-shaped o-tetraphenylene based molecular semiconductor with a high glass transition temperature for perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 9927-9936	13	5
18	Enhanced energy storage properties of amorphous BiFeO ₃ /Al ₂ O ₃ multilayers. <i>Journal of Materials Research and Technology</i> , 2021 , 11, 1852-1858	5.5	4
17	Multiferroic Properties and Magnetic Anisotropy in P(VDF-TrFE) Composites with Oriented CoFe ₂ O ₄ Nanofibers. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 8840-8852	3.8	4
16	Effects of high-shear mixing and the graphene oxide weight fraction on the electrochemical properties of the GO/Ni(OH) electrode. <i>Dalton Transactions</i> , 2020 , 49, 1752-1764	4.3	3
15	High-Performance Supercapacitors: In Situ Synthesis of Vertical Standing Nanosized NiO Encapsulated in Graphene as Electrodes for High-Performance Supercapacitors (Adv. Sci. 3/2018). <i>Advanced Science</i> , 2018 , 5, 1870019	13.6	3
14	A highly conductive Ni(OH) nano-sheet wrapped CuCoS nano-tube electrode with a core-shell structure for high performance supercapacitors. <i>Dalton Transactions</i> , 2021 , 50, 8476-8486	4.3	3
13	Thickness-Dependent Monoclinic Phases and Piezoelectric Properties Observed in Polycrystalline (Pb _{0.94} La _{0.04})(Zr _{0.60} Ti _{0.40})O ₃ Thin Films. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 17487-17492	3.8	2
12	Two-dimensional electron gas in the KNbO ₃ :Y ultrathin film. <i>Journal of Materials Science</i> , 2015 , 50, 74-78	4.3	2
11	A new polymorph phase of LiAlSiO ₄ in LiAlSiO ₄ /Cu composite. <i>Advanced Composite Materials</i> , 2014 , 23, 327-335	2.8	2
10	Magnetic Properties of Co-Fe-B Amorphous Films Thermomagnetically Treated with Different Field Directions. <i>Journal of Nanomaterials</i> , 2012 , 2012, 1-5	3.2	2
9	Role of A- and B-site excess doping on the improvement of the piezoelectric properties of BaTiO ₃ lead-free piezoceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 7831-7838	2.1	2
8	Effect of Excess Ratio of Alkali Metal on Microstructure and Ferroelectric Property of K _{0.5} Na _{0.5} NbO ₃ Thin Film. <i>Integrated Ferroelectrics</i> , 2021 , 213, 137-145	0.8	2
7	Lateral size effect of reduced graphene oxide on properties of copper matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 820, 141579	5.3	2

6	Structure-Property Relationships: High Energy Storage Performance of Opposite Double-Heterojunction Ferroelectricity Insulators (Adv. Funct. Mater. 10/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870066	15.6	1
5	Research progress in molecular dynamics simulation of CNT and graphene reinforced metal matrix composites 2020 , 1,		1
4	Interface design and engineering in Al matrix composite with low CTE and high strength reinforced by barium strontium titanate particles. <i>Materials Today Communications</i> , 2022 , 103512	2.5	0
3	Phase composition and electrical properties of $K_{0.4}Na_{0.6}Nb_{1-x}Ta_xO_3$ lead-free thin films. <i>Ferroelectrics</i> , 2019 , 540, 103-111	0.6	
2	Tensile properties of an aluminum matrix composite reinforced by SnO ₂ -coated Al ₁₈ B ₄ O ₃₃ whisker. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2011 , 26, 1166-1170		1
1	Graphene-like carbon nanosheet/copper composite with combined performance designed by pyrolyzing trimesic acid@copper formate. <i>Journal of Materials Research and Technology</i> , 2021 , 13, 111-120	5.5	5