

Yanqing Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6408495/publications.pdf>

Version: 2024-02-01

35
papers

990
citations

516215

16
h-index

433756

31
g-index

35
all docs

35
docs citations

35
times ranked

1224
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-woven monolayer polyionic mesh to achieve highly efficient and stable inverted perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 428, 132074.	6.6	19
2	Improving the electrical performance of inverted perovskite solar cell with LiF anode buffer layer. <i>Organic Electronics</i> , 2022, 101, 106401.	1.4	6
3	Interface barrier strategy for perovskite solar cells realized by In-situ synthesized polyionic layer. <i>Chemical Engineering Journal</i> , 2022, 439, 135704.	6.6	7
4	P-type doping in internally photoemitted hot carrier solar cells. <i>Journal of Cleaner Production</i> , 2021, 278, 124168.	4.6	2
5	Nitrogen-doped carbon nanotubes encapsulated Bi nanobuds for lithium based high-performance energy storage devices. <i>Journal of Alloys and Compounds</i> , 2021, 856, 158204.	2.8	12
6	Elimination of Charge Transport Layers in High-Performance Perovskite Solar Cells by Band Bending. <i>ACS Applied Energy Materials</i> , 2021, 4, 1294-1301.	2.5	13
7	Efficient and Stable Perovskite Solar Cells Achieved by Using Bifunctional Interfacial Materials to Modify SnO ₂ and MAPbI ₃ Cl Simultaneously. <i>ACS Applied Energy Materials</i> , 2021, 4, 3794-3802.	2.5	10
8	Impact of A-Site Cations on Fluorescence Quenching in Organic-Inorganic Hybrid Perovskite Materials. <i>Journal of Physical Chemistry C</i> , 2021, 125, 11524-11531.	1.5	3
9	Correction to Efficient and Stable Perovskite Solar Cells Achieved by Using Bifunctional Interfacial Materials to Modify SnO ₂ and MAPbI ₃ Cl Simultaneously. <i>ACS Applied Energy Materials</i> , 2021, 4, 8660-8660.	2.5	0
10	Real-Time Acid Rain Sensor Based on a Triboelectric Nanogenerator Made of a PTFE-PDMS Composite Film. <i>ACS Applied Electronic Materials</i> , 2021, 3, 4162-4171.	2.0	22
11	Hydrazine dihydrochloride as a new additive to promote the performance of tin-based mixed organic cation perovskite solar cells. <i>Sustainable Energy and Fuels</i> , 2021, 5, 2660-2667.	2.5	14
12	Mechanism for Enhancing Photocurrent of Hot Electron Collection Solar Cells by Adding LiF on the Outmost MAPbI ₃ Perovskite Layer. <i>IEEE Journal of Photovoltaics</i> , 2021, 11, 99-103.	1.5	5
13	An internally photoemitted hot carrier solar cell based on organic-inorganic perovskite. <i>Nano Energy</i> , 2020, 68, 104383.	8.2	26
14	Highly Efficient Sn-Pb Perovskite Solar Cell and High-Performance All-Perovskite Four-Terminal Tandem Solar Cell. <i>Solar Rrl</i> , 2020, 4, 1900396.	3.1	30
15	Coordinated Optical Matching of a Texture Interface Made from Demixing Blended Polymers for High-Performance Inverted Perovskite Solar Cells. <i>ACS Nano</i> , 2020, 14, 196-203.	7.3	64
16	Perovskite solar cells fabricated under ambient air at room temperature without any post-treatment. <i>Organic Electronics</i> , 2020, 86, 105918.	1.4	13
17	Passivation of defects in inverted perovskite solar cells using an imidazolium-based ionic liquid. <i>Sustainable Energy and Fuels</i> , 2020, 4, 3971-3978.	2.5	37
18	Electron Transport Materials: Evolution and Case Study for High-Efficiency Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000136.	3.1	32

#	ARTICLE	IF	CITATIONS
19	Controllable Multistep Preparation Method for High-Efficiency Perovskite Solar Cells with Low Annealing Temperature in Glove Box. <i>Energy Technology</i> , 2020, 8, 2000071.	1.8	6
20	Effect of guanidinium chloride in eliminating O_2 electron extraction barrier on a SnO_2 surface to enhance the efficiency of perovskite solar cells. <i>RSC Advances</i> , 2020, 10, 19513-19520.	1.7	14
21	Resistive switching behaviors and memory logic functions in single MnO_x nanorod modulated by moisture. <i>Chemical Communications</i> , 2019, 55, 9915-9918.	2.2	51
22	Evolution map of the memristor: from pure capacitive state to resistive switching state. <i>Nanoscale</i> , 2019, 11, 17222-17229.	2.8	45
23	High Open-Circuit Voltage of 1.134 V for Inverted Planar Perovskite Solar Cells with Sodium Citrate-Doped PEDOT:PSS as a Hole Transport Layer. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 22021-22027.	4.0	80
24	Nuclei position-control and crystal growth-guidance on frozen substrates for high-performance perovskite solar cells. <i>Nanoscale</i> , 2019, 11, 12108-12115.	2.8	10
25	Coexistence of Negative Differential Resistance and Resistive Switching Memory at Room Temperature in TiO_x Modulated by Moisture. <i>Advanced Electronic Materials</i> , 2018, 4, 1700567.	2.6	147
26	High performance planar p-i-n perovskite solar cells based on a thin Alq_3 cathode buffer layer. <i>RSC Advances</i> , 2018, 8, 15961-15966.	1.7	16
27	Enhancing the open circuit voltage of PEDOT:PSS-PC61BM based inverted planar mixed halide perovskite solar cells from 0.93 to 1.05 V by simply oxidizing PC61BM. <i>Organic Electronics</i> , 2018, 59, 260-265.	1.4	14
28	A perylene diimide-based electron transport layer enabling efficient inverted perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 16868-16873.	5.2	76
29	Pentacene as a hole transport material for high performance planar perovskite solar cells. <i>Current Applied Physics</i> , 2018, 18, 1095-1100.	1.1	13
30	Mechanism for bipolar resistive switching memory behaviors of a self-assembled three-dimensional MoS_2 microsphere composed active layer. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	34
31	The interface degradation of planar organic-inorganic perovskite solar cell traced by light beam induced current (LBIC). <i>RSC Advances</i> , 2017, 7, 42973-42978.	1.7	12
32	Hydrogen-peroxide-modified egg albumen for transparent and flexible resistive switching memory. <i>Nanotechnology</i> , 2017, 28, 425202.	1.3	48
33	Investigation of the behaviour of electronic resistive switching memory based on $MoSe_2$ -doped ultralong Se microwires. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	86
34	Band gap energies for white nanosheets/yellow nanoislands/purple nanorods of CeO_2 . <i>RSC Advances</i> , 2016, 6, 59370-59374.	1.7	21
35	A simple method to experimentally determine the accurate RC-constant in nanosecond timescale transient photocurrent measurements on organic solar cells. <i>RSC Advances</i> , 2015, 5, 103403-103409.	1.7	2