Carl van Walraven

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6410262/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Modification of the Elixhauser Comorbidity Measures Into a Point System for Hospital Death Using Administrative Data. Medical Care, 2009, 47, 626-633.	1.1	1,573
2	Derivation and validation of an index to predict early death or unplanned readmission after discharge from hospital to the community. Cmaj, 2010, 182, 551-557.	0.9	726
3	Oral Anticoagulants vs Aspirin in Nonvalvular Atrial Fibrillation. JAMA - Journal of the American Medical Association, 2002, 288, 2441.	3.8	632
4	Proportion of hospital readmissions deemed avoidable: a systematic review. Cmaj, 2011, 183, E391-E402.	0.9	556
5	Effect of Study Setting on Anticoagulation Control. Chest, 2006, 129, 1155-1166.	0.4	453
6	The association between continuity of care and outcomes: a systematic and critical review. Journal of Evaluation in Clinical Practice, 2010, 16, 947-956.	0.9	427
7	Time-dependent bias was common in survival analyses published in leading clinical journals. Journal of Clinical Epidemiology, 2004, 57, 672-682.	2.4	312
8	Effect of Age on Stroke Prevention Therapy in Patients With Atrial Fibrillation. Stroke, 2009, 40, 1410-1416.	1.0	306
9	Do We Know What Inappropriate Laboratory Utilization Is?. JAMA - Journal of the American Medical Association, 1998, 280, 550.	3.8	305
10	Effect of discharge summary availability during post-discharge visits on hospital readmission. Journal of General Internal Medicine, 2002, 17, 186-192.	1.3	262
11	Association of Frailty and 1-Year Postoperative Mortality Following Major Elective Noncardiac Surgery. JAMA Surgery, 2016, 151, 538.	2.2	233
12	Continuity of care and patient outcomes after hospital discharge. Journal of General Internal Medicine, 2004, 19, 624-631.	1.3	191
13	The Effect of Hospital Occupancy on Emergency Department Length of Stay and Patient Disposition. Academic Emergency Medicine, 2003, 10, 127-133.	0.8	186
14	A Clinical Prediction Rule to Identify Patients With Atrial Fibrillation and a Low Risk for Stroke While Taking Aspirin. Archives of Internal Medicine, 2003, 163, 936.	4.3	185
15	Administrative database research has unique characteristics that can risk biased results. Journal of Clinical Epidemiology, 2012, 65, 126-131.	2.4	178
16	Incidence of potentially avoidable urgent readmissions and their relation to all-cause urgent readmissions. Cmaj, 2011, 183, E1067-E1072.	0.9	145
17	A metaâ€analysis of hospital 30â€day avoidable readmission rates. Journal of Evaluation in Clinical Practice, 2012, 18, 1211-1218.	0.9	144
18	Administrative database research infrequently used validated diagnostic or procedural codes. Journal of Clinical Epidemiology, 2011, 64, 1054-1059.	2.4	131

#	Article	IF	CITATIONS
19	Frailty as a Predictor of Death or New Disability After Surgery. Annals of Surgery, 2020, 271, 283-289.	2.1	131
20	Effect of Population-Based Interventions on Laboratory Utilization. JAMA - Journal of the American Medical Association, 1998, 280, 2028.	3.8	116
21	Population-based Study of Repeat Laboratory Testing. Clinical Chemistry, 2003, 49, 1997-2005.	1.5	109
22	Association of Blood Donor Age and Sex With Recipient Survival After Red Blood Cell Transfusion. JAMA Internal Medicine, 2016, 176, 1307.	2.6	109
23	Survival Trends in ESRD Patients Compared With the General Population in the United States. American Journal of Kidney Diseases, 2014, 63, 491-499.	2.1	107
24	The Surgical Site Infection Risk Score (SSIRS): A Model to Predict the Risk of Surgical Site Infections. PLoS ONE, 2013, 8, e67167.	1.1	102
25	Competing risk bias was common in Kaplan–Meier risk estimates published in prominent medical journals. Journal of Clinical Epidemiology, 2016, 69, 170-173.e8.	2.4	97
26	External validation of the Hospital Frailty Risk Score and comparison with the Hospital-patient One-year Mortality Risk Score to predict outcomes in elderly hospitalised patients: a retrospective cohort study. BMJ Quality and Safety, 2019, 28, 284-288.	1.8	85
27	The Kaiser Permanente inpatient risk adjustment methodology was valid in an external patient population. Journal of Clinical Epidemiology, 2010, 63, 798-803.	2.4	80
28	Burden of Potentially Avoidable Anticoagulant-Associated Hemorrhagic and Thromobembolic Events in the Elderly. Chest, 2007, 131, 1508-1515.	0.4	72
29	Effect of Blood Donor Characteristics on Transfusion Outcomes: A Systematic Review and Meta-Analysis. Transfusion Medicine Reviews, 2016, 30, 69-80.	0.9	71
30	Prevalence of information gaps in the emergency department and the effect on patient outcomes. Cmaj, 2003, 169, 1023-8.	0.9	70
31	Derivation and Validation of a Generalizable Preoperative Frailty Index Using Population-based Health Administrative Data. Annals of Surgery, 2019, 270, 102-108.	2.1	69
32	Quantifying the impact of survivor treatment bias in observational studies. Journal of Evaluation in Clinical Practice, 2006, 12, 601-612.	0.9	68
33	External validation of the Hospital-patient One-year Mortality Risk (HOMR) model for predicting death within 1 year after hospital admission. Cmaj, 2015, 187, 725-733.	0.9	63
34	Dissemination of discharge summaries. Not reaching follow-up physicians. Canadian Family Physician, 2002, 48, 737-42.	0.1	61
35	The independent association of provider and information continuity on outcomes after hospital discharge: Implications for hospitalists. Journal of Hospital Medicine, 2010, 5, 398-405.	0.7	57
36	Association of Diagnostic Radiation Exposure and Second Abdominal-Pelvic Malignancies After Testicular Cancer. Journal of Clinical Oncology, 2011, 29, 2883-2888.	0.8	57

#	Article	IF	CITATIONS
37	Information exchange among physicians caring for the same patient in the community. Cmaj, 2008, 179, 1013-1018.	0.9	56
38	Incidence, follow-up, and outcomes of incidental abdominal aortic aneurysms. Journal of Vascular Surgery, 2010, 52, 282-289.e2.	0.6	56
39	Incidence and Contributors to Potential Drugâ€Drug Interactions in Hospitalized Patients. Journal of Clinical Pharmacology, 2011, 51, 1043-1050.	1.0	56
40	Research pointers: Risk of subsequent thromboembolism for patients with pre-eclampsia. BMJ: British Medical Journal, 2003, 326, 791-792.	2.4	51
41	Predicting potential survival benefit of renal transplantation in patients with chronic kidney disease. Cmaj, 2010, 182, 666-672.	0.9	49
42	How far is the sternal angle from the mid-right atrium?. Journal of General Internal Medicine, 2002, 17, 861-865.	1.3	45
43	LACE+ index: extension of a validated index to predict early death or urgent readmission after hospital discharge using administrative data. Open Medicine, 2012, 6, e80-90.	1.5	45
44	A prospective cohort study found that provider and information continuity was low after patient discharge from hospital. Journal of Clinical Epidemiology, 2010, 63, 1000-1010.	2.4	43
45	Use of Preoperative Magnetic Resonance Imaging for Breast Cancer. JAMA Oncology, 2015, 1, 1238.	3.4	43
46	Quality gaps identified through mortality review. BMJ Quality and Safety, 2017, 26, 141-149.	1.8	43
47	PREHAB study: a protocol for a prospective randomised clinical trial of exercise therapy for people living with frailty having cancer surgery. BMJ Open, 2018, 8, e022057.	0.8	38
48	The Hospital-patient One-year Mortality Risk score accurately predicted long-term death risk in hospitalized patients. Journal of Clinical Epidemiology, 2014, 67, 1025-1034.	2.4	36
49	Frailty and long-term postoperative disability trajectories: a prospective multicentre cohort study. British Journal of Anaesthesia, 2020, 125, 704-711.	1.5	36
50	The effect of hospitalization on oral anticoagulation control: A population-based study. Thrombosis Research, 2007, 119, 705-714.	0.8	34
51	Association between perioperative beta blocker use and cancer survival following surgical resection. European Journal of Surgical Oncology, 2018, 44, 1164-1169.	0.5	31
52	Home-based prehabilitation with exercise to improve postoperative recovery for older adults with frailty having cancer surgery: the PREHAB randomised clinical trial. British Journal of Anaesthesia, 2022, 129, 41-48.	1.5	31
53	The usefulness of administrative databases for identifying disease cohorts is increased with a multivariate model. Journal of Clinical Epidemiology, 2010, 63, 1332-1341.	2.4	30
54	Individual patient meta-analysis—rewards and challenges. Journal of Clinical Epidemiology, 2010, 63, 235-237.	2.4	29

#	Article	IF	CITATIONS
55	Imaging for distant metastases in women with early-stage breast cancer: a population-based cohort study. Cmaj, 2015, 187, E387-E397.	0.9	29
56	Effect of Preoperative Geriatric Evaluation on Outcomes After Elective Surgery: A Populationâ€Based Study. Journal of the American Geriatrics Society, 2017, 65, 2665-2672.	1.3	27
57	A comparison of methods to correct for misclassification bias from administrative database diagnostic codes. International Journal of Epidemiology, 2018, 47, 605-616.	0.9	25
58	Competing risk bias in Kaplan–Meier risk estimates can be corrected. Journal of Clinical Epidemiology, 2016, 70, 101-105.	2.4	24
59	Using an interactive voice response system to improve patient safety following hospital discharge. Journal of Evaluation in Clinical Practice, 2007, 13, 346-351.	0.9	23
60	Influence of house-staff experience on teaching-hospital mortality: The "July Phenomenon―revisited. Journal of Hospital Medicine, 2011, 6, 389-394.	0.7	23
61	Predicting Stroke Risk Based on Health Behaviours: Development of the Stroke Population Risk Tool (SPoRT). PLoS ONE, 2015, 10, e0143342.	1.1	23
62	Validation of Administrative Database Codes for Acute Kidney Injury in Kidney Transplant Recipients. Canadian Journal of Kidney Health and Disease, 2016, 3, 108.	0.6	22
63	Pediatric tonsillectomy is a resource-intensive procedure: a study of Canadian health administrative data. Canadian Journal of Anaesthesia, 2017, 64, 724-735.	0.7	21
64	Migraine headache and risk of selfâ€harm and suicide: A populationâ€based study in <scp>O</scp> ntario, <scp>C</scp> anada. Headache, 2016, 56, 132-140.	1.8	20
65	Anemia prevalence and incidence and red blood cell transfusion practices in aneurysmal subarachnoid hemorrhage: results of a multicenter cohort study. Critical Care, 2018, 22, 169.	2.5	20
66	Derivation and Validation of a Novel Risk Score to Predict Overcorrection of Severe Hyponatremia. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 975-982.	2.2	20
67	mHOMR: a feasibility study of an automated system for identifying inpatients having an elevated risk of 1-year mortality. BMJ Quality and Safety, 2019, 28, bmjqs-2018-009285.	1.8	20
68	Clinical effects of blood donor characteristics in transfusion recipients: protocol of a framework to study the blood donor-recipient continuum. BMJ Open, 2015, 5, e007412-e007412.	0.8	19
69	Addition of timeâ€dependent covariates to a survival model significantly improved predictions for daily risk of hospital death. Journal of Evaluation in Clinical Practice, 2013, 19, 351-357.	0.9	18
70	Influence of neighborhood household income on early death or urgent hospital readmission. Journal of Hospital Medicine, 2013, 8, 261-266.	0.7	18
71	Long-term survival and resource use in critically ill cardiac surgery patients: a population-based study. Canadian Journal of Anaesthesia, 2018, 65, 985-995.	0.7	18
72	The Procedural Index for Mortality Risk (PIMR): an index calculated using administrative data to quantify the independent influence of procedures on risk of hospital death. BMC Health Services Research, 2011, 11, 258.	0.9	17

#	Article	IF	CITATIONS
73	Comparative assessment of two frailty instruments for risk-stratification in elderly surgical patients: study protocol for a prospective cohort study. BMC Anesthesiology, 2016, 16, 111.	0.7	16
74	The HOMR-Now! Model Accurately Predicts 1-Year Death Risk for Hospitalized Patients on Admission. American Journal of Medicine, 2017, 130, 991.e9-991.e16.	0.6	16
75	Evaluation of a preoperative personalized risk communication tool: a prospective before-and-after study. Canadian Journal of Anaesthesia, 2020, 67, 1749-1760.	0.7	16
76	Comparing methods to calculate hospital-specific rates of early death or urgent readmission. Cmaj, 2012, 184, E810-E817.	0.9	15
77	The Utility of Unplanned Early Hospital Readmissions as a Health Care Quality Indicator. JAMA Internal Medicine, 2015, 175, 1812.	2.6	15
78	Independent influence of negative blood cultures and bloodstream infections on in-hospital mortality. BMC Infectious Diseases, 2014, 14, 36.	1.3	14
79	Wait Times for Melanoma Surgery: Is There an Association with Overall Survival?. Annals of Surgical Oncology, 2018, 25, 265-270.	0.7	14
80	The influence of incidental abdominal aortic aneurysm monitoring on patient outcomes. Journal of Vascular Surgery, 2011, 54, 1290-1297.e2.	0.6	13
81	When projecting required effectiveness of interventions for hospital readmission reduction, the percentage that is potentially avoidable must be considered. Journal of Clinical Epidemiology, 2013, 66, 688-690.	2.4	13
82	Development and evaluation of an evidence-based, theory-grounded online Clinical Frailty Scale tutorial. Age and Ageing, 2022, 51, .	0.7	13
83	Changes in surrogate outcomes can be translated into clinical outcomes using a Monte Carlo model. Journal of Clinical Epidemiology, 2009, 62, 1306-1315.	2.4	12
84	Survival of Men with Prostate Cancer Undergoing Radical Prostatectomy in Ontario. Journal of Urology, 2014, 192, 1385-1389.	0.2	12
85	Association of Preoperative Anticholinergic Medication Exposure With Postoperative Healthcare Resource Use and Outcomes. Annals of Surgery, 2019, 270, 1049-1057.	2.1	12
86	Criteria for Hyponatremic Overcorrection: Systematic Review and Cohort Study of Emergently III Patients. Journal of General Internal Medicine, 2020, 35, 315-321.	1.3	12
87	Predicting postâ€discharge death or readmission: deterioration of model performance in population having multiple admissions per patient. Journal of Evaluation in Clinical Practice, 2013, 19, 1012-1018.	0.9	11
88	Subarachnoid hemorrhage admissions retrospectively identified using a prediction model. Neurology, 2016, 87, 1557-1564.	1.5	11
89	Improved Correction of Misclassification Bias With Bootstrap Imputation. Medical Care, 2018, 56, e39-e45.	1.1	11
90	External validation of the modified <scp>LACE</scp> +, <scp>LACE</scp> +, and <scp>LACE</scp> scores to predict readmission or death after hospital discharge. Journal of Evaluation in Clinical Practice, 2021, 27, 1390-1397.	0.9	11

#	Article	IF	CITATIONS
91	Risk of death or readmission among people discharged from hospital on Fridays. Cmaj, 2002, 166, 1672-3.	0.9	11
92	Anticoagulation Control in the Peri-Hospitalization Period. Journal of General Internal Medicine, 2007, 22, 727-735.	1.3	10
93	Chronic rhinosinusitis identification in administrative databases and health surveys: A systematic review. Laryngoscope, 2016, 126, 1303-1310.	1.1	10
94	Migraineurs were reliably identified using administrative data. Journal of Clinical Epidemiology, 2016, 71, 68-75.	2.4	10
95	Venous thromboembolism and transfusion after major abdominopelvic surgery. Surgery, 2019, 166, 1084-1091.	1.0	10
96	Effect of Provider Continuity on Test Repetition. Clinical Chemistry, 2006, 52, 2219-2228.	1.5	9
97	The TEND (Tomorrow's Expected Number of Discharges) Model Accurately Predicted the Number of Patients Who Were Discharged from the Hospital the Next Day. Journal of Hospital Medicine, 2018, 13, 158-163.	0.7	9
98	Enriched administrative data can be used to retrospectively identify all known cases of primary subarachnoid hemorrhage. Journal of Clinical Epidemiology, 2016, 70, 146-154.	2.4	8
99	Bootstrap imputation with a disease probability model minimized bias from misclassification due to administrative database codes. Journal of Clinical Epidemiology, 2017, 84, 114-120.	2.4	8
100	mHOMR: the acceptability of an automated mortality prediction model for timely identification of patients for palliative care. BMJ Quality and Safety, 2021, 30, 837-840.	1.8	8
101	Derivation and validation of a diagnostic score based on case-mix groups to predict 30-day death or urgent readmission. Open Medicine, 2012, 6, e90-e100.	1.5	8
102	The effect of a hepatitis serology testing algorithm on laboratory utilization. Journal of Evaluation in Clinical Practice, 2002, 8, 327-332.	0.9	7
103	Oral Anticoagulants vs. Aspirin for Stroke Prevention in Patients with Non-Valvular Atrial Fibrillation: The Verdict is in. Journal of Interventional Cardiac Electrophysiology, 2003, 7, 374-378.	0.9	7
104	The influence of cholinesterase inhibitor therapy for dementia on risk of cardiac pacemaker insertion: a retrospective, population-based, health administrative databases study in Ontario, Canada. BMC Neurology, 2015, 15, 66.	0.8	7
105	Epidemiology and outcomes of bloodstream infections in patients discharged from the emergency department. Canadian Journal of Emergency Medicine, 2015, 17, 27-37.	0.5	7
106	Case-Ascertainment Models to Identify Adults with Obstructive Sleep Apnea Using Health Administrative Data: Internal and External Validation. Clinical Epidemiology, 2021, Volume 13, 453-467.	1.5	7
107	An hypothesis paper on practice environment and the provision of health care: Could hospital occupancy rates effect quality?. Journal of Quality in Clinical Practice, 2000, 20, 69-74.	0.5	6
108	Correlation between serial tests made disease probability estimates erroneous. Journal of Clinical Epidemiology, 2009, 62, 1301-1305.	2.4	6

#	Article	IF	CITATIONS
109	Urgent readmission rates can be used to infer differences in avoidable readmission rates between hospitals. Journal of Clinical Epidemiology, 2012, 65, 1124-1130.	2.4	6
110	Trends in prostate biopsy in Ontario, 1992-2014: a cohort study. CMAJ Open, 2016, 4, E698-E705.	1.1	6
111	Derivation and Validation of the Surgical Site Infections Risk Model Using Health Administrative Data. Infection Control and Hospital Epidemiology, 2016, 37, 455-465.	1.0	6
112	A retrospective assessment of prognostication in 456,685 patients undergoing elective major non-cardiac surgery. Canadian Journal of Anaesthesia, 2017, 64, 908-918.	0.7	6
113	mHOMR: a prospective observational study of an automated mortality prediction model to identify patients with unmet palliative needs. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002870.	0.8	6
114	Derivation of a Predictive Model for Graft Loss Following Acute Kidney Injury in Kidney Transplant Recipients. Canadian Journal of Kidney Health and Disease, 2017, 4, 205435811668822.	0.6	5
115	Evaluating the Clinical Effect of Female Blood Donors of Child-Bearing Age on Maternal and Neonatal Outcomes: A Cohort Study. Transfusion Medicine Reviews, 2020, 34, 117-123.	0.9	5
116	The Prognostic Value of Serum Zinc Levels in Acutely Hospitalized Patients: a Systematic Review. Biological Trace Element Research, 2021, 199, 4447-4457.	1.9	5
117	The Influence of Hospitalist Continuity on the Likelihood of Patient Discharge in General Medicine Patients. Journal of Hospital Medicine, 2018, 13, 692-694.	0.7	5
118	The Effect of Transplant Volume and Patient Case Mix on Center Variation in Kidney Transplantation Outcomes. Canadian Journal of Kidney Health and Disease, 2019, 6, 205435811987546.	0.6	4
119	The Influence of Inpatient Physician Continuity on Hospital Discharge. Journal of General Internal Medicine, 2019, 34, 1709-1714.	1.3	4
120	Factors associated with zinc levels in hospitalized patients: An observational study using routinely collected data. Journal of Trace Elements in Medicine and Biology, 2020, 61, 126540.	1.5	4
121	Predicting 1-Year Mortality After Cardiac Surgery Complicated by Prolonged Critical Illness: Derivation and Validation of a Population-Based Risk Model. Journal of Cardiothoracic and Vascular Anesthesia, 2020, 34, 2628-2637.	0.6	4
122	Radiographic monitoring of incidental abdominal aortic aneurysms: a retrospective population-based cohort study. Open Medicine, 2011, 5, e67-76.	1.5	4
123	Derivation and Validation of a MEDLINE Search Strategy for Research Studies That Use Administrative Data. Health Services Research, 2010, 45, 1836-1845.	1.0	3
124	Administrative data measured surgical site infection probability within 30 days of surgery in elderly patients. Journal of Clinical Epidemiology, 2016, 77, 112-117.	2.4	3
125	Development and validation of an administrative data algorithm to identify adults who have endoscopic sinus surgery for chronic rhinosinusitis. Journal of Otolaryngology - Head and Neck Surgery, 2017, 46, 38.	0.9	3
126	Case Mix, Patterns of Care, and Inpatient Outcomes Among Ontario Kidney Transplant Centers: A Population-Based Study. Canadian Journal of Kidney Health and Disease, 2018, 5, 205435811773005.	0.6	3

0.8

1

#	Article	IF	CITATIONS
127	Incidence and trends of central line associated pneumothorax using radiograph report text search versus administrative database codes. BMJ Quality and Safety, 2018, 27, 982-988.	1.8	3
128	A General Population Utility Valuation Study for Metastatic Epidural Spinal Cord Compression Health States. Spine, 2019, 44, 943-950.	1.0	3
129	Derivation and Internal Validation of a Model to Predict the Probability of Severe Acute Respiratory Syndrome Coronavirus-2 Infection in Community People. Journal of General Internal Medicine, 2021, 36, 162-169.	1.3	3
130	Accuracy of Administrative Database Algorithms for Hospitalized Pneumonia in Adults: a Systematic Review. Journal of General Internal Medicine, 2021, 36, 683-690.	1.3	3
131	Prognosticating with the Hospitalized Patient 1-year Mortality Risk Score Using Information Abstracted from the Medical Record. Journal of Hospital Medicine, 2017, 12, 224-230.	0.7	3
132	A novel prevention bundle to reduce incisional infections after radical cystectomy. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 638.e1-638.e6.	0.8	3
133	Administrative database code accuracy did not vary notably with changes in disease prevalence. Journal of Clinical Epidemiology, 2016, 79, 86-89.	2.4	2
134	Bootstrap imputation minimized misclassification bias when measuringÂColles' fracture prevalence and its associations using healthÂadministrative data. Journal of Clinical Epidemiology, 2018, 96, 93-100.	2.4	2
135	A new "angle―on aortic neck angulation measurement. Journal of Vascular Surgery, 2019, 70, 756-761.e1.	0.6	2
136	Can Text-Search Methods of Pathology Reports Accurately Identify Patients with Rectal Cancer in Large Administrative Databases?. Journal of Pathology Informatics, 2018, 9, 18.	0.8	2
137	Association of antibiotic allergy labels with hospital length of stay. Annals of Allergy, Asthma and Immunology, 2022, , .	0.5	2
138	Minimizing misclassification bias with a model to identify acetabular fractures using health administrative data. Medicine (United States), 2021, 100, e28223.	0.4	2
139	The effect of participation in a weight loss programme on short-term health resource utilization. Journal of Evaluation in Clinical Practice, 2002, 8, 37-44.	0.9	1
140	The Impact of Improved Population Life Expectancy in Survival Trend Analyses of Specific Diseases. Health Services Research, 2016, 51, 1632-1643.	1.0	1
141	Back to Bayesian: A strategy to enhance prognostication of metastatic spine disease. International Journal of Clinical Practice, 2019, 73, e13322.	0.8	1
142	Protocol for the derivation and external validation of a 30-day mortality risk prediction model for older patients having emergency general surgery (PAUSE score—Probability of mortality Associated) Tj ETQq0 () Oor <i>g</i> BT /C	Overlock 10 T
143	Shape of the association between preoperative hemoglobin level and postoperative outcomes in patients undergoing primary arthroplasty. Canadian Journal of Surgery, 2022, 65, E25-E37.	0.5	1

Evidence for overuse of cardiovascular healthcare services in high-income countries: protocol for a systematic review and meta-analysis. BMJ Open, 2022, 12, e053920.

#	Article	IF	CITATIONS
145	Can We Use Administrative Data to Accurately Identify Patients Who Receive a Prostate Biopsy?. JCO Clinical Cancer Informatics, 2018, 2, 1-10.	1.0	0
146	The "1-year-death number needed to treat―for comparing the impact of distinct interventions on patient outcomes. Cmaj, 2019, 191, E1242-E1249.	0.9	0
147	The Psychometric Properties of a Self-Administered, Open-Source Module for Valuing Metastatic Epidural Spinal Cord Compression Utilities. PharmacoEconomics - Open, 2019, 3, 197-204.	0.9	0
148	Should emergentologists follow up on patients diagnosed with UTI having negative urine cultures? Implications for processing postâ€discharge laboratory results. Journal of Evaluation in Clinical Practice, 2019, 25, 260-264.	0.9	0
149	External validation demonstrated the Ottawa SAH prediction models can identify pSAH using health administrative data. Journal of Clinical Epidemiology, 2020, 126, 122-130.	2.4	0
150	Derivation and validation of text search algorithms for renal and adrenal lesion identification in radiology text reports. Canadian Urological Association Journal, 2020, 14, E264-E270.	0.3	0
151	Should sodium-glucose cotransporter-2 inhibitors be first-line treatment for patients with type 2 diabetes?. Cmaj, 2020, 192, E375-E376.	0.9	0
152	A commentary on the value of hospital data for covid-19 pandemic surveillance and planning. International Journal of Population Data Science, 2020, 5, 1393.	0.1	0
153	MON-LB029 The Influence of SGLT-2 Inhibitors and Other Glucose-Lowering Therapies on All-Cause Mortality Risk and Cardiovascular Outcomes in Older Patients with Newly Treated Type 2 Diabetes: A Population-Based Cohort Study, Journal of the Endocrine Society, 2019, 3	0.1	О