

Carl van Walraven

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6410262/carl-van-walraven-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

7,691
citations

39
h-index

86
g-index

156
ext. papers

9,017
ext. citations

4.5
avg, IF

6.15
L-index

#	Paper	IF	Citations
150	Shape of the association between preoperative hemoglobin level and postoperative outcomes in patients undergoing primary arthroplasty.. <i>Canadian Journal of Surgery</i> , 2022 , 65, E25-E37	2	
149	Evidence for overuse of cardiovascular healthcare services in high-income countries: protocol for a systematic review and meta-analysis.. <i>BMJ Open</i> , 2022 , 12, e053920	3	
148	A commentary on the value of hospital data for covid-19 pandemic surveillance and planning. <i>International Journal of Population Data Science</i> , 2021 , 5, 1393	1.4	
147	mHOMR: a prospective observational study of an automated mortality prediction model to identify patients with unmet palliative needs. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	3
146	External validation of the modified LACE+, LACE+, and LACE scores to predict readmission or death after hospital discharge. <i>Journal of Evaluation in Clinical Practice</i> , 2021 , 27, 1390-1397	2.5	0
145	Case-Ascertainment Models to Identify Adults with Obstructive Sleep Apnea Using Health Administrative Data: Internal and External Validation. <i>Clinical Epidemiology</i> , 2021 , 13, 453-467	5.9	0
144	Derivation and Internal Validation of a Model to Predict the Probability of Severe Acute Respiratory Syndrome Coronavirus-2 Infection in Community People. <i>Journal of General Internal Medicine</i> , 2021 , 36, 162-169	4	2
143	The Prognostic Value of Serum Zinc Levels in Acutely Hospitalized Patients: a Systematic Review. <i>Biological Trace Element Research</i> , 2021 , 199, 4447-4457	4.5	0
142	Accuracy of Administrative Database Algorithms for Hospitalized Pneumonia in Adults: a Systematic Review. <i>Journal of General Internal Medicine</i> , 2021 , 36, 683-690	4	1
141	mHOMR: the acceptability of an automated mortality prediction model for timely identification of patients for palliative care. <i>BMJ Quality and Safety</i> , 2021 , 30, 837-840	5.4	3
140	Minimizing misclassification bias with a model to identify acetabular fractures using health administrative data: A cohort study.. <i>Medicine (United States)</i> , 2021 , 100, e28223	1.8	
139	Predicting 1-Year Mortality After Cardiac Surgery Complicated by Prolonged Critical Illness: Derivation and Validation of a Population-Based Risk Model. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020 , 34, 2628-2637	2.1	1
138	External validation demonstrated the Ottawa SAH prediction models can identify pSAH using health administrative data. <i>Journal of Clinical Epidemiology</i> , 2020 , 126, 122-130	5.7	
137	Derivation and validation of text search algorithms for renal and adrenal lesion identification in radiology text reports. <i>Canadian Urological Association Journal</i> , 2020 , 14, E264-E270	1.2	
136	A novel prevention bundle to reduce incisional infections after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 638.e1-638.e6	2.8	2
135	Evaluating the Clinical Effect of Female Blood Donors of Child-Bearing Age on Maternal and Neonatal Outcomes: A Cohort Study. <i>Transfusion Medicine Reviews</i> , 2020 , 34, 117-123	7.4	3
134	Factors associated with zinc levels in hospitalized patients: An observational study using routinely collected data. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020 , 61, 126540	4.1	1

133	Frailty and long-term postoperative disability trajectories: a prospective multicentre cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 125, 704-711	5.4	15
132	Evaluation of a preoperative personalized risk communication tool: a prospective before-and-after study. <i>Canadian Journal of Anaesthesia</i> , 2020 , 67, 1749-1760	3	3
131	Frailty as a Predictor of Death or New Disability After Surgery: A Prospective Cohort Study. <i>Annals of Surgery</i> , 2020 , 271, 283-289	7.8	58
130	Criteria for Hyponatremic Overcorrection: Systematic Review and Cohort Study of Emergently Ill Patients. <i>Journal of General Internal Medicine</i> , 2020 , 35, 315-321	4	6
129	Protocol for the derivation and external validation of a 30-day mortality risk prediction model for older patients having emergency general surgery (PAUSE score-Probability of mortality Associated with Urgent/emergent general Surgery in oldEr patients score). <i>BMJ Open</i> , 2020 , 10, e034060	3	0
128	Should sodium-glucose cotransporter-2 inhibitors be first-line treatment for patients with type 2 diabetes?. <i>Cmaj</i> , 2020 , 192, E375-E376	3.5	
127	The Effect of Transplant Volume and Patient Case Mix on Center Variation in Kidney Transplantation Outcomes. <i>Canadian Journal of Kidney Health and Disease</i> , 2019 , 6, 2054358119875462	2.3	4
126	The Influence of Inpatient Physician Continuity on Hospital Discharge. <i>Journal of General Internal Medicine</i> , 2019 , 34, 1709-1714	4	3
125	A new "angle" on aortic neck angulation measurement. <i>Journal of Vascular Surgery</i> , 2019 , 70, 756-761.e13.5	13.5	0
124	Back to Bayesian: A strategy to enhance prognostication of metastatic spine disease. <i>International Journal of Clinical Practice</i> , 2019 , 73, e13322	2.9	0
123	Venous thromboembolism and transfusion after major abdominopelvic surgery. <i>Surgery</i> , 2019 , 166, 1084-1091	5.6	16
122	Derivation and Validation of a Novel Risk Score to Predict Overcorrection of Severe Hyponatremia: The Severe Hyponatremia Overcorrection Risk (SHOR) Score. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 975-982	6.9	8
121	MON-LB029 The Influence of SGLT-2 Inhibitors and Other Glucose-Lowering Therapies on All-Cause Mortality Risk and Cardiovascular Outcomes in Older Patients with Newly Treated Type 2 Diabetes: A Population-Based Cohort Study. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
120	mHOMR: a feasibility study of an automated system for identifying inpatients having an elevated risk of 1-year mortality. <i>BMJ Quality and Safety</i> , 2019 , 28, 971-979	5.4	11
119	The "1-year-death number needed to treat" for comparing the impact of distinct interventions on patient outcomes. <i>Cmaj</i> , 2019 , 191, E1242-E1249	3.5	
118	A General Population Utility Valuation Study for Metastatic Epidural Spinal Cord Compression Health States. <i>Spine</i> , 2019 , 44, 943-950	3.3	1
117	The Psychometric Properties of a Self-Administered, Open-Source Module for Valuing Metastatic Epidural Spinal Cord Compression Utilities. <i>PharmacoEconomics - Open</i> , 2019 , 3, 197-204	2.1	
116	Should emergentologists follow up on patients diagnosed with UTI having negative urine cultures? Implications for processing post-discharge laboratory results. <i>Journal of Evaluation in Clinical Practice</i> , 2019 , 25, 260-264	2.5	

115	External validation of the Hospital Frailty Risk Score and comparison with the Hospital-patient One-year Mortality Risk Score to predict outcomes in elderly hospitalised patients: a retrospective cohort study. <i>BMJ Quality and Safety</i> , 2019 , 28, 284-288	5.4	43
114	Derivation and Validation of a Generalizable Preoperative Frailty Index Using Population-based Health Administrative Data. <i>Annals of Surgery</i> , 2019 , 270, 102-108	7.8	34
113	Association of Preoperative Anticholinergic Medication Exposure With Postoperative Healthcare Resource Use and Outcomes: A Population-based Cohort Study. <i>Annals of Surgery</i> , 2019 , 270, 1049-1057	7.8	6
112	Bootstrap imputation minimized misclassification bias when measuring Colles fracture prevalence and its associations using health administrative data. <i>Journal of Clinical Epidemiology</i> , 2018 , 96, 93-100	5.7	2
111	A comparison of methods to correct for misclassification bias from administrative database diagnostic codes. <i>International Journal of Epidemiology</i> , 2018 , 47, 605-616	7.8	13
110	Anemia prevalence and incidence and red blood cell transfusion practices in aneurysmal subarachnoid hemorrhage: results of a multicenter cohort study. <i>Critical Care</i> , 2018 , 22, 169	10.8	7
109	Can Text-Search Methods of Pathology Reports Accurately Identify Patients with Rectal Cancer in Large Administrative Databases?. <i>Journal of Pathology Informatics</i> , 2018 , 9, 18	4.4	2
108	The Influence of Hospitalist Continuity on the Likelihood of Patient Discharge in General Medicine Patients. <i>Journal of Hospital Medicine</i> , 2018 , 13, 692-694	2.7	2
107	The TEND (Tomorrow's Expected Number of Discharges) Model Accurately Predicted the Number of Patients Who Were Discharged from the Hospital the Next Day. <i>Journal of Hospital Medicine</i> , 2018 , 13, 158-163	2.7	4
106	Wait Times for Melanoma Surgery: Is There an Association with Overall Survival?. <i>Annals of Surgical Oncology</i> , 2018 , 25, 265-270	3.1	10
105	Improved Correction of Misclassification Bias With Bootstrap Imputation. <i>Medical Care</i> , 2018 , 56, e39-e45	5.1	7
104	Can We Use Administrative Data to Accurately Identify Patients Who Receive a Prostate Biopsy?. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-10	5.2	
103	Case Mix, Patterns of Care, and Inpatient Outcomes Among Ontario Kidney Transplant Centers: A Population-Based Study. <i>Canadian Journal of Kidney Health and Disease</i> , 2018 , 5, 2054358117730053	2.3	3
102	Association between perioperative beta blocker use and cancer survival following surgical resection. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1164-1169	3.6	19
101	Long-term survival and resource use in critically ill cardiac surgery patients: a population-based study. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 985-995	3	9
100	Incidence and trends of central line associated pneumothorax using radiograph report text search versus administrative database codes. <i>BMJ Quality and Safety</i> , 2018 , 27, 982-988	5.4	2
99	PREHAB study: a protocol for a prospective randomised clinical trial of exercise therapy for people living with frailty having cancer surgery. <i>BMJ Open</i> , 2018 , 8, e022057	3	27
98	Pediatric tonsillectomy is a resource-intensive procedure: a study of Canadian health administrative data. <i>Canadian Journal of Anaesthesia</i> , 2017 , 64, 724-735	3	15

97	The HOMR-Now! Model Accurately Predicts 1-Year Death Risk for Hospitalized Patients on Admission. <i>American Journal of Medicine</i> , 2017 , 130, 991.e9-991.e16	2.4	10
96	Bootstrap imputation with a disease probability model minimized bias from misclassification due to administrative database codes. <i>Journal of Clinical Epidemiology</i> , 2017 , 84, 114-120	5.7	6
95	Derivation of a Predictive Model for Graft Loss Following Acute Kidney Injury in Kidney Transplant Recipients. <i>Canadian Journal of Kidney Health and Disease</i> , 2017 , 4, 2054358116688228	2.3	4
94	Effect of Preoperative Geriatric Evaluation on Outcomes After Elective Surgery: A Population-Based Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2665-2672	5.6	17
93	Quality gaps identified through mortality review. <i>BMJ Quality and Safety</i> , 2017 , 26, 141-149	5.4	29
92	A retrospective assessment of prognostication in 456,685 patients undergoing elective major non-cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2017 , 64, 908-918	3	3
91	Development and validation of an administrative data algorithm to identify adults who have endoscopic sinus surgery for chronic rhinosinusitis. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2017 , 46, 38	5.4	3
90	Prognosticating with the Hospitalized Patient 1-year Mortality Risk Score Using Information Abstracted from the Medical Record. <i>Journal of Hospital Medicine</i> , 2017 , 12, 224-230	2.7	3
89	Competing risk bias was common in Kaplan-Meier risk estimates published in prominent medical journals. <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 170-3.e8	5.7	67
88	Association of Blood Donor Age and Sex With Recipient Survival After Red Blood Cell Transfusion. <i>JAMA Internal Medicine</i> , 2016 , 176, 1307-14	11.5	74
87	Comparative assessment of two frailty instruments for risk-stratification in elderly surgical patients: study protocol for a prospective cohort study. <i>BMC Anesthesiology</i> , 2016 , 16, 111	2.4	12
86	Enriched administrative data can be used to retrospectively identify all known cases of primary subarachnoid hemorrhage. <i>Journal of Clinical Epidemiology</i> , 2016 , 70, 146-54	5.7	8
85	Validation of administrative database codes for acute kidney injury in kidney transplant recipients. <i>Canadian Journal of Kidney Health and Disease</i> , 2016 , 3, 18	2.3	18
84	Effect of Blood Donor Characteristics on Transfusion Outcomes: A Systematic Review and Meta-Analysis. <i>Transfusion Medicine Reviews</i> , 2016 , 30, 69-80	7.4	45
83	Association of Frailty and 1-Year Postoperative Mortality Following Major Elective Noncardiac Surgery: A Population-Based Cohort Study. <i>JAMA Surgery</i> , 2016 , 151, 538-45	5.4	169
82	Migraineurs were reliably identified using administrative data. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 68-75	5.7	8
81	Trends in prostate biopsy in Ontario, 1992-2014: a cohort study. <i>CMAJ Open</i> , 2016 , 4, E698-E705	2.5	4
80	The Impact of Improved Population Life Expectancy in Survival Trend Analyses of Specific Diseases. <i>Health Services Research</i> , 2016 , 51, 1632-43	3.4	0

79	Chronic rhinosinusitis identification in administrative databases and health surveys: A systematic review. <i>Laryngoscope</i> , 2016 , 126, 1303-10	3.6	7
78	Administrative data measured surgical site infection probability within 30 days of surgery in elderly patients. <i>Journal of Clinical Epidemiology</i> , 2016 , 77, 112-117	5.7	3
77	Derivation and Validation of the Surgical Site Infections Risk Model Using Health Administrative Data. <i>Infection Control and Hospital Epidemiology</i> , 2016 , 37, 455-65	2	6
76	Competing risk bias in Kaplan-Meier risk estimates can be corrected. <i>Journal of Clinical Epidemiology</i> , 2016 , 70, 101-5	5.7	17
75	Administrative database code accuracy did not vary notably with changes in disease prevalence. <i>Journal of Clinical Epidemiology</i> , 2016 , 79, 86-89	5.7	2
74	Subarachnoid hemorrhage admissions retrospectively identified using a prediction model. <i>Neurology</i> , 2016 , 87, 1557-1564	6.5	10
73	Migraine headache and risk of self-harm and suicide: A population-based study in Ontario, Canada. <i>Headache</i> , 2016 , 56, 132-40	4.2	15
72	Epidemiology and outcomes of bloodstream infections in patients discharged from the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 27-37	0.6	4
71	Use of Preoperative Magnetic Resonance Imaging for Breast Cancer: A Canadian Population-Based Study. <i>JAMA Oncology</i> , 2015 , 1, 1238-50	13.4	32
70	The Utility of Unplanned Early Hospital Readmissions as a Health Care Quality Indicator. <i>JAMA Internal Medicine</i> , 2015 , 175, 1812-4	11.5	13
69	Predicting Stroke Risk Based on Health Behaviours: Development of the Stroke Population Risk Tool (SPoRT). <i>PLoS ONE</i> , 2015 , 10, e0143342	3.7	18
68	The influence of cholinesterase inhibitor therapy for dementia on risk of cardiac pacemaker insertion: a retrospective, population-based, health administrative databases study in Ontario, Canada. <i>BMC Neurology</i> , 2015 , 15, 66	3.1	5
67	Imaging for distant metastases in women with early-stage breast cancer: a population-based cohort study. <i>Cmaj</i> , 2015 , 187, E387-97	3.5	27
66	External validation of the Hospital-patient One-year Mortality Risk (HOMR) model for predicting death within 1 year after hospital admission. <i>Cmaj</i> , 2015 , 187, 725-733	3.5	48
65	Clinical effects of blood donor characteristics in transfusion recipients: protocol of a framework to study the blood donor-recipient continuum. <i>BMJ Open</i> , 2015 , 5, e007412	3	15
64	Independent influence of negative blood cultures and bloodstream infections on in-hospital mortality. <i>BMC Infectious Diseases</i> , 2014 , 14, 36	4	7
63	The Hospital-patient One-year Mortality Risk score accurately predicted long-term death risk in hospitalized patients. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 1025-34	5.7	28
62	Survival trends in ESRD patients compared with the general population in the United States. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 491-9	7.4	80

61	Survival of men with prostate cancer undergoing radical prostatectomy in Ontario. <i>Journal of Urology</i> , 2014 , 192, 1385-9	2.5	11
60	Addition of time-dependent covariates to a survival model significantly improved predictions for daily risk of hospital death. <i>Journal of Evaluation in Clinical Practice</i> , 2013 , 19, 351-7	2.5	13
59	When projecting required effectiveness of interventions for hospital readmission reduction, the percentage that is potentially avoidable must be considered. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 688-90	5.7	11
58	Influence of neighborhood household income on early death or urgent hospital readmission. <i>Journal of Hospital Medicine</i> , 2013 , 8, 261-6	2.7	14
57	Predicting post-discharge death or readmission: deterioration of model performance in population having multiple admissions per patient. <i>Journal of Evaluation in Clinical Practice</i> , 2013 , 19, 1012-8	2.5	9
56	The Surgical Site Infection Risk Score (SSIRS): A Model to Predict the Risk of Surgical Site Infections. <i>PLoS ONE</i> , 2013 , 8, e67167	3.7	71
55	A meta-analysis of hospital 30-day avoidable readmission rates. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 1211-8	2.5	113
54	Administrative database research has unique characteristics that can risk biased results. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 126-31	5.7	145
53	Urgent readmission rates can be used to infer differences in avoidable readmission rates between hospitals. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1124-30	5.7	4
52	Comparing methods to calculate hospital-specific rates of early death or urgent readmission. <i>Cmaj</i> , 2012 , 184, E810-7	3.5	12
51	Derivation and validation of a diagnostic score based on case-mix groups to predict 30-day death or urgent readmission. <i>Open Medicine</i> , 2012 , 6, e90-e100		8
50	LACE+ index: extension of a validated index to predict early death or urgent readmission after hospital discharge using administrative data. <i>Open Medicine</i> , 2012 , 6, e80-90		43
49	Administrative database research infrequently used validated diagnostic or procedural codes. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1054-9	5.7	97
48	The influence of incidental abdominal aortic aneurysm monitoring on patient outcomes. <i>Journal of Vascular Surgery</i> , 2011 , 54, 1290-1297.e2	3.5	8
47	The Procedural Index for Mortality Risk (PIMR): an index calculated using administrative data to quantify the independent influence of procedures on risk of hospital death. <i>BMC Health Services Research</i> , 2011 , 11, 258	2.9	15
46	Influence of house-staff experience on teaching-hospital mortality: the "July phenomenon" revisited. <i>Journal of Hospital Medicine</i> , 2011 , 6, 389-94	2.7	21
45	Incidence and contributors to potential drug-drug interactions in hospitalized patients. <i>Journal of Clinical Pharmacology</i> , 2011 , 51, 1043-50	2.9	43
44	Association of diagnostic radiation exposure and second abdominal-pelvic malignancies after testicular cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 2883-8	2.2	47

43	Proportion of hospital readmissions deemed avoidable: a systematic review. <i>Cmaj</i> , 2011 , 183, E391-402	3.5	450
42	Incidence of potentially avoidable urgent readmissions and their relation to all-cause urgent readmissions. <i>Cmaj</i> , 2011 , 183, E1067-72	3.5	118
41	Radiographic monitoring of incidental abdominal aortic aneurysms: a retrospective population-based cohort study. <i>Open Medicine</i> , 2011 , 5, e67-76		2
40	Derivation and validation of a MEDLINE search strategy for research studies that use administrative data. <i>Health Services Research</i> , 2010 , 45, 1836-45	3.4	2
39	The association between continuity of care and outcomes: a systematic and critical review. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 947-56	2.5	309
38	Predicting potential survival benefit of renal transplantation in patients with chronic kidney disease. <i>Cmaj</i> , 2010 , 182, 666-72	3.5	32
37	Incidence, follow-up, and outcomes of incidental abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2010 , 52, 282-9.e1-2	3.5	37
36	Derivation and validation of an index to predict early death or unplanned readmission after discharge from hospital to the community. <i>Cmaj</i> , 2010 , 182, 551-7	3.5	557
35	Individual patient meta-analysis--rewards and challenges. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 235-3.7		22
34	The Kaiser Permanente inpatient risk adjustment methodology was valid in an external patient population. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 798-803	5.7	69
33	The usefulness of administrative databases for identifying disease cohorts is increased with a multivariate model. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1332-41	5.7	28
32	A prospective cohort study found that provider and information continuity was low after patient discharge from hospital. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1000-10	5.7	36
31	The independent association of provider and information continuity on outcomes after hospital discharge: implications for hospitalists. <i>Journal of Hospital Medicine</i> , 2010 , 5, 398-405	2.7	48
30	Effect of age on stroke prevention therapy in patients with atrial fibrillation: the atrial fibrillation investigators. <i>Stroke</i> , 2009 , 40, 1410-6	6.7	259
29	Changes in surrogate outcomes can be translated into clinical outcomes using a Monte Carlo model. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 1306-15	5.7	10
28	Correlation between serial tests made disease probability estimates erroneous. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 1301-5	5.7	4
27	A modification of the Elixhauser comorbidity measures into a point system for hospital death using administrative data. <i>Medical Care</i> , 2009 , 47, 626-33	3.1	1061
26	Information exchange among physicians caring for the same patient in the community. <i>Cmaj</i> , 2008 , 179, 1013-8	3.5	46

25	Using an interactive voice response system to improve patient safety following hospital discharge. <i>Journal of Evaluation in Clinical Practice</i> , 2007 , 13, 346-51	2.5	22
24	Anticoagulation control in the peri-hospitalization period. <i>Journal of General Internal Medicine</i> , 2007 , 22, 727-35	4	7
23	Burden of potentially avoidable anticoagulant-associated hemorrhagic and thromboembolic events in the elderly. <i>Chest</i> , 2007 , 131, 1508-15	5.3	64
22	The effect of hospitalization on oral anticoagulation control: a population-based study. <i>Thrombosis Research</i> , 2007 , 119, 705-14	8.2	34
21	Effect of study setting on anticoagulation control: a systematic review and metaregression. <i>Chest</i> , 2006 , 129, 1155-66	5.3	398
20	Effect of provider continuity on test repetition. <i>Clinical Chemistry</i> , 2006 , 52, 2219-28	5.5	9
19	Quantifying the impact of survivor treatment bias in observational studies. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 601-12	2.5	61
18	Continuity of care and patient outcomes after hospital discharge. <i>Journal of General Internal Medicine</i> , 2004 , 19, 624-31	4	169
17	Time-dependent bias was common in survival analyses published in leading clinical journals. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 672-82	5.7	263
16	Risk of subsequent thromboembolism for patients with pre-eclampsia. <i>BMJ, The</i> , 2003 , 326, 791-2	5.9	37
15	A clinical prediction rule to identify patients with atrial fibrillation and a low risk for stroke while taking aspirin. <i>Archives of Internal Medicine</i> , 2003 , 163, 936-43		144
14	Oral anticoagulants vs. aspirin for stroke prevention in patients with non-valvular atrial fibrillation: the verdict is in. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003 , 7, 374-8		6
13	The Effect of Hospital Occupancy on Emergency Department Length of Stay and Patient Disposition. <i>Academic Emergency Medicine</i> , 2003 , 10, 127-133	3.4	122
12	Population-based study of repeat laboratory testing. <i>Clinical Chemistry</i> , 2003 , 49, 1997-2005	5.5	90
11	Prevalence of information gaps in the emergency department and the effect on patient outcomes. <i>Cmaj</i> , 2003 , 169, 1023-8	3.5	64
10	The effect of participation in a weight loss programme on short-term health resource utilization. <i>Journal of Evaluation in Clinical Practice</i> , 2002 , 8, 37-44	2.5	
9	The effect of a hepatitis serology testing algorithm on laboratory utilization. <i>Journal of Evaluation in Clinical Practice</i> , 2002 , 8, 327-32	2.5	7
8	Effect of discharge summary availability during post-discharge visits on hospital readmission. <i>Journal of General Internal Medicine</i> , 2002 , 17, 186-92	4	231

7	How far is the sternal angle from the mid-right atrium?. <i>Journal of General Internal Medicine</i> , 2002 , 17, 852-6	4	36
6	Oral anticoagulants vs aspirin in nonvalvular atrial fibrillation: an individual patient meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2441-8	27.4	508
5	Risk of death or readmission among people discharged from hospital on Fridays. <i>Cmaj</i> , 2002 , 166, 1672-3,5		10
4	Dissemination of discharge summaries. Not reaching follow-up physicians. <i>Canadian Family Physician</i> , 2002 , 48, 737-42	0.9	53
3	An hypothesis paper on practice environment and the provision of health care: could hospital occupancy rates effect quality?. <i>Journal of Quality in Clinical Practice</i> , 2000 , 20, 69-74		6
2	Do we know what inappropriate laboratory utilization is? A systematic review of laboratory clinical audits. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 280, 550-8	27.4	248
1	Effect of population-based interventions on laboratory utilization: a time-series analysis. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 280, 2028-33	27.4	94