

Kazuhiko Tsuruya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6410358/publications.pdf>

Version: 2024-02-01

271
papers

4,468
citations

117625

34
h-index

161849

54
g-index

282
all docs

282
docs citations

282
times ranked

5344
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct involvement of the receptor-mediated apoptotic pathways in cisplatin-induced renal tubular cell death. <i>Kidney International</i> , 2003, 63, 72-82.	5.2	211
2	Phosphate overload directly induces systemic inflammation and malnutrition as well as vascular calcification in uremia. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F1418-F1428.	2.7	138
3	2015 Japanese Society for Dialysis Therapy: Guidelines for Renal Anemia in Chronic Kidney Disease. <i>Renal Replacement Therapy</i> , 2017, 3, .	0.7	137
4	Japan Renal Biopsy Registry: the first nationwide, web-based, and prospective registry system of renal biopsies in Japan. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 493-503.	1.6	127
5	Japanese Society for Dialysis Therapy Guidelines for Management of Cardiovascular Diseases in Patients on Chronic Hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 387-435.	0.9	109
6	The antioxidant tempol ameliorates arterial medial calcification in uremic rats: Important role of oxidative stress in the pathogenesis of vascular calcification in chronic kidney disease. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 474-485.	2.8	103
7	Antioxidant ameliorates cisplatin-induced renal tubular cell death through inhibition of death receptor-mediated pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, F208-F218.	2.7	94
8	Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2012, 16, 903-920.	1.6	91
9	Development and Validation of a Prediction Rule Using the Oxford Classification in IgA Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 2082-2090.	4.5	91
10	Accumulation of 8-oxoguanine in the cellular DNA and the alteration of the OGG1 expression during ischemia-reperfusion injury in the rat kidney. <i>DNA Repair</i> , 2003, 2, 211-229.	2.8	89
11	Evidence-based clinical practice guidelines for nephrotic syndrome 2014. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 342-370.	1.6	85
12	Spironolactone inhibits hyperglycemia-induced podocyte injury by attenuating ROS production. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2475-2484.	0.7	80
13	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. <i>American Journal of Kidney Diseases</i> , 2015, 66, 972-983.	1.9	70
14	Association of the triglycerides to high-density lipoprotein cholesterol ratio with the risk of chronic kidney disease: Analysis in a large Japanese population. <i>Atherosclerosis</i> , 2014, 233, 260-267.	0.8	64
15	Up-regulated interleukin-4 production by peripheral T-helper cells in idiopathic membranous nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 580-586.	0.7	62
16	Cerebral oxidative stress induces spatial working memory dysfunction in uremic mice: neuroprotective effect of tempol. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 529-538.	0.7	60
17	Hyporesponsiveness to erythropoiesis-stimulating agent as a prognostic factor in Japanese hemodialysis patients: the Q-Cohort study. <i>Journal of Nephrology</i> , 2015, 28, 217-225.	2.0	59
18	Geriatric Nutritional Risk Index (GNRI) and Creatinine Index Equally Predict the Risk of Mortality in Hemodialysis Patients: J-DOPPS. <i>Scientific Reports</i> , 2020, 10, 5756.	3.3	58

#	ARTICLE	IF	CITATIONS
19	Vascular endothelial growth factor-C ameliorates renal interstitial fibrosis through lymphangiogenesis in mouse unilateral ureteral obstruction. <i>Laboratory Investigation</i> , 2017, 97, 1439-1452.	3.7	55
20	Effect of Oral Alfacalcidol on Clinical Outcomes in Patients Without Secondary Hyperparathyroidism Receiving Maintenance Hemodialysis. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 2325.	7.4	55
21	Association Between Serum Phosphate Levels and Stroke Risk in Patients Undergoing Hemodialysis. <i>Stroke</i> , 2016, 47, 2189-2196.	2.0	54
22	Blood urea nitrogen is independently associated with renal outcomes in Japanese patients with stage 3-5 chronic kidney disease: a prospective observational study. <i>BMC Nephrology</i> , 2019, 20, 115.	1.8	53
23	Association between Combined Lifestyle Factors and Non-Restorative Sleep in Japan: A Cross-Sectional Study Based on a Japanese Health Database. <i>PLoS ONE</i> , 2014, 9, e108718.	2.5	52
24	High neutrophil/lymphocyte ratio is associated with poor renal outcomes in Japanese patients with chronic kidney disease. <i>Renal Failure</i> , 2019, 41, 238-243.	2.1	49
25	Spironolactone suppresses inflammation and prevents L-NAME-induced renal injury in rats. <i>Kidney International</i> , 2009, 75, 147-155.	5.2	48
26	Cardiothoracic Ratio and All-Cause Mortality and Cardiovascular Disease Events in Hemodialysis Patients: The Q-Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 84-92.	1.9	47
27	Blood Pressure, Hypertension, and the Risk of Aortic Dissection Incidence and Mortality: Results From the J-SCH Study, the UK Biobank Study, and a Meta-Analysis of Cohort Studies. <i>Circulation</i> , 2022, 145, 633-644.	1.6	45
28	Modified Creatinine Index and the Risk of Bone Fracture in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 270-280.	1.9	44
29	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.	8.6	42
30	Prehypertension Increases the Risk for Renal Arteriosclerosis in Autopsies: The Hisayama Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2135-2142.	6.1	41
31	Albuminuria Increases the Risks for Both Alzheimer Disease and Vascular Dementia in Community-dwelling Japanese Elderly: The Hisayama Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	40
32	Association of geriatric nutritional risk index with infection-related mortality in patients undergoing hemodialysis: The Q-Cohort Study. <i>Clinical Nutrition</i> , 2019, 38, 279-287.	5.0	40
33	Sex differences in the association between serum uric acid levels and cardiac hypertrophy in patients with chronic kidney disease. <i>Hypertension Research</i> , 2014, 37, 246-252.	2.7	38
34	Inflammation as a predictor of acute kidney injury and mediator of higher mortality after acute kidney injury in non-cardiac surgery. <i>Scientific Reports</i> , 2019, 9, 20260.	3.3	38
35	Brain Atrophy in Peritoneal Dialysis and CKD Stages 3-5: A Cross-sectional and Longitudinal Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 312-321.	1.9	37
36	Evidence-based clinical practice guidelines for polycystic kidney disease 2014. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 493-509.	1.6	37

#	ARTICLE	IF	CITATIONS
37	Mortality risk among screened subjects of the specific health check and guidance program in Japan 2008â€“2012. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 978-985.	1.6	33
38	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 526-540.	1.6	33
39	Spironolactone ameliorates arterial medial calcification in uremic rats: the role of mineralocorticoid receptor signaling in vascular calcification. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F967-F979.	2.7	32
40	Association of serum total bilirubin with renal outcome in Japanese patients with stages 3â€“5 chronic kidney disease. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 1096-1102.	3.4	31
41	Tubulointerstitial nephritis and IgA nephropathy in a patient with advanced lung cancer treated with long-term gefitinib. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 398-402.	1.6	29
42	Involvement of p53-transactivated Puma in cisplatin-induced renal tubular cell death. <i>Life Sciences</i> , 2008, 83, 550-556.	4.3	28
43	Cardiorenal syndrome in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 154-162.	2.0	28
44	Comprehensive evaluation of the significance of immunofluorescent findings on clinicopathological features in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 169-181.	1.6	28
45	Clinical Significance of Fronto-Temporal Gray Matter Atrophy in Executive Dysfunction in Patients with Chronic Kidney Disease: The VCOHP Study. <i>PLoS ONE</i> , 2015, 10, e0143706.	2.5	27
46	Modified creatinine index and risk for cardiovascular events and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort study. <i>Atherosclerosis</i> , 2018, 275, 115-123.	0.8	27
47	Renal denervation has blood pressureâ€“independent protective effects on kidney and heart in a rat model of chronic kidney disease. <i>Kidney International</i> , 2015, 87, 116-127.	5.2	26
48	Fetuin-A decrease induced by a low-protein diet enhances vascular calcification in uremic rats with hyperphosphatemia. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F744-F754.	2.7	26
49	Association between serum albumin level and incidence of end-stage renal disease in patients with Immunoglobulin A nephropathy: A possible role of albumin as an antioxidant agent. <i>PLoS ONE</i> , 2018, 13, e0196655.	2.5	25
50	Comparison of oral versus intravenous vitamin D receptor activator in reducing infection-related mortality in hemodialysis patients: the Q-Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1152-1160.	0.7	24
51	Chemotherapy in cancer patients undergoing haemodialysis: a nationwide study in Japan. <i>ESMO Open</i> , 2018, 3, e000301.	4.5	24
52	Improvement in spatial memory dysfunction by telmisartan through reduction of brain angiotensin II and oxidative stress in experimental uremic mice. <i>Life Sciences</i> , 2014, 113, 55-59.	4.3	23
53	Very low protein diet enhances inflammation, malnutrition, and vascular calcification in uremic rats. <i>Life Sciences</i> , 2016, 146, 117-123.	4.3	23
54	Brain Atrophy and Cognitive Impairment in Chronic Kidney Disease. <i>Contributions To Nephrology</i> , 2018, 196, 27-36.	1.1	23

#	ARTICLE	IF	CITATIONS
55	Pre-dialysis Hyponatremia and Change in Serum Sodium Concentration During a Dialysis Session Are Significant Predictors of Mortality in Patients Undergoing Hemodialysis. <i>Kidney International Reports</i> , 2021, 6, 342-350.	0.8	23
56	Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). <i>PLoS ONE</i> , 2018, 13, e0196955.	2.5	22
57	Arginase 2 is a mediator of ischemia-reperfusion injury in the kidney through regulation of nitrosative stress. <i>Kidney International</i> , 2020, 98, 673-685.	5.2	22
58	The Fukuoka Kidney disease Registry (FKR) Study: design and methods. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 465-473.	1.6	21
59	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.	1.6	21
60	Alcohol consumption and incidence of proteinuria: a retrospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1133-1142.	1.6	20
61	Dipstick proteinuria and all-cause mortality among the general population. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1331-1340.	1.6	20
62	Complement activation is associated with crescent formation in IgA nephropathy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 565-572.	2.8	20
63	Factors Associated with the Serum Myostatin Level in Patients Undergoing Peritoneal Dialysis: Potential Effects of Skeletal Muscle Mass and Vitamin D Receptor Activator Use. <i>Calcified Tissue International</i> , 2016, 99, 13-22.	3.1	19
64	Histological Analysis in ABO-Compatible and ABO-Incompatible Kidney Transplantation by Performance of 3- and 12-Month Protocol Biopsies. <i>Transplantation</i> , 2017, 101, 1416-1422.	1.0	19
65	Hemoglobin concentration and the risk of hemorrhagic and ischemic stroke in patients undergoing hemodialysis: the Q-cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 856-864.	0.7	19
66	Hypercalcemia and acute kidney injury induced by eldecalcitol in patients with osteoporosis: a case series of 32 patients at a single facility. <i>Renal Failure</i> , 2019, 41, 88-97.	2.1	19
67	Dietary Patterns and Clinical Outcomes in Hemodialysis Patients in Japan: A Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0116677.	2.5	18
68	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption. , 2017, 27, 381-394.		18
69	The Incidence and Associated Factors of Sudden Death in Patients on Hemodialysis: 10-Year Outcome of the Q-Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 306-318.	2.0	18
70	Kidney biopsy guidebook 2020 in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 325-364.	1.6	18
71	Worldwide Early Impact of COVID-19 on Dialysis Patients and Staff and Lessons Learned: A DOPPS Roundtable Discussion. <i>Kidney Medicine</i> , 2021, 3, 619-634.	2.0	18
72	Incidence of Hepatitis B Viral Reactivation After Kidney Transplantation With Low-Dose Rituximab Administration. <i>Transplantation</i> , 2018, 102, 140-145.	1.0	17

#	ARTICLE	IF	CITATIONS
73	Utility of Columbia classification in focal segmental glomerulosclerosis: renal prognosis and treatment response among the pathological variants. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1219-1227.	0.7	17
74	Emerging cross-talks between chronic kidney diseaseâ€“mineral and bone disorder (CKDâ€“MBD) and malnutritionâ€“inflammation complex syndrome (MICS) in patients receiving dialysis. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 613-629.	1.6	17
75	A J-shaped association between serum uric acid levels and poor renal survival in female patients with IgA nephropathy. <i>Hypertension Research</i> , 2017, 40, 291-297.	2.7	16
76	Modified creatinine index and risk for long-term infection-related mortality in hemodialysis patients: ten-year outcomes of the Q-Cohort Study. <i>Scientific Reports</i> , 2020, 10, 1241.	3.3	16
77	Renal Interstitial Fibrosis in O-Hour Biopsy as a Predictor of Post-Transplant Anemia. <i>American Journal of Nephrology</i> , 2013, 38, 267-274.	3.1	15
78	Impact of blood urea nitrogen to creatinine ratio on mortality and morbidity in hemodialysis patients: The Q-Cohort Study. <i>Scientific Reports</i> , 2017, 7, 14901.	3.3	15
79	Impact of combined losartan/hydrochlorothiazide on proteinuria in patients with chronic kidney disease and hypertension. <i>Hypertension Research</i> , 2014, 37, 993-998.	2.7	14
80	Two Years of Cinacalcet Hydrochloride Treatment Decreased Parathyroid Gland Volume and Serum Parathyroid Hormone Level in Hemodialysis Patients With Advanced Secondary Hyperparathyroidism. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 367-377.	0.9	14
81	Clinicopathological significance of monoclonal IgA deposition in patients with IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 266-274.	1.6	13
82	Apparent Treatment-Resistant Hypertension and Cardiovascular Risk in Hemodialysis Patients: Ten-Year Outcomes of the Q-Cohort Study. <i>Scientific Reports</i> , 2019, 9, 1043.	3.3	13
83	Better Oral Hygiene Habits Are Associated With a Lower Incidence of Peritoneal Dialysisâ€“Related Peritonitis. <i>Therapeutic Apheresis and Dialysis</i> , 2019, 23, 187-194.	0.9	13
84	A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 389-401.	1.6	13
85	Causes of death in patients undergoing maintenance hemodialysis in Japan: 10-year outcomes of the Q-Cohort Study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1121-1130.	1.6	13
86	The combination of malnutrition-inflammation and functional status limitations is associated with mortality in hemodialysis patients. <i>Scientific Reports</i> , 2021, 11, 1582.	3.3	13
87	Cardiorenal Syndrome in End-Stage Kidney Disease. <i>Blood Purification</i> , 2015, 40, 337-343.	1.8	12
88	Prognostic impact of serum bilirubin level on long-term renal survival in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1062-1070.	1.6	12
89	Erythropoiesis-stimulating agent slows the progression of chronic kidney disease: a possibility of a direct action of erythropoietin. <i>Renal Failure</i> , 2016, 38, 390-396.	2.1	12
90	The potential role of perivascular lymphatic vessels in preservation of kidney allograft function. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 721-731.	1.6	12

#	ARTICLE	IF	CITATIONS
91	Positive association between intra-operative fluid balance and post-operative acute kidney injury in non-cardiac surgery: the NARA-AKI cohort study. <i>Journal of Nephrology</i> , 2020, 33, 561-568.	2.0	12
92	Advanced glycation end products are associated with immature angiogenesis and peritoneal dysfunction in patients on peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2020, 40, 67-75.	2.3	12
93	Radial Basis Function-Sparse Partial Least Squares for Application to Brain Imaging Data. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-7.	1.3	11
94	Relationship Between Residual Renal Function and Serum Fibroblast Growth Factor 23 in Patients on Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2014, 18, 383-390.	0.9	11
95	Factors associated with serum soluble inhibitors of Wnt^{β} -catenin signaling (sclerostin) <i>Tj ETQq1 1.0.784314.rgBT /Ov</i>	1.6	11
96	Underestimating chronic kidney disease by urine dipstick without serum creatinine as a screening tool in the general Japanese population. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 474-480.	1.6	11
97	Plasma B-type natriuretic peptide concentration is independently associated with kidney function decline in Japanese patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2016, 34, 753-761.	0.5	11
98	The effect of renin-angiotensin system blockade on the incidence of end-stage renal disease in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 689-698.	1.6	11
99	Acute kidney injury as an independent predictor of infection and malignancy: the NARA-AKI cohort study. <i>Journal of Nephrology</i> , 2019, 32, 967-975.	2.0	11
100	Efficacy and safety of evocalcet in Japanese peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 739-748.	1.6	11
101	Lower Serum Albumin Level Is Associated With an Increased Risk for Loss of Residual Kidney Function in Patients Receiving Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 72-80.	0.9	11
102	Usefulness of 3-month protocol biopsy of kidney allograft to detect subclinical rejection under triple immunosuppression with basiliximab: a single center experience. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 264-268.	1.6	10
103	The clinical utility of serum tartrate-resistant acid phosphatase 5b in the assessment of bone resorption in patients on peritoneal dialysis. <i>Clinical Endocrinology</i> , 2013, 78, 844-851.	2.4	10
104	Tocilizumab-induced remission of nephrotic syndrome accompanied by secondary amyloidosis and glomerulonephritis in a patient with rheumatoid arthritis. <i>CEN Case Reports</i> , 2014, 3, 237-243.	0.9	10
105	Effects of Lowering Dialysate Calcium Concentration on Mineral and Bone Disorders in Chronic Hemodialysis Patients: Conversion from 3.0 mEq/L to 2.75 mEq/L . <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 31-39.	0.9	10
106	Association between serum uric acid level and renal arteriolar hyalinization in individuals without chronic kidney disease. <i>Atherosclerosis</i> , 2017, 266, 121-127.	0.8	10
107	Comparison of Prognostic Values of Daytime and Night-Time Systolic Blood Pressures on Renal Outcomes in Patients With Chronic Kidney Disease. <i>Circulation Journal</i> , 2017, 81, 1454-1462.	1.6	10
108	Pre-operative proteinuria and post-operative acute kidney injury in noncardiac surgery: the NARA-Acute Kidney Injury cohort study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2111-2116.	0.7	10

#	ARTICLE	IF	CITATIONS
109	Association of hyperphosphatemia with an increased risk of sudden death in patients on hemodialysis: Ten-year outcomes of the Q-Cohort Study. <i>Atherosclerosis</i> , 2021, 316, 25-31.	0.8	10
110	Association between geriatric nutritional risk index and stroke risk in hemodialysis patients: 10-Years outcome of the Q-Cohort study. <i>Atherosclerosis</i> , 2021, 323, 30-36.	0.8	10
111	Association between chronic kidney disease and new-onset dyslipidemia: The Japan Specific Health Checkups (J-SHC) study. <i>Atherosclerosis</i> , 2021, 332, 24-32.	0.8	10
112	Impact of Metabolic Syndrome on the Mortality Rate among Participants in a Specific Health Check and Guidance Program in Japan. <i>Internal Medicine</i> , 2020, 59, 2671-2678.	0.7	10
113	27â€Hydroxycholesterol regulates human <i>SLC22A12</i> gene expression through estrogen receptor action. <i>FASEB Journal</i> , 2021, 35, e21262.	0.5	10
114	The balance of comprehensive coagulation and fibrinolytic potential is disrupted in patients with moderate to severe COVID-19. <i>International Journal of Hematology</i> , 2022, 115, 826-837.	1.6	10
115	A case of bacterial peritonitis caused by <i>Roseomonas mucosa</i> in a patient undergoing continuous ambulatory peritoneal dialysis. <i>CEN Case Reports</i> , 2014, 3, 127-131.	0.9	9
116	Assessment of urinary angiotensinogen as a marker of podocyte injury in proteinuric nephropathies. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F322-F333.	2.7	9
117	Modified Simple Peritoneal Wall Anchor Technique (Pwat) in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2017, 37, 103-108.	2.3	9
118	The effect of transportation modality to dialysis facilities on health-related quality of life among hemodialysis patients: results from the Japanese Dialysis Outcomes and Practice Pattern Study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 640-646.	2.9	9
119	Microscopic hematuria is a risk factor for end-stage kidney disease in patients with biopsy-proven diabetic nephropathy. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001863.	2.8	9
120	Relationship between initial peritoneal dialysis modality and risk of peritonitis. <i>Scientific Reports</i> , 2020, 10, 18763.	3.3	9
121	Association of serum phosphate concentration with the incidence of intervention for peripheral artery disease in patients undergoing hemodialysis: 10-year outcomes of the Q-Cohort Study. <i>Atherosclerosis</i> , 2020, 304, 22-29.	0.8	9
122	Peritoneal Dialysis Guidelines 2019 Part 1 (Position paper of the Japanese Society for Dialysis Therapy). <i>Renal Replacement Therapy</i> , 2021, 7, .	0.7	9
123	Does Cinacalcet Improve the Prognosis of Dialysis Patients?. <i>Therapeutic Apheresis and Dialysis</i> , 2009, 13, S15-9.	0.9	8
124	Extended Swanâ€Neck Catheter With Upper Abdominal Exitâ€Site Reduces Peritoneal Dialysisâ€Related Infections. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 158-164.	0.9	8
125	Prognostic value of pre-dialysis blood pressure and risk threshold on clinical outcomes in hemodialysis patients. <i>Medicine (United States)</i> , 2018, 97, e13485.	1.0	8
126	Peritonitis due to <i>Moraxella osloensis</i> : A case report and literature review. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 1050-1052.	1.7	8

#	ARTICLE	IF	CITATIONS
127	Development of a risk prediction model for infection-related mortality in patients undergoing peritoneal dialysis. <i>PLoS ONE</i> , 2019, 14, e0213922.	2.5	8
128	Association Between Plasma Intact Parathyroid Hormone Levels and the Prevalence of Atrial Fibrillation in Patients With Chronic Kidney Disease—The Fukuoka Kidney Disease Registry Study. <i>Circulation Journal</i> , 2020, 84, 1105-1111.	1.6	8
129	Association between Multimorbidity and Kidney Function among Patients with Non-Dialysis-Dependent CKD: The Fukuoka Kidney Disease Registry Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1249-1264.	2.0	8
130	External Validation of a Prediction Model for Acute Kidney Injury Following Noncardiac Surgery. <i>JAMA Network Open</i> , 2021, 4, e2127362.	5.9	8
131	Remitting Seronegative Symmetrical Synovitis with Pitting Edema Syndrome in a Chronic Hemodialysis Patient. <i>Case Reports in Medicine</i> , 2012, 2012, 1-3.	0.7	7
132	Subclinical nephrosclerosis is linked to left ventricular hypertrophy independent of classical atherogenic factors. <i>Hypertension Research</i> , 2014, 37, 472-477.	2.7	7
133	Ankle-brachial blood pressure index predicts cardiovascular events and mortality in Japanese patients with chronic kidney disease not on dialysis. <i>Hypertension Research</i> , 2014, 37, 1050-1055.	2.7	7
134	Associations of fibroblast growth factor 23 with urate metabolism in patients with chronic kidney disease. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1498-1507.	3.4	7
135	Inhibition of β increases trabecular bone volume but not cortical bone volume in adenine-induced uremic mice with severe hyperparathyroidism. <i>Physiological Reports</i> , 2016, 4, e13010.	1.7	7
136	Comparison of steroid-pulse therapy and combined with mizoribine in IgA nephropathy: a randomized controlled trial. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 896-903.	1.6	7
137	Association between responsiveness to methoxy polyethylene glycol-epoetin beta and renal survival in patients with non-dialysis-dependent chronic kidney disease: A pooled analysis of individual patient-level data from clinical trials. <i>Nephrology</i> , 2017, 22, 769-775.	1.6	7
138	Cholesterol Crystal Embolism Induced by Direct Factor Xa Inhibitor: A First Case Report. <i>Internal Medicine</i> , 2018, 57, 71-74.	0.7	7
139	Secular trends in the incidence of end-stage renal disease and its risk factors in Japanese patients with immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 963-971.	0.7	7
140	Higher Cholesterol Level Predicts Cardiovascular Event and Inversely Associates With Mortality in Hemodialysis Patients: 10-Year Outcomes of the Q-Cohort Study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 431-438.	0.9	7
141	The glucose degradation product methylglyoxal induces immature angiogenesis in patients undergoing peritoneal dialysis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 767-772.	2.1	7
142	Non-invasive fibrosis assessments of non-alcoholic fatty liver disease associated with low estimated glomerular filtration rate among CKD patients: the Fukuoka Kidney disease Registry Study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 822-834.	1.6	7
143	Association of the nutritional risk index for Japanese hemodialysis patients with long-term mortality: The Q-Cohort Study. <i>Clinical and Experimental Nephrology</i> , 2021, , 1.	1.6	7
144	Malnutrition-Inflammation Complex Syndrome and Bone Fractures and Cardiovascular Disease Events in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>Kidney Medicine</i> , 2022, 4, 100408.	2.0	7

#	ARTICLE	IF	CITATIONS
145	Routinely measured cardiac troponin I and N-terminal pro-B-type natriuretic peptide as predictors of mortality in haemodialysis patients. <i>ESC Heart Failure</i> , 2022, , .	3.1	7
146	Catastrophic antiphospholipid antibody syndrome following initiation of hemodialysis. <i>Clinical and Experimental Nephrology</i> , 2005, 9, 335-339.	1.6	6
147	Focal segmental glomerulosclerosis in a patient with isolated ACTH deficiency and reversible hypothyroidism. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 168-172.	1.6	6
148	Severe metabolic alkalosis, hypokalemia, and respiratory acidosis induced by the Chinese herbal medicine yokukansan in an elderly patient with muscle weakness and drowsiness. <i>CEN Case Reports</i> , 2013, 2, 23-27.	0.9	6
149	Systemic Aldosterone, But Not Angiotensin II, Plays a Pivotal Role in the Pathogenesis of Renal Injury in Chronic Nitric Oxide-Deficient Male Rats. <i>Endocrinology</i> , 2015, 156, 2657-2666.	2.8	6
150	Renal Sympathetic Denervation in Rats. <i>Methods in Molecular Biology</i> , 2016, 1397, 45-52.	0.9	6
151	Effect of steroid pulse therapy on post-transplant immunoglobulin A nephropathy. <i>Nephrology</i> , 2018, 23, 10-16.	1.6	6
152	Thrombotic microangiopathy associated with anticardiolipin antibody in a kidney transplant recipient with polycythemia. <i>CEN Case Reports</i> , 2019, 8, 1-7.	0.9	6
153	Association of Lower Serum Bilirubin With Loss of Residual Kidney Function in Peritoneal Dialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 202-207.	0.9	6
154	Hypocomplementemic urticarial vasculitis syndrome with gastrointestinal vasculitis and crescentic membranoproliferative glomerulonephritis without immune complex deposits. <i>CEN Case Reports</i> , 2020, 9, 30-35.	0.9	6
155	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 893-909.	1.6	6
156	Increased Risk of Infection-Related and All-Cause Death in Hypercalcemic Patients Receiving Hemodialysis: The Q-Cohort Study. <i>Scientific Reports</i> , 2020, 10, 6327.	3.3	6
157	The Population-Attributable Fraction for Premature Mortality Due to Cardiovascular Disease Associated With Stage 1 and 2 Hypertension Among Japanese. <i>American Journal of Hypertension</i> , 2021, 34, 56-63.	2.0	6
158	Relationship between serum lipid concentrations and impaired renal function in patients with chronic kidney disease: the Fukuoka Kidney Disease Registry Study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 385-393.	1.6	6
159	Association of dialysis-related amyloidosis with lower quality of life in patients undergoing hemodialysis for more than 10 years: The Kyushu Dialysis-Related Amyloidosis Study. <i>PLoS ONE</i> , 2021, 16, e0256421.	2.5	6
160	Renal prognoses by different target hemoglobin levels achieved by epoetin beta pegol dosing to chronic kidney disease patients with hyporesponsive anemia to erythropoiesis-stimulating agent: a multicenter open-label randomized controlled study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 456-466.	1.6	6
161	Healthy Lifestyle and Incident Hypertension and Diabetes in Participants with and without Chronic Kidney Disease: The Japan Specific Health Checkups (J-SHC) Study. <i>Internal Medicine</i> , 2022, 61, 2841-2851.	0.7	6
162	Temporal serum creatinine increase and exacerbation of tubulointerstitial inflammation during the first two months in resolving polyomavirus BK nephropathy. <i>Nephrology</i> , 2015, 20, 45-50.	1.6	5

#	ARTICLE	IF	CITATIONS
163	Membranoproliferative glomerulonephritis with predominant IgG2 and IgG3 deposition in a patient with IgG4-related disease. BMC Nephrology, 2015, 16, 173.	1.8	5
164	De novo myeloperoxidase-antineutrophil cytoplasmic antibody (MPO-ANCA)-associated glomerulonephritis 31 years after living-donor kidney transplantation. CEN Case Reports, 2015, 4, 14-19.	0.9	5
165	Use of phosphate-binders and risk of infection-related and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort Study. Scientific Reports, 2018, 8, 11387.	3.3	5
166	Development and validation of a new prediction model for graft function using preoperative marginal factors in living-donor kidney transplantation. Clinical and Experimental Nephrology, 2019, 23, 1331-1340.	1.6	5
167	A Prediction Model with Lifestyle in Addition to Previously Known Risk Factors Improves Its Predictive Ability for Cardiovascular Death. Scientific Reports, 2019, 9, 12953.	3.3	5
168	Adrenal crisis presented as acute onset of hypercalcemia and hyponatremia triggered by acute pyelonephritis in a patient with partial hypopituitarism and pre-dialysis chronic kidney disease. CEN Case Reports, 2019, 8, 83-88.	0.9	5
169	Kidney transplantation for treatment of end-stage kidney disease after haematopoietic stem cell transplantation: case series and literature review. Clinical and Experimental Nephrology, 2019, 23, 561-568.	1.6	5
170	Association between modified simple protein-energy wasting (PEW) score and all-cause mortality in patients receiving maintenance hemodialysis. Renal Replacement Therapy, 2020, 6, .	0.7	5
171	Postdialysis blood pressure is a better predictor of mortality than predialysis blood pressure in Japanese hemodialysis patients: the Japan Dialysis Outcomes and Practice Patterns Study. Hypertension Research, 2020, 43, 791-797.	2.7	5
172	Anemia following acute kidney injury after noncardiac surgery and long-term outcomes: the NARA-AKI cohort study. CKJ: Clinical Kidney Journal, 2021, 14, 673-680.	2.9	5
173	Association of normalized protein catabolic rate (nPCR) with the risk of bone fracture in patients undergoing maintenance hemodialysis: The Q-Cohort Study. Clinical Nutrition, 2021, 40, 997-1004.	5.0	5
174	Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. Clinical and Experimental Nephrology, 2021, 25, 1-8.	1.6	5
175	Serum Alkaline Phosphatase Levels and Increased Risk of Brain Hemorrhage in Hemodialysis Patients: The Q-Cohort Study. Journal of Atherosclerosis and Thrombosis, 2022, 29, 923-936.	2.0	5
176	Factors predicting decline in renal function and kidney volume growth in autosomal dominant polycystic kidney disease: a prospective cohort study (Japanese Polycystic Kidney Disease registry). Tj ETQqO 0 0 rg86/Overlock 10 Tf 50	3.6	5
177	Associations Between Surrogates of Skeletal Muscle Mass and History of Bone Fracture in Patients with Chronic Kidney Disease: The Fukuoka Kidney disease Registry (FKR) Study. Calcified Tissue International, 2021, 109, 393-404.	3.1	5
178	Severe anasarca due to beriberi heart disease and diabetic nephropathy. Clinical and Experimental Nephrology, 2009, 13, 518-521.	1.6	4
179	Successful treatment of massive proteinuria and severe chyluria by inhibition of cholesterol absorption with ezetimibe in a patient with filariasis. CKJ: Clinical Kidney Journal, 2012, 5, 449-452.	2.9	4
180	Slowly Progressive and Painless Thoracic Aortic Dissection Presenting with a Persistent Fever in an Elderly Patient: The Usefulness of Combined Measurement of Biochemical Parameters. Case Reports in Medicine, 2013, 2013, 1-5.	0.7	4

#	ARTICLE	IF	CITATIONS
181	A CADASIL-Like Case with a Novel Noncysteine Mutation of the <i>NOTCH3</i> Gene and Granular Deposits in the Renal Arterioles. <i>Case Reports in Neurological Medicine</i> , 2015, 2015, 1-6.	0.4	4
182	Positive association of residual kidney function with hemoglobin level in patients on peritoneal dialysis independent of endogenous erythropoietin concentration. <i>Renal Replacement Therapy</i> , 2017, 3, .	0.7	4
183	Dialysate Calcium Concentration below 3.0 mEq/L Is Not Associated with Improved Outcomes in the Japanese Dialysis Outcomes and Practice Patterns Study. <i>Nephron</i> , 2018, 140, 240-248.	1.8	4
184	Study on Dialysis Session Length and Mortality in Maintenance Hemodialysis Patients: The Q-Cohort Study. <i>Nephron</i> , 2018, 139, 305-312.	1.8	4
185	Short- and Long-term Effects of Dialysate Calcium Concentrations on Mineral and Bone Metabolism in Hemodialysis Patients: The K4 Study. <i>Kidney Medicine</i> , 2019, 1, 296-306.	2.0	4
186	JRâ€131, a Biosimilar of Darbepoetin Alfa, for the Treatment of Hemodialysis Patients With Renal Anemia: A Randomized, Doubleâ€Blinded, Parallelâ€Group Phase 3 Study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 126-135.	0.9	4
187	Stronger Effect of Azilsartan on Reduction of Proteinuria Compared to Candesartan in Patients with CKD: A Randomized Crossover Trial. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 173-184.	2.0	4
188	Osteoclast-like multi-nucleated giant cells in uraemic tumoral calcinosis. <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 155-157.	2.9	3
189	Successful initiation and maintenance of hemodialysis in an adult patient with complete transposition of the great arteries. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 511-515.	1.6	3
190	Fever associated with severe dialysis-related amyloidosis. <i>CEN Case Reports</i> , 2012, 1, 112-116.	0.9	3
191	Japanese Society for Dialysis Therapy Guidelines for Management of Cardiovascular Diseases in Patients on Chronic Hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 384-386.	0.9	3
192	Fibroblast Growth Factor 23, but not Parathyroid Hormone, Is Associated With Urinary Phosphate Regulation in Patients on Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 73-80.	0.9	3
193	Influenza Vaccination and Other Factors Related to the Development of Influenzaâ€Like Illness Among Patients on Chronic Hemodialysis in a Japanese Dialysis Facility. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 122-126.	0.9	3
194	Autoimmune autonomic ganglionopathy manifesting as acute-onset orthostatic hypotension in a patient undergoing peritoneal dialysis. <i>CEN Case Reports</i> , 2016, 5, 5-10.	0.9	3
195	Association of B-Type Natriuretic Peptide Level with Residual Kidney Function in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019, 39, 147-154.	2.3	3
196	Subclinical hypothyroidism is independently associated with poor renal outcomes in patients with chronic kidney disease. <i>Endocrine</i> , 2021, 73, 141-150.	2.3	3
197	Clinicopathological significance of light chain deposition in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 621-632.	1.6	3
198	Impact of self-reported walking habit on slower decline in renal function among the general population in a longitudinal study: the Japan Specific Health Checkups (J-SHC) Study. <i>Journal of Nephrology</i> , 2021, 34, 1845-1853.	2.0	3

#	ARTICLE	IF	CITATIONS
199	Impact of Multivascular Disease on Cardiovascular Mortality and Morbidity in Patients Receiving Hemodialysis: Ten-Year Outcomes of the Q-Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 385-395.	2.0	3
200	Favorable therapeutic efficacy of low-density lipoprotein apheresis for nephrotic syndrome with impaired renal function. <i>Therapeutic Apheresis and Dialysis</i> , 2022, 26, 220-228.	0.9	3
201	Association of blood pressure after peritoneal dialysis initiation with the decline rate of residual kidney function in newly-initiated peritoneal dialysis patients. <i>PLoS ONE</i> , 2021, 16, e0254169.	2.5	3
202	Trace proteinuria as a risk factor for cancer death in a general population. <i>Scientific Reports</i> , 2021, 11, 16890.	3.3	3
203	Association between the urinary sodium-to-potassium ratio and renal outcomes in patients with chronic kidney disease: a prospective cohort study. <i>Hypertension Research</i> , 2021, 44, 1492-1504.	2.7	3
204	Evaluation of the Effects of Chronic Kidney Disease and Hemodialysis on the Inner Ear Using Multifrequency Tympanometry. <i>Journal of International Advanced Otolaryngology</i> , 2019, 14, 447-450.	1.0	3
205	The Association between Dialysis Dose and Risk of Cancer Death in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>Internal Medicine</i> , 2020, 59, 1141-1148.	0.7	3
206	Tracing all patients who received insured dialysis treatment in Japan and the present situation of their number of deaths. <i>Clinical and Experimental Nephrology</i> , 2022, , .	1.6	3
207	Protective Roles of Xenotropic and Polytropic Retrovirus Receptor 1 (XPR1) in Uremic Vascular Calcification. <i>Calcified Tissue International</i> , 2022, 110, 685-697.	3.1	3
208	Time to remission of proteinuria and incidence of relapse in patients with steroid-sensitive minimal change disease and focal segmental glomerulosclerosis: the Japan Nephrotic Syndrome Cohort Study. <i>Journal of Nephrology</i> , 2022, 35, 1135-1144.	2.0	3
209	A nationwide analysis of renal and patient outcomes for adults with lupus nephritis in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 898-908.	1.6	3
210	Kidney function at 3 months after acute kidney injury is an unreliable indicator of subsequent kidney dysfunction: the NARA-AKI Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 664-670.	0.7	3
211	The Association of Controlling Nutritional Status Score and Prognostic Nutritional Index with Cardiovascular Diseases: the Fukuoka Kidney Disease Registry Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2023, 30, 390-407.	2.0	3
212	Ilioinguinal neuralgia complicating percutaneous renal biopsy. <i>Journal of Neurology</i> , 2001, 248, 708-709.	3.6	2
213	Decreased expression of calcium-sensing receptor and parafibromin in secondary hyperparathyroidism with an abnormal whole PTH/intact PTH ratio. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 429-432.	2.9	2
214	New-onset systemic lupus erythematosus in a long-term hemodialysis patient with acute pleuritis and pneumonitis. <i>CEN Case Reports</i> , 2015, 4, 139-144.	0.9	2
215	Subacute pulmonary embolism in a hemodialysis patient, successfully treated with surgical thrombectomy. <i>CEN Case Reports</i> , 2016, 5, 74-77.	0.9	2
216	Repeated Paradoxical Brain Infarctions in a Patient on Self-Managed Home Hemodialysis Using a Long-Term Indwelling Catheter. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, e183-e185.	1.6	2

#	ARTICLE	IF	CITATIONS
217	Asymptomatic Brain Edema after Hemodialysis Initiation in a Patient with Severe Uremia. Case Reports in Medicine, 2017, 2017, 1-6.	0.7	2
218	The utility of a network-based clustering method for dimension reduction of imaging and non-imaging biomarkers predictive of Alzheimer's disease. Scientific Reports, 2018, 8, 2807.	3.3	2
219	Immobilization-induced severe hypercalcaemia successfully treated with reduced dose of zoledronate in a maintenance haemodialysis patient. Nephrology, 2018, 23, 963-964.	1.6	2
220	Lower Diastolic Blood Pressure was Associated with Higher Incidence of Chronic Kidney Disease in the General Population Only in those Using Antihypertensive Medications. Kidney and Blood Pressure Research, 2019, 44, 973-983.	2.0	2
221	Early postoperative change in serum creatinine predicts acute kidney injury after cardiothoracic surgery: a retrospective cohort study. Clinical and Experimental Nephrology, 2019, 23, 325-334.	1.6	2
222	Lidocaine-Propitocain Cream, a Eutectic Mixture of Local Anesthetics, Effectively Relieves Pain Associated With Vascular Access Intervention Therapy in Patients Undergoing Hemodialysis: A Placebo-Controlled, Double-Blind, Crossover Study. Therapeutic Apheresis and Dialysis, 2020, 24, 34-41.	0.9	2
223	Rapid formation of large pseudostones and acute cholangitis caused by ceftriaxone treatment for bacterial pneumonia in a patient on kidney transplantation: potential risk of ceftriaxone use in patients with decreased kidney function. CEN Case Reports, 2020, 9, 87-88.	0.9	2
224	The relationship between liver cyst volume and QOL in Japanese ADPKD patients. Clinical and Experimental Nephrology, 2020, 24, 314-322.	1.6	2
225	Late renal recovery after treatment over 1-year post-onset in an atypical hemolytic uremic syndrome: a case report. BMC Nephrology, 2020, 21, 236.	1.8	2
226	Association between urinary salt excretion and albuminuria in Japanese patients with chronic kidney disease: the Fukuoka kidney disease registry study. Clinical and Experimental Nephrology, 2021, 25, 9-18.	1.6	2
227	Autophagy gene <i>ATG7</i> regulates albumin transcytosis in renal tubule epithelial cells. American Journal of Physiology - Renal Physiology, 2021, 321, F572-F586.	2.7	2
228	Development and validation of a risk score for the prediction of cardiovascular disease in living donor kidney transplant recipients. Nephrology Dialysis Transplantation, 2021, 36, 365-374.	0.7	2
229	Hypercalcemia and large abdominal mass. CKJ: Clinical Kidney Journal, 2011, 4, 213-214.	2.9	1
230	Regression of Tumoral Calcinosis After the Appropriate Control of a Deranged Mineral and Bone Metabolism, in Conjugation With Cinacalcet Hydrochloride Treatment, in a Chronic Hemodialysis Patient. Therapeutic Apheresis and Dialysis, 2013, 17, 348-349.	0.9	1
231	Total Phosphate Elimination is Negatively Associated With Increased Serum Fibroblast Growth Factor 23 Levels in Patients who Undergo Peritoneal Dialysis. Therapeutic Apheresis and Dialysis, 2017, 21, 71-78.	0.9	1
232	Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. Clinical and Experimental Nephrology, 2018, 22, 591-596.	1.6	1
233	Long-Term Safety and Efficacy of JR-131, a Biosimilar of Darbepoetin Alfa, in Japanese Patients With Renal Anemia Undergoing Hemodialysis: Phase 3 Prospective Study. Therapeutic Apheresis and Dialysis, 2020, 24, 136-145.	0.9	1
234	Prophylactic Oral Antibiotics for Postendoscopic Peritonitis in Peritoneal Dialysis. Therapeutic Apheresis and Dialysis, 2020, 24, 462-463.	0.9	1

#	ARTICLE	IF	CITATIONS
235	Association of aortic valve calcification with carotid artery lesions and peripheral artery disease in patients with chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 203.	1.8	1
236	Comparison of Immunohistochemical Staining for Large T Antigen and Capsid Protein VP1 in BK Polyomavirus-Associated Nephropathy. <i>Nephron</i> , 2020, 144, 28-36.	1.8	1
237	Comamonas thiooxydans Expressing a Plasmid-Encoded IMP-1 Carbapenemase Isolated From Continuous Ambulatory Peritoneal Dialysis of an Inpatient in Japan. <i>Frontiers in Microbiology</i> , 2022, 13, 808993.	3.5	1
238	Prevalence, treatment status, and predictors of anemia and erythropoietin hyporesponsiveness in Japanese patients with non-dialysis-dependent chronic kidney disease: a cross-sectional study. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 867-879.	1.6	1
239	Comparable renoprotective effect of oral corticosteroid with angiotensin II-suppression in patients with IgA nephropathy of matched groups for histological damages. <i>Nephrology</i> , 2004, 9, A57-A57.	1.6	0
240	Detection of anti-HLA antibody by flow cytometric panel reactive antibody in kidney transplant recipient with frequent episodes of acute rejection. <i>Clinical Transplantation</i> , 2008, 22, 36-41.	1.6	0
241	A Case of Radiation Nephropathy after Stem Cell Transplantation.. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2010, 99, 1907-1909.	0.0	0
242	The Authors Reply.. <i>Kidney International</i> , 2014, 85, 710.	5.2	0
243	Ulcerative Colitis Presented as Fever and Bloody Diarrhea at Initiation of Dialysis in an Elderly Patient with End-Stage Kidney Disease. <i>Case Reports in Medicine</i> , 2015, 2015, 1-5.	0.7	0
244	Extrapulmonary tuberculosis presented as fever of unknown origin in two patients with endstage kidney disease not on dialysis: usefulness of 18-FDG-PET/CT in the diagnostic localization of fever of unknown origin. <i>CEN Case Reports</i> , 2016, 5, 11-17.	0.9	0
245	SP437RENAL ARTERIOLAR HYALINOSIS, NOT INTIMAL THICKENING IN LARGER ARTERIES, IS ASSOCIATED WITH CARDIOVASCULAR EVENTS IN PATIENTS WITH BIOPSY-PROVEN DIABETIC NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i495-i496.	0.7	0
246	SP503AUTOMATED PERITONEAL DIALYSIS IS ASSOCIATED WITH REDUCED INCIDENCE OF PERITONITIS WITHIN 3 YEARS AFTER STARTING PERITONEAL DIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i518-i518.	0.7	0
247	A case of congenital left ventricular diverticulum in a patient with autosomal dominant polycystic kidney disease: possible mechanistic link between polycystin and ventricular diverticulum. <i>CEN Case Reports</i> , 2018, 7, 237-242.	0.9	0
248	FP404ASSOCIATION OF EGFR SLOPES BEFORE AND AFTER CKD EDUCATION WITH RENAL PROGNOSIS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
249	Predictive Value of the Combination of Peripheral Blood Lymphocyte Count and Urinary Cytology in BK Polyomavirus-associated Nephropathy. <i>Transplantation Proceedings</i> , 2019, 51, 1410-1414.	0.6	0
250	Rapidly Progressive Glomerulonephritis with Delayed Appearance of Anti-Glomerular Basement Membrane Antibody Successfully Treated with Multiple Courses of Steroid Pulse Therapy. <i>Case Reports in Nephrology and Dialysis</i> , 2019, 9, 25-32.	0.6	0
251	Severe Hypocalcemia and Resulting Seizure Caused by Vitamin D Deficiency in an Older Patient Receiving Phenytoin: Eldecalcitol and Maxacalcitol Ointment as Potential Therapeutic Options for Hypocalcemia. <i>Case Reports in Nephrology</i> , 2019, 2019, 1-6.	0.4	0
252	P1565THE COMBINATION OF MALNUTRITION-INFLAMMATION AND LIMITATIONS IN FUNCTIONAL STATUS IS ASSOCIATED WITH A HIGH RISK OF MORTALITY IN HEMODIALYSIS PATIENTS: RESULTS FROM THE DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0

#	ARTICLE	IF	CITATIONS
253	P1464ROUTINELY MEASURED CARDIAC TROPONIN I AND NT-PROBNP AS PREDICTORS OF MORTALITY IN JAPANESE HEMODIALYSIS PATIENTS: THE DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
254	MO070APPROPRIATE INTERVAL BETWEEN TWO EGFR MEASUREMENTS FOR THE EVALUATION OF THE ASSOCIATION OF EGFR SLOPE WITH INCIDENCE OF RENAL EVENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
255	P0846ESA HYPORESPOSIVENESS AND CLINICAL OUTCOMES DURING TREATMENT WITH EPOETIN BETA PEGOL IN HEMODIALYSIS PATIENTS: A MULTICENTER PROSPECTIVE STUDY; PARAMOUNT-HD STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.7	0
256	High low-density lipoprotein cholesterol as an independent risk factor for coronary restenosis in hemodialysis patients undergoing percutaneous coronary interventions. Therapeutic Apheresis and Dialysis, 2021, 25, 296-303.	0.9	0
257	Association of initial prednisolone dose with remission, relapse, and infectious complications in adult-onset minimal change disease. Clinical and Experimental Nephrology, 2022, 26, 29-35.	1.6	0
258	Clinical epidemiological analysis of cohort studies investigating the pathogenesis of kidney disease. Clinical and Experimental Nephrology, 2022, 26, 1-12.	1.6	0
259	Difference in perception of advantages and disadvantages of automated peritoneal dialysis for patients undergoing peritoneal dialysis: a conjoint analysis. Renal Replacement Therapy, 2021, 7, .	0.7	0
260	A case of peritoneal dialysis-related peritonitis caused by dialysate leakage with successful treatment by intravenous and intraperitoneal antibiotic therapy. CEN Case Reports, 2021, , 1.	0.9	0
261	III. Management for Patients with Chronic Kidney Disease in Light of Preventing Cognitive Impairment and Cerebrovascular Disease. The Journal of the Japanese Society of Internal Medicine, 2017, 106, 926-935.	0.0	0
262	Proposal regarding peritoneal biopsy methods for peritoneal dialysis patients. Nihon Toseki Igakkai Zasshi, 2018, 51, 77-86.	0.1	0
263	4. Efficacy and Safety of DOAC Versus Warfarin in Chronic Kidney Disease. The Journal of the Japanese Society of Internal Medicine, 2018, 107, 856-864.	0.0	0
264	2020, 109, 455-462.	0.0	0
265	Frailty and Cognitive Impairment in Chronic Kidney Disease. , 2020, , 197-222.		0
266	Sex differences in the 10-year survival of patients undergoing maintenance hemodialysis in the Q-Cohort Study. Scientific Reports, 2022, 12, 345.	3.3	0
267	The association of 5-year therapeutic responsiveness with long-term renal outcome in IgA nephropathy. Clinical and Experimental Nephrology, 2022, , .	1.6	0
268	Title is missing!. , 2019, 14, e0225812.		0
269	Title is missing!. , 2019, 14, e0225812.		0
270	Title is missing!. , 2019, 14, e0225812.		0

#	ARTICLE	IF	CITATIONS
271	Title is missing!. , 2019, 14, e0225812.		0