

# Kazuhiko Tsuruya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6410358/publications.pdf>

Version: 2024-02-01

271  
papers

4,468  
citations

117625

34  
h-index

161849

54  
g-index

282  
all docs

282  
docs citations

282  
times ranked

5344  
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney function at 3 months after acute kidney injury is an unreliable indicator of subsequent kidney dysfunction: the NARA-AKI Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 664-670.	0.7	3
2	The Association of Controlling Nutritional Status Score and Prognostic Nutritional Index with Cardiovascular Diseases: the Fukuoka Kidney Disease Registry Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2023, 30, 390-407.	2.0	3
3	Serum Alkaline Phosphatase Levels and Increased Risk of Brain Hemorrhage in Hemodialysis Patients: The Q-Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 923-936.	2.0	5
4	Favorable therapeutic efficacy of low-density lipoprotein apheresis for nephrotic syndrome with impaired renal function. <i>Therapeutic Apheresis and Dialysis</i> , 2022, 26, 220-228.	0.9	3
5	Association of initial prednisolone dose with remission, relapse, and infectious complications in adult-onset minimal change disease. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 29-35.	1.6	0
6	Clinical epidemiological analysis of cohort studies investigating the pathogenesis of kidney disease. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 1-12.	1.6	0
7	Association between Multimorbidity and Kidney Function among Patients with Non-Dialysis-Dependent CKD: The Fukuoka Kidney Disease Registry Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1249-1264.	2.0	8
8	Blood Pressure, Hypertension, and the Risk of Aortic Dissection Incidence and Mortality: Results From the J-SCH Study, the UK Biobank Study, and a Meta-Analysis of Cohort Studies. <i>Circulation</i> , 2022, 145, 633-644.	1.6	45
9	Tracing all patients who received insured dialysis treatment in Japan and the present situation of their number of deaths. <i>Clinical and Experimental Nephrology</i> , 2022, , .	1.6	3
10	Malnutrition-Inflammation Complex Syndrome and Bone Fractures and Cardiovascular Disease Events in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>Kidney Medicine</i> , 2022, 4, 100408.	2.0	7
11	Routinely measured cardiac troponin I and N-terminal pro-B-type natriuretic peptide as predictors of mortality in haemodialysis patients. <i>ESC Heart Failure</i> , 2022, , .	3.1	7
12	Sex differences in the 10-year survival of patients undergoing maintenance hemodialysis in the Q-Cohort Study. <i>Scientific Reports</i> , 2022, 12, 345.	3.3	0
13	Protective Roles of Xenotropic and Polytropic Retrovirus Receptor 1 (XPR1) in Uremic Vascular Calcification. <i>Calcified Tissue International</i> , 2022, 110, 685-697.	3.1	3
14	Healthy Lifestyle and Incident Hypertension and Diabetes in Participants with and without Chronic Kidney Disease: The Japan Specific Health Checkups (J-SHC) Study. <i>Internal Medicine</i> , 2022, 61, 2841-2851.	0.7	6
15	<i>Comamonas thiooxydans</i> Expressing a Plasmid-Encoded IMP-1 Carbapenemase Isolated From Continuous Ambulatory Peritoneal Dialysis of an Inpatient in Japan. <i>Frontiers in Microbiology</i> , 2022, 13, 808993.	3.5	1
16	The balance of comprehensive coagulation and fibrinolytic potential is disrupted in patients with moderate to severe COVID-19. <i>International Journal of Hematology</i> , 2022, 115, 826-837.	1.6	10
17	Emerging cross-talks between chronic kidney disease-related mineral and bone disorder (CKD-MBD) and malnutrition-related inflammation complex syndrome (MICS) in patients receiving dialysis. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 613-629.	1.6	17
18	Time to remission of proteinuria and incidence of relapse in patients with steroid-sensitive minimal change disease and focal segmental glomerulosclerosis: the Japan Nephrotic Syndrome Cohort Study. <i>Journal of Nephrology</i> , 2022, 35, 1135-1144.	2.0	3

#	ARTICLE	IF	CITATIONS
19	The association of 5-year therapeutic responsiveness with long-term renal outcome in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2022, , .	1.6	0
20	A nationwide analysis of renal and patient outcomes for adults with lupus nephritis in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 898-908.	1.6	3
21	Prevalence, treatment status, and predictors of anemia and erythropoietin hypo-responsiveness in Japanese patients with non-dialysis-dependent chronic kidney disease: a cross-sectional study. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 867-879.	1.6	1
22	Anemia following acute kidney injury after noncardiac surgery and long-term outcomes: the NARA-AKI cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 673-680.	2.9	5
23	The Population-Attributable Fraction for Premature Mortality Due to Cardiovascular Disease Associated With Stage 1 and 2 Hypertension Among Japanese. <i>American Journal of Hypertension</i> , 2021, 34, 56-63.	2.0	6
24	High low-density lipoprotein cholesterol as an independent risk factor for coronary restenosis in hemodialysis patients undergoing percutaneous coronary interventions. <i>Therapeutic Apheresis and Dialysis</i> , 2021, 25, 296-303.	0.9	0
25	Association of normalized protein catabolic rate (nPCR) with the risk of bone fracture in patients undergoing maintenance hemodialysis: The Q-Cohort Study. <i>Clinical Nutrition</i> , 2021, 40, 997-1004.	5.0	5
26	Association of hyperphosphatemia with an increased risk of sudden death in patients on hemodialysis: Ten-year outcomes of the Q-Cohort Study. <i>Atherosclerosis</i> , 2021, 316, 25-31.	0.8	10
27	Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1-8.	1.6	5
28	Association between urinary salt excretion and albuminuria in Japanese patients with chronic kidney disease: the Fukuoka kidney disease registry study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 9-18.	1.6	2
29	Stronger Effect of Azilsartan on Reduction of Proteinuria Compared to Candesartan in Patients with CKD: A Randomized Crossover Trial. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 173-184.	2.0	4
30	Subclinical hypothyroidism is independently associated with poor renal outcomes in patients with chronic kidney disease. <i>Endocrine</i> , 2021, 73, 141-150.	2.3	3
31	Relationship between serum lipid concentrations and impaired renal function in patients with chronic kidney disease: the Fukuoka Kidney Disease Registry Study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 385-393.	1.6	6
32	Pre-dialysis Hyponatremia and Change in Serum Sodium Concentration During a Dialysis Session Are Significant Predictors of Mortality in Patients Undergoing Hemodialysis. <i>Kidney International Reports</i> , 2021, 6, 342-350.	0.8	23
33	Kidney biopsy guidebook 2020 in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 325-364.	1.6	18
34	Clinicopathological significance of light chain deposition in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 621-632.	1.6	3
35	Non-invasive fibrosis assessments of non-alcoholic fatty liver disease associated with low estimated glomerular filtration rate among CKD patients: the Fukuoka Kidney disease Registry Study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 822-834.	1.6	7
36	Impact of self-reported walking habit on slower decline in renal function among the general population in a longitudinal study: the Japan Specific Health Checkups (J-SHC) Study. <i>Journal of Nephrology</i> , 2021, 34, 1845-1853.	2.0	3

#	ARTICLE	IF	CITATIONS
37	Factors predicting decline in renal function and kidney volume growth in autosomal dominant polycystic kidney disease: a prospective cohort study (Japanese Polycystic Kidney Disease registry): Tj ETQq1 1 0.784314 rgB5 /Overlock		
38	Associations Between Surrogates of Skeletal Muscle Mass and History of Bone Fracture in Patients with Chronic Kidney Disease: The Fukuoka Kidney disease Registry (FKR) Study. <i>Calcified Tissue International</i> , 2021, 109, 393-404.	3.1	5
39	Association between geriatric nutritional risk index and stroke risk in hemodialysis patients: 10-Years outcome of the Q-Cohort study. <i>Atherosclerosis</i> , 2021, 323, 30-36.	0.8	10
40	Impact of Multivascular Disease on Cardiovascular Mortality and Morbidity in Patients Receiving Hemodialysis: Ten-Year Outcomes of the Q-Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 385-395.	2.0	3
41	Causes of death in patients undergoing maintenance hemodialysis in Japan: 10-year outcomes of the Q-Cohort Study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1121-1130.	1.6	13
42	Peritoneal Dialysis Guidelines 2019 Part 1 (Position paper of the Japanese Society for Dialysis Therapy). <i>Renal Replacement Therapy</i> , 2021, 7, .	0.7	9
43	Association of blood pressure after peritoneal dialysis initiation with the decline rate of residual kidney function in newly-initiated peritoneal dialysis patients. <i>PLoS ONE</i> , 2021, 16, e0254169.	2.5	3
44	Worldwide Early Impact of COVID-19 on Dialysis Patients and Staff and Lessons Learned: A DOPPS Roundtable Discussion. <i>Kidney Medicine</i> , 2021, 3, 619-634.	2.0	18
45	Association of the nutritional risk index for Japanese hemodialysis patients with long-term mortality: The Q-Cohort Study. <i>Clinical and Experimental Nephrology</i> , 2021, , 1.	1.6	7
46	Trace proteinuria as a risk factor for cancer death in a general population. <i>Scientific Reports</i> , 2021, 11, 16890.	3.3	3
47	Association of dialysis-related amyloidosis with lower quality of life in patients undergoing hemodialysis for more than 10 years: The Kyushu Dialysis-Related Amyloidosis Study. <i>PLoS ONE</i> , 2021, 16, e0256421.	2.5	6
48	Association between the urinary sodium-to-potassium ratio and renal outcomes in patients with chronic kidney disease: a prospective cohort study. <i>Hypertension Research</i> , 2021, 44, 1492-1504.	2.7	3
49	Difference in perception of advantages and disadvantages of automated peritoneal dialysis for patients undergoing peritoneal dialysis: a conjoint analysis. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.7	0
50	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.	8.6	42
51	A case of peritoneal dialysis-related peritonitis caused by dialysate leakage with successful treatment by intravenous and intraperitoneal antibiotic therapy. <i>CEN Case Reports</i> , 2021, , 1.	0.9	0
52	Association between chronic kidney disease and new-onset dyslipidemia: The Japan Specific Health Checkups (J-SHC) study. <i>Atherosclerosis</i> , 2021, 332, 24-32.	0.8	10
53	Autophagy gene <i>ATG7</i> regulates albumin transcytosis in renal tubule epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F572-F586.	2.7	2
54	The combination of malnutrition-inflammation and functional status limitations is associated with mortality in hemodialysis patients. <i>Scientific Reports</i> , 2021, 11, 1582.	3.3	13

#	ARTICLE	IF	CITATIONS
55	Renal prognoses by different target hemoglobin levels achieved by epoetin beta pegol dosing to chronic kidney disease patients with hyporesponsive anemia to erythropoiesis-stimulating agent: a multicenter open-label randomized controlled study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 456-466.	1.6	6
56	Development and validation of a risk score for the prediction of cardiovascular disease in living donor kidney transplant recipients. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 365-374.	0.7	2
57	27-Hydroxycholesterol regulates human SLC22A12 gene expression through estrogen receptor action. <i>FASEB Journal</i> , 2021, 35, e21262.	0.5	10
58	External Validation of a Prediction Model for Acute Kidney Injury Following Noncardiac Surgery. <i>JAMA Network Open</i> , 2021, 4, e2127362.	5.9	8
59	Utility of Columbia classification in focal segmental glomerulosclerosis: renal prognosis and treatment response among the pathological variants. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1219-1227.	0.7	17
60	Association of Lower Serum Bilirubin With Loss of Residual Kidney Function in Peritoneal Dialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 202-207.	0.9	6
61	Lower Serum Albumin Level Is Associated With an Increased Risk for Loss of Residual Kidney Function in Patients Receiving Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 72-80.	0.9	11
62	Lidocaine-Propitocain Cream, a Eutectic Mixture of Local Anesthetics, Effectively Relieves Pain Associated With Vascular Access Intervention Therapy in Patients Undergoing Hemodialysis: A Placebo-Controlled, Double-Blind, Crossover Study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 34-41.	0.9	2
63	Rapid formation of large pseudostones and acute cholangitis caused by ceftriaxone treatment for bacterial pneumonia in a patient on kidney transplantation: potential risk of ceftriaxone use in patients with decreased kidney function. <i>CEN Case Reports</i> , 2020, 9, 87-88.	0.9	2
64	Hypocomplementemic urticarial vasculitis syndrome with gastrointestinal vasculitis and crescentic membranoproliferative glomerulonephritis without immune complex deposits. <i>CEN Case Reports</i> , 2020, 9, 30-35.	0.9	6
65	Long-Term Safety and Efficacy of JR-131, a Biosimilar of Darbepoetin Alfa, in Japanese Patients With Renal Anemia Undergoing Hemodialysis: Phase 3 Prospective Study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 136-145.	0.9	1
66	JR-131, a Biosimilar of Darbepoetin Alfa, for the Treatment of Hemodialysis Patients With Renal Anemia: A Randomized, Double-Blinded, Parallel-Group Phase 3 Study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 126-135.	0.9	4
67	The Incidence and Associated Factors of Sudden Death in Patients on Hemodialysis: 10-Year Outcome of the Q-Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 306-318.	2.0	18
68	Higher Cholesterol Level Predicts Cardiovascular Event and Inversely Associates With Mortality in Hemodialysis Patients: 10-Year Outcomes of the Q-Cohort Study. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 431-438.	0.9	7
69	Prophylactic Oral Antibiotics for Postendoscopic Peritonitis in Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2020, 24, 462-463.	0.9	1
70	The effect of transportation modality to dialysis facilities on health-related quality of life among hemodialysis patients: results from the Japanese Dialysis Outcomes and Practice Pattern Study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 640-646.	2.9	9
71	Pre-operative proteinuria and post-operative acute kidney injury in noncardiac surgery: the NARA-Acute Kidney Injury cohort study. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2111-2116.	0.7	10
72	The relationship between liver cyst volume and QOL in Japanese ADPKD patients. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 314-322.	1.6	2

#	ARTICLE	IF	CITATIONS
73	Positive association between intra-operative fluid balance and post-operative acute kidney injury in non-cardiac surgery: the NARA-AKI cohort study. <i>Journal of Nephrology</i> , 2020, 33, 561-568.	2.0	12
74	P1565 THE COMBINATION OF MALNUTRITION-INFLAMMATION AND LIMITATIONS IN FUNCTIONAL STATUS IS ASSOCIATED WITH A HIGH RISK OF MORTALITY IN HEMODIALYSIS PATIENTS: RESULTS FROM THE DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
75	P1464 ROUTINELY MEASURED CARDIAC TROPONIN I AND NT-PROBNP AS PREDICTORS OF MORTALITY IN JAPANESE HEMODIALYSIS PATIENTS: THE DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
76	Microscopic hematuria is a risk factor for end-stage kidney disease in patients with biopsy-proven diabetic nephropathy. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001863.	2.8	9
77	Relationship between initial peritoneal dialysis modality and risk of peritonitis. <i>Scientific Reports</i> , 2020, 10, 18763.	3.3	9
78	MO070 APPROPRIATE INTERVAL BETWEEN TWO EGFR MEASUREMENTS FOR THE EVALUATION OF THE ASSOCIATION OF EGFR SLOPE WITH INCIDENCE OF RENAL EVENTS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
79	Association between modified simple protein-energy wasting (PEW) score and all-cause mortality in patients receiving maintenance hemodialysis. <i>Renal Replacement Therapy</i> , 2020, 6, .	0.7	5
80	P0846 ESA HYPORESPONSIVENESS AND CLINICAL OUTCOMES DURING TREATMENT WITH EPOETIN BETA PEGOL IN HEMODIALYSIS PATIENTS: A MULTICENTER PROSPECTIVE STUDY; PARAMOUNT-HD STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.7	0
81	Association of aortic valve calcification with carotid artery lesions and peripheral artery disease in patients with chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2020, 21, 203.	1.8	1
82	Association of serum phosphate concentration with the incidence of intervention for peripheral artery disease in patients undergoing hemodialysis: 10-year outcomes of the Q-Cohort Study. <i>Atherosclerosis</i> , 2020, 304, 22-29.	0.8	9
83	Association Between Plasma Intact Parathyroid Hormone Levels and the Prevalence of Atrial Fibrillation in Patients With Chronic Kidney Disease—The Fukuoka Kidney Disease Registry Study. <i>Circulation Journal</i> , 2020, 84, 1105-1111.	1.6	8
84	A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 389-401.	1.6	13
85	The glucose degradation product methylglyoxal induces immature angiogenesis in patients undergoing peritoneal dialysis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 525, 767-772.	2.1	7
86	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 526-540.	1.6	33
87	Late renal recovery after treatment over 1 year post-onset in an atypical hemolytic uremic syndrome: a case report. <i>BMC Nephrology</i> , 2020, 21, 236.	1.8	2
88	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 893-909.	1.6	6
89	Advanced glycation end products are associated with immature angiogenesis and peritoneal dysfunction in patients on peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2020, 40, 67-75.	2.3	12
90	Modified creatinine index and risk for long-term infection-related mortality in hemodialysis patients: ten-year outcomes of the Q-Cohort Study. <i>Scientific Reports</i> , 2020, 10, 1241.	3.3	16



#	ARTICLE	IF	CITATIONS
91	Postdialysis blood pressure is a better predictor of mortality than predialysis blood pressure in Japanese hemodialysis patients: the Japan Dialysis Outcomes and Practice Patterns Study. <i>Hypertension Research</i> , 2020, 43, 791-797.	2.7	5
92	Geriatric Nutritional Risk Index (GNRI) and Creatinine Index Equally Predict the Risk of Mortality in Hemodialysis Patients: J-DOPPS. <i>Scientific Reports</i> , 2020, 10, 5756.	3.3	58
93	Complement activation is associated with crescent formation in IgA nephropathy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 565-572.	2.8	20
94	Increased Risk of Infection-Related and All-Cause Death in Hypercalcemic Patients Receiving Hemodialysis: The Q-Cohort Study. <i>Scientific Reports</i> , 2020, 10, 6327.	3.3	6
95	Arginase 2 is a mediator of ischemiaâ€“reperfusion injury in the kidney through regulation of nitrosative stress. <i>Kidney International</i> , 2020, 98, 673-685.	5.2	22
96	Impact of Metabolic Syndrome on the Mortality Rate among Participants in a Specific Health Check and Guidance Program in Japan. <i>Internal Medicine</i> , 2020, 59, 2671-2678.	0.7	10
97	2020, 109, 455-462.	0.0	0
98	The Association between Dialysis Dose and Risk of Cancer Death in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>Internal Medicine</i> , 2020, 59, 1141-1148.	0.7	3
99	Frailty and Cognitive Impairment in Chronic Kidney Disease. , 2020, , 197-222.		0
100	Comparison of Immunohistochemical Staining for Large T Antigen and Capsid Protein VP1 in BK Polyomavirus-Associated Nephropathy. <i>Nephron</i> , 2020, 144, 28-36.	1.8	1
101	Comprehensive evaluation of the significance of immunofluorescent findings on clinicopathological features in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 169-181.	1.6	28
102	Thrombotic microangiopathy associated with anticardiolipin antibody in a kidney transplant recipient with polycythemia. <i>CEN Case Reports</i> , 2019, 8, 1-7.	0.9	6
103	Acute kidney injury as an independent predictor of infection and malignancy: the NARA-AKI cohort study. <i>Journal of Nephrology</i> , 2019, 32, 967-975.	2.0	11
104	FP404 ASSOCIATION OF EGFR SLOPES BEFORE AND AFTER CKD EDUCATION WITH RENAL PROGNOSIS. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
105	Development and validation of a new prediction model for graft function using preoperative marginal factors in living-donor kidney transplantation. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1331-1340.	1.6	5
106	Lower Diastolic Blood Pressure was Associated with Higher Incidence of Chronic Kidney Disease in the General Population Only in those Using Antihypertensive Medications. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 973-983.	2.0	2
107	A Prediction Model with Lifestyle in Addition to Previously Known Risk Factors Improves Its Predictive Ability for Cardiovascular Death. <i>Scientific Reports</i> , 2019, 9, 12953.	3.3	5
108	Short- and Long-term Effects of Dialysate Calcium Concentrations on Mineral and Bone Metabolism in Hemodialysis Patients: The K4 Study. <i>Kidney Medicine</i> , 2019, 1, 296-306.	2.0	4

#	ARTICLE	IF	CITATIONS
109	Apparent Treatment-Resistant Hypertension and Cardiovascular Risk in Hemodialysis Patients: Ten-Year Outcomes of the Q-Cohort Study. <i>Scientific Reports</i> , 2019, 9, 1043.	3.3	13
110	Peritonitis due to <i>Moraxella osloensis</i> : A case report and literature review. <i>Journal of Infection and Chemotherapy</i> , 2019, 25, 1050-1052.	1.7	8
111	Predictive Value of the Combination of Peripheral Blood Lymphocyte Count and Urinary Cytology in BK Polyomavirus-associated Nephropathy. <i>Transplantation Proceedings</i> , 2019, 51, 1410-1414.	0.6	0
112	Blood urea nitrogen is independently associated with renal outcomes in Japanese patients with stage 3-5 chronic kidney disease: a prospective observational study. <i>BMC Nephrology</i> , 2019, 20, 115.	1.8	53
113	Rapidly Progressive Glomerulonephritis with Delayed Appearance of Anti-Glomerular Basement Membrane Antibody Successfully Treated with Multiple Courses of Steroid Pulse Therapy. <i>Case Reports in Nephrology and Dialysis</i> , 2019, 9, 25-32.	0.6	0
114	Development of a risk prediction model for infection-related mortality in patients undergoing peritoneal dialysis. <i>PLoS ONE</i> , 2019, 14, e0213922.	2.5	8
115	Hypercalcemia and acute kidney injury induced by eldecalcitol in patients with osteoporosis: a case series of 32 patients at a single facility. <i>Renal Failure</i> , 2019, 41, 88-97.	2.1	19
116	High neutrophil/lymphocyte ratio is associated with poor renal outcomes in Japanese patients with chronic kidney disease. <i>Renal Failure</i> , 2019, 41, 238-243.	2.1	49
117	Efficacy and safety of evocalcet in Japanese peritoneal dialysis patients. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 739-748.	1.6	11
118	Severe Hypocalcemia and Resulting Seizure Caused by Vitamin D Deficiency in an Older Patient Receiving Phenytoin: Eldecalcitol and Maxacalcitol Ointment as Potential Therapeutic Options for Hypocalcemia. <i>Case Reports in Nephrology</i> , 2019, 2019, 1-6.	0.4	0
119	Inflammation as a predictor of acute kidney injury and mediator of higher mortality after acute kidney injury in non-cardiac surgery. <i>Scientific Reports</i> , 2019, 9, 20260.	3.3	38
120	Early postoperative change in serum creatinine predicts acute kidney injury after cardiothoracic surgery: a retrospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 325-334.	1.6	2
121	Adrenal crisis presented as acute onset of hypercalcemia and hyponatremia triggered by acute pyelonephritis in a patient with partial hypopituitarism and pre-dialysis chronic kidney disease. <i>CEN Case Reports</i> , 2019, 8, 83-88.	0.9	5
122	Kidney transplantation for treatment of end-stage kidney disease after haematopoietic stem cell transplantation: case series and literature review. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 561-568.	1.6	5
123	Better Oral Hygiene Habits Are Associated With a Lower Incidence of Peritoneal Dialysis-Related Peritonitis. <i>Therapeutic Apheresis and Dialysis</i> , 2019, 23, 187-194.	0.9	13
124	Association of B-Type Natriuretic Peptide Level with Residual Kidney Function in Incident Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019, 39, 147-154.	2.3	3
125	Association of geriatric nutritional risk index with infection-related mortality in patients undergoing hemodialysis: The Q-Cohort Study. <i>Clinical Nutrition</i> , 2019, 38, 279-287.	5.0	40
126	Evaluation of the Effects of Chronic Kidney Disease and Hemodialysis on the Inner Ear Using Multifrequency Tympanometry. <i>Journal of International Advanced Otolaryngology</i> , 2019, 14, 447-450.	1.0	3



#	ARTICLE	IF	CITATIONS
127	Title is missing!. , 2019, 14, e0225812.		0
128	Title is missing!. , 2019, 14, e0225812.		0
129	Title is missing!. , 2019, 14, e0225812.		0
130	Title is missing!. , 2019, 14, e0225812.		0
131	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.	1.6	21
132	The utility of a network-based clustering method for dimension reduction of imaging and non-imaging biomarkers predictive of Alzheimer's disease. <i>Scientific Reports</i> , 2018, 8, 2807.	3.3	2
133	Albuminuria Increases the Risks for Both Alzheimer Disease and Vascular Dementia in Community-Dwelling Japanese Elderly: The Hisayama Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	40
134	Hemoglobin concentration and the risk of hemorrhagic and ischemic stroke in patients undergoing hemodialysis: the Q-cohort study. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 856-864.	0.7	19
135	Chemotherapy in cancer patients undergoing haemodialysis: a nationwide study in Japan. <i>ESMO Open</i> , 2018, 3, e000301.	4.5	24
136	Incidence of Hepatitis B Viral Reactivation After Kidney Transplantation With Low-Dose Rituximab Administration. <i>Transplantation</i> , 2018, 102, 140-145.	1.0	17
137	Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 591-596.	1.6	1
138	SP437RENAL ARTERIOLAR HYALINOSIS, NOT INTIMAL THICKENING IN LARGER ARTERIES, IS ASSOCIATED WITH CARDIOVASCULAR EVENTS IN PATIENTS WITH BIOPSY-PROVEN DIABETIC NEPHROPATHY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i495-i496.	0.7	0
139	SP503AUTOMATED PERITONEAL DIALYSIS IS ASSOCIATED WITH REDUCED INCIDENCE OF PERITONITIS WITHIN 3 YEARS AFTER STARTING PERITONEAL DIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i518-i518.	0.7	0
140	Prognostic value of pre-dialysis blood pressure and risk threshold on clinical outcomes in hemodialysis patients. <i>Medicine (United States)</i> , 2018, 97, e13485.	1.0	8
141	Effect of Oral Alfacalcidol on Clinical Outcomes in Patients Without Secondary Hyperparathyroidism Receiving Maintenance Hemodialysis. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 2325.	7.4	55
142	Immobilization-induced severe hypercalcaemia successfully treated with reduced dose of zoledronate in a maintenance haemodialysis patient. <i>Nephrology</i> , 2018, 23, 963-964.	1.6	2
143	Dialysate Calcium Concentration below 3.0 mEq/L Is Not Associated with Improved Outcomes in the Japanese Dialysis Outcomes and Practice Patterns Study. <i>Nephron</i> , 2018, 140, 240-248.	1.8	4
144	Cholesterol Crystal Embolism Induced by Direct Factor Xa Inhibitor: A First Case Report. <i>Internal Medicine</i> , 2018, 57, 71-74.	0.7	7

#	ARTICLE	IF	CITATIONS
145	Effect of steroid pulse therapy on post-transplant immunoglobulin A nephropathy. <i>Nephrology</i> , 2018, 23, 10-16.	1.6	6
146	Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). <i>PLoS ONE</i> , 2018, 13, e0196955.	2.5	22
147	Use of phosphate-binders and risk of infection-related and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort Study. <i>Scientific Reports</i> , 2018, 8, 11387.	3.3	5
148	Brain Atrophy and Cognitive Impairment in Chronic Kidney Disease. <i>Contributions To Nephrology</i> , 2018, 196, 27-36.	1.1	23
149	Alcohol consumption and incidence of proteinuria: a retrospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1133-1142.	1.6	20
150	Secular trends in the incidence of end-stage renal disease and its risk factors in Japanese patients with immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 963-971.	0.7	7
151	Modified creatinine index and risk for cardiovascular events and all-cause mortality in patients undergoing hemodialysis: The Q-Cohort study. <i>Atherosclerosis</i> , 2018, 275, 115-123.	0.8	27
152	Dipstick proteinuria and all-cause mortality among the general population. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1331-1340.	1.6	20
153	A case of congenital left ventricular diverticulum in a patient with autosomal dominant polycystic kidney disease: possible mechanistic link between polycystin and ventricular diverticulum. <i>CEN Case Reports</i> , 2018, 7, 237-242.	0.9	0
154	Study on Dialysis Session Length and Mortality in Maintenance Hemodialysis Patients: The Q-Cohort Study. <i>Nephron</i> , 2018, 139, 305-312.	1.8	4
155	Association between serum albumin level and incidence of end-stage renal disease in patients with Immunoglobulin A nephropathy: A possible role of albumin as an antioxidant agent. <i>PLoS ONE</i> , 2018, 13, e0196655.	2.5	25
156	Proposal regarding peritoneal biopsy methods for peritoneal dialysis patients. <i>Nihon Toseki Igakkai Zasshi</i> , 2018, 51, 77-86.	0.1	0
157	4. Efficacy and Safety of DOAC Versus Warfarin in Chronic Kidney Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 856-864.	0.0	0
158	Clinicopathological significance of monoclonal IgA deposition in patients with IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 266-274.	1.6	13
159	Association between responsiveness to methoxy polyethylene glycol-epoetin beta and renal survival in patients with non-dialysis-dependent chronic kidney disease: A pooled analysis of individual patient-level data from clinical trials. <i>Nephrology</i> , 2017, 22, 769-775.	1.6	7
160	Total Phosphate Elimination is Negatively Associated With Increased Serum Fibroblast Growth Factor 23 Levels in Patients who Undergo Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 71-78.	0.9	1
161	Cardiothoracic Ratio and All-Cause Mortality and Cardiovascular Disease Events in Hemodialysis Patients: The Q-Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 84-92.	1.9	47
162	Mortality risk among screened subjects of the specific health check and guidance program in Japan 2008-2012. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 978-985.	1.6	33

#	ARTICLE	IF	CITATIONS
163	Modified Creatinine Index and the Risk of Bone Fracture in Patients Undergoing Hemodialysis: The Q-Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017, 70, 270-280.	1.9	44
164	Vascular endothelial growth factor-C ameliorates renal interstitial fibrosis through lymphangiogenesis in mouse unilateral ureteral obstruction. <i>Laboratory Investigation</i> , 2017, 97, 1439-1452.	3.7	55
165	Association between serum uric acid level and renal arteriolar hyalinization in individuals without chronic kidney disease. <i>Atherosclerosis</i> , 2017, 266, 121-127.	0.8	10
166	Repeated Paradoxical Brain Infarctions in a Patient on Self-Managed Home Hemodialysis Using a Long-Term Indwelling Catheter. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, e183-e185.	1.6	2
167	Impact of blood urea nitrogen to creatinine ratio on mortality and morbidity in hemodialysis patients: The Q-Cohort Study. <i>Scientific Reports</i> , 2017, 7, 14901.	3.3	15
168	2015 Japanese Society for Dialysis Therapy: Guidelines for Renal Anemia in Chronic Kidney Disease. <i>Renal Replacement Therapy</i> , 2017, 3, .	0.7	137
169	Histological Analysis in ABO-Compatible and ABO-Incompatible Kidney Transplantation by Performance of 3- and 12-Month Protocol Biopsies. <i>Transplantation</i> , 2017, 101, 1416-1422.	1.0	19
170	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption. , 2017, 27, 381-394.		18
171	A J-shaped association between serum uric acid levels and poor renal survival in female patients with IgA nephropathy. <i>Hypertension Research</i> , 2017, 40, 291-297.	2.7	16
172	The potential role of perivascular lymphatic vessels in preservation of kidney allograft function. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 721-731.	1.6	12
173	Modified Simple Peritoneal Wall Anchor Technique (Pwat) in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2017, 37, 103-108.	2.3	9
174	The Fukuoka Kidney disease Registry (FKR) Study: design and methods. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 465-473.	1.6	21
175	Asymptomatic Brain Edema after Hemodialysis Initiation in a Patient with Severe Uremia. <i>Case Reports in Medicine</i> , 2017, 2017, 1-6.	0.7	2
176	Comparison of Prognostic Values of Daytime and Night-Time Systolic Blood Pressures on Renal Outcomes in Patients With Chronic Kidney Disease. <i>Circulation Journal</i> , 2017, 81, 1454-1462.	1.6	10
177	Positive association of residual kidney function with hemoglobin level in patients on peritoneal dialysis independent of endogenous erythropoietin concentration. <i>Renal Replacement Therapy</i> , 2017, 3, .	0.7	4
178	III. Management for Patients with Chronic Kidney Disease in Light of Preventing Cognitive Impairment and Cerebrovascular Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2017, 106, 926-935.	0.0	0
179	Influenza Vaccination and Other Factors Related to the Development of Influenza-like Illness Among Patients on Chronic Hemodialysis in a Japanese Dialysis Facility. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 122-126.	0.9	3
180	Plasma B-type natriuretic peptide concentration is independently associated with kidney function decline in Japanese patients with chronic kidney disease. <i>Journal of Hypertension</i> , 2016, 34, 753-761.	0.5	11

#	ARTICLE	IF	CITATIONS
181	Evidence-based clinical practice guidelines for nephrotic syndrome 2014. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 342-370.	1.6	85
182	Associations of fibroblast growth factor 23 with urate metabolism in patients with chronic kidney disease. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1498-1507.	3.4	7
183	Effects of Lowering Dialysate Calcium Concentration on Mineral and Bone Disorders in Chronic Hemodialysis Patients: Conversion from 3.0 mEq/L to 2.75 mEq/L. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 31-39.	0.9	10
184	Association Between Serum Phosphate Levels and Stroke Risk in Patients Undergoing Hemodialysis. <i>Stroke</i> , 2016, 47, 2189-2196.	2.0	54
185	Inhibition of GSK-3 $\beta$ increases trabecular bone volume but not cortical bone volume in adenine-induced uremic mice with severe hyperparathyroidism. <i>Physiological Reports</i> , 2016, 4, e13010.	1.7	7
186	Extended Swan-Neck Catheter With Upper Abdominal Exit Site Reduces Peritoneal Dialysis-Related Infections. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 158-164.	0.9	8
187	Subacute pulmonary embolism in a hemodialysis patient, successfully treated with surgical thrombectomy. <i>CEN Case Reports</i> , 2016, 5, 74-77.	0.9	2
188	Comparison of oral versus intravenous vitamin D receptor activator in reducing infection-related mortality in hemodialysis patients: the Q-Cohort Study. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1152-1160.	0.7	24
189	Evidence-based clinical practice guidelines for polycystic kidney disease 2014. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 493-509.	1.6	37
190	Extrapulmonary tuberculosis presented as fever of unknown origin in two patients with endstage kidney disease not on dialysis: usefulness of 18-FDG-PET/CT in the diagnostic localization of fever of unknown origin. <i>CEN Case Reports</i> , 2016, 5, 11-17.	0.9	0
191	Comparison of steroid-pulse therapy and combined with mizoribine in IgA nephropathy: a randomized controlled trial. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 896-903.	1.6	7
192	Very low protein diet enhances inflammation, malnutrition, and vascular calcification in uremic rats. <i>Life Sciences</i> , 2016, 146, 117-123.	4.3	23
193	The effect of renin-angiotensin system blockade on the incidence of end-stage renal disease in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 689-698.	1.6	11
194	Erythropoiesis-stimulating agent slows the progression of chronic kidney disease: a possibility of a direct action of erythropoietin. <i>Renal Failure</i> , 2016, 38, 390-396.	2.1	12
195	Assessment of urinary angiotensinogen as a marker of podocyte injury in proteinuric nephropathies. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F322-F333.	2.7	9
196	Factors Associated with the Serum Myostatin Level in Patients Undergoing Peritoneal Dialysis: Potential Effects of Skeletal Muscle Mass and Vitamin D Receptor Activator Use. <i>Calcified Tissue International</i> , 2016, 99, 13-22.	3.1	19
197	Renal Sympathetic Denervation in Rats. <i>Methods in Molecular Biology</i> , 2016, 1397, 45-52.	0.9	6
198	Autoimmune autonomic ganglionopathy manifesting as acute-onset orthostatic hypotension in a patient undergoing peritoneal dialysis. <i>CEN Case Reports</i> , 2016, 5, 5-10.	0.9	3

#	ARTICLE	IF	CITATIONS
199	Spironolactone ameliorates arterial medial calcification in uremic rats: the role of mineralocorticoid receptor signaling in vascular calcification. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F967-F979.	2.7	32
200	Temporal serum creatinine increase and exacerbation of tubulointerstitial inflammation during the first two months in resolving polyomavirus BK nephropathy. <i>Nephrology</i> , 2015, 20, 45-50.	1.6	5
201	Membranoproliferative glomerulonephritis with predominant IgG2 and IgG3 deposition in a patient with IgG4-related disease. <i>BMC Nephrology</i> , 2015, 16, 173.	1.8	5
202	Two Years of Cinacalcet Hydrochloride Treatment Decreased Parathyroid Gland Volume and Serum Parathyroid Hormone Level in Hemodialysis Patients With Advanced Secondary Hyperparathyroidism. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 367-377.	0.9	14
203	Factors associated with serum soluble inhibitors of Wnt/PCP catenin signaling (sclerostin) Tj ETQq1 1.0.784314.rgBT /Ov	1.6	11
204	Dietary Patterns and Clinical Outcomes in Hemodialysis Patients in Japan: A Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0116677.	2.5	18
205	Clinical Significance of Fronto-Temporal Gray Matter Atrophy in Executive Dysfunction in Patients with Chronic Kidney Disease: The VCOHP Study. <i>PLoS ONE</i> , 2015, 10, e0143706.	2.5	27
206	A CADASIL-Like Case with a Novel Noncysteine Mutation of the <i>NOTCH3</i> Gene and Granular Deposits in the Renal Arterioles. <i>Case Reports in Neurological Medicine</i> , 2015, 2015, 1-6.	0.4	4
207	Ulcerative Colitis Presented as Fever and Bloody Diarrhea at Initiation of Dialysis in an Elderly Patient with End-Stage Kidney Disease. <i>Case Reports in Medicine</i> , 2015, 2015, 1-5.	0.7	0
208	Systemic Aldosterone, But Not Angiotensin II, Plays a Pivotal Role in the Pathogenesis of Renal Injury in Chronic Nitric Oxide-Deficient Male Rats. <i>Endocrinology</i> , 2015, 156, 2657-2666.	2.8	6
209	Cardiorenal Syndrome in End-Stage Kidney Disease. <i>Blood Purification</i> , 2015, 40, 337-343.	1.8	12
210	Fibroblast Growth Factor 23, but not Parathyroid Hormone, Is Associated With Urinary Phosphate Regulation in Patients on Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 73-80.	0.9	3
211	New-onset systemic lupus erythematosus in a long-term hemodialysis patient with acute pleuritis and pneumonitis. <i>CEN Case Reports</i> , 2015, 4, 139-144.	0.9	2
212	Hyporesponsiveness to erythropoiesis-stimulating agent as a prognostic factor in Japanese hemodialysis patients: the Q-Cohort study. <i>Journal of Nephrology</i> , 2015, 28, 217-225.	2.0	59
213	Prognostic impact of serum bilirubin level on long-term renal survival in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1062-1070.	1.6	12
214	De novo myeloperoxidase-antineutrophil cytoplasmic antibody (MPO-ANCA)-associated glomerulonephritis 31 years after living-donor kidney transplantation. <i>CEN Case Reports</i> , 2015, 4, 14-19.	0.9	5
215	Underestimating chronic kidney disease by urine dipstick without serum creatinine as a screening tool in the general Japanese population. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 474-480.	1.6	11
216	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. <i>American Journal of Kidney Diseases</i> , 2015, 66, 972-983.	1.9	70

#	ARTICLE	IF	CITATIONS
217	Association of serum total bilirubin with renal outcome in Japanese patients with stages 3-5 chronic kidney disease. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 1096-1102.	3.4	31
218	Cardiorenal syndrome in chronic kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 154-162.	2.0	28
219	Renal denervation has blood pressure-independent protective effects on kidney and heart in a rat model of chronic kidney disease. <i>Kidney International</i> , 2015, 87, 116-127.	5.2	26
220	Fetuin-A decrease induced by a low-protein diet enhances vascular calcification in uremic rats with hyperphosphatemia. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F744-F754.	2.7	26
221	Brain Atrophy in Peritoneal Dialysis and CKD Stages 3-5: A Cross-sectional and Longitudinal Study. <i>American Journal of Kidney Diseases</i> , 2015, 65, 312-321.	1.9	37
222	Association between Combined Lifestyle Factors and Non-Restorative Sleep in Japan: A Cross-Sectional Study Based on a Japanese Health Database. <i>PLoS ONE</i> , 2014, 9, e108718.	2.5	52
223	Tocilizumab-induced remission of nephrotic syndrome accompanied by secondary amyloidosis and glomerulonephritis in a patient with rheumatoid arthritis. <i>CEN Case Reports</i> , 2014, 3, 237-243.	0.9	10
224	The Authors Reply. <i>Kidney International</i> , 2014, 85, 710.	5.2	0
225	Subclinical nephrosclerosis is linked to left ventricular hypertrophy independent of classical atherogenic factors. <i>Hypertension Research</i> , 2014, 37, 472-477.	2.7	7
226	Sex differences in the association between serum uric acid levels and cardiac hypertrophy in patients with chronic kidney disease. <i>Hypertension Research</i> , 2014, 37, 246-252.	2.7	38
227	Cerebral oxidative stress induces spatial working memory dysfunction in uremic mice: neuroprotective effect of tempol. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 529-538.	0.7	60
228	Association of the triglycerides to high-density lipoprotein cholesterol ratio with the risk of chronic kidney disease: Analysis in a large Japanese population. <i>Atherosclerosis</i> , 2014, 233, 260-267.	0.8	64
229	A case of bacterial peritonitis caused by <i>Roseomonas mucosa</i> in a patient undergoing continuous ambulatory peritoneal dialysis. <i>CEN Case Reports</i> , 2014, 3, 127-131.	0.9	9
230	Relationship Between Residual Renal Function and Serum Fibroblast Growth Factor 23 in Patients on Peritoneal Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2014, 18, 383-390.	0.9	11
231	Improvement in spatial memory dysfunction by telmisartan through reduction of brain angiotensin II and oxidative stress in experimental uremic mice. <i>Life Sciences</i> , 2014, 113, 55-59.	4.3	23
232	Phosphate overload directly induces systemic inflammation and malnutrition as well as vascular calcification in uremia. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F1418-F1428.	2.7	138
233	Impact of combined losartan/hydrochlorothiazide on proteinuria in patients with chronic kidney disease and hypertension. <i>Hypertension Research</i> , 2014, 37, 993-998.	2.7	14
234	Ankle-brachial blood pressure index predicts cardiovascular events and mortality in Japanese patients with chronic kidney disease not on dialysis. <i>Hypertension Research</i> , 2014, 37, 1050-1055.	2.7	7



#	ARTICLE	IF	CITATIONS
235	Severe metabolic alkalosis, hypokalemia, and respiratory acidosis induced by the Chinese herbal medicine yokukansan in an elderly patient with muscle weakness and drowsiness. <i>CEN Case Reports</i> , 2013, 2, 23-27.	0.9	6
236	Regression of Tumoral Calcinosis After the Appropriate Control of a Deranged Mineral and Bone Metabolism, in Conjugation With Cinacalcet Hydrochloride Treatment, in a Chronic Hemodialysis Patient. <i>Therapeutic Apheresis and Dialysis</i> , 2013, 17, 348-349.	0.9	1
237	Slowly Progressive and Painless Thoracic Aortic Dissection Presenting with a Persistent Fever in an Elderly Patient: The Usefulness of Combined Measurement of Biochemical Parameters. <i>Case Reports in Medicine</i> , 2013, 2013, 1-5.	0.7	4
238	Development and Validation of a Prediction Rule Using the Oxford Classification in IgA Nephropathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 2082-2090.	4.5	91
239	The clinical utility of serum tartrate-resistant acid phosphatase 5b in the assessment of bone resorption in patients on peritoneal dialysis. <i>Clinical Endocrinology</i> , 2013, 78, 844-851.	2.4	10
240	Decreased expression of calcium-sensing receptor and parafibromin in secondary hyperparathyroidism with an abnormal whole PTH/intact PTH ratio. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 429-432.	2.9	2
241	Renal Interstitial Fibrosis in 0-Hour Biopsy as a Predictor of Post-Transplant Anemia. <i>American Journal of Nephrology</i> , 2013, 38, 267-274.	3.1	15
242	Radial Basis Function-Sparse Partial Least Squares for Application to Brain Imaging Data. <i>Computational and Mathematical Methods in Medicine</i> , 2013, 2013, 1-7.	1.3	11
243	Remitting Seronegative Symmetrical Synovitis with Pitting Edema Syndrome in a Chronic Hemodialysis Patient. <i>Case Reports in Medicine</i> , 2012, 2012, 1-3.	0.7	7
244	Successful treatment of massive proteinuria and severe chyluria by inhibition of cholesterol absorption with ezetimibe in a patient with filariasis. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 449-452.	2.9	4
245	Renal disease in the elderly and the very elderly Japanese: analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2012, 16, 903-920.	1.6	91
246	Fever associated with severe dialysis-related amyloidosis. <i>CEN Case Reports</i> , 2012, 1, 112-116.	0.9	3
247	Japanese Society for Dialysis Therapy Guidelines for Management of Cardiovascular Diseases in Patients on Chronic Hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 387-435.	0.9	109
248	Japanese Society for Dialysis Therapy Guidelines for Management of Cardiovascular Diseases in Patients on Chronic Hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 384-386.	0.9	3
249	The antioxidant tempol ameliorates arterial medial calcification in uremic rats: Important role of oxidative stress in the pathogenesis of vascular calcification in chronic kidney disease. <i>Journal of Bone and Mineral Research</i> , 2012, 27, 474-485.	2.8	103
250	Spironolactone inhibits hyperglycemia-induced podocyte injury by attenuating ROS production. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2475-2484.	0.7	80
251	Usefulness of 3-month protocol biopsy of kidney allograft to detect subclinical rejection under triple immunosuppression with basiliximab: a single center experience. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 264-268.	1.6	10
252	Japan Renal Biopsy Registry: the first nationwide, web-based, and prospective registry system of renal biopsies in Japan. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 493-503.	1.6	127

#	ARTICLE	IF	CITATIONS
253	Hypercalcemia and large abdominal mass. CKJ: Clinical Kidney Journal, 2011, 4, 213-214.	2.9	1
254	A Case of Radiation Nephropathy after Stem Cell Transplantation.. The Journal of the Japanese Society of Internal Medicine, 2010, 99, 1907-1909.	0.0	0
255	Focal segmental glomerulosclerosis in a patient with isolated ACTH deficiency and reversible hypothyroidism. Clinical and Experimental Nephrology, 2010, 14, 168-172.	1.6	6
256	Successful initiation and maintenance of hemodialysis in an adult patient with complete transposition of the great arteries. Clinical and Experimental Nephrology, 2010, 14, 511-515.	1.6	3
257	Osteoclast-like multi-nucleated giant cells in uraemic tumoral calcinosis. CKJ: Clinical Kidney Journal, 2009, 2, 155-157.	2.9	3
258	Severe anasarca due to beriberi heart disease and diabetic nephropathy. Clinical and Experimental Nephrology, 2009, 13, 518-521.	1.6	4
259	Does Cinacalcet Improve the Prognosis of Dialysis Patients?. Therapeutic Apheresis and Dialysis, 2009, 13, S15-9.	0.9	8
260	Spirolactone suppresses inflammation and prevents L-NAME-induced renal injury in rats. Kidney International, 2009, 75, 147-155.	5.2	48
261	Tubulointerstitial nephritis and IgA nephropathy in a patient with advanced lung cancer treated with long-term gefitinib. Clinical and Experimental Nephrology, 2008, 12, 398-402.	1.6	29
262	Detection of anti-HLA antibody by flow cytometric panel reactive antibody in kidney transplant recipient with frequent episodes of acute rejection. Clinical Transplantation, 2008, 22, 36-41.	1.6	0
263	Involvement of p53-transactivated Puma in cisplatin-induced renal tubular cell death. Life Sciences, 2008, 83, 550-556.	4.3	28
264	Prehypertension Increases the Risk for Renal Arteriosclerosis in Autopsies: The Hisayama Study. Journal of the American Society of Nephrology: JASN, 2007, 18, 2135-2142.	6.1	41
265	Catastrophic antiphospholipid antibody syndrome following initiation of hemodialysis. Clinical and Experimental Nephrology, 2005, 9, 335-339.	1.6	6
266	Comparable renoprotective effect of oral corticosteroid with angiotensin II-suppression in patients with IgA nephropathy of matched groups for histological damages. Nephrology, 2004, 9, A57-A57.	1.6	0
267	Up-regulated interleukin-4 production by peripheral T-helper cells in idiopathic membranous nephropathy. Nephrology Dialysis Transplantation, 2004, 19, 580-586.	0.7	62
268	Direct involvement of the receptor-mediated apoptotic pathways in cisplatin-induced renal tubular cell death. Kidney International, 2003, 63, 72-82.	5.2	211
269	Accumulation of 8-oxoguanine in the cellular DNA and the alteration of the OGG1 expression during ischemia-reperfusion injury in the rat kidney. DNA Repair, 2003, 2, 211-229.	2.8	89
270	Antioxidant ameliorates cisplatin-induced renal tubular cell death through inhibition of death receptor-mediated pathways. American Journal of Physiology - Renal Physiology, 2003, 285, F208-F218.	2.7	94

#	ARTICLE	IF	CITATIONS
271	Ilioinguinal neuralgia complicating percutaneous renal biopsy. Journal of Neurology, 2001, 248, 708-709.	3.6	2