

# Behzad Moshiri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6410410/behzad-moshiri-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

1,458  
citations

21  
h-index

31  
g-index

155  
ext. papers

1,732  
ext. citations

3.1  
avg, IF

4.75  
L-index

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 126 | Knowledgebase approximation using association rule aggregation. <i>International Journal of Data Science and Analytics</i> , <b>2022</b> , 13, 225   | 2   |           |
| 125 | Location-aware hazardous litter management for smart emergency governance in urban eco-cyber-physical systems.. <i>Multimedia Tools and Applications</i> , <b>2022</b> , 1-30  | 2.5 | 1         |
| 124 | State Estimation Fusion for Linear Microgrids over an Unreliable Network. <i>Energies</i> , <b>2022</b> , 15, 2288   | 3.1 | 1         |
| 123 | Integral backstepping Lyapunov redesign control of uncertain nonlinear systems. <i>IET Control Theory and Applications</i> , <b>2022</b> , 16, 330-339   | 2.5 | 0         |
| 122 | Cyber Attack Estimation of Nonlinear DC Microgrids with Noisy Measurements: Spherical Simplex Radial CKF Approach <b>2021</b> ,  |     | 2         |
| 121 | Fusing Unscented Kalman Filter to Detect and Isolate Sensor faults in DC Microgrids with CPLs. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2021</b> , 1-1   | 5.2 | 4         |
| 120 | Blind Spot Detection System in Vehicles Using Fusion of Radar Detections and Camera Verification. <i>International Journal of Intelligent Transportation Systems Research</i> , <b>2021</b> , 19, 389-404              | 1.4 |           |
| 119 | Applications of Haptic Technology, Virtual Reality, and Artificial Intelligence in Medical Training During the COVID-19 Pandemic. <i>Frontiers in Robotics and AI</i> , <b>2021</b> , 8, 612949                        | 2.8 | 4         |
| 118 | . <i>IEEE Systems Journal</i> , <b>2021</b> , 15, 3759-3768  | 4.3 | 0         |
| 117 | Metal-oxide-semiconductor Sensors Modeling Using Ordered Weighted Averaging (OWA) Operators in Electronic Nose. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2021</b> , 184, 109932 | 4.6 | 1         |
| 116 | A New Fusion Estimation Method for Multi-Rate Multi-Sensor Systems With Missing Measurements. <i>IEEE Access</i> , <b>2020</b> , 8, 47522-47532  | 3.5 | 27        |
| 115 | Heats and input variables selection for designing a water detection framework applicable to industrial electric arc furnaces. <i>Canadian Journal of Chemical Engineering</i> , <b>2020</b> , 98, 2096-2108            | 2.3 | 0         |
| 114 | Stability Analysis of Smooth Positive Fuzzy Systems <b>2020</b> ,  |     | 1         |
| 113 | Mixed H/Passivity controller design through LMI approach applicable for waterflooding optimization in the presence of geological uncertainty. <i>Computers and Chemical Engineering</i> , <b>2020</b> , 142, 107055    | 4   | 4         |
| 112 | Predictive models and detection methods applicable in water detection framework for industrial electric arc furnaces. <i>Computers and Chemical Engineering</i> , <b>2019</b> , 128, 285-300                           | 4   | 3         |
| 111 | Sensing Structure for Blind Spot Detection System in Vehicles <b>2019</b> ,  |     | 1         |
| 110 | A reinforcement learning approach for waterflooding optimization in petroleum reservoirs. <i>Engineering Applications of Artificial Intelligence</i> , <b>2019</b> , 77, 98-116  | 7.2 | 18        |

|     |  |     |    |
|-----|--|-----|----|
| 109 | Robust switching signal estimation for a class of uncertain nonlinear switched systems. <i>International Journal of Control</i> , <b>2019</b> , 92, 1094-1102                                    | 1.5 | 1  |
| 108 | An image segmentation based algorithm for imaging of slow slip earthquakes. <i>Geodesy and Geodynamics</i> , <b>2018</b> , 9, 252-261  | 1.8 | 2  |
| 107 | A systematic approach for modeling of waterflooding process in the presence of geological uncertainties in oil reservoirs. <i>Computers and Chemical Engineering</i> , <b>2018</b> , 111, 66-78  | 4   | 10 |
| 106 | Auto-Calibration and Fault Detection and Isolation of Skewed Redundant Accelerometers in Measurement While Drilling Systems. <i>Sensors</i> , <b>2018</b> , 18,                                  | 3.8 | 7  |
| 105 | Reducing the Bullwhip effect in a supply chain network by application of optimal control theory. <i>RAIRO - Operations Research</i> , <b>2018</b> , 52, 1377-1396                                | 2.2 | 6  |
| 104 | Pedestrian Detection Using Image Fusion and Stereo Vision in Autonomous Vehicles <b>2018</b> ,   |     | 2  |
| 103 | Real-time management of the waterflooding process using proxy reservoir modeling and data fusion theory. <i>Computers and Chemical Engineering</i> , <b>2017</b> , 106, 339-354                  | 4   | 9  |
| 102 | A GIS-based multi-criteria analysis model for earthquake vulnerability assessment using Choquet integral and game theory. <i>Natural Hazards</i> , <b>2017</b> , 87, 1377-1398                   | 3   | 26 |
| 101 | A new predictive motion control of a planar vehicle under uncertainty via convex optimization. <i>International Journal of Control, Automation and Systems</i> , <b>2017</b> , 15, 129-137       | 2.9 | 4  |
| 100 | Trunk Motion System (TMS) Using Printed Body Worn Sensor (BWS) via Data Fusion Approach. <i>Sensors</i> , <b>2017</b> , 17,  | 3.8 | 26 |
| 99  | Integration of data fusion and reinforcement learning techniques for the rank-aggregation problem. <i>International Journal of Machine Learning and Cybernetics</i> , <b>2016</b> , 7, 1131-1145 | 3.8 | 4  |
| 98  | Quantitative analysis of the clay minerals in the Shurijeh Reservoir Formation using combined X-ray analytical techniques. <i>Russian Geology and Geophysics</i> , <b>2016</b> , 57, 1048-1063   | 1   | 18 |
| 97  | Learning to rank with click-through features in a reinforcement learning framework. <i>International Journal of Web Information Systems</i> , <b>2016</b> , 12, 448-476                          | 0.9 | 3  |
| 96  | Learning to rank: new approach with the layered multi-population genetic programming on click-through features. <i>Genetic Programming and Evolvable Machines</i> , <b>2016</b> , 17, 203-230    | 2   | 5  |
| 95  | irBlogs: A standard collection for studying Persian bloggers. <i>Computers in Human Behavior</i> , <b>2016</b> , 57, 195-207   | 7.7 | 5  |
| 94  | Low-complexity control of hybrid systems using approximate multi-parametric MILP. <i>Automatica</i> , <b>2016</b> , 63, 292-301  | 5.7 | 9  |
| 93  | Control performance assessment based on sensor fusion techniques. <i>Control Engineering Practice</i> , <b>2016</b> , 49, 14-28  | 3.9 | 13 |
| 92  | Adaptive modeling of waterflooding process in oil reservoirs. <i>Journal of Petroleum Science and Engineering</i> , <b>2016</b> , 146, 702-713   | 4.4 | 12 |

|    |  |     |    |
|----|--|-----|----|
| 91 | Temporal-aware rate allocation in mission-oriented WSNs with sum-rate demand guarantee. <i>Computer Communications</i> , <b>2015</b> , 59, 52-66   | 5.1 | 2  |
| 90 | CF-Rank: Learning to rank by classifier fusion on click-through data. <i>Expert Systems With Applications</i> , <b>2015</b> , 42, 8597-8608  | 7.8 | 3  |
| 89 | Decentralized Fault Isolation by a Combination of Transfer Entropy and Classification Methods. <i>Chemical Engineering Communications</i> , <b>2015</b> , 202, 1131-1144   | 2.2 | 7  |
| 88 | Application of temporal difference learning rules in short-term traffic flow prediction. <i>Expert Systems</i> , <b>2015</b> , 32, 49-64   | 2.1 | 13 |
| 87 | The application of multilayer perceptron neural network in volume of clay estimation: Case study of Shurijeh gas reservoir, Northeastern Iran. <i>Journal of Natural Gas Science and Engineering</i> , <b>2015</b> , 22, 119-131 | 4.6 | 18 |
| 86 | Skew redundant MEMS IMU calibration using a Kalman filter. <i>Measurement Science and Technology</i> , <b>2015</b> , 26, 105002  | 2   | 11 |
| 85 | Cooperative control of networked autonomous vehicles using convex optimization <b>2015</b> ,   |     | 2  |
| 84 | Demand satisfaction in supply chain management system using a full online optimal control method. <i>International Journal of Advanced Manufacturing Technology</i> , <b>2015</b> , 77, 1401-1417                                | 3.2 | 10 |
| 83 | A GIS-based multi-criteria decision-making approach for seismic vulnerability assessment using quantifier-guided OWA operator: a case study of Tehran, Iran. <i>Annals of GIS</i> , <b>2015</b> , 21, 209-222                    | 4.1 | 22 |
| 82 | PEM Stochastic Modeling for MEMS Inertial Sensors in Conventional and Redundant IMUs. <i>IEEE Sensors Journal</i> , <b>2014</b> , 14, 2019-2027  | 4   | 19 |
| 81 | Learning by abstraction: Hierarchical classification model using evidential theoretic approach and Bayesian ensemble model. <i>Neurocomputing</i> , <b>2014</b> , 130, 73-82   | 5.4 | 11 |
| 80 | Real time adaptive non-linear estimator/predictor design for traffic systems with inadequate detectors. <i>IET Intelligent Transport Systems</i> , <b>2014</b> , 8, 308-321  | 2.4 | 8  |
| 79 | Traffic Flow Prediction Using MI Algorithm and Considering Noisy and Data Loss Conditions: An Application to Minnesota Traffic Flow Prediction. <i>Promet - Traffic - Traffico</i> , <b>2014</b> , 26, 393-403                   | 1.2 | 7  |
| 78 | Using data fusion for scoring reliability of protein-protein interactions. <i>Journal of Bioinformatics and Computational Biology</i> , <b>2014</b> , 12, 1450014  | 1   | 2  |
| 77 | Process fault isolation based on transfer entropy algorithm. <i>ISA Transactions</i> , <b>2014</b> , 53, 230-40  | 5.5 | 21 |
| 76 | Survey on location information services for Vehicular Communication Networks. <i>Wireless Networks</i> , <b>2014</b> , 20, 1085-1105   | 2.5 | 11 |
| 75 | Short-term traffic flow forecasting: parametric and nonparametric approaches via emotional temporal difference learning. <i>Neural Computing and Applications</i> , <b>2013</b> , 23, 141-159                                    | 4.8 | 18 |
| 74 | LTV-MPC based path planning of an autonomous vehicle via convex optimization <b>2013</b> ,   |     | 15 |

|    |  |     |    |
|----|--|-----|----|
| 73 | Fusing a Bluetooth Traffic Monitoring System With Loop Detector Data for Improved Freeway Traffic Speed Estimation. <i>Journal of Intelligent Transportation Systems: Technology, Planning, and Operations</i> , <b>2013</b> , 17, 152-164 | 3.2 | 50 |
| 72 | A comparative assessment of multi-sensor data fusion techniques for freeway traffic speed estimation using microsimulation modeling. <i>Transportation Research Part C: Emerging Technologies</i> , <b>2013</b> , 26, 33-48                | 8.4 | 63 |
| 71 | Feature-based fault detection of industrial gas turbines using neural networks. <i>Turkish Journal of Electrical Engineering and Computer Sciences</i> , <b>2013</b> , 1340-1350   | 0.9 | 10 |
| 70 | Emotional temporal difference Q-learning signals in multi-agent system cooperation: real case studies. <i>IET Intelligent Transport Systems</i> , <b>2013</b> , 7, 315-326   | 2.4 | 5  |
| 69 | Activity Recognition In Smart Home Using Weighted Dempster-Shafer Theory. <i>International Journal of Smart Home</i> , <b>2013</b> , 7, 23-34  | 0   | 5  |
| 68 | Distributed maximum likelihood estimation for flow and speed density prediction in distributed traffic detectors with Gaussian mixture model assumption. <i>IET Intelligent Transport Systems</i> , <b>2012</b> , 6, 215                   | 2.4 | 12 |
| 67 | Forecasting of short-term traffic-flow based on improved neurofuzzy models via emotional temporal difference learning algorithm. <i>Engineering Applications of Artificial Intelligence</i> , <b>2012</b> , 25, 1022-1042                  | 7.3 | 59 |
| 66 | Evidence theoretic protein fold classification based on the concept of hyperfold. <i>Mathematical Biosciences</i> , <b>2012</b> , 240, 148-60  | 3.9 | 15 |
| 65 | Multisensor Data Integration and Fusion in Traffic Operations and Management. <i>Transportation Research Record</i> , <b>2012</b> , 2308, 27-36  | 1.7 | 11 |
| 64 | Short-term traffic flow forecasting by mutual information and artificial neural networks <b>2012</b> ,   |     | 9  |
| 63 | Application of Fuzzy Classifier Fusion in Determining Productive Zones in Oil Wells. <i>Energy Exploration and Exploitation</i> , <b>2012</b> , 30, 403-415  | 2.1 | 11 |
| 62 | Multi criteria decision making (MCDM): A modified partial order theory (POT) approach <b>2011</b> ,  |     | 4  |
| 61 | Recursive spectral analysis of natural time series based on eigenvector matrix perturbation for online applications. <i>IET Signal Processing</i> , <b>2011</b> , 5, 515   | 1.7 | 9  |
| 60 | A novel detection and navigation approach based on OWA fusion method. <i>Sensor Review</i> , <b>2011</b> , 31, 328-340   | 1.4 | 6  |
| 59 | Anomaly detection using a self-organizing map and particle swarm optimization. <i>Scientia Iranica</i> , <b>2011</b> , 18, 1460-1468   | 1.5 | 40 |
| 58 | Estimation of free flow speed and critical density in a segmented freeway using missing data and Monte Carlo-based expectation maximisation algorithm. <i>IET Control Theory and Applications</i> , <b>2011</b> , 5, 123                   | 2.5 | 5  |
| 57 | Online Multi-step Ahead Prediction of Time-Varying Solar and Geomagnetic Activity Indices via Adaptive Neurofuzzy Modeling and Recursive Spectral Analysis. <i>Solar Physics</i> , <b>2011</b> , 272, 189-213                              | 2.6 | 6  |
| 56 | Weighted and constrained possibilistic C-means clustering for online fault detection and isolation. <i>Applied Intelligence</i> , <b>2011</b> , 35, 269-284  | 4.9 | 30 |

|    |  |     |    |
|----|--|-----|----|
| 55 | Prediction of protein submitochondria locations based on data fusion of various features of sequences. <i>Journal of Theoretical Biology</i> , <b>2011</b> , 269, 208-16   | 2.3 | 45 |
| 54 | Online monitoring of transit-time ultrasonic flowmeters based on fusion of optical observation. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2011</b> , 44, 1028-1037                       | 4.6 | 11 |
| 53 | Novel dynamic model for aerated shaking bioreactors. <i>Biotechnology and Applied Biochemistry</i> , <b>2011</b> , 58, 128-137   | 2.8 | 7  |
| 52 | Investigating the validity of conventional joint set clustering methods. <i>Engineering Geology</i> , <b>2011</b> , 118, 75-81   | 6   | 21 |
| 51 | Identification and model predictive control of continuous stirred tank reactor based on artificial neural networks <b>2011</b> ,   |     | 4  |
| 50 | A protein fold classifier formed by fusing different modes of pseudo amino acid composition via PSSM. <i>Computational Biology and Chemistry</i> , <b>2011</b> , 35, 1-9   | 3.6 | 28 |
| 49 | The traffic condition likelihood extraction using incomplete observation in distributed traffic loop detectors <b>2011</b> ,   |     | 1  |
| 48 | A Web 2.0 Approach for Organizing Search Results Using Wikipedia. <i>Lecture Notes in Computer Science</i> , <b>2011</b> , 215-225   | 0.9 |    |
| 47 | Alleviating the cold-start problem of recommender systems using a new hybrid approach <b>2010</b> ,  |     | 16 |
| 46 | Adaptive generalized predictive control and model reference adaptive control for CSTR Reactor <b>2010</b> ,  |     | 2  |
| 45 | A new approach for text feature selection based on OWA operator <b>2010</b> ,  |     | 2  |
| 44 | A data fusion approach for multi-camera based visual servoing <b>2010</b> ,  |     | 1  |
| 43 | Shared Situation Awareness System Architecture for Network Centric Environment Decision Making <b>2010</b> ,   |     | 3  |
| 42 | A Hybrid Approach to Predict Churn <b>2010</b> ,   |     | 10 |
| 41 | Real Data Testing of Model Parameter Estimation Methods for Macroscopic Traffic Flow Model. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , <b>2010</b> , 43, 419-424                     |     | 1  |
| 40 | Introducing adaptive neurofuzzy modeling with online learning method for prediction of time-varying solar and geomagnetic activity indices. <i>Expert Systems With Applications</i> , <b>2010</b> , 37, 8267-8277 <sup>8</sup> | 7.8 | 16 |
| 39 | Fracture detection from water saturation log data using a Fourier wavelet approach. <i>Journal of Petroleum Science and Engineering</i> , <b>2009</b> , 69, 129-138  | 4.4 | 28 |
| 38 | Optimal control of a nonlinear fed-batch fermentation process using model predictive approach. <i>Journal of Process Control</i> , <b>2009</b> , 19, 1162-1173   | 3.9 | 98 |

|    |   |     |    |
|----|---|-----|----|
| 37 | A novel approach proposed for fractured zone detection using petrophysical logs. <i>Journal of Geophysics and Engineering</i> , <b>2009</b> , 6, 365-373  | 1.3 | 28 |
| 36 | Multiphase Pipeline Leak Detection Based on Fuzzy Classification <b>2009</b> ,  |     | 4  |
| 35 | Leak Detection in Transportation Pipelines Using Feature Extraction and KNN Classification <b>2009</b> ,  |     | 5  |
| 34 | Fuzzy image fusion application in detecting coronary layers in IVUS pictures <b>2008</b> ,  |     | 2  |
| 33 | Application of Naturalistic Decision Making to Emergency Evacuation Simulations. <i>Lecture Notes in Computer Science</i> , <b>2008</b> , 14-25   | 0.9 |    |
| 32 | Adaptation of Personality-Based Decision Making to Crowd Behavior Simulations. <i>Lecture Notes in Computer Science</i> , <b>2008</b> , 385-389   | 0.9 | 2  |
| 31 | Improve text classification accuracy based on classifier fusion methods <b>2007</b> ,   |     | 15 |
| 30 | Robustness Assessment of Intelligent Information Fusion Techniques in Navigation Systems Encountering Satellite Outage <b>2007</b> ,  |     | 1  |
| 29 | Architecture design of an intelligent information fusion agent for information retrieval from dynamic environments <b>2007</b> ,  |     | 5  |
| 28 | Second-order EKF and Unscented Kalman Filter Fusion for Tracking Maneuvering Targets <b>2007</b> ,  |     | 10 |
| 27 | User Modeling for the Result Re-Ranking in the Meta-Search Engines via Reinforcement Learning <b>2007</b> ,   |     | 1  |
| 26 | Design of robust sub-optimal nonlinear H <sub>∞</sub> controllers with some applications. <i>Communications in Nonlinear Science and Numerical Simulation</i> , <b>2007</b> , 12, 1053-1067   | 3.7 | 3  |
| 25 | A new expertness index for assessment of secondary structure prediction engines. <i>Computational Biology and Chemistry</i> , <b>2007</b> , 31, 44-7  | 3.6 | 7  |
| 24 | Aggregation of web search engines based on users' preferences in WebFusion. <i>Knowledge-Based Systems</i> , <b>2007</b> , 20, 321-328  | 7.3 | 38 |
| 23 | A New Stabilizing Control Law with Respect to a Control Lyapunov Function and Construction of Control Lyapunov Function for Particular Nonaffine Nonlinear Systems. <i>Journal of Dynamical and Control Systems</i> , <b>2007</b> , 13, 563-576 | 1.1 | 3  |
| 22 | A new algorithm for general asynchronous sensor bias estimation in multisensor-multitarget systems <b>2007</b> ,  |     | 7  |
| 21 | DATA-BASED MODELLING OF NONLINEAR SYSTEMS USING A MODIFIED LOLIMOT ALGORITHM. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , <b>2007</b> , 40, 25-30  |     |    |
| 20 | GPS/INS integration using nonlinear blending filters <b>2007</b> ,  |     | 4  |



|    |   |      |    |
|----|---|------|----|
| 19 | A Modified LOLIMOT Algorithm for Nonlinear Estimation Fusion <b>2007</b> ,  |      | 1  |
| 18 | Applying Data Fusion in a Rational Decision Making with Emotional Regulation <b>2007</b> , 320-331  |      |    |
| 17 | Swarm Clustering Based on Flowers Pollination by Artificial Bees. <i>Studies in Computational Intelligence</i> , <b>2006</b> , 191-202  | 0.8  | 14 |
| 16 | Complexity and Size Analysis of Hybrid System Modeling with Mixed Logical Dynamical Approach <b>2006</b> ,  |      | 1  |
| 15 | Application of OWA Based Classifier Fusion in Diagnosis and Treatment offering for Female Urinary Incontinence. <i>Lecture Notes in Computer Science</i> , <b>2006</b> , 433-442                            | 0.9  |    |
| 14 | H $\infty$ control of parameter-dependent state-delayed systems using polynomial parameter-dependent quadratic functions. <i>International Journal of Control</i> , <b>2005</b> , 78, 254-263               | 1.5  | 63 |
| 13 | Haar Wavelet-Based Approach for Optimal Control of Second-Order Linear Systems in Time Domain. <i>Journal of Dynamical and Control Systems</i> , <b>2005</b> , 11, 237-252                                  | 1.1  | 45 |
| 12 | Numerically efficient approximations to the optimal control of linear singularly perturbed systems based on Haar wavelets. <i>International Journal of Computer Mathematics</i> , <b>2005</b> , 82, 495-507 | 1.2  | 29 |
| 11 | Distributed Data Clustering Based on Flowers Pollination by Artificial Bees <b>2005</b> , 959-966   |      |    |
| 10 | Protein Secondary Structure Classifiers Fusion Using OWA. <i>Lecture Notes in Computer Science</i> , <b>2005</b> , 338-345  | 1.1  | 6  |
| 9  | Self-tuning Based Fuzzy PID Controllers: Application to Control of Nonlinear HVAC Systems. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 437-442   | 0.9  | 2  |
| 8  | A computational method for solving optimal control and parameter estimation of linear systems using Haar wavelets. <i>International Journal of Computer Mathematics</i> , <b>2004</b> , 81, 1121-1132       | 1.2  | 42 |
| 7  | Design of a Robust Sliding Mode Fuzzy Controller for Nonlinear HVAC Systems. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 984-989   | 0.9  | 1  |
| 6  | Improvement of Low Frequency Oscillation Damping in Power Systems via an Adaptive Critic Based NeuroFuzzy Controller. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 559-565                      | 0.9  |    |
| 5  | Genetic Algorithm Based Parameter Tuning of Adaptive LQR-Repetitive Controllers with Application to Uninterruptible Power Supply Systems. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 583-593  | 0.9  | 4  |
| 4  | Active Networks and Computational Intelligence. <i>Lecture Notes in Computer Science</i> , <b>2004</b> , 128-134  | 0.9  |    |
| 3  | Improved Pose Estimation for Mobile Robots by Fusion of Odometry Data and Environment Map. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , <b>2003</b> , 36, 89-108            | 2.9  | 5  |
| 2  | Pseudo information measure: a new concept for extension of Bayesian fusion in robotic map building. <i>Information Fusion</i> , <b>2002</b> , 3, 51-68  | 16.7 | 23 |



|   |  |     |   |
|---|--|-----|---|
| 1 | Sensor fusion by pseudo information measure: a mobile robot application. <i>ISA Transactions</i> , <b>2002</b> , 41, 283-301 | 5.5 | 5 |
|---|--|-----|---|