Marcus Kernt

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6410478/marcus-kernt-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 571 16 23 g-index

28 657 3.5 avg, IF L-index

#	Paper	IF	Citations
28	Anti-VEGF treatment and peripheral retinal nonperfusion in patients with central retinal vein occlusion. <i>Clinical Ophthalmology</i> , 2017 , 11, 331-336	2.5	8
27	Evaluation of the New "SAVE" Protocol in Diabetic Macular Edema Over the Course of Anti-VEGF Treatment. <i>Current Eye Research</i> , 2016 , 41, 1082-1086	2.9	5
26	Peripheral retinal non-perfusion and treatment response in branch retinal vein occlusion. International Journal of Ophthalmology, 2016, 9, 858-62	1.4	12
25	Wide-Field Megahertz OCT Imaging of Patients with Diabetic Retinopathy. <i>Journal of Diabetes Research</i> , 2015 , 2015, 305084	3.9	7
24	Scanning laser Ve n faceVretinal imaging of epiretinal membranes. <i>Saudi Journal of Ophthalmology</i> , 2014 , 28, 134-8	0.9	22
23	Temsirolimus inhibits proliferation and migration in retinal pigment epithelial and endothelial cells via mTOR inhibition and decreases VEGF and PDGF expression. <i>PLoS ONE</i> , 2014 , 9, e88203	3.7	22
22	Comparative evaluation of combined navigated laser photocoagulation and intravitreal ranibizumab in the treatment of diabetic macular edema. <i>PLoS ONE</i> , 2014 , 9, e113981	3.7	26
21	Assessment of Exone peripapillary atrophy by optical coherence tomography and scanning laser ophthalmoscopy imaging in glaucoma patients. <i>Clinical Ophthalmology</i> , 2014 , 8, 1233-9	2.5	2
20	Anterior-segment morphology and corneal biomechanical characteristics in pigmentary glaucoma. <i>Clinical Ophthalmology</i> , 2014 , 8, 119-26	2.5	7
19	Idebenone prevents human optic nerve head astrocytes from oxidative stress, apoptosis, and senescence by stabilizing BAX/Bcl-2 ratio. <i>Journal of Glaucoma</i> , 2013 , 22, 404-12	2.1	20
18	Quantitative computerized color vision testing in diabetic retinopathy: A possible screening tool?. <i>Oman Journal of Ophthalmology</i> , 2013 , 6, S36-9	0.7	1
17	Imaging of the peripheral retina. Oman Journal of Ophthalmology, 2013, 6, S32-5	0.7	11
16	Indocyanine green increases light-induced oxidative stress, senescence, and matrix metalloproteinases 1 and 3 in human RPE cells. <i>Acta Ophthalmologica</i> , 2012 , 90, 571-9	3.7	16
15	Filtering blue light reduces light-induced oxidative stress, senescence and accumulation of extracellular matrix proteins in human retinal pigment epithelium cells. <i>Clinical and Experimental Ophthalmology</i> , 2012 , 40, e87-97	2.4	23
14	Assessment of diabetic retinopathy using nonmydriatic ultra-widefield scanning laser ophthalmoscopy (Optomap) compared with ETDRS 7-field stereo photography. <i>Diabetes Care</i> , 2012 , 35, 2459-63	14.6	70
13	Pain and accuracy of focal laser treatment for diabetic macular edema using a retinal navigated laser (Navilas). <i>Clinical Ophthalmology</i> , 2012 , 6, 289-96	2.5	37
12	Axitinib modulates hypoxia-induced blood-retina barrier permeability and expression of growth factors. <i>Growth Factors</i> , 2012 , 30, 49-61	1.6	16

LIST OF PUBLICATIONS

11	platelet-derived growth factor and vascular endothelial growth factor A and the vascular endothelial growth factor A receptors 1 and 2 and neuropilin 1 and 2. <i>Retina</i> , 2012 , 32, 1652-63	3.6	16
10	Choroidal pigmented lesions imaged by ultra-wide-field scanning laser ophthalmoscopy with two laser wavelengths (Optomap). <i>Clinical Ophthalmology</i> , 2010 , 4, 829-36	2.5	43
9	Minocycline is cytoprotective in human trabecular meshwork cells and optic nerve head astrocytes by increasing expression of XIAP, survivin, and Bcl-2. <i>Clinical Ophthalmology</i> , 2010 , 4, 591-604	2.5	24
8	Images in cardiovascular medicine. Wide-field scanning laser ophthalmoscope imaging and angiography of central retinal vein occlusion. <i>Circulation</i> , 2010 , 121, 1459-60	16.7	7
7	Minocycline is cytoprotective in human corneal endothelial cells and induces anti-apoptotic B-cell CLL/lymphoma 2 (Bcl-2) and X-linked inhibitor of apoptosis (XIAP). <i>British Journal of Ophthalmology</i> , 2010 , 94, 940-6	5.5	12
6	Coenzyme Q10 prevents human lens epithelial cells from light-induced apoptotic cell death by reducing oxidative stress and stabilizing BAX / Bcl-2 ratio. <i>Acta Ophthalmologica</i> , 2010 , 88, e78-86	3.7	22
5	Cytoprotective effects of a blue light-filtering intraocular lens on human retinal pigment epithelium by reducing phototoxic effects on vascular endothelial growth factor-alpha, Bax, and Bcl-2 expression. <i>Journal of Cataract and Refractive Surgery</i> , 2009 , 35, 354-62	2.3	31
4	Intravitreal voriconazole: in vitro safety-profile for fungal endophthalmitis. <i>Retina</i> , 2009 , 29, 362-70	3.6	36
3	Intracameral moxifloxacin: in vitro safety on human ocular cells. <i>Cornea</i> , 2009 , 28, 553-61	3.1	25
2	In vitro safety of intravitreal moxifloxacin for endophthalmitis treatment. <i>Journal of Cataract and Refractive Surgery</i> , 2008 , 34, 480-8	2.3	28
1	Ranibizumab combined with low-dose sorafenib for exudative age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2008 , 83, 231-4	3.7	22