

Xintang Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6410582/publications.pdf>

Version: 2024-02-01

32
papers

4,985
citations

430442

18
h-index

454577

30
g-index

32
all docs

32
docs citations

32
times ranked

8055
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Fast (Ce,Gd) ₃ Ga ₂ Al ₃ O ₁₂ Scintillators Grown by the Optical Floating Zone Method. <i>Crystal Growth and Design</i> , 2022, 22, 180-190. | 1.4 | 11 |
| 2 | Oxygen Vacancies of Commercial V ₂ O ₅ Induced by Mechanical Force to Enhance the Diffusion of Zinc Ions in Aqueous Zinc Battery. <i>Batteries and Supercaps</i> , 2022, 5, . | 2.4 | 19 |
| 3 | Wide Concentration Range of Tb ³⁺ Doping Influence on Scintillation Properties of (Ce, Tb) ₃ Tl ₂ ETQq ₁ 1 0.784314 rgBT /Overlock 10 T | 1.3 | 3 |
| 4 | Cobalt Nanorods as Transition Metal Electrode Materials for Asymmetric Supercapacitor Applications. <i>Journal of Physical Chemistry C</i> , 2020, 124, 20746-20756. | 1.5 | 8 |
| 5 | Direct growth of 2D MoO ₂ single crystal on SiO ₂ /Si substrate by atmospheric pressure chemical vapor deposition. <i>Materials Chemistry and Physics</i> , 2020, 251, 123166. | 2.0 | 8 |
| 6 | In Situ Engineering of the Core-Shell Ag@Cu Structure on Porous Nanowire Arrays for High Energy and Stable Aqueous Ag-Bi Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10332-10340. | 4.0 | 7 |
| 7 | 3D porous nickel nanosheet arrays as an advanced electrode material for high energy hybrid supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2020, 864, 114118. | 1.9 | 5 |
| 8 | Low-crystalline FeOx@PPy hybridized with (Ni _{0.25} Mn _{0.75}) ₃ O ₄ @PPy to constructed high-voltage aqueous hybrid capacitor with 2.4V. <i>Journal of Electroanalytical Chemistry</i> , 2020, 859, 113828. | 1.9 | 1 |
| 9 | Catalyst-free synthesis of few-layer graphene films on silicon dioxide/Si substrates using ethylene glycol by chemical vapor deposition. <i>Materials Research Express</i> , 2019, 6, 035602. | 0.8 | 2 |
| 10 | Ultrathin CoFe-layered double hydroxide nanosheets embedded in high conductance Cu ₃ N nanowire arrays with a 3D core-shell architecture for ultrahigh capacitance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 24603-24613. | 5.2 | 80 |
| 11 | Nest-like V ₃ O ₇ self-assembled by porous nanowires as an anode supercapacitor material and its performance optimization through bonding with N-doped carbon. <i>Journal of Materials Chemistry A</i> , 2018, 6, 16475-16484. | 5.2 | 32 |
| 12 | A ZnO/TiO ₂ composite nanorods photoanode with improved performance for dye-sensitized solar cells. <i>Crystal Research and Technology</i> , 2016, 51, 548-553. | 0.6 | 12 |
| 13 | Photocatalytic oxidation of methane over silver decorated zinc oxide nanocatalysts. <i>Nature Communications</i> , 2016, 7, 12273. | 5.8 | 306 |
| 14 | Carbon-stabilized High-Capacity Ferroferric Oxide Nanorod Array for Flexible Solid-State Alkaline Battery-Supercapacitor Hybrid Device with High Environmental Suitability. <i>Advanced Functional Materials</i> , 2015, 25, 5384-5394. | 7.8 | 457 |
| 15 | Building smart TiO ₂ nanorod networks in/on the film of P25 nanoparticles for high-efficiency dye sensitized solar cells. <i>RSC Advances</i> , 2014, 4, 12944-12949. | 1.7 | 22 |
| 16 | Directly Grown K _{0.33} WO ₃ Nanosheet Film Electrode for Fast Direct Electron Transfer of Protein. <i>ChemElectroChem</i> , 2014, 1, 463-470. | 1.7 | 3 |
| 17 | Preparation and gas-sensing property of ultra-fine NiO/SnO ₂ nano-particles. <i>RSC Advances</i> , 2012, 2, 10324. | 1.7 | 28 |
| 18 | Recent Advances in Metal Oxide-based Electrode Architecture Design for Electrochemical Energy Storage. <i>Advanced Materials</i> , 2012, 24, 5166-5180. | 11.1 | 2,251 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Mixed Ni/Cu-oxide nanowire array on conductive substrate and its application as enzyme-free glucose sensor. <i>Analytical Methods</i> , 2012, 4, 4003. | 1.3 | 43 |
| 20 | Co/Fe layered double hydroxide nanowall array grown from an alloy substrate and its calcined product as a composite anode for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 15969. | 6.7 | 75 |
| 21 | CNT/Ni hybrid nanostructured arrays: synthesis and application as high-performance electrode materials for pseudocapacitors. <i>Energy and Environmental Science</i> , 2011, 4, 5000. | 15.6 | 125 |
| 22 | CNT-network modified Ni nanostructured arrays for high performance non-enzymatic glucose sensors. <i>RSC Advances</i> , 2011, 1, 1020. | 1.7 | 80 |
| 23 | Iron Oxide-Based Nanotube Arrays Derived from Sacrificial Template-Accelerated Hydrolysis: Large-Area Design and Reversible Lithium Storage. <i>Chemistry of Materials</i> , 2010, 22, 212-217. | 3.2 | 311 |
| 24 | Conversion from ZnO nanospindles into ZnO/ZnS core/shell composites and ZnS microspindles. <i>Crystal Research and Technology</i> , 2009, 44, 402-408. | 0.6 | 17 |
| 25 | Sonochemical synthesis and characterization of ZnO nanorod/Ag nanoparticle composites. <i>Crystal Research and Technology</i> , 2009, 44, 1249-1254. | 0.6 | 16 |
| 26 | Carbon/ZnO Nanorod Array Electrode with Significantly Improved Lithium Storage Capability. <i>Journal of Physical Chemistry C</i> , 2009, 113, 5336-5339. | 1.5 | 202 |
| 27 | Direct growth of SnO ₂ nanorod array electrodes for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2009, 19, 1859. | 6.7 | 273 |
| 28 | A general route to thickness-tunable multilayered sheets of sheelite-type metal molybdate and their self-assembled films. <i>Journal of Materials Chemistry</i> , 2007, 17, 2754. | 6.7 | 69 |
| 29 | Hydrothermal Synthesis of Bi ₂ WO ₆ Uniform Hierarchical Microspheres. <i>Crystal Growth and Design</i> , 2007, 7, 1350-1355. | 1.4 | 337 |
| 30 | Hierarchical nanostructures of cupric oxide on a copper substrate: controllable morphology and wettability. <i>Journal of Materials Chemistry</i> , 2006, 16, 4427. | 6.7 | 181 |
| 31 | Image interpretation of weak-coupling N-mer adsorbate's STM system. <i>Science Bulletin</i> , 1997, 42, 371-374. | 1.7 | 0 |
| 32 | Stable growth of (Ce,Gd) ₃ Ga ₂ Al ₃ O ₁₂ crystal scintillators by the traveling solvent floating zone method. <i>CrystEngComm</i> , 0, , . | 1.3 | 1 |