

Soo Hyun Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6410893/soo-hyun-kim-publications-by-year.pdf>

Version: 2024-02-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

5,209
citations

39
h-index

64
g-index

181
ext. papers

5,839
ext. citations

5.9
avg, IF

5.74
L-index

#	Paper	IF	Citations
176	Current status and future direction of metallic and polymeric materials for advanced vascular stents. <i>Progress in Materials Science</i> , 2022 , 126, 100922	42.2	0
175	Self-assembling peptide gels promote angiogenesis and functional recovery after spinal cord injury in rats.. <i>Journal of Tissue Engineering</i> , 2022 , 13, 20417314221086491	7.5	0
174	Enhanced Regeneration of Vascularized Adipose Tissue with Dual 3D-Printed Elastic Polymer/dECM Hydrogel Complex. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
173	Stereocomplex Polylactide for Drug Delivery and Biomedical Applications: A Review. <i>Molecules</i> , 2021 , 26,	4.8	6
172	Use of Elastic, Porous, and Ultrathin Co-Culture Membranes to Control the Endothelial Barrier Function via Cell Alignment. <i>Advanced Functional Materials</i> , 2021 , 31, 2008172	15.6	6
171	Substance P/Heparin-Conjugated PLCL Mitigate Acute Gliosis on Neural Implants and Improve Neuronal Regeneration via Recruitment of Neural Stem Cells. <i>Advanced Healthcare Materials</i> , 2021 , 10, e2100107	10.1	5
170	Three-Dimensional Vascularized Lung Cancer-on-a-Chip with Lung Extracellular Matrix Hydrogels for In Vitro Screening. <i>Cancers</i> , 2021 , 13,	6.6	8
169	Strategy for Stereocomplexation of Polylactide Using O/W Emulsion Blending and Applications as Composite Fillers, Drug Carriers, and Self-Nucleating Agents. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 8752-8761	8.3	4
168	Decellularized brain matrix enhances macrophage polarization and functional improvements in rat spinal cord injury. <i>Acta Biomaterialia</i> , 2020 , 101, 357-371	10.8	28
167	Development of an Anisotropically Organized Brain dECM Hydrogel-Based 3D Neuronal Culture Platform for Recapitulating the Brain Microenvironment in Vivo. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 610-620	5.5	11
166	Strategy for Securing Key Patents in the Field of Biomaterials. <i>Macromolecular Research</i> , 2020 , 28, 87-98	1.9	3
165	Expandable and implantable bioelectronic complex for analyzing and regulating real-time activity of the urinary bladder. <i>Science Advances</i> , 2020 , 6,	14.3	10
164	Combinatorial Inhibition of Cell Surface Receptors Using Dual Aptamer-Functionalized Nanoconstructs for Cancer Treatment. <i>Pharmaceutics</i> , 2020 , 12,	6.4	1
163	Organ-Level Functional 3D Tissue Constructs with Complex Compartments and their Preclinical Applications. <i>Advanced Materials</i> , 2020 , 32, e2002096	24	7
162	Biological Aging Modulates Cell Migration via Lamin A/C-Dependent Nuclear Motion. <i>Micromachines</i> , 2020 , 11,	3.3	3
161	Augmented peripheral nerve regeneration through elastic nerve guidance conduits prepared using a porous PLCL membrane with a 3D printed collagen hydrogel. <i>Biomaterials Science</i> , 2020 , 8, 6261-6271	7.4	19
160	Integrating Organs-on-Chips: Multiplexing, Scaling, Vascularization, and Innervation. <i>Trends in Biotechnology</i> , 2020 , 38, 99-112	15.1	40

159	pH-Triggered Silk Fibroin/Alginate Structures Fabricated in Aqueous Two-Phase System. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 5897-5905	5.5	4
158	Creation of polylactide vascular scaffolds with high compressive strength using a novel melt-tube drawing method. <i>Polymer</i> , 2019 , 166, 130-137	3.9	11
157	Stem Cells Seeded on Multilayered Scaffolds Implanted into an Injured Bladder Rat Model Improves Bladder Function. <i>Tissue Engineering and Regenerative Medicine</i> , 2019 , 16, 201-212	4.5	8
156	Extracellular pH modulating injectable gel for enhancing immune checkpoint inhibitor therapy. <i>Journal of Controlled Release</i> , 2019 , 315, 65-75	11.7	11
155	The effect of Substance P/Heparin conjugated PLCL polymer coating of bioinert ePTFE vascular grafts on the recruitment of both ECs and SMCs for accelerated regeneration. <i>Scientific Reports</i> , 2019 , 9, 17083	4.9	9
154	Covalent Immobilization of EPCs-Affinity Peptide on Poly(L-Lactide-co-ε-Caprolactone) Copolymers to Enhance EPCs Adhesion and Retention for Tissue Engineering Applications. <i>Macromolecular Research</i> , 2019 , 27, 61-72	1.9	2
153	In situ blood vessel regeneration using neuropeptide substance P-conjugated small-diameter vascular grafts. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2019 , 107, 1669-1683	3.5	7
152	Skin Regeneration with Self-Assembled Peptide Hydrogels Conjugated with Substance P in a Diabetic Rat Model. <i>Tissue Engineering - Part A</i> , 2018 , 24, 21-33	3.9	23
151	Nanofibrous Electrospun Heart Decellularized Extracellular Matrix-Based Hybrid Scaffold as Wound Dressing for Reducing Scarring in Wound Healing. <i>Tissue Engineering - Part A</i> , 2018 , 24, 830-848	3.9	26
150	In Situ Homologous Polymerization of l-Lactide Having a Stereocomplex Crystal. <i>Macromolecules</i> , 2018 , 51, 6303-6311	5.5	12
149	Decellularized heart ECM hydrogel using supercritical carbon dioxide for improved angiogenesis. <i>Acta Biomaterialia</i> , 2018 , 67, 270-281	10.8	78
148	Small diameter vascular graft with fibroblast cells and electrospun poly (L-lactide-co-ε-caprolactone) scaffolds: Cell Matrix Engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2018 , 29, 942-959	3.5	12
147	Supercritical fluid technology parameters affecting size and behavior of stereocomplex polylactide particles and their composites. <i>Polymer Engineering and Science</i> , 2018 , 58, 1193-1200	2.3	9
146	cardiac regeneration by using neuropeptide substance P and IGF-1C peptide eluting heart patches. <i>International Journal of Energy Production and Management</i> , 2018 , 5, 303-316	5.3	9
145	In Situ Blood Vessel Regeneration Using SP (Substance P) and SDF (Stromal Cell-Derived Factor)-1α Peptide Eluting Vascular Grafts. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, e117-e134	9.4	24
144	Skin Regeneration with a Scaffold of Predefined Shape and Bioactive Peptide Hydrogels. <i>Tissue Engineering - Part A</i> , 2018 , 24, 1518-1530	3.9	21
143	Combinatorial therapy with three-dimensionally cultured adipose-derived stromal cells and self-assembling peptides to enhance angiogenesis and preserve cardiac function in infarcted hearts. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 2816-2827	4.4	18
142	Effect of platelet-rich plasma with self-assembled peptide on the rotator cuff tear model in rat. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 77-85	4.4	11

141	Electrically controllable twisted-coiled artificial muscle actuators using surface-modified polyester fibers. <i>Smart Materials and Structures</i> , 2017 , 26, 035048	3.4	28
140	Biodegradable vascular stents with high tensile and compressive strength: a novel strategy for applying monofilaments via solid-state drawing and shaped-annealing processes. <i>Biomaterials Science</i> , 2017 , 5, 422-431	7.4	20
139	Simultaneous microfluidic spinning of multiple strands of submicron fiber for the production of free-standing porous membranes for biological application. <i>Biofabrication</i> , 2017 , 9, 025026	10.5	11
138	UV-curing kinetics and performance development of in situ curable 3D printing materials. <i>European Polymer Journal</i> , 2017 , 93, 140-147	5.2	31
137	SDF-1 β peptide tethered polyester facilitates tissue repair by endogenous cell mobilization and recruitment. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 2670-2684	5.4	21
136	Substance P/dexamethasone-encapsulated PLGA scaffold fabricated using supercritical fluid process for calvarial bone regeneration. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 3469-3480	4.4	13
135	Current status and future direction of biodegradable metallic and polymeric vascular scaffolds for next-generation stents. <i>Acta Biomaterialia</i> , 2017 , 60, 3-22	10.8	86
134	The use of microfluidic spinning fiber as an ophthalmology suture showing the good anastomotic strength control. <i>Scientific Reports</i> , 2017 , 7, 16264	4.9	7
133	Enhanced Cartilaginous Tissue Formation with a Cell Aggregate-Fibrin-Polymer Scaffold Complex. <i>Polymers</i> , 2017 , 9,	4.5	11
132	Networked concave microwell arrays for constructing 3D cell spheroids. <i>Biofabrication</i> , 2017 , 10, 015001	10.5	30
131	Therapeutic effects of neuropeptide substance P coupled with self-assembled peptide nanofibers on the progression of osteoarthritis in a rat model. <i>Biomaterials</i> , 2016 , 74, 119-30	15.6	46
130	The effect of stereocomplex polylactide particles on the mechanical properties of poly(lactide-co-glycolide) copolymer. <i>Journal of Bioactive and Compatible Polymers</i> , 2016 , 31, 3-14	2	
129	Poly(L-lactic acid) scaffold with oriented micro-valley surface and superior properties fabricated by solid-state drawing for blood-contact biomaterials. <i>Biofabrication</i> , 2016 , 8, 045010	10.5	22
128	Covalent immobilization of stem cell inducing/recruiting factor and heparin on cell-free small-diameter vascular graft for accelerated in situ tissue regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 1352-71	5.4	30
127	Synergistic Action of IL-8 and Bone Marrow Concentrate on Cartilage Regeneration Through Upregulation of Chondrogenic Transcription Factors. <i>Tissue Engineering - Part A</i> , 2016 , 22, 363-74	3.9	18
126	Insight on stem cell preconditioning and instructive biomaterials to enhance cell adhesion, retention, and engraftment for tissue repair. <i>Biomaterials</i> , 2016 , 90, 85-115	15.6	71
125	Characterization and preparation of bio-tubular scaffolds for fabricating artificial vascular grafts by combining electrospinning and a co-culture system. <i>Macromolecular Research</i> , 2016 , 24, 131-142	1.9	17
124	Combined Treatment with Systemic and Local Delivery of Substance P Coupled with Self-Assembled Peptides for a Hind Limb Ischemia Model. <i>Tissue Engineering - Part A</i> , 2016 , 22, 545-55	3.9	13

123	Fully biobased robust biocomposites of PLA with assisted nucleation by monodispersed stereocomplexed polylactide particles. <i>RSC Advances</i> , 2016 , 6, 11129-11138	3.7	4
122	Biomaterials for host cell recruitment and stem cell fate modulation for tissue regeneration: Focus on neuropeptide substance P. <i>Macromolecular Research</i> , 2016 , 24, 951-960	1.9	3
121	Covalent immobilization of MSC-affinity peptide on poly(L-lactide-co-ε-caprolactone) copolymer to enhance stem cell adhesion and retention for tissue engineering applications. <i>Macromolecular Research</i> , 2016 , 24, 986-994	1.9	6
120	Nanografted Substrata and Triculture of Human Pericytes, Fibroblasts, and Endothelial Cells for Studying the Effects on Angiogenesis. <i>Tissue Engineering - Part A</i> , 2016 , 22, 698-706	3.9	18
119	Novel Strategy of Lactide Polymerization Leading to Stereocomplex Polylactide Nanoparticles Using Supercritical Fluid Technology. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4521-4528	8.3	12
118	TGF-β encapsulated PLCL scaffold by a supercritical CO ₂ -HFIP co-solvent system for cartilage tissue engineering. <i>Journal of Controlled Release</i> , 2015 , 206, 101-7	11.7	38
117	TGF-β encapsulated PLCL scaffold by supercritical CO ₂ -HFIP co-solvent system for cartilage tissue engineering. <i>Journal of Controlled Release</i> , 2015 , 213, e100-1	11.7	5
116	High-pressure phase behaviour of poly(D-lactic acid), trichloromethane, and carbon dioxide ternary mixture systems. <i>Journal of Chemical Thermodynamics</i> , 2015 , 90, 216-223	2.9	2
115	In Situ Recruitment of Human Bone Marrow-Derived Mesenchymal Stem Cells Using Chemokines for Articular Cartilage Regeneration. <i>Cell Transplantation</i> , 2015 , 24, 1067-83	4	35
114	Self-assembling peptide nanofibers coupled with neuropeptide substance P for bone tissue engineering. <i>Tissue Engineering - Part A</i> , 2015 , 21, 1237-46	3.9	43
113	Bi-layered PLCL/(PLGA/βTCP) composite scaffold for osteochondral tissue engineering. <i>Journal of Bioactive and Compatible Polymers</i> , 2015 , 30, 178-187	2	14
112	In situ chondrogenic differentiation of bone marrow stromal cells in bioactive self-assembled peptide gels. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 91-8	3.3	18
111	A novel tissue-engineered trachea with a mechanical behavior similar to native trachea. <i>Biomaterials</i> , 2015 , 62, 106-15	15.6	91
110	Stem cell recruitment, angiogenesis, and tissue regeneration in substance P-conjugated poly(L-lactide-co-ε-caprolactone) nonwoven meshes. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 2673-88	5.4	31
109	Strategies for recruitment of stem cells to treat myocardial infarction. <i>Current Pharmaceutical Design</i> , 2015 , 21, 1584-97	3.3	16
108	A Faster Approach to Stereocomplex Formation of High Molecular Weight Polylactide Using Supercritical Dimethyl Ether. <i>Porrime</i> , 2015 , 39, 453-460	1	6
107	Blood-compatible Bio-inspired Surface of Poly(L-lactide-co-ε-caprolactone) Films Prepared Using Poor Co-solvent Casting. <i>Porrime</i> , 2015 , 39, 40-45	1	
106	High-Pressure Phase Behavior of Polycaprolactone, Carbon Dioxide, and Dichloromethane Ternary Mixture Systems. <i>Korean Chemical Engineering Research</i> , 2015 , 53, 193-198		

105	Biodegradable blends of stereocomplex polylactide and lignin by supercritical carbon dioxide-solvent system. <i>Macromolecular Research</i> , 2014 , 22, 74-78	1.9	9
104	Bioinspired adhesive coating on PET film for antifouling surface modification. <i>Macromolecular Research</i> , 2014 , 22, 203-209	1.9	8
103	Bio-based composite of stereocomplex polylactide and cellulose nanowhiskers. <i>Polymer Degradation and Stability</i> , 2014 , 109, 430-435	4.7	22
102	Preparation of lotus-leaf-like structured blood compatible poly(ϵ -caprolactone)-block-poly(L-lactic acid) copolymer film surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 114, 28-35	6	12
101	Stereocomplex formation of polylactide using microwave irradiation. <i>Polymer International</i> , 2014 , 63, 741-745	3.3	3
100	Phase Behavior of Poly(d-lactic acid), Dichloromethane, and Carbon Dioxide Ternary Mixture Systems at High Pressure. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2144-2149	2.8	4
99	Synergism of cellulosic nanowhiskers and graft structure in stereocomplex-based materials: formation in solution and a stereocomplex memory study. <i>Cellulose</i> , 2014 , 21, 2539-2548	5.5	6
98	Behavior and differentiation studies of hASCs and rBMSCs by the γ irradiation. <i>Tissue Engineering and Regenerative Medicine</i> , 2014 , 11, 24-31	4.5	1
97	Regeneration of chronic myocardial infarction by injectable hydrogels containing stem cell homing factor SDF-1 and angiogenic peptide Ac-SDKP. <i>Biomaterials</i> , 2014 , 35, 2436-45	15.6	83
96	Effect of self-assembled peptide-mesenchymal stem cell complex on the progression of osteoarthritis in a rat model. <i>International Journal of Nanomedicine</i> , 2014 , 9 Suppl 1, 141-57	7.3	49
95	Preparation of topographically modified poly(L-lactic acid)-b-Poly(ϵ -caprolactone)-b-poly(L-lactic acid) tri-block copolymer film surfaces and its blood compatibility. <i>Macromolecular Research</i> , 2014 , 22, 1229-1237	1.9	10
94	An Advanced Class of Bio-Hybrid Materials: Bionanocomposites of Inorganic Clays and Organic Stereocomplex Poly lactides. <i>Macromolecular Materials and Engineering</i> , 2013 , 298, 263-269	3.9	10
93	Mechanical properties of compliant double layered poly(L-lactide-co- ϵ -caprolactone) vascular graft. <i>Macromolecular Research</i> , 2013 , 21, 886-891	1.9	8
92	Effects of pulsatile bioreactor culture on vascular smooth muscle cells seeded on electrospun poly(lactide-co- ϵ -caprolactone) scaffold. <i>Artificial Organs</i> , 2013 , 37, E168-78	2.6	15
91	Biodegradable stereocomplex polylactide having flexible ϵ -caprolactone unit. <i>Macromolecular Research</i> , 2013 , 21, 1036-1041	1.9	12
90	Synthesis and characterization of the biodegradable and elastic terpolymer poly(glycolide-co-L-lactide-co- ϵ -caprolactone) for mechano-active tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2013 , 24, 386-97	3.5	9
89	Lotus-leaf-like structured heparin-conjugated poly(L-lactide-co- ϵ -caprolactone) as a blood compatible material. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 103, 463-7	6	25
88	Preparation of enhanced hydrophobic poly(l-lactide-co- ϵ -caprolactone) films surface and its blood compatibility. <i>Applied Surface Science</i> , 2013 , 276, 586-591	6.7	13

87	Therapeutic angiogenesis of three-dimensionally cultured adipose-derived stem cells in rat infarcted hearts. <i>Cytotherapy</i> , 2013 , 15, 542-56	4.8	31
86	Bioinspired self-adhesive polymer for surface modification to improve antifouling property 2013 , 10, 811-819		8
85	Melt stability of 8-arms star-shaped stereocomplex polylactide with three-dimensional core structures. <i>Polymer Degradation and Stability</i> , 2013 , 98, 1097-1101	4.7	23
84	Endothelial differentiation and vasculogenesis induced by three-dimensional adipose-derived stem cells. <i>Anatomical Record</i> , 2013 , 296, 168-77	2.1	23
83	Stem cell recruitment and angiogenesis of neuropeptide substance P coupled with self-assembling peptide nanofiber in a mouse hind limb ischemia model. <i>Biomaterials</i> , 2013 , 34, 1657-68	15.6	80
82	A biocompatible tissue scaffold produced by supercritical fluid processing for cartilage tissue engineering. <i>Tissue Engineering - Part C: Methods</i> , 2013 , 19, 181-8	2.9	22
81	Elastic, double-layered poly (l-lactide-co-ε-caprolactone) scaffold for long-term vascular reconstruction. <i>Journal of Bioactive and Compatible Polymers</i> , 2013 , 28, 233-246	2	13
80	Effect of scaffold microarchitecture on osteogenic differentiation of human mesenchymal stem cells. <i>European Cells and Materials</i> , 2013 , 25, 114-129	4.3	67
79	Fabrication and Medical Applications of Lotus-leaf-like Structured Superhydrophobic Surfaces. <i>Porrime</i> , 2013 , 37, 411-419	1	12
78	Fibroblast culture on poly(L-lactide-co-ε-caprolactone) an electrospun nanofiber sheet. <i>Macromolecular Research</i> , 2012 , 20, 1234-1242	1.9	9
77	Three-dimensional electrospun poly(lactide-co-ε-caprolactone) for small-diameter vascular grafts. <i>Tissue Engineering - Part A</i> , 2012 , 18, 1608-16	3.9	31
76	Effect of temperature on the exchange bias in naturally oxidized Ni _x Co _{1-x} (x=0.2) nanowires fabricated by electrochemical deposition technique. <i>Journal of Alloys and Compounds</i> , 2012 , 520, 272-278	5.7	4
75	Synergistic effect of biochemical factors and strain on the smooth muscle cell differentiation of adipose-derived stem cells on an elastic nanofibrous scaffold. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2012 , 23, 1579-93	3.5	9
74	Stereocomplexation of Poly(l-lactide) and Random Copolymer Poly(d-lactide-co-ε-caprolactone) To Enhance Melt Stability. <i>Macromolecules</i> , 2012 , 45, 4012-4014	5.5	55
73	Rapid stereocomplex formation of polylactide using supercritical fluid technology. <i>Polymer International</i> , 2012 , 61, 939-942	3.3	28
72	Synthesis of poly(D-lactide) with different molecular weight via melt-polymerization. <i>Macromolecular Research</i> , 2012 , 20, 515-519	1.9	6
71	Stereocomplex-nanocomposite formation of polylactide/fluorinated-clay with superior thermal property using supercritical fluid. <i>Macromolecular Research</i> , 2012 , 20, 545-548	1.9	14
70	Optimization of chondrogenic differentiation of human adipose tissue-derived stem cells on poly(L-lactide-co-ε-caprolactone) scaffolds. <i>Macromolecular Research</i> , 2012 , 20, 709-714	1.9	1

69	Adhesion and differentiation of adipose-derived stem cells on a substrate with immobilized fibroblast growth factor. <i>Acta Biomaterialia</i> , 2012 , 8, 1759-67	10.8	26
68	Magnetic properties of one-dimensional embedded nickel nanostructures in gold nanowires. <i>Current Applied Physics</i> , 2012 , 12, 65-68	2.6	8
67	A dynamically cultured collagen/cells-incorporated elastic scaffold for small-diameter vascular grafts. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2012 , 23, 1807-20	3.5	6
66	Small diameter double layer tubular scaffolds using highly elastic PLCL copolymer for vascular tissue engineering. <i>Macromolecular Research</i> , 2011 , 19, 122-129	1.9	21
65	Enhanced regeneration of the ligament-bone interface using a poly(L-lactide-co-ε-caprolactone) scaffold with local delivery of cells/BMP-2 using a heparin-based hydrogel. <i>Acta Biomaterialia</i> , 2011 , 7, 244-57	10.8	59
64	The enhancement of mature vessel formation and cardiac function in infarcted hearts using dual growth factor delivery with self-assembling peptides. <i>Biomaterials</i> , 2011 , 32, 6080-8	15.6	81
63	Effect of Ag ¹⁵⁺ and Li ³⁺ ion irradiation on superconducting Tl ₂ Ca ₂ Ba ₂ Cu ₃ O ₁₀ single crystals. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2011 , 269, 1117-1120	1.2	1
62	Regeneration of Achilles' tendon: the role of dynamic stimulation for enhanced cell proliferation and mechanical properties. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010 , 21, 1173-90	3.5	43
61	Stereocomplex Formation of High-Molecular-Weight Polylactide Using Supercritical Fluid. <i>Macromolecules</i> , 2010 , 43, 1137-1142	5.5	117
60	The effect of hybridization of hydrogels and poly(L-lactide-co-ε-caprolactone) scaffolds on cartilage tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010 , 21, 581-92	3.5	23
59	A novel seamless elastic scaffold for vascular tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2010 , 21, 289-302	3.5	10
58	Fluctuation conductivity of single-crystalline BaFe _{1.8} Co _{0.2} As ₂ in the critical region. <i>Journal of Applied Physics</i> , 2010 , 108, 063916	2.5	28
57	Fabrication of poly(l-lactide) fibers/sheets using supercritical fluid through flash-spinning process. <i>Macromolecular Research</i> , 2010 , 18, 1233-1236	1.9	4
56	Articular cartilage tissue engineering based on a mechano-active scaffold made of poly(L-lactide-co-ε-caprolactone): In vivo performance in adult rabbits. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010 , 94, 80-8	3.5	19
55	Two S-wave gap symmetry for single crystals of the superconductor BaFe _{1.8} Co _{0.2} As ₂ . <i>Physica C: Superconductivity and Its Applications</i> , 2010 , 470, S506-S507	1.3	5
54	Bioresorbable elastomeric vascular tissue engineering scaffolds via melt spinning and electrospinning. <i>Acta Biomaterialia</i> , 2010 , 6, 1958-67	10.8	121
53	A collagen/smooth muscle cell-incorporated elastic scaffold for tissue-engineered vascular grafts. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2009 , 20, 1645-60	3.5	23
52	Nanofibrous scaffolds electrospun from elastomeric biodegradable poly(L-lactide-co-ε-caprolactone) copolymer. <i>Biomedical Materials (Bristol)</i> , 2009 , 4, 015019	3.5	36

51	Reconstruction of a Rabbit Ulna Bone Defect Using Bone Marrow Stromal Cells and a PLA/βTCP Composite by a Novel Sintering Method. <i>Advanced Engineering Materials</i> , 2009 , 11, B169-B176	3.5	4
50	Design and characterization of a maltose binding protein-linked growth factor for matrix engineering. <i>Biotechnology Letters</i> , 2009 , 31, 1677-84	3	17
49	Copolymerization of L-lactide and ε-caprolactone in supercritical fluid. <i>Macromolecular Research</i> , 2009 , 17, 575-579	1.9	2
48	The correlation between human adipose-derived stem cells differentiation and cell adhesion mechanism. <i>Biomaterials</i> , 2009 , 30, 6835-43	15.6	53
47	In situ chondrogenic differentiation of human adipose tissue-derived stem cells in a TGF-beta1 loaded fibrin-poly(lactide-caprolactone) nanoparticulate complex. <i>Biomaterials</i> , 2009 , 30, 4657-64	15.6	68
46	The effects of dynamic and three-dimensional environments on chondrogenic differentiation of bone marrow stromal cells. <i>Biomedical Materials (Bristol)</i> , 2009 , 4, 055009	3.5	28
45	Application of an elastic biodegradable poly(L-lactide-co-epsilon-caprolactone) scaffold for cartilage tissue regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2008 , 19, 1073-85	3.5	42
44	Cartilaginous tissue formation using a mechano-active scaffold and dynamic compressive stimulation. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2008 , 19, 61-74	3.5	33
43	Cartilage regeneration with highly-elastic three-dimensional scaffolds prepared from biodegradable poly(L-lactide-co-epsilon-caprolactone). <i>Biomaterials</i> , 2008 , 29, 4630-6	15.6	87
42	Antagonistic effect of EGF on FAK phosphorylation/dephosphorylation in a cell. <i>Cell Biochemistry and Function</i> , 2008 , 26, 539-47	4.2	17
41	The effect of gelatin incorporation into electrospun poly(L-lactide-co-epsilon-caprolactone) fibers on mechanical properties and cytocompatibility. <i>Biomaterials</i> , 2008 , 29, 1872-9	15.6	162
40	Mechanical loading-dependence of mRNA expressions of extracellular matrices of chondrocytes inoculated into elastomeric microporous poly(L-lactide-co-epsilon-caprolactone) scaffold. <i>Tissue Engineering</i> , 2007 , 13, 29-40		15
39	Cartilaginous Tissue Formation with an Elastic PLCL Scaffold and Human Adipose Tissue-Derived Stromal Cells. <i>Key Engineering Materials</i> , 2007 , 342-343, 385-388	0.4	
38	Optimization of Scaffold for a Successful Hydrogel-Seeding Method for Vascular Tissue Engineering. <i>Key Engineering Materials</i> , 2007 , 342-343, 333-336	0.4	2
37	Cartilaginous tissue formation with bone marrow stromal cells by a dynamic compressive stimulation 2007 , 3291-3294		
36	Mechano-Active Cartilage Tissue Engineering. <i>Advances in Science and Technology</i> , 2006 , 49, 189-196	0.1	
35	New technique of seeding chondrocytes into microporous poly(L-lactide-co-epsilon-caprolactone) sponge by cyclic compression force-induced suction. <i>Tissue Engineering</i> , 2006 , 12, 1811-20		20
34	Mechano-active scaffold design based on microporous poly(L-lactide-co-epsilon-caprolactone) for articular cartilage tissue engineering: dependence of porosity on compression force-applied mechanical behaviors. <i>Tissue Engineering</i> , 2006 , 12, 449-58		67

33	Fabrication of a new tubular fibrous PLCL scaffold for vascular tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006 , 17, 1359-74	3.5	42
32	New Technique of Seeding Chondrocytes into Microporous Poly(L-lactide-co-ε-caprolactone) Sponge by Cyclic Compression Force-Induced Suction. <i>Tissue Engineering</i> , 2006 , 060802052515032		
31	Mechanical Loading-Dependence of mRNA Expressions of Extracellular Matrices of Chondrocytes Inoculated into Elastomeric Microporous Poly(L-lactide-co-ε-caprolactone) Scaffold. <i>Tissue Engineering</i> , 2006 , 061220075423010		
30	Ring-Opening Polymerization of L-Lactide in Supercritical Chlorodifluoromethane. <i>Macromolecular Symposia</i> , 2005 , 224, 85-92	0.8	1
29	Mechano-active tissue engineering of vascular smooth muscle using pulsatile perfusion bioreactors and elastic PLCL scaffolds. <i>Biomaterials</i> , 2005 , 26, 1405-11	15.6	176
28	Vascular patches tissue-engineered with autologous bone marrow-derived cells and decellularized tissue matrices. <i>Biomaterials</i> , 2005 , 26, 1915-24	15.6	82
27	A poly(lactic acid)/calcium metaphosphate composite for bone tissue engineering. <i>Biomaterials</i> , 2005 , 26, 6314-22	15.6	108
26	Histological Behavior of HDPE Scaffolds Fabricated by the Press-and-Baking Method. <i>Journal of Bioactive and Compatible Polymers</i> , 2005 , 20, 361-376	2	4
25	Smooth muscle-like tissues engineered with bone marrow stromal cells. <i>Biomaterials</i> , 2004 , 25, 2979-86	15.6	40
24	In vivo biocompatibility and degradation behavior of elastic poly(L-lactide-co-ε-caprolactone) scaffolds. <i>Biomaterials</i> , 2004 , 25, 5939-46	15.6	199
23	Ring-opening polymerization of L-lactide and preparation of its microsphere in supercritical fluids. <i>Macromolecular Bioscience</i> , 2004 , 4, 340-5	5.5	7
22	Thermally produced biodegradable scaffolds for cartilage tissue engineering. <i>Macromolecular Bioscience</i> , 2004 , 4, 802-10	5.5	70
21	Manufacture of elastic biodegradable PLCL scaffolds for mechano-active vascular tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2004 , 15, 645-60	3.5	144
20	Morphology of elastic poly(L-lactide-co-ε-caprolactone) copolymers and in vitro and in vivo degradation behavior of their scaffolds. <i>Biomacromolecules</i> , 2004 , 5, 1303-9	6.9	142
19	Effects of Pressure and Temperature on the Kinetics of L-lactide Polymerization in Supercritical Chlorodifluoromethane. <i>Macromolecules</i> , 2004 , 37, 3564-3568	5.5	10
18	Elastic biodegradable poly(glycolide-co-caprolactone) scaffold for tissue engineering. <i>Journal of Biomedical Materials Research Part B</i> , 2003 , 66, 29-37		128
17	Improvement of Flexural Strengths of Poly(L-lactic acid) by Solid-State Extrusion, 2. Extrusion Through Rectangular Die. <i>Macromolecular Materials and Engineering</i> , 2003 , 288, 50-57	3.9	15
16	Effect of molecular orientation on biodegradability of poly(glycolide-co-ε-caprolactone). <i>Polymer Degradation and Stability</i> , 2003 , 80, 223-232	4.7	9

15	In vivo conjunctival reconstruction using modified PLGA grafts for decreased scar formation and contraction. <i>Biomaterials</i> , 2003 , 24, 5049-59	15.6	54
14	Synthesis and Characterization of Poly(L-lactide)Poly(ϵ -caprolactone) Multiblock Copolymers. <i>Macromolecules</i> , 2003 , 36, 5585-5592	5.5	151
13	Kinetic and Mechanistic Studies of L-Lactide Polymerization in Supercritical Chlorodifluoromethane. <i>Macromolecules</i> , 2003 , 36, 8923-8930	5.5	22
12	Synthesis and degradation behaviors of PEO/PL/PEO tri-block copolymers. <i>Macromolecular Research</i> , 2002 , 10, 85-90	1.9	24
11	Microstructure analysis and thermal property of copolymers made of glycolide and ϵ -caprolactone by stannous octoate. <i>Journal of Polymer Science Part A</i> , 2002 , 40, 544-554	2.5	44
10	Improved blood compatibility and decreased VSMC proliferation of surface-modified metal grafted with sulfonated PEG or heparin. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2002 , 13, 939-52	3.5	22
9	Immobilization of poly(ethylene glycol) or its sulfonate onto polymer surfaces by ozone oxidation. <i>Biomaterials</i> , 2001 , 22, 2115-23	15.6	128
8	Improved calcification resistance and biocompatibility of tissue patch grafted with sulfonated PEO or heparin after glutaraldehyde fixation. <i>Journal of Biomedical Materials Research Part B</i> , 2001 , 58, 27-35		28
7	Improvement of Flexural Strengths of Poly(L-lactic acid) by Solid-State Extrusion. <i>Macromolecular Chemistry and Physics</i> , 2001 , 202, 2447-2453	2.6	13
6	Miscibility and Nanoporous Hybrid Film Fabrication of Methylsilsesquioxane (MSSQ) and Star-shaped Polymers. <i>Molecular Crystals and Liquid Crystals</i> , 2001 , 370, 301-304		
5	Effect of poly(ethylene glycol) graft polymerization of poly(methyl methacrylate) on cell adhesion. In vitro and in vivo study. <i>Journal of Cataract and Refractive Surgery</i> , 2001 , 27, 766-74	2.3	39
4	Biodegradable polymer blends of poly(L-lactic acid) and gelatinized starch. <i>Polymer Engineering and Science</i> , 2000 , 40, 2539-2550	2.3	171
3	Platelet and bacterial repellence on sulfonated poly(ethylene glycol)-acrylate copolymer surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2000 , 18, 355-370	6	45
2	Direct condensation polymerization of lactic acid. <i>Macromolecular Symposia</i> , 1999 , 144, 277-287	0.8	28
1	R&D status of biodegradable polymers in Korea. <i>Macromolecular Symposia</i> , 1999 , 144, 85-99	0.8	