Christopher E Kvistad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6411839/publications.pdf

Version: 2024-02-01

42 papers 1,060 citations

567281 15 h-index 31 g-index

43 all docs 43 docs citations

43 times ranked

1434 citing authors

#	Article	IF	CITATIONS
1	Tenecteplase versus alteplase for the management of acute ischaemic stroke in Norway (NOR-TEST 2,) Tj ETQq1 The, 2022, 21, 511-519.	1 0.784314 10.2	4 rgBT /Overl 88
2	Tenecteplase versus alteplase after acute ischemic stroke at high age. International Journal of Stroke, 2021, 16, 295-299.	5.9	11
3	Clinical manifestation of acute cerebral infarcts in multiple arterial territories. Brain and Behavior, 2021, 11, e2296.	2.2	3
4	The Course of Carotid Plaque Vulnerability Assessed by Advanced Neurosonology. Frontiers in Neurology, 2021, 12, 702657.	2.4	3
5	Sex Differences in the Norwegian Tenecteplase Trial (NORâ€₹EST). European Journal of Neurology, 2021, ,	3.3	2
6	Persistent Microembolic Signals in the Cerebral Circulation on Transcranial Doppler after Intravenous Sulfur Hexafluoride Microbubble Infusion. Journal of Neuroimaging, 2020, 30, 146-149.	2.0	6
7	Safety and predictors of stroke mimics in The Norwegian Tenecteplase Stroke Trial (NOR-TEST). International Journal of Stroke, 2019, 14, 508-516.	5. 9	15
8	Incidence and Etiologies of Stroke Mimics After Incident Stroke or Transient Ischemic Attack. Stroke, 2019, 50, 2937-2940.	2.0	10
9	Short-Term Outcome and In-Hospital Complications After Acute Cerebral Infarcts in Multiple Arterial Territories. Stroke, 2019, 50, 3625-3627.	2.0	10
10	Safety and Outcomes of Tenecteplase in Moderate and Severe Ischemic Stroke. Stroke, 2019, 50, 1279-1281.	2.0	29
11	Uâ€shaped relationship between hemoglobin level and severity of ischemic stroke. Acta Neurologica Scandinavica, 2019, 140, 56-61.	2.1	8
12	Recurrent ischemic stroke: Incidence, predictors, and impact on mortality. Acta Neurologica Scandinavica, 2019, 140, 3-8.	2.1	94
13	Tenecteplase Versus Alteplase Between 3 and 4.5 Hours in Low National Institutes of Health Stroke Scale. Stroke, 2019, 50, 498-500.	2.0	15
14	High risk of early neurological worsening of lacunar infarction. Acta Neurologica Scandinavica, 2019, 139, 143-149.	2.1	3
15	When to Screen Ischaemic Stroke Patients for Cancer. Cerebrovascular Diseases, 2018, 45, 42-47.	1.7	47
16	Contrastâ€enhanced sonothrombolysis in acute ischemic stroke patients without intracranial largeâ€vessel occlusion. Acta Neurologica Scandinavica, 2018, 137, 256-261.	2.1	2
17	Clinical Importance of Temporal Bone Features for the Efficacy of Contrast-Enhanced Sonothrombolysis: a Retrospective Analysis of the NOR-SASS Trial. Translational Stroke Research, 2018, 9, 333-339.	4.2	1
18	A score for paroxysmal atrial fibrillation in acute ischemic stroke. International Journal of Stroke, 2018, 13, 496-502.	5.9	5

#	Article	IF	Citations
19	Intravenous Thrombolysis in Ischemic Stroke Patients With Active Cancer. Frontiers in Neurology, 2018, 9, 811.	2.4	22
20	Thirtyâ€day recurrence after ischemic stroke or TIA. Brain and Behavior, 2018, 8, e01108.	2.2	16
21	Elevated body temperature in ischemic stroke associated with neurological improvement. Acta Neurologica Scandinavica, 2017, 136, 414-418.	2.1	6
22	NOR-SASS (Norwegian Sonothrombolysis in Acute Stroke Study). Stroke, 2017, 48, 335-341.	2.0	52
23	Tenecteplase versus alteplase for management of acute ischaemic stroke (NOR-TEST): a phase 3, randomised, open-label, blinded endpoint trial. Lancet Neurology, The, 2017, 16, 781-788.	10.2	305
24	A stress-related explanation to the increased blood pressure and its course following ischemic stroke. Vascular Health and Risk Management, 2016, Volume 12, 435-442.	2.3	11
25	Novel Thrombolytics for Acute Ischemic Stroke: Challenges and Opportunities. CNS Drugs, 2016, 30, 101-108.	5.9	6
26	A Family History of Stroke Is Associated with Increased Intima-Media Thickness in Young Ischemic Stroke - The Norwegian Stroke in the Young Study (NOR-SYS). PLoS ONE, 2016, 11, e0159811.	2.5	5
27	Therapeutic Potential of Tenecteplase in the Management of Acute Ischemic Stroke. CNS Drugs, 2015, 29, 811-818.	5.9	31
28	A pragmatic approach to sonothrombolysis in acute ischaemic stroke: the Norwegian randomised controlled sonothrombolysis in acute stroke study (NOR-SASS). BMC Neurology, 2015, 15, 110.	1.8	15
29	Is higher body temperature beneficial in ischemic stroke patients with normal admission CT angiography of the cerebral arteries?. Vascular Health and Risk Management, 2014, 10, 49.	2.3	6
30	Body temperature and major neurological improvement in tPA-treated stroke patients. Acta Neurologica Scandinavica, 2014, 129, 325-329.	2.1	15
31	Diffusion-Weighted Lesions in Stroke Patients with Transient Symptoms - Where Are They Located?. Cerebrovascular Diseases, 2014, 38, 219-225.	1.7	7
32	Mild stroke: safety and outcome in patients receiving thrombolysis. Acta Neurologica Scandinavica, 2014, 129, 37-40.	2.1	33
33	Is smoking associated with favourable outcome in tPA-treated stroke patients?. Acta Neurologica Scandinavica, 2014, 130, 299-304.	2.1	21
34	A Dark Side of Subcortical Diffusion-Weighted Lesions?. Stroke, 2014, 45, 2710-2716.	2.0	2
35	Diffusion-weighted lesions in acute ischaemic stroke patients with migraine. Acta Neurologica Scandinavica, 2014, 129, 41-46.	2.1	15
36	The Norwegian tenecteplase stroke trial (NOR-TEST): randomised controlled trial of tenecteplase vs. alteplase in acute ischaemic stroke. BMC Neurology, 2014, 14, 106.	1.8	44

#	Article	IF	CITATIONS
37	Elevated Admission Blood Pressure and Stroke Severity in Acute Ischemic Stroke: The Bergen NORSTROKE Study. Cerebrovascular Diseases, 2013, 36, 351-354.	1.7	35
38	Does a History of Migraine Affect the Rate of Thrombolysis in Young Stroke Patients?. Stroke Research and Treatment, 2013, 2013, 1-5.	0.8	3
39	Safety of off-label stroke treatment with tissue plasminogen activator. Acta Neurologica Scandinavica, 2013, 128, 48-53.	2.1	29
40	Clinical implications of increased use of MRI in TIA. Acta Neurologica Scandinavica, 2013, 128, 32-38.	2.1	10
41	Persistent middle cerebral artery occlusion associated with lower body temperature on admission. Vascular Health and Risk Management, 2013, 9, 297.	2.3	3
42	Low body temperature associated with severe ischemic stroke within 6 hours of onset: The Bergen NORSTROKE Study. Vascular Health and Risk Management, 2012, 8, 333.	2.3	14