
## Mahmoud Zureik

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6411908/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Association Between Use of Thiopurines or Tumor Necrosis Factor Antagonists Alone or in<br>Combination and Risk of Lymphoma in Patients With Inflammatory Bowel Disease. JAMA - Journal of the<br>American Medical Association, 2017, 318, 1679.   | 3.8 | 424       |
| 2  | Risk of Serious and Opportunistic Infections Associated With Treatment of Inflammatory Bowel Diseases. Gastroenterology, 2018, 155, 337-346.e10.   | 0.6 | 411       |
| 3  | Comparison of the Short-Term Risk of Bleeding and Arterial Thromboembolic Events in Nonvalvular<br>Atrial Fibrillation Patients Newly Treated With Dabigatran or Rivaroxaban Versus Vitamin K<br>Antagonists. Circulation, 2015, 132, 1252-1260.   | 1.6 | 161       |
| 4  | Low dose oestrogen combined oral contraception and risk of pulmonary embolism, stroke, and myocardial infarction in five million French women: cohort study. BMJ, The, 2016, 353, i2002.   | 3.0 | 140       |
| 5  | Chronic diseases, health conditions and risk of COVID-19-related hospitalization and in-hospital<br>mortality during the first wave of the epidemic in France: a cohort study of 66 million people. Lancet<br>Regional Health - Europe, The, 2021, 8, 100158.                                      | 3.0 | 137       |
| 6  | Antihypertensive Drugs and COVID-19 Risk. Hypertension, 2021, 77, 833-842.   | 1.3 | 94        |
| 7  | Risk of bleeding and arterial thromboembolism in patients with non-valvular atrial fibrillation either<br>maintained on a vitamin K antagonist or switched to a non-vitamin K-antagonist oral anticoagulant: a<br>retrospective, matched-cohort study. Lancet Haematology,the, 2015, 2, e150-e159. | 2.2 | 83        |
| 8  | Therapeutic management of inflammatory bowel disease in realâ€life practice in the current era of<br>antiâ€TNF agents: analysis of the French administrative health databases 2009–2014. Alimentary<br>Pharmacology and Therapeutics, 2017, 45, 37-49.   | 1.9 | 77        |
| 9  | Human papillomavirus vaccination and risk of autoimmune diseases: A large cohort study of over 2<br>million young girls in France. Vaccine, 2017, 35, 4761-4768.   | 1.7 | 75        |
| 10 | Use of proton pump inhibitors in adults in France: a nationwide drug utilization study. European<br>Journal of Clinical Pharmacology, 2020, 76, 449-457.   | 0.8 | 66        |
| 11 | Risks of 23 specific malformations associated with prenatal exposure to 10 antiepileptic drugs.<br>Neurology, 2019, 93, e167-e180.   | 1.5 | 64        |
| 12 | Age and sex-specific risks of myocarditis and pericarditis following Covid-19 messenger RNA vaccines.<br>Nature Communications, 2022, 13, .  | 5.8 | 60        |
| 13 | Association Between Total Hip Replacement Characteristics and 3-Year Prosthetic Survivorship. JAMA Surgery, 2015, 150, 979.  | 2.2 | 45        |
| 14 | Exchangeable Femoral Neck (Dual-Modular) THA Prostheses Have Poorer Survivorship Than Other<br>Designs: A Nationwide Cohort of 324,108 Patients. Clinical Orthopaedics and Related Research, 2017,<br>475, 2046-2059.  | 0.7 | 45        |
| 15 | Association of Hysteroscopic vs Laparoscopic Sterilization With Procedural, Gynecological, and<br>Medical Outcomes. JAMA - Journal of the American Medical Association, 2018, 319, 375.  | 3.8 | 43        |
| 16 | Development of an algorithm to identify pregnancy episodes and related outcomes in health care<br>claims databases: An application to antiepileptic drug use in 4.9 million pregnant women in France.<br>Pharmacoepidemiology and Drug Safety, 2018, 27, 763-770.                                  | 0.9 | 40        |
| 17 | Risk of hospitalisation and death related to baclofen for alcohol use disorders: Comparison with<br>nalmefene, acamprosate, and naltrexone in a cohort study of 165Â334 patients between 2009 and 2015 in<br>France. Pharmacoepidemiology and Drug Safety, 2018, 27, 1239-1248.                    | 0.9 | 38        |
| 18 | Risk of early neurodevelopmental disorders associated with in utero exposure to valproate and other antiepileptic drugs: a nationwide cohort study in France. Scientific Reports, 2020, 10, 17362.   | 1.6 | 37        |

MAHMOUD ZUREIK

| #  | Article  | lF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A modified selfâ€controlled case series method for eventâ€dependent exposures and high eventâ€related<br>mortality, with application to COVIDâ€19 vaccine safety. Statistics in Medicine, 2022, 41, 1735-1750.   | 0.8 | 35        |
| 20 | Association Between Oral Fluoroquinolone Use and Retinal Detachment. JAMA Ophthalmology, 2016, 134, 415.   | 1.4 | 32        |
| 21 | Antidepressants and Hepatotoxicity: A Cohort Study among 5 Million Individuals Registered in the<br>French National Health Insurance Database. CNS Drugs, 2018, 32, 673-684.   | 2.7 | 32        |
| 22 | Risk of severe COVIDâ€19 in patients treated with IBD medications: a French nationwide study. Alimentary<br>Pharmacology and Therapeutics, 2021, 54, 160-166.  | 1.9 | 29        |
| 23 | Intravitreal Anti–Vascular Endothelial Growth Factor Use in France During the Coronavirus Disease<br>2019 Pandemic. JAMA Ophthalmology, 2021, 139, 240.  | 1.4 | 28        |
| 24 | Compliance with pregnancy prevention plan recommendations in 8672 French women of childbearing potential exposed to acitretin. Pharmacoepidemiology and Drug Safety, 2015, 24, 526-533.  | 0.9 | 25        |
| 25 | Risk of Inflammatory Bowel Disease in Patients With Psoriasis and Psoriatic Arthritis/Ankylosing<br>Spondylitis Initiating Interleukinâ€17 Inhibitors: A Nationwide <scp>Populationâ€Based</scp> Study Using<br>the French National Health Data System. Arthritis and Rheumatology, 2022, 74, 244-252. | 2.9 | 24        |
| 26 | Impact of the sharp changes in the use of contraception in 2013 on the risk of pulmonary embolism in<br>France. Journal of Thrombosis and Haemostasis, 2015, 13, 1576-1580.  | 1.9 | 23        |
| 27 | Reduced risk of severe COVID-19 in more than 1.4 million elderly people aged 75Âyears and older vaccinated with mRNA-based vaccines. Vaccine, 2022, 40, 414-417.   | 1.7 | 21        |
| 28 | Colonoscopy in France during the COVID-19 pandemic. International Journal of Colorectal Disease, 2021, 36, 1073-1075.  | 1.0 | 20        |
| 29 | Effectiveness of Ad26.COV2.S Vaccine vs BNT162b2 Vaccine for COVID-19 Hospitalizations. JAMA<br>Network Open, 2022, 5, e220868.  | 2.8 | 20        |
| 30 | Estimate of Venous Thromboembolism and Related-Deaths Attributable to the Use of Combined Oral Contraceptives in France. PLoS ONE, 2014, 9, e93792.  | 1.1 | 19        |
| 31 | Relative impact of hospital and surgeon procedure volumes on primary total hip arthroplasty revision: a nationwide cohort study in France. Arthroplasty Today, 2017, 3, 176-182.   | 0.8 | 18        |
| 32 | Shortâ€Term Risk of Bleeding During Heparin Bridging at Initiation of Vitamin K Antagonist Therapy in<br>More Than 90Â000 Patients WithÂNonvalvular Atrial Fibrillation Managed in Outpatient Care. Journal of<br>the American Heart Association, 2016, 5, .   | 1.6 | 17        |
| 33 | Evaluation of the Incidence of Hematologic Malignant Neoplasms Among Breast Cancer Survivors in<br>France. JAMA Network Open, 2019, 2, e187147.  | 2.8 | 17        |
| 34 | Association between Exposure to Benzodiazepines and Related Drugs and Survivorship of Total Hip<br>Replacement in Arthritis: A Population-Based Cohort Study of 246,940 Patients. PLoS ONE, 2016, 11,<br>e0155783.   | 1.1 | 17        |
| 35 | Risk of intracranial meningioma with three potent progestogens: A populationâ€based case–control<br>study. European Journal of Neurology, 2022, 29, 2801-2809.   | 1.7 | 17        |
| 36 | Effects of the Coronavirus Disease 2019 (COVID-19) Lockdown on the Use of Contraceptives and Ovulation Inductors in France. Obstetrics and Gynecology, 2021, 137, 415-417.   | 1.2 | 16        |

MAHMOUD ZUREIK

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Risk of Hematologic Malignant Neoplasms after Postoperative Treatment of Breast Cancer. Cancers, 2019, 11, 1463.  | 1.7 | 13        |
| 38 | Decreasing trends in potentially inappropriate medications in older people: a nationwide repeated cross-sectional study. BMC Geriatrics, 2021, 21, 621.   | 1.1 | 13        |
| 39 | Association of Statins for Primary Prevention of Cardiovascular Diseases With Hospitalization for COVIDâ€19: A Nationwide Matched Populationâ€Based Cohort Study. Journal of the American Heart Association, 2022, 11, .                                  | 1.6 | 13        |
| 40 | Characteristics associated with the residual risk of severe COVID-19 after a complete vaccination schedule: A cohort study of 28 million people in France. Lancet Regional Health - Europe, The, 2022, 19, 100441.  | 3.0 | 13        |
| 41 | Drop in biological initiation for patients with psoriasis during the COVIDâ€19 pandemic. British Journal of Dermatology, 2021, 185, 671-673.  | 1.4 | 12        |
| 42 | Psoriasis-related treatment exposure and hospitalization or in-hospital mortality due to COVID-19<br>during the first and second wave of the pandemic: cohort study of 1 326 312 patients in France. British<br>Journal of Dermatology, 2022, 186, 59-68. | 1.4 | 12        |
| 43 | Risk of secondary hematologic malignancies associated with breast cancer chemotherapy and G SF<br>support: A nationwide populationâ€based cohort. International Journal of Cancer, 2021, 148, 375-384.  | 2.3 | 10        |
| 44 | Intravitreal antiâ€VEGF use in France: a crossâ€sectional and longitudinal Nationwide observational study. Acta Ophthalmologica, 2022, 100, .   | 0.6 | 10        |
| 45 | Impact of Coronavirus disease 2019 (COVID-19) on contraception use in 2020 and up until the end of April 2021 in France. Contraception, 2022, 108, 50-55.   | 0.8 | 10        |
| 46 | Contraceptive pills and thrombosis: effects of the French crisis on prescriptions and consequences for medicine agencies. Journal of Thrombosis and Haemostasis, 2014, 12, 1388-1390.   | 1.9 | 5         |
| 47 | Major ischaemic and bleeding risks following current drug-eluting stent implantation: Are there<br>differences across current drug-eluting stent types in real life?. Archives of Cardiovascular Diseases,<br>2019, 112, 469-484.                         | 0.7 | 5         |
| 48 | Impact of the 2013 French Pill Crisis on Women's Behaviour Regarding Contraception. Drugs - Real<br>World Outcomes, 2015, 2, 13-22.   | 0.7 | 4         |
| 49 | No association of lowâ€dose aspirin with severe COVIDâ€19 in France: A cohort of 31.1 million people<br>without cardiovascular disease. Research and Practice in Thrombosis and Haemostasis, 2022, 6, e12743.   | 1.0 | 4         |
| 50 | Risk of Myocardial Infarction, Stroke, or Death in New Users of Intravitreal Aflibercept Versus<br>Ranibizumab: A Nationwide Cohort Study. Ophthalmology and Therapy, 2022, 11, 587.  | 1.0 | 3         |
| 51 | Routine surgeries during the COVID-19 pandemic: A French nationwide cohort study. Annals of Medicine and Surgery, 2022, 77, 103721.   | 0.5 | 2         |
| 52 | Vitamin K antagonists did not increase the risk of myelodysplastic syndrome in a large-scale cohort study. Blood, 2021, 138, 417-420.   | 0.6 | 1         |