

# Mahmoud Zureik

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6411908/mahmoud-zureik-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46  
papers

1,427  
citations

17  
h-index

37  
g-index

53  
ext. papers

2,111  
ext. citations

6.5  
avg, IF

5.01  
L-index

#	Paper	IF	Citations
46	Association Between Use of Thiopurines or Tumor Necrosis Factor Antagonists Alone or in Combination and Risk of Lymphoma in Patients With Inflammatory Bowel Disease. <i>JAMA - Journal of the American Medical Association</i> , <b>2017</b> , 318, 1679-1686	27.4	261
45	Risk of Serious and Opportunistic Infections Associated With Treatment of Inflammatory Bowel Diseases. <i>Gastroenterology</i> , <b>2018</b> , 155, 337-346.e10	13.3	243
44	Comparison of the short-term risk of bleeding and arterial thromboembolic events in nonvalvular atrial fibrillation patients newly treated with dabigatran or rivaroxaban versus vitamin K antagonists: a French nationwide propensity-matched cohort study. <i>Circulation</i> , <b>2015</b> , 132, 1252-60	16.7	140
43	Low dose oestrogen combined oral contraception and risk of pulmonary embolism, stroke, and myocardial infarction in five million French women: cohort study. <i>BMJ, The</i> , <b>2016</b> , 353, i2002	5.9	99
42	Risk of bleeding and arterial thromboembolism in patients with non-valvular atrial fibrillation either maintained on a vitamin K antagonist or switched to a non-vitamin K-antagonist oral anticoagulant: a retrospective, matched-cohort study. <i>Lancet Haematology,the</i> , <b>2015</b> , 2, e150-9	14.6	71
41	Human papillomavirus vaccination and risk of autoimmune diseases: A large cohort study of over 2million young girls in France. <i>Vaccine</i> , <b>2017</b> , 35, 4761-4768	4.1	55
40	Therapeutic management of inflammatory bowel disease in real-life practice in the current era of anti-TNF agents: analysis of the French administrative health databases 2009-2014. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2017</b> , 45, 37-49	6.1	50
39	Antihypertensive Drugs and COVID-19 Risk: A Cohort Study of 2 Million Hypertensive Patients. <i>Hypertension</i> , <b>2021</b> , 77, 833-842	8.5	49
38	Association Between Total Hip Replacement Characteristics and 3-Year Prosthetic Survivorship: A Population-Based Study. <i>JAMA Surgery</i> , <b>2015</b> , 150, 979-88	5.4	34
37	Exchangeable Femoral Neck (Dual-Modular) THA Prostheses Have Poorer Survivorship Than Other Designs: A Nationwide Cohort of 324,108 Patients. <i>Clinical Orthopaedics and Related Research</i> , <b>2017</b> , 475, 2046-2059	2.2	33
36	Risks of 23 specific malformations associated with prenatal exposure to 10 antiepileptic drugs. <i>Neurology</i> , <b>2019</b> , 93, e167-e180	6.5	30
35	Use of proton pump inhibitors in adults in France: a nationwide drug utilization study. <i>European Journal of Clinical Pharmacology</i> , <b>2020</b> , 76, 449-457	2.8	28
34	Association of Hysteroscopic vs Laparoscopic Sterilization With Procedural, Gynecological, and Medical Outcomes. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 375-387	27.4	26
33	Association Between Oral Fluoroquinolone Use and Retinal Detachment. <i>JAMA Ophthalmology</i> , <b>2016</b> , 134, 415-21	3.9	26
32	Risk of hospitalisation and death related to baclofen for alcohol use disorders: Comparison with nalmefene, acamprosate, and naltrexone in a cohort study of 165334 patients between 2009 and 2015 in France. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 1239-1248	2.6	24
31	Compliance with pregnancy prevention plan recommendations in 8672 French women of childbearing potential exposed to acitretin. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2015</b> , 24, 526-33	2.6	21
30	Chronic diseases, health conditions and risk of COVID-19-related hospitalization and in-hospital mortality during the first wave of the epidemic in France: a cohort study of 66 million people. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 8, 100158		20

29	Impact of the sharp changes in the use of contraception in 2013 on the risk of pulmonary embolism in France. <i>Journal of Thrombosis and Haemostasis</i> , <b>2015</b> , 13, 1576-80	15.4	17
28	Development of an algorithm to identify pregnancy episodes and related outcomes in health care claims databases: An application to antiepileptic drug use in 4.9 million pregnant women in France. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 763-770	2.6	17
27	Association between Exposure to Benzodiazepines and Related Drugs and Survivorship of Total Hip Replacement in Arthritis: A Population-Based Cohort Study of 246,940 Patients. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155783	3.7	16
26	Risk of early neurodevelopmental disorders associated with in utero exposure to valproate and other antiepileptic drugs: a nationwide cohort study in France. <i>Scientific Reports</i> , <b>2020</b> , 10, 17362	4.9	16
25	Short-Term Risk of Bleeding During Heparin Bridging at Initiation of Vitamin K Antagonist Therapy in More Than 90000 Patients With Nonvalvular Atrial Fibrillation Managed in Outpatient Care. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	15
24	Antidepressants and Hepatotoxicity: A Cohort Study among 5 Million Individuals Registered in the French National Health Insurance Database. <i>CNS Drugs</i> , <b>2018</b> , 32, 673-684	6.7	15
23	Relative impact of hospital and surgeon procedure volumes on primary total hip arthroplasty revision: a nationwide cohort study in France. <i>Arthroplasty Today</i> , <b>2017</b> , 3, 176-182	2	15
22	Estimate of venous thromboembolism and related-deaths attributable to the use of combined oral contraceptives in France. <i>PLoS ONE</i> , <b>2014</b> , 9, e93792	3.7	14
21	Intravitreal Anti-Vascular Endothelial Growth Factor Use in France During the Coronavirus Disease 2019 Pandemic. <i>JAMA Ophthalmology</i> , <b>2021</b> , 139, 240-242	3.9	12
20	Evaluation of the Incidence of Hematologic Malignant Neoplasms Among Breast Cancer Survivors in France. <i>JAMA Network Open</i> , <b>2019</b> , 2, e187147	10.4	11
19	Risk of Hematologic Malignant Neoplasms after Postoperative Treatment of Breast Cancer. <i>Cancers</i> , <b>2019</b> , 11,	6.6	8
18	Risk of severe COVID-19 in patients treated with IBD medications: a French nationwide study. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 54, 160-166	6.1	8
17	Risk of inflammatory bowel disease in patients with psoriasis, psoriatic arthritis and ankylosing spondylitis initiating interleukin 17 inhibitors: a nationwide population-based study using the French national health data system. <i>Arthritis and Rheumatology</i> , <b>2021</b> ,	9.5	8
16	Colonoscopy in France during the COVID-19 pandemic. <i>International Journal of Colorectal Disease</i> , <b>2021</b> , 36, 1073-1075	3	7
15	Contraceptive pills and thrombosis: effects of the French crisis on prescriptions and consequences for medicine agencies. <i>Journal of Thrombosis and Haemostasis</i> , <b>2014</b> , 12, 1388-90	15.4	5
14	Risk of secondary hematologic malignancies associated with breast cancer chemotherapy and G-CSF support: A nationwide population-based cohort. <i>International Journal of Cancer</i> , <b>2021</b> , 148, 375-384 <sup>5</sup>	7.5	4
13	Impact of the 2013 French Pill Crisis on Women's Behaviour Regarding Contraception. <i>Drugs - Real World Outcomes</i> , <b>2015</b> , 2, 13-22	2.2	3
12	Reduced risk of severe COVID-19 in more than 1.4 million elderly people aged 75 years and older vaccinated with mRNA-based vaccines. <i>Vaccine</i> , <b>2021</b> ,	4.1	3

11	Nicotine-replacement therapy, as a surrogate of smoking, and the risk of hospitalization with Covid-19 and all-cause mortality: a nationwide, observational cohort study in France		3
10	Drop in biological initiation for patients with psoriasis during the COVID-19 pandemic. <i>British Journal of Dermatology</i> , <b>2021</b> , 185, 671-673	4	3
9	Effects of the Coronavirus Disease 2019 (COVID-19) Lockdown on the Use of Contraceptives and Ovulation Inductors in France. <i>Obstetrics and Gynecology</i> , <b>2021</b> , 137, 415-417	4.9	3
8	Psoriasis-related treatment exposure and hospitalization or in-hospital mortality due to COVID-19 during the first and second wave of the pandemic: cohort study of 132612 patients in France. <i>British Journal of Dermatology</i> , <b>2021</b> ,	4	3
7	Intravitreal anti-VEGF use in France: a cross-sectional and longitudinal Nationwide observational study. <i>Acta Ophthalmologica</i> , <b>2021</b> ,	3.7	2
6	Effectiveness of Ad26.COVS Vaccine vs BNT162b2 Vaccine for COVID-19 Hospitalizations.. <i>JAMA Network Open</i> , <b>2022</b> , 5, e220868	10.4	2
5	Major ischaemic and bleeding risks following current drug-eluting stent implantation: Are there differences across current drug-eluting stent types in real life?. <i>Archives of Cardiovascular Diseases</i> , <b>2019</b> , 112, 469-484	2.7	1
4	Decreasing trends in potentially inappropriate medications in older people: a nationwide repeated cross-sectional study. <i>BMC Geriatrics</i> , <b>2021</b> , 21, 621	4.1	1
3	Risk of Myocardial Infarction, Stroke, or Death in New Users of Intravitreal Aflibercept Versus Ranibizumab: A Nationwide Cohort Study.. <i>Ophthalmology and Therapy</i> , <b>2022</b> , 11, 587	5	0
2	Routine surgeries during the COVID-19 pandemic: A French nationwide cohort study.. <i>Annals of Medicine and Surgery</i> , <b>2022</b> , 77, 103721	2	0
1	Vitamin K antagonists did not increase the risk of myelodysplastic syndrome in a large-scale cohort study. <i>Blood</i> , <b>2021</b> , 138, 417-420	2.2	