

# Allen Nutman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6412155/publications.pdf>

Version: 2024-02-01

204  
papers

16,155  
citations

12303

69  
h-index

17546

121  
g-index

210  
all docs

210  
docs citations

210  
times ranked

5943  
citing authors

#	ARTICLE	IF	CITATIONS
1	Seeking Earth's oldest geological record: an unexpected discovery of well-preserved 3834-Ma metatonalite. <i>Australian Journal of Earth Sciences</i> , 2022, 69, 188-199.	0.4	0
2	Reassessing the chronostratigraphy and tempo of climate change in the Lower-Middle Permian of the southern Sydney Basin, Australia: Integrating evidence from U-Pb zircon geochronology and biostratigraphy. <i>Lithos</i> , 2022, 410-411, 106570.	0.6	3
3	The early Eocene (48-Ma) Qaladeza trondhjemite formed by wet partial remelting of mafic crust in the arc-related Bulfat Igneous Complex (Kurdistan, Iraq): constraints on the timing of Neotethys closure. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1.	0.6	2
4	Comment on "Tectonics of the Isua Supracrustal Belt 1: Constraints of a Poly-Metamorphic Terrane" by A. Ramirez-Salazar et al. and "Tectonics of the Isua Supracrustal Belt 2: Microstructures Reveal Distributed Strain in the Absence of Major Fault Structures" by J. Zuo et al.. <i>Tectonics</i> , 2022, 41, .	1.3	2
5	Structural restoration of an Eo-Mesoarchean (3.8-2.9 Ga) terrane, Eastern China, dissected by the Tanlu fault zone. <i>Journal of Structural Geology</i> , 2022, 161, 104629.	1.0	4
6	Late Jurassic Changmar Complex from the Shyok ophiolite, NW Himalaya: a prelude to the Ladakh Arc. <i>Geological Magazine</i> , 2021, 158, 239-260.	0.9	13
7	The significance of Upper Jurassic felsic volcanic rocks within the incipient, intraoceanic Dras Arc, Ladakh, NW Himalaya. <i>Gondwana Research</i> , 2021, 90, 199-219.	3.0	16
8	In support of rare relict ~3700 Ma stromatolites from Isua (Greenland). <i>Earth and Planetary Science Letters</i> , 2021, 562, 116850.	1.8	6
9	Isua (Greenland) ~3700-Ma meta-serpentinite olivine Mg# and $\delta^{18}O$ signatures show connection between the early mantle and hydrosphere: Geodynamic implications. <i>Precambrian Research</i> , 2021, 361, 106249.	1.2	15
10	Geodynamic environment of the ca. 3800 Ma Outer Arc Group, Isua (Greenland). <i>Numerische Mathematik</i> , 2021, 321, 643-679.	0.7	3
11	Fifty years of the Eoarchean and the case for evolving uniformitarianism. <i>Precambrian Research</i> , 2021, 367, 106442.	1.2	31
12	What is underneath the juvenile Ordovician Macquarie Arc (eastern Australia)? A question resolved using Silurian intrusions to sample the lower crust. <i>Gondwana Research</i> , 2020, 81, 362-377.	3.0	3
13	The Mesoarchean Amikoq Layered Complex of SW Greenland: Part 1. Constraints on the evolution from igneous, metasomatic and metamorphic amphiboles. <i>Mineralogical Magazine</i> , 2020, 84, 662-690.	0.6	8
14	Provenance of Tanjero and Red Bed clastic sedimentary rocks revealed by detrital zircon SHRIMP dating, Kurdistan region, NE Iraq: Constraints on ocean closure and unroofing of Neo-Tethyan allochthons. <i>Journal of African Earth Sciences</i> , 2020, 172, 103981.	0.9	3
15	Eoarchean contrasting ultra-high-pressure to low-pressure metamorphisms (<math>\sim 250\text{ to }10\text{ kbar}</math>). <i>Journal of Metamorphic Geology</i> , 2020, 38, 105770.	1.2	39
16	Late Neoproterozoic granites in the Qixingtai region, western Shandong: Further evidence for the recycling of early Neoproterozoic juvenile crust in the North China Craton. <i>Geological Journal</i> , 2020, 55, 6462-6486.	0.6	3
17	Origins of high $\delta^{18}O$ in 3.7-3.6 Ga crust: A zircon and garnet record in Isua clastic metasedimentary rocks. <i>Chemical Geology</i> , 2020, 537, 119474.	1.4	12
18	Archean basement components and metamorphic overprints of the Rangnim Massif in the northern part of the Korean Peninsula and tectonic implications for the Sino-Korean Craton. <i>Precambrian Research</i> , 2020, 344, 105735.	1.2	18

#	ARTICLE	IF	CITATIONS
19	The Eoarchean legacy of Isua (Greenland) worth preserving for future generations. <i>Earth-Science Reviews</i> , 2019, 198, 102923.	4.0	2
20	Reconstruction of a 3700- $\text{Ma}$ transgressive marine environment from Isua (Greenland): Sedimentology, stratigraphy and geochemical signatures. <i>Lithos</i> , 2019, 346-347, 105164.	0.6	8
21	Age and Provenance of the Nindam Formation, Ladakh, NW Himalaya: Evolution of the Intraoceanic Dras Arc Before Collision With India. <i>Tectonics</i> , 2019, 38, 3070-3096.	1.3	23
22	Timing of late Neoproterozoic to late Paleoproterozoic events in the North China Craton: SHRIMP U-Pb dating and LA-ICP-MS Hf isotope analysis of zircons from magmatic and metamorphic rocks in the Santuying area, eastern Hebei. <i>Gondwana Research</i> , 2019, 76, 348-372.	3.0	3
23	Lachlan Orogen, Eastern Australia: Triangle Formation Records the Late Ordovician Arrival of the Macquarie Arc Terrane at the Margin of Eastern Gondwana. <i>Tectonics</i> , 2019, 38, 3373-3393.	1.3	5
24	Halogens in serpentinites from the Isua supracrustal belt, Greenland: An Eoarchean seawater signature and biomass proxy?. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 262, 31-59.	1.6	14
25	Cross-examining Earth's oldest stromatolites: Seeing through the effects of heterogeneous deformation, metamorphism and metasomatism affecting Isua (Greenland) 3700- $\text{Ma}$ sedimentary rocks. <i>Precambrian Research</i> , 2019, 331, 105347.	1.2	30
26	Overview of the tectonic evolution of the Iraqi Zagros thrust zone: Sixty million years of Neotethyan ocean subduction. <i>Journal of Geodynamics</i> , 2019, 129, 162-177.	0.7	22
27	Early Permian strike-slip basin formation and felsic volcanism in the Manning Group, southern New England Orogen, eastern Australia. <i>Australian Journal of Earth Sciences</i> , 2019, 66, 625-643.	0.4	0
28	The Archean Victoria Fjord terrane of northernmost Greenland and geodynamic interpretation of Precambrian crust in and surrounding the Arctic Ocean. <i>Journal of Geodynamics</i> , 2019, 129, 3-23.	0.7	1
29	Inception and early evolution of the Ordovician Macquarie Arc of Eastern Gondwana margin: Zircon U-Pb-Hf evidence from the Molong Volcanic Belt, Lachlan Orogen. <i>Lithos</i> , 2019, 326-327, 513-528.	0.6	15
30	The 3.9-3.6 Ga Itsaq Gneiss Complex of Greenland. , 2019, , 375-399.		9
31	Eoarchean Life From the Isua Supracrustal Belt (Greenland). , 2019, , 965-983.		1
32	U-Pb Zircon Dating of Ash Fall Deposits from the Paleozoic Paran Basin of Brazil and Uruguay: A Reevaluation of the Stratigraphic Correlations. <i>Journal of Geology</i> , 2019, 127, 167-182.	0.7	59
33	The Spongtang Massif in Ladakh, NW Himalaya: An Early Cretaceous record of spontaneous, intra-oceanic subduction initiation in the Neotethys. <i>Gondwana Research</i> , 2018, 63, 226-249.	3.0	52
34	Zircon U-Pb ages and Lu-Hf isotope compositions from clastic rocks in the Hutuo Group: Further constraints on Paleoproterozoic tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2017, 303, 291-314.	1.2	21
35	Exotic island arc Paleozoic terranes on the eastern margin of Gondwana: Geochemical whole rock and zircon U-Pb-Hf isotope evidence from Barry Station, New South Wales, Australia. <i>Lithos</i> , 2017, 286-287, 125-150.	0.6	19
36	Seeing through the magnetite: Reassessing Eoarchean atmosphere composition from Isua (Greenland) 3.7 Ga banded iron formations. <i>Geoscience Frontiers</i> , 2017, 8, 1233-1240.	4.3	17

#	ARTICLE	IF	CITATIONS
37	The Pushtashan juvenile suprasubduction zone assemblage of Kurdistan (northeastern Iraq): A Cretaceous (Cenomanian) Neo-Tethys missing link. <i>Geoscience Frontiers</i> , 2017, 8, 1073-1087.	4.3	8
38	Continental origin of the Gubaoquan eclogite and implications for evolution of the Beishan Orogen, Central Asian Orogenic Belt, NW China. <i>Lithos</i> , 2017, 294-295, 20-38.	0.6	34
39	The Mesoarchean Tiejiaohan-Gongchangling potassic granite in the Anshan-Benxi area, North China Craton: Origin by recycling of Paleo- to Eoarchean crust from U-Pb-Nd-Hf-O isotopic studies. <i>Lithos</i> , 2017, 290-291, 116-135.	0.6	44
40	U-Pb-Hf-REE-Ti zircon and REE garnet geochemistry of the Cambrian Attunga eclogite, New England Orogen, Australia: Implications for continental growth along eastern Gondwana. <i>Tectonics</i> , 2017, 36, 1580-1613.	1.3	14
41	2090-2070Ma A-type granitoids in Zanhuang Complex: Further evidence on a Paleoproterozoic rift-related tectonic regime in the Trans-North China Orogen. <i>Lithos</i> , 2016, 254-255, 18-35.	0.6	48
42	Age and depositional setting of the Paleoproterozoic Gantaohu Group in Zanhuang Complex: Constraints from zircon U-Pb ages and Hf isotopes of sandstones and dacite. <i>Precambrian Research</i> , 2016, 286, 59-100.	1.2	23
43	A ca. 2.60 Ga tectono-thermal event in Western Shandong Province, North China Craton from zircon U-Pb-O isotopic evidence: Plume or convergent plate boundary process. <i>Precambrian Research</i> , 2016, 281, 236-252.	1.2	41
44	Rapid emergence of life shown by discovery of 3,700-million-year-old microbial structures. <i>Nature</i> , 2016, 537, 535-538.	13.7	458
45	<sup>40</sup> Ar/ <sup>39</sup> Ar hornblende and biotite geochronology of the Bulfat Igneous Complex, Zagros Suture Zone, NE Iraq: New insights on complexities of Paleogene arc magmatism during closure of the Neotethys Ocean. <i>Lithos</i> , 2016, 266-267, 406-413.	0.6	8
46	Earth's oldest mantle fabrics indicate Eoarchean subduction. <i>Nature Communications</i> , 2016, 7, 10665.	5.8	39
47	The intra-oceanic Cretaceous (~ 108 Ma) Kata-Rash arc fragment in the Kurdistan segment of Iraqi Zagros suture zone: Implications for Neotethys evolution and closure. <i>Lithos</i> , 2016, 260, 154-163.	0.6	25
48	3806Ma Isua rhyolites and dacites affected by low temperature Eoarchean surficial alteration: Earth's earliest weathering. <i>Precambrian Research</i> , 2015, 268, 323-338.	1.2	18
49	Mesoarchean collision of Kapisilik terrane 3070Ma juvenile arc rocks and >3600Ma Isukasia terrane continental crust (Greenland). <i>Precambrian Research</i> , 2015, 258, 146-160.	1.2	40
50	Proposal for a continent 'Itsquia' amalgamated at 3.66 Ga and rifted apart from 3.53 Ga: Initiation of a Wilson Cycle near the start of the rock record. <i>Numerische Mathematik</i> , 2015, 315, 509-536.	0.7	26
51	Petrogenesis and tectonic implications of the iron-rich tholeiitic basalts in the Hutuo Group of the Wutai Mountains, Central Trans-North China Orogen. <i>Precambrian Research</i> , 2015, 271, 225-242.	1.2	17
52	The Watonga Formation and Tacking Point Gabbro, Port Macquarie, Australia: Insights into crustal growth mechanisms on the eastern margin of Gondwana. <i>Gondwana Research</i> , 2015, 28, 133-151.	3.0	31
53	The emergence of the Eoarchean proto-arc: evolution of a <i>c.</i> 3700 Ma convergent plate boundary at Isua, southern West Greenland. <i>Geological Society Special Publication</i> , 2015, 389, 113-133.	0.8	45
54	Isua Supracrustal Belt, West Greenland: Geochronology. <i>Encyclopedia of Earth Sciences Series</i> , 2015, , 354-357.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Isua Supracrustal Belt, West Greenland: Geochronology, , 2014, , 1-4.		1
56	Gondwanan Eoarchean–Neoproterozoic ancient crustal material in Iran and Turkey: zircon U–Pb–Hf isotopic evidence. Canadian Journal of Earth Sciences, 2014, 51, 272-285.	0.6	74
57	Protoliths of enigmatic Archaean gneisses established from zircon inclusion studies: Case study of the Caozhuang quartzite, E. Hebei, China. Geoscience Frontiers, 2014, 5, 445-455.	4.3	49
58	Implications for Rodinia reconstructions for the initiation of Neoproterozoic subduction at ~860Ma on the western margin of the Yangtze Block: Evidence from the Guandaoshan Pluton. Lithos, 2014, 196-197, 67-82.	0.6	75
59	Tracing Archaean terranes under Greenland's Icecap: U–Th–Pb–Hf isotopic study of zircons from melt-water rivers in the Isua area. Precambrian Research, 2014, 255, 900-921.	1.2	20
60	The tectonic evolution of a Neoproterozoic island arc (W. Alaska and T. Tibet) during the Neoproterozoic. Journal of Metamorphic Geology, 2013, 31, 104-125.	0.5	60
61	The Itsaq Gneiss Complex of Greenland: Episodic 3900 to 3660 Ma juvenile crust formation and recycling in the 3660 to 3600 Ma Isukasian orogeny. Numerische Mathematik, 2013, 313, 877-911.	0.7	68
62	Paleo- to Eoarchean crustal evolution in eastern Hebei, North China Craton: New evidence from SHRIMP U–Pb dating and in-situ Hf isotopic study of detrital zircons from paragneisses. Journal of Asian Earth Sciences, 2013, 78, 4-17.	1.0	65
63	Middle Carboniferous-Early Triassic eclogite blueschist blocks within a serpentinite mélange at Port Macquarie, eastern Australia: Implications for the evolution of Gondwana's eastern margin. Gondwana Research, 2013, 24, 1038-1050.	3.0	22
64	Episodic Paleoproterozoic (~2.45, ~1.95 and ~1.85Ga) mafic magmatism and associated high temperature metamorphism in the Daqingshan area, North China Craton: SHRIMP zircon U–Pb dating and whole-rock geochemistry. Precambrian Research, 2013, 224, 71-93.	1.2	159
65	Polycyclic evolution of Camboribá Complex migmatites, Santa Catarina, Southern Brazil: integrated Hf isotopic and U-Pb age zircon evidence of episodic reworking of a Mesoproterozoic juvenile crust. Brazilian Journal of Geology, 2013, 43, 427-443.	0.3	40
66	A Chronostratigraphic Division of the Precambrian. , 2012, , 299-392.		69
67	Waves and weathering at 3.7 Ga: Geological evidence for an equitable terrestrial climate under the faint early Sun. Australian Journal of Earth Sciences, 2012, 59, 167-176.	0.4	10
68	Multiple 3.8–3.1Ga tectono-magmatic events in a newly discovered area of ancient rocks (the T. Tibet) during the Neoproterozoic. Journal of Metamorphic Geology, 2012, 30, 142-150.	1.0	142
69	Calymmian (1.50–1.45 Ga) magmatic records in Votuverava and Perau sequences, south-southeastern Brazil: Zircon ages and Nd–Sr isotopic geochemistry. Journal of South American Earth Sciences, 2011, 32, 301-308.	0.6	26
70	Multistage late Neoproterozoic crustal evolution of the North China Craton, eastern Hebei. Precambrian Research, 2011, 189, 43-65.	1.2	253
71	30 million years of Permian volcanism recorded in the Choiyoi igneous province (W. Argentina) and their source for younger ash fall deposits in the Paraná Basin: SHRIMP U–Pb zircon geochronology evidence. Gondwana Research, 2011, 19, 509-523.	3.0	180
72	The Itajaí-foreland basin: a tectono-sedimentary record of the Ediacaran period, Southern Brazil. International Journal of Earth Sciences, 2011, 100, 543-569.	0.9	40

#	ARTICLE	IF	CITATIONS
73	The basement of the Punta del Este Terrane (Uruguay): an African Mesoproterozoic fragment at the eastern border of the South American Río de La Plata craton. <i>International Journal of Earth Sciences</i> , 2011, 100, 289-304.	0.9	68
74	Archaean fluid-assisted crustal cannibalism recorded by low $\delta^{18}\text{O}$ and negative $\mu\text{Hf(T)}$ isotopic signatures of West Greenland granite zircon. <i>Contributions To Mineralogy and Petrology</i> , 2011, 161, 1027-1050.	1.2	53
75	Setting of the 2560 Ma Qorqut Granite Complex in the Archean crustal evolution of Southern West Greenland. <i>Numerische Mathematik</i> , 2010, 310, 1081-1114.	0.7	48
76	Eoarchean ophiolites? New evidence for the debate on the Isua supracrustal belt, southern West Greenland. <i>Numerische Mathematik</i> , 2010, 310, 826-861.	0.7	59
77	The complex age of orthogneiss protoliths exemplified by the Eoarchean Itsaq Gneiss Complex (Greenland): SHRIMP and old rocks. <i>Precambrian Research</i> , 2010, 183, 25-43.	1.2	29
78	Contribution of SHRIMP $\text{U}^{235}\text{Pb}$ zircon geochronology to unravelling the evolution of Brazilian Neoproterozoic fold belts. <i>Precambrian Research</i> , 2010, 183, 112-144.	1.2	52
79	$\sim 3700\text{Ma}$ pre-metamorphic dolomite formed by microbial mediation in the Isua supracrustal belt (W.) <i>Tectonophysics</i> , 2011, 511, 1-14.	1.2	62
80	Eoarchean crustal growth in West Greenland (Itsaq Gneiss Complex) and in northeastern China (Anshan area): review and synthesis. <i>Geological Society Special Publication</i> , 2009, 318, 127-154.	0.8	16
81	$\text{U}^{235}\text{Pb}$ Zircon Geochronology and Nd Isotopic Signatures of the Pre-Mesozoic Metamorphic Basement of the Eastern Peruvian Andes: Growth and Provenance of a Late Neoproterozoic to Carboniferous Accretionary Orogen on the Northwest Margin of Gondwana. <i>Journal of Geology</i> , 2009, 117, 285-305.	0.7	73
82	Chapter 7.2 The Evolution and Tectonic Setting of the Luis Alves Microplate of Southeastern Brazil: An Exotic Terrane during the Assembly of Western Gondwana. <i>Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana</i> , 2009, , 273-291.	0.2	47
83	Iron isotopes may reveal the redox conditions of mantle melting from Archean to Present. <i>Earth and Planetary Science Letters</i> , 2009, 288, 255-267.	1.8	260
84	A granitic inclusion suite within igneous zircons from a 3.81 Ga tonalite (W. Greenland): Restrictions for Hadean crustal evolution studies using detrital zircons. <i>Chemical Geology</i> , 2009, 261, 77-82.	1.4	20
85	Evidence for subduction at 3.8 Ga: Geochemistry of arc-like metabasalts from the southern edge of the Isua Supracrustal Belt. <i>Chemical Geology</i> , 2009, 261, 83-98.	1.4	122
86	The whole rock $\text{Sm}^{147}\text{Nd}^{143}$ for the 2825 Ma Ikkattoq gneisses (Greenland) is 800 Ma too young: Insights into Archaean TTG petrogenesis. <i>Chemical Geology</i> , 2009, 261, 62-76.	1.4	28
87	In situ $\text{U}^{235}\text{Pb}$ , O and Hf isotopic compositions of zircon and olivine from Eoarchean rocks, West Greenland: New insights to making old crust. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 4489-4516.	1.6	166
88	New 1:20,000 scale geological maps, synthesis and history of investigation of the Isua supracrustal belt and adjacent orthogneisses, southern West Greenland: A glimpse of Eoarchean crust formation and orogeny. <i>Precambrian Research</i> , 2009, 172, 189-211.	1.2	147
89	Detrital zircon sedimentary provenance ages for the Eoarchean Isua supracrustal belt southern West Greenland: Juxtaposition of an imbricated ca. 3700Ma juvenile arc against an older complex with 3920-3760Ma components. <i>Precambrian Research</i> , 2009, 172, 212-233.	1.2	91
90	Integrated field geological and zircon morphology evidence for ca. 3.8Ga rocks at Anshan: Comment on $\text{Zr}^{90}\text{Pb}^{206}$ and Hf isotopic constraints on the Early Archean crustal evolution in Anshan of the North China Craton by Wu et al. [ <i>Precambrian Res.</i> 167 (2008) 339-362]. <i>Precambrian Research</i> , 2009, 172, 357-360.	1.2	28

#	ARTICLE	IF	CITATIONS
91	Seawater-like trace element signatures (REE+Y) of Eoarchaean chemical sedimentary rocks from southern West Greenland, and their corruption during high-grade metamorphism. Contributions To Mineralogy and Petrology, 2008, 155, 229-246.	1.2	71
92	Palaeoproterozoic and Archaean gneiss complexes in northern Greenland: Palaeoproterozoic terrane assembly in the High Arctic. Precambrian Research, 2008, 161, 419-451.	1.2	57
93	Ti-in-zircon thermometry applied to contrasting Archean metamorphic and igneous systems. Chemical Geology, 2008, 247, 323-338.	1.4	81
94	West Gondwana amalgamation based on detrital zircon ages from Neoproterozoic Ribeira and Dom Feliciano belts of South America and comparison with coeval sequences from SW Africa. Geological Society Special Publication, 2008, 294, 239-256.	0.8	121
95	Granites and granites in the East Greenland Caledonides. , 2008, , 227-249.		36
96	The Nagssugtoqidian orogen in South-East Greenland: Evidence for Paleoproterozoic collision and plate assembly. Numerische Mathematik, 2008, 308, 529-572.	0.7	67
97	Polyorogenic history of the East Greenland Caledonides. , 2008, , 55-72.		15
98	Comment on "A Vestige of Earth's Oldest Ophiolite". Science, 2007, 318, 746-746.	6.0	24
99	Raman and ion microscopic imagery of graphitic inclusions in apatite from older than 3830 Ma Akilia supracrustal rocks, west Greenland: COMMENT and REPLY: COMMENT. Geology, 2007, 35, e169-e169.	2.0	0
100	The Beja Layered Gabbroic Sequence (Ossa-Morena Zone, Southern Portugal): geochronology and geodynamic implications. Geodinamica Acta, 2007, 20, 139-157.	2.2	72
101	Chapter 3.3 The Itsaq Gneiss Complex of Southern West Greenland and the Construction of Eoarchaean Crust at Convergent Plate Boundaries. Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana, 2007, , 187-218.	0.2	45
102	Adjacent terranes with ca. 2715 and 2650Ma high-pressure metamorphic assemblages in the Nuuk region of the North Atlantic Craton, southern West Greenland: Complexities of Neoarchaean collisional orogeny. Precambrian Research, 2007, 155, 159-203.	1.2	105
103	2635Ma amphibolite facies gold mineralisation near a terrane boundary (suture?) on StorÅ, Nuuk region, southern West Greenland. Precambrian Research, 2007, 159, 19-32.	1.2	31
104	Apatite recrystallisation during prograde metamorphism, Cooma, southeast Australia: implications for using an apatite-Ågraphite association as a biotracer in ancient metasedimentary rocks. Australian Journal of Earth Sciences, 2007, 54, 1023-1032.	0.4	28
105	Coupled <sup>142</sup> Nd- <sup>143</sup> Nd Isotopic Evidence for Hadean Mantle Dynamics. Science, 2007, 318, 1907-1910.	6.0	215
106	Å43,850ÅMa tonalites in the Nuuk region, Greenland: geochemistry and their reworking within an Eoarchaean gneiss complex. Contributions To Mineralogy and Petrology, 2007, 154, 385-408.	1.2	68
107	Cryogenian U-Pb (SHRIMP I) zircon ages of anorthosites from the upper sequences of NiquelÃndia and Barro Alto Complexes, Central Brazil. Revista Brasileira De GeociÃncias, 2007, 37, 70-75.	0.1	12
108	Provenance and chemostratigraphy of the Neoproterozoic West Congolian Group in the Democratic Republic of Congo. Journal of African Earth Sciences, 2006, 46, 221-239.	0.9	91

#	ARTICLE	IF	CITATIONS
109	Antiquity of the Oceans and Continents. <i>Elements</i> , 2006, 2, 223-227.	0.5	43
110	Comment on "Zircon Thermometer Reveals Minimum Melting Conditions on Earliest Earth" II. <i>Science</i> , 2006, 311, 779b-779b.	6.0	33
111	New U-Pb SHRIMP zircon ages for pre-variscan orthogneisses from Portugal and their bearing on the evolution of the Ossa-Morena tectonic zone. <i>Anais Da Academia Brasileira De Ciencias</i> , 2006, 78, 133-149.	0.3	15
112	Age, petrogenesis and metamorphism of the syn-collisional Pr�ven Igneous Complex, West Greenland. <i>Contributions To Mineralogy and Petrology</i> , 2005, 149, 541-555.	1.2	29
113	Complex 3670�3500 Ma Orogenic Episodes Superimposed on Juvenile Crust Accreted between 3850 and 3690 Ma, Itsaq Gneiss Complex, Southern West Greenland. <i>Journal of Geology</i> , 2005, 113, 375-397.	0.7	85
114	New pieces to the Archaean terrane jigsaw puzzle in the Nuuk region, southern West Greenland: steps in transforming a simple insight into a complex regional tectonothermal model. <i>Journal of the Geological Society</i> , 2005, 162, 147-162.	0.9	146
115	Geochronology of Proterozoic basement inliers in the Colombian Andes: tectonic history of remnants of a fragmented Grenville belt. <i>Geological Society Special Publication</i> , 2005, 246, 329-346.	0.8	79
116	A connection between the Neoproterozoic Dom Feliciano (Brazil/Uruguay) and Gariep (Namibia/South) Tj ETQq0 0 0 rgBT /Overlock 10 T 2005, 139, 195-221.	1.2	212
117	Detachment faulting and bimodal magmatism in the Palaeoproterozoic Willyama Supergroup, south�central Australia: keys to recognition of a multiply deformed Precambrian metamorphic core complex. <i>Journal of the Geological Society</i> , 2004, 161, 55-66.	0.9	44
118	Dating of the Ameralik dyke swarms of the Nuuk district, southern West Greenland: mafic intrusion events starting from <b> <i>c</i> </b> . 3510 Ma. <i>Journal of the Geological Society</i> , 2004, 161, 421-430.	0.9	53
119	Devonian to Carboniferous collision in the Greenland Caledonides: U-Pb zircon and Sm-Nd ages of high-pressure and ultrahigh-pressure metamorphism. <i>Contributions To Mineralogy and Petrology</i> , 2004, 148, 216-235.	1.2	81
120	The 3.4�3.5 Ga S�o Jos� do Campestre massif, NE Brazil: remnants of the oldest crust in South America. <i>Precambrian Research</i> , 2004, 130, 113-137.	1.2	108
121	Inventory and assessment of Palaeoarchaean gneiss terrains and detrital zircons in southern West Greenland. <i>Precambrian Research</i> , 2004, 135, 281-314.	1.2	130
122	Radiogenic, nucleogenic and fissiogenic noble gas compositions in early Archaean magmatic zircons from Greenland. <i>Geochemical Journal</i> , 2004, 38, 265-269.	0.5	8
123	A idade e natureza da Fonte do Granito do Moinho, Faixa Ribeira, Sudeste do Estado de S�o Paulo. <i>Geologia USP - Serie Cientifica</i> , 2004, 4, 91-100.	0.1	6
124	The Atuba Complex, Southern South American Platform: Archean Components and Paleoproterozoic to Neoproterozoic Tectonothermal Events. <i>Gondwana Research</i> , 2003, 6, 251-263.	3.0	37
125	SHRIMP U�Pb zircon dating of the host rocks of the Cannington Ag�Pb�Zn deposit, southeastern Mt Isa Block, Australia. <i>Australian Journal of Earth Sciences</i> , 2003, 50, 295-309.	0.4	36
126	Xenon compositions of magmatic zircons in 3.64 and 3.81 Ga meta-granitoids from Greenland � a search for extinct <sup>244</sup> Pu in ancient terrestrial rocks. <i>Earth and Planetary Science Letters</i> , 2003, 207, 69-82.	1.8	15



#	ARTICLE	IF	CITATIONS
127	SHRIMP U-Pb, 207Pb/206Pb zircon dating, and Nd isotopic signature of the Umburanas greenstone belt, northern São Francisco craton, Brazil. <i>Journal of South American Earth Sciences</i> , 2003, 15, 775-785.	0.6	35
128	Evidence for Neoproterozoic orogenesis and early high temperature Scandian deformation events in the southern East Greenland Caledonides. <i>Geological Magazine</i> , 2003, 140, 309-333.	0.9	78
129	Discussion on SHRIMP U-Pb zircon dating of the exhumation of the Lizard Peridotite and its emplacement over crustal rocks: constraints for tectonic models. <i>Journal of the Geological Society</i> , 2003, 160, 331-335.	0.9	17
130	Evidence for 3650-3600 Ma assembly of the northern end of the Itsaq Gneiss Complex, Greenland: Implication for early Archaean tectonics. <i>Tectonics</i> , 2002, 21, 5-1-5-28.	1.3	135
131	Constraints on mantle evolution from 187Os/188Os isotopic compositions of Archean ultramafic rocks from southern West Greenland (3.8 Ga) and Western Australia (3.46 Ga). <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 2615-2630.	1.6	105
132	Geochronological constraints on the evolution of the Embu Complex, São Paulo, Brazil. <i>Journal of South American Earth Sciences</i> , 2002, 14, 903-910.	0.6	61
133	~3850 Ma BIF and mafic inclusions in the early Archaean Itsaq Gneiss Complex around Akilia, southern West Greenland? The difficulties of precise dating of zircon-free protoliths in migmatites. <i>Precambrian Research</i> , 2002, 117, 185-224.	1.2	53
134	Abyssal peridotites >3,800 Ma from southern West Greenland: field relationships, petrography, geochronology, whole-rock and mineral chemistry of dunite and harzburgite inclusions in the Itsaq Gneiss Complex. <i>Contributions To Mineralogy and Petrology</i> , 2002, 143, 71-92.	1.2	99
135	SHRIMP U-Pb monazite dating of 1600-1580 Ma amphibolite facies metamorphism in the southeastern Mt Isa Block, Australia. <i>Australian Journal of Earth Sciences</i> , 2002, 49, 455-465.	0.4	86
136	On the scarcity of >3900 Ma detrital zircons in ~3500 Ma metasediments. <i>Precambrian Research</i> , 2001, 105, 93-114.	1.2	65
137	A new fragment of the early earth crust: the Aasivik terrane of West Greenland. <i>Precambrian Research</i> , 2001, 105, 115-128.	1.2	40
138	Age of Palaeozoic granites and metamorphism in the Tuvino-Mongolian Massif of the Central Asian Mobile Belt: loss of a Precambrian microcontinent. <i>Precambrian Research</i> , 2001, 110, 143-164.	1.2	130
139	From source migmatites to plutons: tracking the origin of ca. 435 Ma S-type granites in the East Greenland Caledonian orogen. <i>Lithos</i> , 2001, 57, 1-21.	0.6	109
140	SHRIMP U-Pb zircon dating of the exhumation of the Lizard Peridotite and its emplacement over crustal rocks: constraints for tectonic models. <i>Journal of the Geological Society</i> , 2001, 158, 809-820.	0.9	45
141	Review of the oldest (4400-3600 Ma) geological and mineralogical record: Glimpses of the beginning. <i>Episodes</i> , 2001, 24, 93-101.	0.8	47
142	Late Mesoproterozoic to early Neoproterozoic history of the East Greenland Caledonides: evidence for Grenvillian orogenesis?. <i>Journal of the Geological Society</i> , 2000, 157, 1215-1225.	0.9	116
143	The early Archaean Itsaq Gneiss Complex of southern West Greenland: the importance of field observations in interpreting age and isotopic constraints for early terrestrial evolution. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3035-3060.	1.6	127
144	CONSTRAINING THE AGE OF NEOPROTEROZOIC GLACIATION IN EASTERN BRAZIL: FIRST U-Pb (SHRIMP) DATA OF DETRITAL ZIRCONS. <i>Revista Brasileira De Geociências</i> , 2000, 30, 058-061.	0.1	43

#	ARTICLE	IF	CITATIONS
145	Origin of life from apatite dating?. <i>Nature</i> , 1999, 400, 127-127.	13.7	45
146	Meta-igneous (non-gneissic) tonalites and quartz-diorites from an extensive ca. 3800 Ma terrain south of the Isua supracrustal belt, southern West Greenland: constraints on early crust formation. <i>Contributions To Mineralogy and Petrology</i> , 1999, 137, 364-388.	1.2	167
147	U–Pb zircon ages of Kangamiut dykes and detrital zircons in metasediments in the Palaeoproterozoic Nagssugtoqidian Orogen (West Greenland). <i>Precambrian Research</i> , 1999, 93, 87-104.	1.2	70
148	Palaeoproterozoic thermal events recorded in the $\sim$ 4.0 Ga Acasta gneiss, Canada: evidence from SHRIMP U-Pb dating of apatite and zircon. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 899-905.	1.6	63
149	A Jurassic Granite from Southern Georgia, U.S.A.: Silicic, Extension-Related Magmatism along the Southeastern Coastal Plain. <i>Journal of Geology</i> , 1999, 107, 375-384.	0.7	10
150	Caledonian eclogite-facies metamorphism of Early Proterozoic protoliths from the North-East Greenland Eclogite Province. <i>Contributions To Mineralogy and Petrology</i> , 1998, 130, 103-120.	1.2	77
151	Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb–Zn–Ag orebody, Australia. <i>Precambrian Research</i> , 1998, 90, 203-238.	1.2	74
152	Early Archean crust in the northern Wyoming province. <i>Precambrian Research</i> , 1998, 91, 295-307.	1.2	67
153	Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland. <i>Precambrian Research</i> , 1998, 91, 365-381.	1.2	60
154	Polyphase Archean evolution in the Campo Belo metamorphic complex, Southern São Francisco Craton, Brazil: SHRIMP U-Pb zircon evidence. <i>Journal of South American Earth Sciences</i> , 1998, 11, 279-289.	0.6	43
155	Archaean crust near Broken Hill?. <i>Australian Journal of Earth Sciences</i> , 1998, 45, 687-694.	0.4	10
156	Recognition of $\sim$ 3850 Ma water-lain sediments in West Greenland and their significance for the early Archaean Earth. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 2475-2484.	1.6	186
157	$\sim$ 3710 and $\sim$ 3790 Ma volcanic sequences in the Isua (Greenland) supracrustal belt; structural and Nd isotope implications. <i>Chemical Geology</i> , 1997, 141, 271-287.	1.4	186
158	The Itsaq Gneiss Complex of southern West Greenland; the world's most extensive record of early crustal evolution (3900-3600 Ma). <i>Precambrian Research</i> , 1996, 78, 1-39.	1.2	450
159	Extended history of a 3.5 Ga trondhjemitic gneiss, Wyoming Province, USA: evidence from U–Pb systematics in zircon. <i>Precambrian Research</i> , 1996, 78, 41-52.	1.2	54
160	3800 to 2500 Ma crustal evolution in the Anshan area of Liaoning Province, northeastern China. <i>Precambrian Research</i> , 1996, 78, 79-94.	1.2	574
161	Zirconology of the Meeberrie gneiss, Yilgarn Craton, Western Australia: an early Archaean migmatite. <i>Precambrian Research</i> , 1996, 78, 165-178.	1.2	76
162	Constraints on early Earth differentiation from hafnium and neodymium isotopes. <i>Nature</i> , 1996, 379, 624-627.	13.7	316

#	ARTICLE	IF	CITATIONS
163	Evidence for life on Earth before 3,800 million years ago. <i>Nature</i> , 1996, 384, 55-59.	13.7	1,188
164	Geochronological Systematics on Basement Rocks from the R�o Negro-Juruena Province (Amazonian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.1	70
165	Evidence for Mesoproterozoic basement in the Carolina Terrane and speculations on its origin. , 1996, , 207-217.		17
166	Neoproterozoic magmatism in the Suwannee Terrane: Implications for terrane correlation. , 1996, , 257-268.		16
167	Anatomy of the Early Proterozoic Nagssugtoqidian orogen, West Greenland, explored by reconnaissance SHRIMP U-Pb zircon dating. <i>Geology</i> , 1996, 24, 515.	2.0	83
168	SHRIMP U-Pb geochronology and metamorphic history of the Smallefjord sequence, NE Greenland Caledonides. <i>Journal of the Geological Society</i> , 1995, 152, 779-784.	0.9	117
169	Chronology and evolution of the Middle Proterozoic Albany�Fraser Orogen, Western Australia. <i>Australian Journal of Earth Sciences</i> , 1995, 42, 481-495.	0.4	113
170	Two Archaean granulite-facies metamorphic events in the Nuuk-Maniitsoq region, southern West Greenland: correlation with the Saglek block, Labrador. <i>Journal of the Geological Society</i> , 1994, 151, 421-424.	0.9	41
171	SHRIMP U-Pb zircon geochronology of the late Archaean Ruinn�sset syenite, Skjoldungen alkaline province, southeast Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 1994, 58, 3515-3518.	1.6	18
172	Precambrian zircons from the Florida basement: A Gondwanan connection. <i>Geology</i> , 1994, 22, 119.	2.0	77
173	Anatomy of an Early Archean gneiss complex: 3900 to 3600 Ma crustal evolution in southern West Greenland: Comment and Reply. <i>Geology</i> , 1994, 22, 571.	2.0	11
174	Nd isotopic evidence for transient, highly depleted mantle reservoirs in the early history of the Earth. <i>Earth and Planetary Science Letters</i> , 1993, 119, 299-317.	1.8	240
175	SHRIMP U�Pb zircon geochronology of Archaean granitoids from the Contendas-Mirante area of the S�o Francisco Craton, Bahia, Brazil. <i>Precambrian Research</i> , 1993, 63, 179-188.	1.2	69
176	Palaeoproterozoic basement province in the Caledonian fold belt of North-East Greenland. <i>Precambrian Research</i> , 1993, 63, 163-178.	1.2	99
177	Large�scale crustal structure of the Northwestern Yilgarn Craton, western Australia: Evidence from Nd isotopic data and zircon geochronology. <i>Tectonics</i> , 1993, 12, 971-981.	1.3	59
178	Anatomy of an Early Archean gneiss complex: 3900 to 3600 Ma crustal evolution in southern West Greenland. <i>Geology</i> , 1993, 21, 415.	2.0	104
179	Remnants of �3800 Ma crust in the Chinese part of the Sino-Korean craton. <i>Geology</i> , 1992, 20, 339.	2.0	1,283
180	3.96 Ga zircons from an Archean quartzite, Beartooth Mountains, Montana. <i>Geology</i> , 1992, 20, 327.	2.0	86

#	ARTICLE	IF	CITATIONS
181	The aldan shield of siberia, USSR: the age of its archaean components and evidence for widespread reworking in the mid-proterozoic. <i>Precambrian Research</i> , 1992, 54, 195-210.	1.2	106
182	Response of zircon U?Pb isotopes and whole-rock geochemistry to CO2 fluid-induced granulite-facies metamorphism, Kabbaldurga, Karnataka, South India. <i>Contributions To Mineralogy and Petrology</i> , 1992, 111, 299-310.	1.2	80
183	SHRIMP U-Pb zircon geochronology of the Narryer Gneiss Complex, Western Australia. <i>Precambrian Research</i> , 1991, 52, 275-300.	1.2	105
184	Refolded nappes formed during late Archaean terrane assembly, Godthåbsfjord, southern West Greenland. <i>Journal of the Geological Society</i> , 1991, 148, 507-519.	0.9	26
185	Very early Archean crustal-accretion complexes preserved in the North Atlantic craton. <i>Geology</i> , 1991, 19, 791.	2.0	103
186	The late Archaean mobile belt through Godthåbsfjord, southern West Greenland: a continent-continent collision zone?. <i>Bulletin of the Geological Society of Denmark</i> , 1991, 39, 179-197.	1.1	95
187	The early Archaean Nulliak (supracrustal) assemblage, northern Labrador. <i>Canadian Journal of Earth Sciences</i> , 1989, 26, 2159-2168.	0.6	37
188	Evolution and assembly of Archean Gneiss Terranes in the Godthåbsfjord Region, southern west Greenland: Structural, metamorphic, and isotopic evidence. <i>Tectonics</i> , 1989, 8, 573-589.	1.3	127
189	The Ataneq Fault and Mid-Proterozoic Retrograde Metamorphism of Early Archaean Tonalites of the Isukasia Area, Southern West Greenland: Reactions, Fluid Compositions and Implications for Regional Studies. , 1989, , 151-170.		2
190	Late Archaean terrane accretion in the Godthåb region, southern West Greenland. <i>Nature</i> , 1988, 335, 535-538.	13.7	177
191	Geochemistry of Ce and Nd isotopes and REE abundances in the Amîtsoq gneisses, West Greenland. <i>Earth and Planetary Science Letters</i> , 1988, 91, 159-169.	1.8	41
192	Late-Archaean tectonics in the Fåringehavn-Tre Brøndre area, south of Buksefjorden, southern West Greenland. <i>Journal of the Geological Society</i> , 1987, 144, 369-376.	0.9	99
193	Geochronology and isotopic variation of the early Archaean Amitsoq gneisses of the Isukasia area, southern West Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 2173-2183.	1.6	100
194	Early Archaean Amîtsoq tonalites and granites of the Isukasia area, southern West Greenland: development of the oldest-known sial. <i>Contributions To Mineralogy and Petrology</i> , 1986, 94, 137-148.	1.2	100
195	Two-stage corona growth during Precambrian granulite facies metamorphism of Smitbson Bjerge, north-west Greenland. <i>Journal of Metamorphic Geology</i> , 1984, 2, 237-247.	1.6	8
196	The iron-rich suite from the Amîtsoq gneisses of southern West Greenland: early Archaean plutonic rocks of mixed crustal and mantle origin. <i>Contributions To Mineralogy and Petrology</i> , 1984, 87, 24-34.	1.2	56
197	Stratigraphic and geochemical evidence for the depositional environment of the early archaean isua supracrustal belt, southern west greenland. <i>Precambrian Research</i> , 1984, 25, 365-396.	1.2	164
198	The zircon geochronology of the Akilia association and Isua supracrustal belt, West Greenland. <i>Earth and Planetary Science Letters</i> , 1984, 68, 221-228.	1.8	98

#	ARTICLE	IF	CITATIONS
199	Sm-Nd studies of Archaean metasediments and metavolcanics from West Greenland and their implications for the Earth's early history. <i>Earth and Planetary Science Letters</i> , 1983, 62, 263-272.	1.8	324
200	Early Archaean granulite-facies metamorphism south of Ameralik, West Greenland. <i>Earth and Planetary Science Letters</i> , 1980, 50, 59-74.	1.8	137
201	Archaean structural evolution in the northwest of the Buksefjorden Region, southern West Greenland. <i>Precambrian Research</i> , 1979, 9, 199-226.	1.2	70
202	The Mesoarchean Amikoq Layered Complex of SW Greenland: Part 2. Geochemical evidence for high-Mg noritic plutonism through crustal assimilation. <i>Mineralogical Magazine</i> , 0, , 1-25.	0.6	3
203	Jurassic–Cretaceous arc magmatism along the Shyok–Bangong Suture from NW Himalaya: Formation of the peri-Gondwana basement to the Ladakh Arc. <i>Journal of the Geological Society</i> , 0, , jgs2021-035.	0.9	1
204	Geochronology of granitic and supracrustal rocks from the northern part of the East Greenland Caledonides: ion microprobe U–Pb zircon ages. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 184, 31-48.	0.0	30