

Peter Hglund

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6413093/peter-hoglund-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

233
papers

7,755
citations

45
h-index

79
g-index

248
ext. papers

8,845
ext. citations

3.8
avg, IF

5.72
L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 233 | Risky Alcohol Use and Comorbidity in a Swedish Adolescent Emergency Psychiatric Inpatient Population. <i>Journal of Addiction</i> , 2021 , 2021, 5514144 | 2.2 | 0 |
| 232 | Muscle mass and plasma myostatin after exercise training: a substudy of Renal Exercise (RENEXC)-a randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 95-103 | 4.3 | 13 |
| 231 | Twelve months of exercise training did not halt abdominal aortic calcification in patients with CKD - a sub-study of RENEXC-a randomized controlled trial. <i>BMC Nephrology</i> , 2020 , 21, 233 | 2.7 | 2 |
| 230 | Erectile Dysfunction and Absorbed Dose to Penile Base Structures in a Randomized Trial Comparing Ultrahypofractionated and Conventionally Fractionated Radiation Therapy for Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 143-151 | 4 | 10 |
| 229 | Swedish national survey on MR safety compared with CT: a false sense of security?. <i>European Radiology</i> , 2020 , 30, 1918-1926 | 8 | 4 |
| 228 | Malignancies in Patients with Antineutrophil Cytoplasmic Antibody-associated Vasculitis: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2020 , 47, 1229-1237 | 4.1 | 10 |
| 227 | Daily Automated Telephone Assessment and Intervention Improved 1-Month Outcome in Paroled Offenders. <i>International Journal of Offender Therapy and Comparative Criminology</i> , 2020 , 64, 735-752 | 1.3 | 11 |
| 226 | Randomized Controlled Trial of Exercise in CKD-The RENEXC Study. <i>Kidney International Reports</i> , 2019 , 4, 963-976 | 4.1 | 23 |
| 225 | Non Ischemic Heart Preservation [Results from the Safety Study. <i>Journal of Heart and Lung Transplantation</i> , 2019 , 38, S26 | 5.8 | 6 |
| 224 | Short-term effects experienced during examinations in an actively shielded 7 T MR. <i>Bioelectromagnetics</i> , 2019 , 40, 234-249 | 1.6 | 7 |
| 223 | Renal relapse in antineutrophil cytoplasmic autoantibody-associated vasculitis: unpredictable, but predictive of renal outcome. <i>Rheumatology</i> , 2019 , 58, 103-109 | 3.9 | 9 |
| 222 | Comparison of DEXA and Bioimpedance for Body Composition Measurements in Nondialysis Patients With CKD. <i>Journal of Renal Nutrition</i> , 2019 , 29, 33-38 | 3 | 13 |
| 221 | Human Leukocyte Antigen-Based Risk Stratification in Heart Transplant Recipients-Implications for Targeted Surveillance. <i>Journal of the American Heart Association</i> , 2019 , 8, e011124 | 6 | 5 |
| 220 | Cancer Risk in Collagenous Colitis. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 10 |
| 219 | Comparing Arterial- and Venous-Phase Acquisition for Optimization of Virtual Noncontrast Images From Dual-Energy Computed Tomography Angiography. <i>Journal of Computer Assisted Tomography</i> , 2019 , 43, 770-774 | 2.2 | 3 |
| 218 | Time-dependent prognostic effects of recipient and donor age in adult heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2019 , 38, 174-183 | 5.8 | 8 |
| 217 | Improving prediction of heart transplantation outcome using deep learning techniques. <i>Scientific Reports</i> , 2018 , 8, 3613 | 4.9 | 23 |

| | | | |
|-----|---|-----|----|
| 216 | Sarcopenia and relationships between muscle mass, measured glomerular filtration rate and physical function in patients with chronic kidney disease stages 3-5. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, 342-348 | 4.3 | 73 |
| 215 | An early post-operative ACTH suppression test can safely predict short- and long-term remission after surgery of Cushing's disease. <i>Pituitary</i> , 2018 , 21, 490-498 | 4.3 | 7 |
| 214 | Alignments of endocrine, anthropometric, and metabolic parameters in type 2 diabetes after intervention with an Okinawa-based Nordic diet. <i>Food and Nutrition Research</i> , 2018 , 62, | 3.1 | 4 |
| 213 | Relationships between abdominal aortic calcification, glomerular filtration rate, and cardiovascular risk factors in patients with non-dialysis dependent chronic kidney disease?. <i>Clinical Nephrology</i> , 2018 , 90, 380-389 | 2.1 | 9 |
| 212 | Effect of oxygen therapy on myocardial salvage in ST elevation myocardial infarction: the randomized SOCCER trial. <i>European Journal of Emergency Medicine</i> , 2018 , 25, 78-84 | 2.3 | 21 |
| 211 | Anthropometric and metabolic improvements in human type 2 diabetes after introduction of an Okinawan-based Nordic diet are not associated with changes in microbial diversity or SCFA concentrations. <i>International Journal of Food Sciences and Nutrition</i> , 2018 , 69, 729-740 | 3.7 | 10 |
| 210 | Comparing effects of 4 months of two self-administered exercise training programs on physical performance in patients with chronic kidney disease: RENEXC - A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0207349 | 3.7 | 7 |
| 209 | Reliability of virtual non-contrast computed tomography angiography: comparing it with the real deal. <i>Acta Radiologica Open</i> , 2018 , 7, 2058460118790115 | 1.2 | 10 |
| 208 | Dietary intervention with an Okinawan-based Nordic diet in type 2 diabetes renders decreased interleukin-18 concentrations and increased neurofilament light concentrations in plasma. <i>Nutrition Research</i> , 2018 , 60, 13-25 | 4 | 7 |
| 207 | Determinants for local tumour control probability after radiotherapy of anal cancer. <i>Radiotherapy and Oncology</i> , 2018 , 128, 380-386 | 5.3 | 10 |
| 206 | Decline in measured glomerular filtration rate is associated with a decrease in endurance, strength, balance and fine motor skills. <i>Nephrology</i> , 2017 , 22, 513-519 | 2.2 | 22 |
| 205 | Clinical associations with venous thromboembolism in anti-neutrophil cytoplasm antibody-associated vasculitides. <i>Rheumatology</i> , 2017 , 56, 704-708 | 3.9 | 16 |
| 204 | Donor-recipient size matching and mortality in heart transplantation: Influence of body mass index and gender. <i>Journal of Heart and Lung Transplantation</i> , 2017 , 36, 940-947 | 5.8 | 47 |
| 203 | Calprotectin in serum and zonulin in serum and feces are elevated after introduction of a diet with lower carbohydrate content and higher fiber, fat and protein contents. <i>Biomedical Reports</i> , 2017 , 6, 411-422 | 1.8 | 31 |
| 202 | Imaging of the Lungs in Organ Donors and its Clinical Relevance: A Retrospective Analysis. <i>Journal of Thoracic Imaging</i> , 2017 , 32, 107-114 | 5.6 | 3 |
| 201 | Negative anti-neutrophil cytoplasm antibody at switch to maintenance therapy is associated with a reduced risk of relapse. <i>Arthritis Research and Therapy</i> , 2017 , 19, 129 | 5.7 | 26 |
| 200 | Long-term patient survival in a Swedish population-based cohort of patients with ANCA-associated vasculitis. <i>RMD Open</i> , 2017 , 3, e000435 | 5.9 | 15 |
| 199 | Prevalence and treatment of diabetes mellitus and hypertension among older adults with intellectual disability in comparison with the general population. <i>BMC Geriatrics</i> , 2017 , 17, 272 | 4.1 | 21 |

| | | | |
|-----|--|-----|----|
| 198 | MP372THE RELATIONSHIP BETWEEN ABDOMINAL AORTIC CALCIFICATION SCORE AND GLOMERULAR FILTRATION RATE IN PATIENTS WITH CHRONIC KIDNEY DISEASE 3-5. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, iii563-iii564 | 4.3 | 1 |
| 197 | Quality of Life and Work Capacity Are Unrelated to Approach or Complications After Pituitary Surgery. <i>World Neurosurgery</i> , 2017 , 108, 24-32 | 2.1 | 2 |
| 196 | Effects of oxygen therapy on wall-motion score index in patients with ST elevation myocardial infarction-the randomized SOCCER trial. <i>Echocardiography</i> , 2017 , 34, 1130-1137 | 1.5 | 6 |
| 195 | Daily Assessment of Acute Dynamic Risk in Paroled Offenders: Prediction, Predictive Accuracy and Intervention Effect. <i>Psychiatry, Psychology and Law</i> , 2017 , 24, 715-729 | 1.3 | 1 |
| 194 | Thoracic magnetic resonance venography using Gadofosveset in patients with venous pathology-A comparative study of image quality and inter-rater variability. <i>Phlebology</i> , 2017 , 32, 453-458 | 2 | 2 |
| 193 | Chronic Respiratory Disorders and Their Treatment among Older People with Intellectual Disability and/or Autism Spectrum Disorder in Comparison with the General Population. <i>Healthcare (Switzerland)</i> , 2017 , 5, | 3.4 | 8 |
| 192 | Relationship between declining glomerular filtration rate and measures of cardiac and vascular autonomic neuropathy. <i>Nephrology</i> , 2016 , 21, 1047-1055 | 2.2 | 21 |
| 191 | Modification of a traditional breakfast leads to increased satiety along with attenuated plasma increments of glucose, C-peptide, insulin, and glucose-dependent insulinotropic polypeptide in humans. <i>Nutrition Research</i> , 2016 , 36, 359-368 | 4 | 14 |
| 190 | Gadofosveset-enhanced magnetic resonance venography in patients with venous pathology of the lower limbs - Comparison of diagnostic image quality and inter-rater variability with gadobutrol venography and computed tomography venography. <i>Phlebology</i> , 2016 , 31, 737-743 | 2 | 1 |
| 189 | Esophageal and Gastric Dysmotilities are Associated with Altered Glucose Homeostasis and Plasma Levels of Incretins and Leptin. <i>Review of Diabetic Studies</i> , 2016 , 13, 79-90 | 3.6 | 7 |
| 188 | Effect of electroconvulsive seizures on cognitive flexibility. <i>Hippocampus</i> , 2016 , 26, 899-910 | 3.5 | 10 |
| 187 | Two meals with different carbohydrate, fat and protein contents render equivalent postprandial plasma levels of calprotectin, cortisol, triglycerides and zonulin. <i>International Journal of Food Sciences and Nutrition</i> , 2016 , 67, 872-80 | 3.7 | 7 |
| 186 | An Okinawan-based Nordic diet improves anthropometry, metabolic control, and health-related quality of life in Scandinavian patients with type 2 diabetes: a pilot trial. <i>Food and Nutrition Research</i> , 2016 , 60, 32594 | 3.1 | 24 |
| 185 | A long-term longitudinal follow-up of depressed patients treated with ECT with special focus on development of dementia. <i>Journal of Affective Disorders</i> , 2016 , 200, 15-24 | 6.6 | 7 |
| 184 | Pulmonary collapse alone provides effective de-airing in cardiac surgery: a prospective randomized study. <i>Perfusion (United Kingdom)</i> , 2016 , 31, 320-6 | 1.9 | 7 |
| 183 | A Patient-Assessed Morbidity to Evaluate Outcome in Surgically Treated Vestibular Schwannomas. <i>World Neurosurgery</i> , 2016 , 94, 544-550.e2 | 2.1 | 6 |
| 182 | Circulation stabilizing therapy and pulmonary high-resolution computed tomography in a porcine brain-dead model. <i>Acta Anaesthesiologica Scandinavica</i> , 2016 , 60, 93-102 | 1.9 | 5 |
| 181 | The Effects of Oxygen Therapy on Myocardial Salvage in ST Elevation Myocardial Infarction Treated with Acute Percutaneous Coronary Intervention: The Supplemental Oxygen in Catheterized Coronary Emergency Reperfusion (SOCCER) Study. <i>Cardiology</i> , 2015 , 132, 16-21 | 1.6 | 17 |

| | | | |
|-----|---|-----|-----|
| 180 | ABO-identical blood group matching has no survival benefit for AB heart transplant recipients. <i>Annals of Thoracic Surgery</i> , 2015 , 99, 762-8 | 2.7 | 7 |
| 179 | Gender aspects of survival after surgical treatment for rectal cancer. <i>Colorectal Disease</i> , 2015 , 17, 390-6 | 2.1 | 10 |
| 178 | Glucocorticoid treatment and damage in the anti-neutrophil cytoplasm antibody-associated vasculitides: long-term data from the European Vasculitis Study Group trials. <i>Rheumatology</i> , 2015 , 54, 471-81 | 3.9 | 73 |
| 177 | CT angiography in non-traumatic subarachnoid hemorrhage: the importance of arterial attenuation for the detection of intracranial aneurysms. <i>Acta Radiologica</i> , 2015 , 56, 1248-55 | 2 | 8 |
| 176 | Damage in the anca-associated vasculitides: long-term data from the European vasculitis study group (EUVAS) therapeutic trials. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 177-84 | 2.4 | 143 |
| 175 | Comparison of Basiliximab and Anti-Thymocyte Globulin as Induction Therapy in Pediatric Heart Transplantation: A Survival Analysis. <i>Journal of the American Heart Association</i> , 2015 , 5, | 6 | 17 |
| 174 | Analysis of the Influence of HLA-A Matching Relative to HLA-B and -DR Matching on Heart Transplant Outcomes. <i>Transplantation Direct</i> , 2015 , 1, e38 | 2.3 | 4 |
| 173 | Developing a Competency-based Curriculum in Basic and Clinical Pharmacology--A Delphi Study among Physicians. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 117, 413-20 | 3.1 | 13 |
| 172 | Parental Awareness of Substance Use Among Adolescents in a Junior High School Sample. <i>Journal of Drug Issues</i> , 2015 , 45, 263-278 | 1.4 | 9 |
| 171 | Induction with anti-thymocyte globulin in heart transplantation is associated with better long-term survival compared with basiliximab. <i>Journal of Heart and Lung Transplantation</i> , 2015 , 34, 1283-91 | 5.8 | 37 |
| 170 | The International Heart Transplant Survival Algorithm (IHTSA): a new model to improve organ sharing and survival. <i>PLoS ONE</i> , 2015 , 10, e0118644 | 3.7 | 40 |
| 169 | Comparability of patients with ANCA-associated vasculitis enrolled in clinical trials or in observational cohorts. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S-77-83 | 2.2 | 13 |
| 168 | Area of ischemia assessed by physicians and software packages from myocardial perfusion scintigrams. <i>BMC Medical Imaging</i> , 2014 , 14, 5 | 2.9 | 6 |
| 167 | Effective dose from chest tomosynthesis in children. <i>Radiation Protection Dosimetry</i> , 2014 , 158, 290-8 | 0.9 | 7 |
| 166 | The rate and nature of medication errors among elderly upon admission to hospital after implementation of clinical pharmacist-led medication reconciliation. <i>European Journal of Hospital Pharmacy</i> , 2014 , 21, 156-160 | 1.6 | 3 |
| 165 | Secondary prevention and health promotion after stroke: can it be enhanced?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2287-95 | 2.8 | 13 |
| 164 | A long-term follow-up of clinical response and regional cerebral blood flow changes in depressed patients treated with ECT. <i>Journal of Affective Disorders</i> , 2014 , 167, 235-43 | 6.6 | 6 |
| 163 | Long-term follow-up of cyclophosphamide compared with azathioprine for initial maintenance therapy in ANCA-associated vasculitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1571-6 | 6.9 | 47 |

| | | | |
|-----|---|------|-----|
| 162 | Hepatitis C viremia patterns in incident hepatitis C infection and one year later in 150 prospectively tested persons who inject drugs. <i>PLoS ONE</i> , 2014 , 9, e97022 | 3.7 | 6 |
| 161 | Hybrid iterative reconstruction algorithm in brain CT: a radiation dose reduction and image quality assessment study. <i>Acta Radiologica</i> , 2014 , 55, 208-17 | 2 | 9 |
| 160 | Age, gender and tumour size predict work capacity after surgical treatment of vestibular schwannomas. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 106-11 | 5.5 | 7 |
| 159 | Small distal muscles and balance predict survival in end-stage renal disease. <i>Nephron Clinical Practice</i> , 2014 , 126, 116-23 | | 15 |
| 158 | Systemic effects of carbon dioxide insufflation technique for de-airing in left-sided cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 295-300 | 1.5 | 13 |
| 157 | Comparison of methods for evaluation of the suppressive effects of prednisolone on the HPA axis and bone turnover: changes in s-DHEAS are as sensitive as the ACTH test. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2014 , 52, 15-26 | 2 | 5 |
| 156 | Bone Scan Index: a prognostic imaging biomarker for high-risk prostate cancer patients receiving primary hormonal therapy. <i>EJNMMI Research</i> , 2013 , 3, 9 | 3.6 | 40 |
| 155 | Are 25 SNPs from the CARDIoGRAM study associated with ischaemic stroke?. <i>European Journal of Neurology</i> , 2013 , 20, 1284-91 | 6 | 13 |
| 154 | CODUSA--customize optimal donor using simulated annealing in heart transplantation. <i>Scientific Reports</i> , 2013 , 3, 1922 | 4.9 | 3 |
| 153 | Revisiting the classification of clinical phenotypes of anti-neutrophil cytoplasmic antibody-associated vasculitis: a cluster analysis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1003-10 | 2.4 | 141 |
| 152 | Long-term follow-up of patients with severe ANCA-associated vasculitis comparing plasma exchange to intravenous methylprednisolone treatment is unclear. <i>Kidney International</i> , 2013 , 84, 397-402 | 8.9 | 166 |
| 151 | In-hospital medication reviews reduce unidentified drug-related problems. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 647-55 | 2.8 | 30 |
| 150 | Reply: To PMID 22614882. <i>Arthritis and Rheumatism</i> , 2013 , 65, 844 | | 1 |
| 149 | Hybrid iterative reconstruction algorithm improves image quality in craniocervical CT angiography. <i>American Journal of Roentgenology</i> , 2013 , 201, W861-6 | 5.4 | 10 |
| 148 | A novel automated platform for quantifying the extent of skeletal tumour involvement in prostate cancer patients using the Bone Scan Index. <i>European Urology</i> , 2012 , 62, 78-84 | 10.2 | 123 |
| 147 | Risk factors for relapse of antineutrophil cytoplasmic antibody-associated vasculitis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 542-8 | | 223 |
| 146 | The effect of medication reconciliation in elderly patients at hospital discharge. <i>International Journal of Clinical Pharmacy</i> , 2012 , 34, 113-9 | 2.3 | 34 |
| 145 | Clinical implementation of systematic medication reconciliation and review as part of the Lund Integrated Medicines Management model--impact on all-cause emergency department revisits. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2012 , 37, 686-92 | 2.2 | 19 |

| | | | |
|-----|---|-----|-----|
| 144 | Description and validation of a scoring system for tomosynthesis in pulmonary cystic fibrosis. <i>European Radiology</i> , 2012 , 22, 2718-28 | 8 | 31 |
| 143 | Brief Report: long-term outcome of a randomized clinical trial comparing methotrexate to cyclophosphamide for remission induction in early systemic antineutrophil cytoplasmic antibody-associated vasculitis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 3472-7 | | 90 |
| 142 | Errors in medication history at hospital admission: prevalence and predicting factors. <i>BMC Clinical Pharmacology</i> , 2012 , 12, 9 | | 73 |
| 141 | Pulse versus daily oral cyclophosphamide for induction of remission in ANCA-associated vasculitis: long-term follow-up. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 955-60 | 2.4 | 278 |
| 140 | Referring physicians underestimate the extent of abnormalities in final reports from myocardial perfusion imaging. <i>EJNMMI Research</i> , 2012 , 2, 27 | 3.6 | 5 |
| 139 | Semi-automatic analysis of standard uptake values in serial PET/CT studies in patients with lung cancer and lymphoma. <i>BMC Medical Imaging</i> , 2012 , 12, 6 | 2.9 | 1 |
| 138 | GPB adherence to guidelines for cardiovascular disease among elderly: a quality development study. <i>Scientific World Journal, The</i> , 2012 , 2012, 767892 | 2.2 | 10 |
| 137 | Acceptance and importance of clinical pharmacists PLIMM-based recommendations. <i>International Journal of Clinical Pharmacy</i> , 2012 , 34, 272-6 | 2.3 | 30 |
| 136 | A large-sample assessment of possible association between ischaemic stroke and rs12188950 in the PDE4D gene. <i>European Journal of Human Genetics</i> , 2012 , 20, 783-9 | 5.3 | 13 |
| 135 | The hospital LIMM-based clinical pharmacy service improves the quality of the patient medication process and saves time. <i>European Journal of Hospital Pharmacy</i> , 2012 , 19, 375-377 | 1.6 | 8 |
| 134 | Primary and secondary glomerulonephritis I. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, ii182-ii196 | 4.3 | 2 |
| 133 | Clinical Nephrology - Epidemiology I. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, ii121-ii132 | 4.3 | 2 |
| 132 | Long-term patient survival in ANCA-associated vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 488-94 | 2.4 | 501 |
| 131 | Comparison of the effectiveness and safety of a new de-airing technique with a standardized carbon dioxide insufflation technique in open left heart surgery: a randomized clinical trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011 , 141, 1128-33 | 1.5 | 20 |
| 130 | Incidence of malignancy in patients treated for antineutrophil cytoplasm antibody-associated vasculitis: follow-up data from European Vasculitis Study Group clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1415-21 | 2.4 | 104 |
| 129 | The process of identifying, solving and preventing drug related problems in the LIMM-study. <i>International Journal of Clinical Pharmacy</i> , 2011 , 33, 1010-8 | 2.3 | 27 |
| 128 | Impact of the Lund Integrated Medicines Management (LIMM) model on medication appropriateness and drug-related hospital revisits. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 741-52 | 2.8 | 114 |
| 127 | High dose methotrexate treatment in children with acute lymphoblastic leukaemia may be optimised by a weight-based dose calculation. <i>Pediatric Blood and Cancer</i> , 2011 , 57, 41-6 | 3 | 12 |

| | | | |
|-----|--|------|-----|
| 126 | A model to predict cardiovascular events in patients with newly diagnosed Wegener's granulomatosis and microscopic polyangiitis. <i>Arthritis Care and Research</i> , 2011 , 63, 588-96 | 4.7 | 116 |
| 125 | Validation of a modified EuroSCORE risk stratification model for cardiac surgery: the Swedish experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2011 , 40, 185-91 | 3 | 5 |
| 124 | Mortality from peptic ulcer bleeding: the impact of comorbidity and the use of drugs that promote bleeding. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 801-10 | 6.1 | 28 |
| 123 | Gastrointestinal complications after cardiac surgery - improved risk stratification using a new scoring model. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2010 , 10, 366-70 | 1.8 | 18 |
| 122 | The modified Ross operation using a Dacron prosthetic vascular jacket does prevent pulmonary autograft dilatation at 4.5-year follow-up. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 928-33 | 3 | 21 |
| 121 | 69: Artificial Neural Networks [A Method for Optimal Donor-Recipient Matching. Large Scale Simulation of Survival after Heart Transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2010 , 29, S29-S29 | 5.8 | 2 |
| 120 | The effects of achieving hypothermia early in a heterogeneous population of patients with cardiac arrest. <i>International Journal of Cardiology</i> , 2010 , 145, 296-297 | 3.2 | 0 |
| 119 | Impact of aspirin, NSAIDs, warfarin, corticosteroids and SSRIs on the site and outcome of non-variceal upper and lower gastrointestinal bleeding. <i>Scandinavian Journal of Gastroenterology</i> , 2010 , 45, 1404-15 | 2.4 | 45 |
| 118 | Orally administered manganese with and without ascorbic acid as a liver-specific contrast agent and bowel marker for magnetic resonance imaging: phase I clinical trial assessing efficacy and safety. <i>Investigative Radiology</i> , 2010 , 45, 559-64 | 10.1 | 10 |
| 117 | Proghrelin peptides: Desacyl ghrelin is a powerful inhibitor of acylated ghrelin, likely to impair physiological effects of acyl ghrelin but not of obestatin A study of pancreatic polypeptide secretion from mouse islets. <i>Regulatory Peptides</i> , 2010 , 164, 65-70 | | 30 |
| 116 | Effects of 1 and 3 g cinnamon on gastric emptying, satiety, and postprandial blood glucose, insulin, glucose-dependent insulinotropic polypeptide, glucagon-like peptide 1, and ghrelin concentrations in healthy subjects. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 815-21 | 7 | 105 |
| 115 | Improved classifications of planar whole-body bone scans using a computer-assisted diagnosis system: a multicenter, multiple-reader, multiple-case study. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 368-75 | 8.9 | 54 |
| 114 | A new de-airing technique that reduces systemic microemboli during open surgery: a prospective controlled study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009 , 138, 157-62 | 1.5 | 17 |
| 113 | Self-esteem in a clinical sample of morbidly obese children and adolescents. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009 , 98, 153-8 | 3.1 | 16 |
| 112 | The effects of lipophilic substances on the shape of erythrocytes demonstrated by a new in vitro-method. <i>European Journal of Pharmaceutical Sciences</i> , 2009 , 36, 458-64 | 5.1 | 3 |
| 111 | Secondary prevention of hazardous alcohol consumption in psychiatric out-patients: a randomised controlled study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 1013-21 | 4.5 | 34 |
| 110 | Improved quality in the hospital discharge summary reduces medication errors--LIMM: Landskrona Integrated Medicines Management. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 1037-46 | 2.8 | 81 |
| 109 | A multi-intervention approach on drug therapy can lead to a more appropriate drug use in the elderly. LIMM-Landskrona Integrated Medicines Management. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 660-7 | 2.5 | 50 |

| | | | |
|-----|--|------|----|
| 108 | A structured questionnaire to assess patient compliance and beliefs about medicines taking into account the ordered categorical structure of data. <i>Journal of Evaluation in Clinical Practice</i> , 2009 , 15, 713-23 | 2.5 | 22 |
| 107 | Pentoxifylline and vitamin E treatment for prevention of radiation-induced side-effects in women with breast cancer: a phase two, double-blind, placebo-controlled randomised clinical trial (Ptx-5). <i>European Journal of Cancer</i> , 2009 , 45, 2488-95 | 7.5 | 51 |
| 106 | Lung function in the aging Swedish cystic fibrosis population. <i>Respiratory Medicine</i> , 2009 , 103, 1076-82 | 4.6 | 12 |
| 105 | On extending the indications for the use of therapeutic hypothermia. <i>Critical Care Medicine</i> , 2009 , 37, 2865; author reply 2866 | 1.4 | 1 |
| 104 | On extending the indications for the use of therapeutic hypothermia. <i>Critical Care Medicine</i> , 2009 , 37, 2865 | 1.4 | |
| 103 | Ischaemic stroke in hypertensive patients is associated with variations in the PDE4D genome region. <i>European Journal of Human Genetics</i> , 2008 , 16, 1117-25 | 5.3 | 24 |
| 102 | Family Weight School treatment: 1-year results in obese adolescents. <i>Pediatric Obesity</i> , 2008 , 3, 141-7 | | 32 |
| 101 | Effects of pentoxifylline and its metabolites on platelet aggregation in whole blood from healthy humans. <i>European Journal of Pharmacology</i> , 2008 , 581, 290-5 | 5.3 | 26 |
| 100 | The botanical integrity of wheat products influences the gastric distention and satiety in healthy subjects. <i>Nutrition Journal</i> , 2008 , 7, 12 | 4.3 | 28 |
| 99 | CPR with assisted extracorporeal life support. <i>Lancet, The</i> , 2008 , 372, 1878-1879 | 4.0 | 2 |
| 98 | QRS duration in patients hospitalized for worsening heart failure. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1879-80; author reply 1880-1 | 27.4 | |
| 97 | Wireless pH recording immediately above the squamocolumnar junction improves the diagnostic performance of esophageal pH studies. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2977-85 | 0.7 | 20 |
| 96 | Computer-assisted interpretation of planar whole-body bone scans. <i>Journal of Nuclear Medicine</i> , 2008 , 49, 1958-65 | 8.9 | 79 |
| 95 | Renal effects of aspirin are clearly dose-dependent and are of clinical importance from a dose of 160 mg. <i>European Journal of Heart Failure</i> , 2008 , 10, 892-8 | 12.3 | 19 |
| 94 | Letter by Hg̊lund and Nilsson regarding article, "influence of nonfatal hospitalization for heart failure on subsequent mortality in patients with chronic heart failure". <i>Circulation</i> , 2008 , 118, e7; author reply e8 | 16.7 | |
| 93 | Hand injuries and cold sensitivity: reliability and validity of cold sensitivity questionnaires. <i>Disability and Rehabilitation</i> , 2008 , 30, 1920-8 | 2.4 | 63 |
| 92 | Medication report reduces number of medication errors when elderly patients are discharged from hospital. <i>International Journal of Clinical Pharmacy</i> , 2008 , 30, 92-8 | | 43 |
| 91 | Validation of urinary excretion of cyclophosphamide as a biomarker of exposure by studying its renal clearance at high and low plasma concentrations in cancer patients. <i>International Archives of Occupational and Environmental Health</i> , 2008 , 81, 285-93 | 3.2 | 9 |

| | | | |
|----|---|------|-----|
| 90 | Clinical outcomes from the use of Medication Report when elderly patients are discharged from hospital. <i>International Journal of Clinical Pharmacy</i> , 2008 , 30, 840-5 | | 30 |
| 89 | Quality of planar whole-body bone scan interpretations--a nationwide survey. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008 , 35, 1464-72 | 8.8 | 66 |
| 88 | Methotrexate concentrations in cerebrospinal fluid and serum, and the risk of central nervous system relapse in children with acute lymphoblastic leukaemia. <i>Anti-Cancer Drugs</i> , 2007 , 18, 941-8 | 2.4 | 11 |
| 87 | Single chamber atrial pacing: a realistic option in sinus node disease: a long-term follow-up study of 213 patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 740-7 | 1.6 | 8 |
| 86 | Treatments with losartan or enalapril are equally sensitive to deterioration in renal function from cyclooxygenase inhibition. <i>European Journal of Heart Failure</i> , 2007 , 9, 191-6 | 12.3 | 8 |
| 85 | UGT1A polymorphisms in a Swedish cohort and a human diversity panel, and the relation to bilirubin plasma levels in males and females. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 829-37 ^{2.8} | | 36 |
| 84 | Risk factor identification and mortality prediction in cardiac surgery using artificial neural networks. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 132, 12-9 | 1.5 | 69 |
| 83 | Comparison of 19 pre-operative risk stratification models in open-heart surgery. <i>European Heart Journal</i> , 2006 , 27, 867-74 | 9.5 | 185 |
| 82 | Effects of educational outreach visits on prescribing of benzodiazepines and antipsychotic drugs to elderly patients in primary health care in southern Sweden. <i>Family Practice</i> , 2006 , 23, 60-4 | 1.9 | 25 |
| 81 | Inflammatory response in white adipose tissue in the non-obese hormone-sensitive lipase null mouse model. <i>Journal of Proteome Research</i> , 2006 , 5, 1701-10 | 5.6 | 22 |
| 80 | Apparent half-lives of hepta- to decabrominated diphenyl ethers in human serum as determined in occupationally exposed workers. <i>Environmental Health Perspectives</i> , 2006 , 114, 176-81 | 8.4 | 238 |
| 79 | A placebo-controlled study of retinal blood flow changes by pentoxifylline and metabolites in humans. <i>British Journal of Clinical Pharmacology</i> , 2006 , 61, 138-47 | 3.8 | 9 |
| 78 | Gastrointestinal complications after cardiac surgery. <i>British Journal of Surgery</i> , 2005 , 92, 326-33 | 5.3 | 62 |
| 77 | Perceived anxiety, depression, and sleeping problems in relation to psychotropic drug use among elderly in assisted-living facilities. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 215-24 | 2.8 | 8 |
| 76 | Medication errors when transferring elderly patients between primary health care and hospital care. <i>International Journal of Clinical Pharmacy</i> , 2005 , 27, 116-20 | | 70 |
| 75 | Cyclooxygenase inhibition causes marked impairment of renal function in elderly subjects treated with diuretics and ACE-inhibitors. <i>European Journal of Heart Failure</i> , 2005 , 7, 1049-56 | 12.3 | 30 |
| 74 | Prevalence of stroke and vascular risk factors among first-degree relatives of stroke patients and control subjects. A prospective consecutive study. <i>Cerebrovascular Diseases</i> , 2005 , 20, 381-7 | 3.2 | 22 |
| 73 | A pharmacokinetic and pharmacodynamic study of desmopressin: evaluating sex differences and the effect of pre-treatment with piroxicam, and further validation of an indirect response model. <i>Journal of Pharmacy and Pharmacology</i> , 2004 , 56, 1389-98 | 4.8 | 10 |

| | | | |
|----|---|------|-----|
| 72 | Acute administration of diclofenac, but possibly not long term low dose aspirin, causes detrimental renal effects in heart failure patients treated with ACE-inhibitors. <i>European Journal of Heart Failure</i> , 2004 , 6, 909-16 | 12.3 | 25 |
| 71 | Serum disposition of sertraline, N-desmethylsertraline and paroxetine: a pharmacokinetic evaluation of repeated drug concentration measurements during 6 months of treatment for major depression. <i>Human Psychopharmacology</i> , 2004 , 19, 283-91 | 2.3 | 35 |
| 70 | Rapid elimination by glomerular filtration of free prostate specific antigen and human kallikrein 2 after renal transplantation. <i>Journal of Urology</i> , 2004 , 171, 1432-5 | 2.5 | 23 |
| 69 | Early mortality in coronary bypass surgery: the EuroSCORE versus The Society of Thoracic Surgeons risk algorithm. <i>Annals of Thoracic Surgery</i> , 2004 , 77, 1235-9; discussion 1239-40 | 2.7 | 84 |
| 68 | EuroSCORE predicts intensive care unit stay and costs of open heart surgery. <i>Annals of Thoracic Surgery</i> , 2004 , 78, 1528-34 | 2.7 | 87 |
| 67 | Pharmacokinetics of thalidomide in patients with impaired renal function and while on and off dialysis. <i>Journal of Pharmacy and Pharmacology</i> , 2003 , 55, 1701-6 | 4.8 | 70 |
| 66 | High-dose methotrexate: on the relationship of methotrexate elimination time vs renal function and serum methotrexate levels in 1164 courses in 264 Swedish children with acute lymphoblastic leukaemia (ALL). <i>Cancer Chemotherapy and Pharmacology</i> , 2003 , 51, 311-20 | 3.5 | 47 |
| 65 | Pharmacotherapeutic interventions by a multi-specialty team: opinions of the general practitioners and nurses. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 65-9 | 2.8 | 2 |
| 64 | Psychotropic drugs in nursing- and old-age homes: relationships between needs of care and mental health status. <i>European Journal of Clinical Pharmacology</i> , 2003 , 59, 669-76 | 2.8 | 30 |
| 63 | Oral bioavailability of the antioxidant astaxanthin in humans is enhanced by incorporation of lipid based formulations. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 19, 299-304 | 5.1 | 162 |
| 62 | Lipid drug delivery and rational formulation design for lipophilic drugs with low oral bioavailability, applied to cyclosporine. <i>European Journal of Pharmaceutical Sciences</i> , 2003 , 20, 375-82 | 5.1 | 59 |
| 61 | ECL cell histamine mobilization studied by gastric submucosal microdialysis in awake rats: methodological considerations. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2003 , 93, 57-65 | | 16 |
| 60 | The influence of lithium on the antidiuretic effect of desmopressin. <i>Journal of Pharmacy and Pharmacology</i> , 2002 , 54, 1279-85 | 4.8 | |
| 59 | Stereoselective metabolism of pentoxifylline in vitro and in vivo in humans. <i>Chirality</i> , 2002 , 14, 643-52 | 2.1 | 38 |
| 58 | Descriptive study and pharmacotherapeutic intervention in patients with epilepsy or Parkinson's disease at nursing homes in southern Sweden. <i>European Journal of Clinical Pharmacology</i> , 2002 , 57, 903-10 | 2.8 | 29 |
| 57 | Gastrectomized rats respond with exaggerated hypercalcemia to oral and intravenous calcium loads because of impaired ability of bone to take up Ca ²⁺ . <i>Scandinavian Journal of Gastroenterology</i> , 2002 , 37, 523-30 | 2.4 | 8 |
| 56 | Diltiazem infusion for renal protection in cardiac surgical patients with preexisting renal dysfunction. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 294-9 | 2.1 | 53 |
| 55 | Clinical pharmacology of thalidomide. <i>European Journal of Clinical Pharmacology</i> , 2001 , 57, 365-76 | 2.8 | 202 |

| | | | |
|----|---|-----|-----|
| 54 | A new liposomal liver-specific contrast agent for CT: first human phase-I clinical trial assessing efficacy and safety. <i>European Radiology</i> , 2001 , 11, 698-704 | 8 | 33 |
| 53 | Intravenous formulations of the enantiomers of thalidomide: pharmacokinetic and initial pharmacodynamic characterization in man. <i>Journal of Pharmacy and Pharmacology</i> , 2000 , 52, 807-17 | 4.8 | 68 |
| 52 | Absorption and disposition including enterohepatic circulation of (14C) roquinimex after oral administration to healthy volunteers. <i>Biopharmaceutics and Drug Disposition</i> , 2000 , 21, 53-67 | 1.7 | 14 |
| 51 | Low bioavailability of rectally administered thalidomide. <i>American Journal of Health-System Pharmacy</i> , 2000 , 57, 1607-10 | 2.2 | 2 |
| 50 | CT and MR imaging of the liver. Clinical importance of nutritional status. <i>Acta Radiologica</i> , 2000 , 41, 151-5 | | 11 |
| 49 | Drug concentration effect relationship of estradiol from two matrix transdermal delivery systems: Menorest and Climara. <i>Maturitas</i> , 2000 , 35, 245-52 | 5 | 10 |
| 48 | Bioavailability of estradiol from two matrix transdermal delivery systems: Menorest and Climara. <i>Maturitas</i> , 2000 , 34, 57-64 | 5 | 16 |
| 47 | Elimination of S100B and renal function after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2000 , 14, 698-701 | 2.1 | 221 |
| 46 | Perceived problems of pharmacotherapy: a problem detection study among physicians and nurses at a Swedish university hospital. <i>International Journal of Clinical Pharmacy</i> , 1999 , 21, 190-3 | | 3 |
| 45 | Indirect-response modeling of desmopressin at different levels of hydration. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 1999 , 27, 513-29 | 2.7 | 12 |
| 44 | Pharmacokinetics and antidiuretic effect of a new vasopressin analogue (F992) in overhydrated male volunteers. <i>European Journal of Clinical Pharmacology</i> , 1999 , 55, 293-8 | 2.8 | 3 |
| 43 | Changes in gastrointestinal motility influence the absorption of desmopressin. <i>European Journal of Clinical Pharmacology</i> , 1999 , 55, 305-9 | 2.8 | 22 |
| 42 | Dissolution rate-limited absorption and complete bioavailability of roquinimex in man. <i>Biopharmaceutics and Drug Disposition</i> , 1999 , 20, 347-54 | 1.7 | 6 |
| 41 | Gastrointestinal damage induced by cytostatic treatment does not affect the bioavailability of co-trimoxazole. <i>Chemotherapy</i> , 1999 , 45, 399-404 | 3.2 | 2 |
| 40 | Hydroxylated metabolites of thalidomide: formation in-vitro and in-vivo in man. <i>Journal of Pharmacy and Pharmacology</i> , 1998 , 50, 1409-16 | 4.8 | 40 |
| 39 | A double-blind study of the sedative effects of the thalidomide enantiomers in humans. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 1998 , 26, 363-83 | | 44 |
| 38 | Pharmacokinetics and antidiuretic effect of intravenous administration of desmopressin in orally overhydrated male volunteers. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1998 , 83, 259-62 | | 11 |
| 37 | Mirtazapine oral single dose kinetics in patients with different degrees of renal failure. <i>Human Psychopharmacology</i> , 1998 , 13, 357-365 | 2.3 | 13 |

| | | | |
|----|---|-----|-----|
| 36 | Enantiomers of thalidomide: blood distribution and the influence of serum albumin on chiral inversion and hydrolysis. <i>Chirality</i> , 1998 , 10, 223-8 | 2.1 | 71 |
| 35 | New liposomal liver-specific contrast agent for CT: First human phase I clinical trial assessing efficacy and safety. <i>Academic Radiology</i> , 1998 , 5, S6-S9 | 4.3 | 12 |
| 34 | Human pharmacokinetics and modeling of the concentration-attenuation relationship of a new liposomal liver-specific contrast agent for CT. <i>Academic Radiology</i> , 1998 , 5 Suppl 1, S47-8; discussion S60-2 | 4.3 | 5 |
| 33 | Therapeutic Drug Monitoring (TDM) and Population Pharmacokinetics (PPK). <i>European Psychiatry</i> , 1997 , 12, 171s-171s | 6 | |
| 32 | Concentration-Effect Relationship after Intravenous Hydromorphone Administration: Use of An Effect Compartment Model and System Analysis to Minimize Hysteresis of Effects. <i>Pain Research and Management</i> , 1997 , 2, 167-172 | 2.6 | |
| 31 | Pharmacokinetics and pharmacodynamics of tolterodine in man: a new drug for the treatment of urinary bladder overactivity. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 1997 , 35, 287-95 | 2 | 77 |
| 30 | Analgesic and Nonanalgesic Effects of Intravenous Hydromorphone - Relation to Plasma Concentrations in Healthy Volunteers. <i>Pain Research and Management</i> , 1996 , 1, 86-92 | 2.6 | 5 |
| 29 | Passive drug diffusion via standardized skin mini-erosion; methodological aspects and clinical findings with new device. <i>Pharmaceutical Research</i> , 1996 , 13, 1354-9 | 4.5 | 22 |
| 28 | Cisplatin pharmacokinetics and pharmacodynamics in patients with squamous-cell carcinoma of the head/neck or esophagus. <i>Cancer Chemotherapy and Pharmacology</i> , 1996 , 39, 25-33 | 3.5 | 28 |
| 27 | Bioavailability of 1-deamino-8-D-arginine vasopressin with an enzyme inhibitor (aprotinin) from the small intestine in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 1996 , 50, 491-5 | 2.8 | 12 |
| 26 | The influence of preanalytical factors on concentrations of morphine and metabolites in patients receiving morphine. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1996 , 78, 82-5 | | 5 |
| 25 | Absorption of an oxytocin antagonist (antocin) and a vasopressin analogue (dDAVP) through a standardized skin erosion in volunteers. <i>Pharmaceutical Research</i> , 1995 , 12, 2024-9 | 4.5 | 5 |
| 24 | Plasma concentrations of morphine, morphine-3-glucuronide, and morphine-6-glucuronide after intravenous and oral administration to healthy volunteers: relationship to nonanalgesic actions. <i>Therapeutic Drug Monitoring</i> , 1995 , 17, 287-301 | 3.2 | 46 |
| 23 | Stereospecific determination, chiral inversion in vitro and pharmacokinetics in humans of the enantiomers of thalidomide. <i>Chirality</i> , 1995 , 7, 44-52 | 2.1 | 179 |
| 22 | Transdermal administration of morphine to healthy subjects. <i>British Journal of Clinical Pharmacology</i> , 1994 , 37, 571-6 | 3.8 | 26 |
| 21 | Morphine pharmacokinetics and effects on salivation and continuous reaction times in healthy volunteers. <i>Therapeutic Drug Monitoring</i> , 1993 , 15, 364-74 | 3.2 | 32 |
| 20 | Absolute bioavailability of an aqueous solution of 1-deamino-8-D-arginine vasopressin from different regions of the gastrointestinal tract in man. <i>European Journal of Clinical Pharmacology</i> , 1993 , 44, 473-6 | 2.8 | 23 |
| 19 | Pharmacokinetics of 1-deamino-8-D-arginine vasopressin after various routes of administration in healthy volunteers. <i>Clinical Endocrinology</i> , 1993 , 38, 177-82 | 3.4 | 111 |

| | | | |
|----|---|------|-----|
| 18 | Effect modelling for drugs undergoing enterohepatic circulation. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 1993 , 18, 333-8 | 2.7 | 7 |
| 17 | Disposition and pharmacokinetics of [¹⁴ C]finasteride after oral administration in humans. <i>Drug Metabolism and Disposition</i> , 1992 , 20, 148-55 | 4 | 35 |
| 16 | Assay of Theophylline. <i>Therapeutic Drug Monitoring</i> , 1991 , 13, 233-239 | 3.2 | 2 |
| 15 | Assay of theophylline: in vivo and in vitro evaluation of dry chemistry and immunoassay versus high-performance liquid chromatography. <i>Therapeutic Drug Monitoring</i> , 1991 , 13, 233-9 | 3.2 | |
| 14 | No effect of omeprazole-induced hypoacidity on the bioavailability of amoxicillin or bacampicillin. <i>Scandinavian Journal of Infectious Diseases</i> , 1989 , 21, 219-23 | | 26 |
| 13 | Pharmacokinetic comparison of two models of endocarditis prophylaxis with amoxicillin. <i>Scandinavian Journal of Infectious Diseases</i> , 1989 , 21, 669-73 | | 3 |
| 12 | Stereoselective interaction of omeprazole with warfarin in healthy men. <i>Therapeutic Drug Monitoring</i> , 1989 , 11, 176-84 | 3.2 | 104 |
| 11 | No effect of terodiline on anticoagulation effect of warfarin and steady-state plasma levels of warfarin enantiomers in healthy volunteers. <i>Therapeutic Drug Monitoring</i> , 1989 , 11, 667-73 | 3.2 | 24 |
| 10 | Pharmacokinetics of diltiazem and its metabolites after repeated multiple-dose treatments in healthy volunteers. <i>Therapeutic Drug Monitoring</i> , 1989 , 11, 543-50 | 3.2 | 5 |
| 9 | Pharmacokinetics of diltiazem and its metabolites after repeated single dosing in healthy volunteers. <i>Therapeutic Drug Monitoring</i> , 1989 , 11, 551-7 | 3.2 | 2 |
| 8 | Pharmacokinetics of diltiazem and its metabolites after single and multiple dosing in healthy volunteers. <i>Therapeutic Drug Monitoring</i> , 1989 , 11, 558-66 | 3.2 | 4 |
| 7 | Diltiazem in hypertensive patients with type II diabetes mellitus. <i>American Journal of Cardiology</i> , 1988 , 62, 114G-120G | 3 | 17 |
| 6 | Physiological disposition of intravenously administered ¹⁴ C-labeled diltiazem in healthy volunteers. <i>Therapeutic Drug Monitoring</i> , 1988 , 10, 401-9 | 3.2 | 11 |
| 5 | Combination of nitrates with other antianginal drugs. <i>Drugs</i> , 1987 , 33 Suppl 4, 43-8 | 12.1 | 3 |
| 4 | The interaction of erythromycin with theophylline. <i>European Journal of Clinical Pharmacology</i> , 1987 , 32, 493-8 | 2.8 | 31 |
| 3 | Liquid chromatographic determination of diltiazem and its metabolites using trans isomers as internal standards, with dynamic modification of the solid phase by addition of an amine to the mobile phase. <i>Biomedical Applications</i> , 1987 , 414, 109-20 | | 30 |
| 2 | Interaction between isoniazid and theophylline. <i>European Journal of Respiratory Diseases</i> , 1987 , 70, 110-6 | | 12 |
| 1 | No interaction between H ₂ blockers and isoniazid. <i>European Journal of Respiratory Diseases</i> , 1986 , 68, 286-90 | | 6 |

