Maria Jesus Garcia-Murria

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6413149/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cetylpyridinium chloride promotes disaggregation of SARS-CoV-2 virus-like particles. Journal of Oral Microbiology, 2022, 14, 2030094.	2.7	16
2	The SARS-CoV-2 envelope (E) protein has evolved towards membrane topology robustness. Biochimica Et Biophysica Acta - Biomembranes, 2021, 1863, 183608.	2.6	14
3	SARS-CoV-2 envelope protein topology in eukaryotic membranes. Open Biology, 2020, 10, 200209.	3.6	56
4	Viral Bcl2s' transmembrane domain interact with host Bcl2 proteins to control cellular apoptosis. Nature Communications, 2020, 11, 6056.	12.8	16
5	A Bimolecular Multicellular Complementation System for the Detection of Syncytium Formation: A New Methodology for the Identification of Nipah Virus Entry Inhibitors. Viruses, 2019, 11, 229.	3.3	10
6	The Role of Hydrophobic Mismatch on Transmembrane Helix Dimerization in Living Cells. Biophysical Journal, 2019, 116, 90a.	0.5	0
7	Dissecting the individual contribution of conserved cysteines to the redox regulation of RubisCO. Photosynthesis Research, 2018, 137, 251-262.	2.9	11
8	Proteomic composition of Nipah virus-like particles. Journal of Proteomics, 2018, 172, 190-200.	2.4	16
9	Differences in the Association of BH3-Only Proteins to Biological Membranes. Biophysical Journal, 2017, 112, 205a.	0.5	0
10	N-Linked Glycosylation of the p24 Family Protein p24δ5 Modulates Retrograde Golgi-to-ER Transport of K/HDEL Ligands in Arabidopsis. Molecular Plant, 2017, 10, 1095-1106.	8.3	8
11	Characterization of the inner membrane protein BB0173 from Borrelia burgdorferi. BMC Microbiology, 2017, 17, 219.	3.3	1
12	The role of hydrophobic matching on transmembrane helix packing in cells. Cell Stress, 2017, 1, 90-106.	3.2	37
13	The C-terminal Domains of Apoptotic BH3-only Proteins Mediate Their Insertion into Distinct Biological Membranes. Journal of Biological Chemistry, 2016, 291, 25207-25216.	3.4	14
14	The ER-Membrane Transport System Is Critical for Intercellular Trafficking of the NSm Movement Protein and Tomato Spotted Wilt Tospovirus. PLoS Pathogens, 2016, 12, e1005443.	4.7	87
15	Reversible inhibition of <scp>CO₂</scp> fixation by ribulose 1,5â€bisphosphate carboxylase/oxygenase through the synergic effect of arsenite and a monothiol. Plant, Cell and Environment, 2013, 36, 1160-1170.	5.7	5
16	Simple chemical tools to expand the range of proteomics applications. Journal of Proteomics, 2011, 74, 137-150.	2.4	9
17	REDOX PROPERTIES ARE CONSERVED IN RUBISCOS FROM DIATOMS AND GREEN ALGAE THROUGH A DIFFERENT PATTERN OF CYSTEINES ¹ . Journal of Phycology, 2010, 46, 516-524.	2.3	1
18	Structural and functional consequences of the replacement of proximal residues Cys172 and Cys192 in the large subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase from <i>Chlamydomonas reinhardtii</i> . Biochemical Journal, 2008, 411, 241-247.	3.7	11

#	Article	IF	CITATIONS
19	Redox modulation of Rubisco conformation and activity through its cysteine residues. Journal of Experimental Botany, 2007, 59, 1605-1614.	4.8	76