Yuan-Wen Duan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6414814/publications.pdf Version: 2024-02-01



YHAN-WEN DHAN

#	Article	IF	CITATIONS
1	Multiple lines of evidence supports the two varieties of Halenia elliptica (Gentianaceae) as two species. Plant Diversity, 2022, 44, 290-299.	3.7	5
2	Phenotypic Selection in Halenia elliptica D. Don (Gentianaceae), an Alpine Biennial with Mixed Mating System. Plants, 2022, 11, 1488.	3.5	0
3	Polyploidization and sexual dimorphism of floral traits in a subdioecious population of <i>Dasiphora glabra</i> . Journal of Plant Ecology, 2021, 14, 229-240.	2.3	2
4	Sexual conflict in protandrous flowers and the evolution of gynodioecy*. Evolution; International Journal of Organic Evolution, 2021, 75, 278-293.	2.3	10
5	Pollinator individualâ€based networks reveal the specialized plant–pollinator mutualism in two biodiverse communities. Ecology and Evolution, 2021, 11, 17509-17518.	1.9	3
6	Development of Microsatellite Markers for a Dioecious Herpetospermum pedunculosum (Cucurbitaceae). Evolutionary Bioinformatics, 2020, 16, 117693432090826.	1.2	2
7	Processes on reproductive ecology of plant species in the Qinghai-Xizang Plateau and adjacent highlands. Chinese Journal of Plant Ecology, 2020, 44, 1-21.	0.6	4
8	A century of pollination success revealed by herbarium specimens of seed pods. New Phytologist, 2019, 224, 1512-1517.	7.3	6
9	The coexistence of hermaphroditic and dioecious plants is associated with polyploidy and gender dimorphism in Dasiphora fruticosa. Plant Diversity, 2019, 41, 323-329.	3.7	2
10	Cell number explains the intraspecific spur-length variation in an Aquilegia species. Plant Diversity, 2019, 41, 307-314.	3.7	4
11	A Novel R2R3-MYB Transcription Factor Contributes to Petal Blotch Formation by Regulating Organ-Specific Expression of <i>PsCHS</i> in Tree Peony (<i>Paeonia suffruticosa</i>). Plant and Cell Physiology, 2019, 60, 599-611.	3.1	77
12	Equipped for Migrations Across High Latitude Regions? Reduced Spur Length and Outcrossing Rate in a Biennial Halenia elliptica (Gentianaceae) With Mixed Mating System Along a Latitude Gradient. Frontiers in Genetics, 2018, 9, 223.	2.3	9
13	Intensified wind pollination mediated by pollen dimorphism after range expansion in an ambophilous biennial <i>Aconitum gymnandrum</i> . Ecology and Evolution, 2017, 7, 541-549.	1.9	15
14	Differentiation in drought tolerance mirrors the geographic distributions of alpine plants on the Qinghai-Tibet Plateau and adjacent highlands. Scientific Reports, 2017, 7, 42466.	3.3	10
15	Evaluation of pollinator effectiveness based on pollen deposition and seed production in a gynodieocious alpine plant, <i>Cyananthus delavayi</i> . Ecology and Evolution, 2017, 7, 8156-8160.	1.9	15
16	High autonomous selfing capacity and low flower visitation rates in a subalpine population of Prunella vulgaris (Lamiaceae). Plant Ecology and Evolution, 2017, 150, 59-66.	0.7	9
17	Divergence in Eco-Physiological Responses to Drought Mirrors the Distinct Distribution of Chamerion angustifolium Cytotypes in the Himalaya–Hengduan Mountains Region. Frontiers in Plant Science, 2016, 7, 1329.	3.6	17
18	Changes of flowering phenology and flower size in rosaceous plants from a biodiversity hotspot in the past century. Scientific Reports, 2016, 6, 28302.	3.3	7

YUAN-WEN DUAN

#	Article	IF	CITATIONS
19	Reproductive isolation is mediated by pollen incompatibility in sympatric populations of two Arnebia species. Ecology and Evolution, 2015, 5, 5838-5846.	1.9	6
20	Flower evolution of alpine forbs in the open top chambers (OTCs) from the Qinghai-Tibet Plateau. Scientific Reports, 2015, 5, 10254.	3.3	4
21	Sexual interference in two <i>Chamerion</i> species with contrasting modes of movement herkogamy. Journal of Systematics and Evolution, 2014, 52, 355-362.	3.1	8
22	Evolutionary history and underlying adaptation of alpine plants on the Qinghai–Tibet Plateau. Journal of Systematics and Evolution, 2014, 52, 241-249.	3.1	180
23	Better than nothing: Evolution of autonomous selfing under strong inbreeding depression in an alpine annual from the Qinghai–Tibet Plateau. Journal of Systematics and Evolution, 2014, 52, 363-367.	3.1	10
24	Pollination Ecology of <i>Arnebia szechenyi</i> (Boraginaceae), a Chinese Endemic Perennial Characterized by Distyly and Heteromorphic Self-Incompatibility. Annales Botanici Fennici, 2014, 51, 297-304.	0.1	6
25	Pollen sensitivity to ultraviolet-B (UV-B) suggests floral structure evolution in alpine plants. Scientific Reports, 2014, 4, 4520.	3.3	33
26	Pollination ecology and its implication for conservation of an endangered perennial herb native to the East-Himalaya, Megacodon stylophorus (Gentianaceae). Plant Ecology and Evolution, 2012, 145, 356-362.	0.7	6
27	Selective seed abortion induced by nectar robbing in the selfing plant <i>Comastoma pulmonarium</i> . New Phytologist, 2011, 192, 249-255.	7.3	24
28	Delayed Selfing in an Alpine Biennial <i>Gentianopsis paludosa</i> (Gentianaceae) in the Qinghaiâ€Tibetan Plateau. Journal of Integrative Plant Biology, 2010, 52, 593-599.	8.5	37
29	Change in floral orientation in <i>Anisodus luridus</i> (Solanaceae) protects pollen grains and facilitates development of fertilized ovules. American Journal of Botany, 2010, 97, 1618-1624.	1.7	46
30	Pollinator Shift and Reproductive Performance of the Qinghai–Tibetan Plateau Endemic and Endangered Swertia przewalskii (Gentianaceae). Biodiversity and Conservation, 2007, 16, 1839-1850.	2.6	13
31	Reproductive ecology of the Qinghai-Tibet Plateau endemic Gentiana straminea (Gentianaceae), a hermaphrodite perennial characterized by herkogamy and dichogamy. Acta Oecologica, 2005, 27, 225-232.	1.1	41
32	Differences in floral traits and flower visitation rates in mating systems in Prunella vulgaris (Lamiaceae). Journal of Plant Ecology, 0, , .	2.3	2