Jian Zhang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6416496/jian-zhang-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83	1,046	18	28
papers	citations	h-index	g-index
86	1,278 ext. citations	5	4.12
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
83	3,23-Dihydroxy-12-ene-28-ursolic Acid Isolated from Alleviates NLRP3 Inflammasome-Mediated Gout via PI3K-AKT-mTOR-Dependent Autophagy <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 5541232	2.3	1
82	Development of Duramycin-Based Molecular Probes for Cell Death Imaging <i>Molecular Imaging and Biology</i> , 2022 , 1	3.8	0
81	Radioiodinated hypericin as a tracer for detection of acute myocardial infarction: SPECT-CT imaging in a swine model <i>Journal of Nuclear Cardiology</i> , 2022 , 1	2.1	O
80	Cyclocarya paliurus triterpenoids attenuate glomerular endothelial injury in the diabetic rats via ROCK pathway <i>Journal of Ethnopharmacology</i> , 2022 , 291, 115127	5	0
79	Cyclocarya paliurus triterpenoids suppress hepatic gluconeogenesis via AMPK-mediated cAMP/PKA/CREB pathway. <i>Phytomedicine</i> , 2022 , 154175	6.5	Ο
78	Direct Cyclopropanation of Quinolinium Zwitterionic Thiolates via Dearomative Reactions. <i>Journal of Organic Chemistry</i> , 2021 , 86, 15640-15647	4.2	2
77	Combining combretastatin A4 phosphate with ginsenoside Rd synergistically inhibited hepatocellular carcinoma by reducing HIF-1B ia PI3K/AKT/mTOR signalling pathway. <i>Journal of Pharmacy and Pharmacology</i> , 2021 , 73, 263-271	4.8	4
76	Laxative effect and mechanism of Tiantian Capsule on loperamide-induced constipation in rats. Journal of Ethnopharmacology, 2021 , 266, 113411	5	6
75	Untiring Pursuit for Glucarate-Based Molecular Imaging Probes. <i>Molecular Imaging and Biology</i> , 2021 , 23, 310-322	3.8	
74	Pyrrolo[2,3-b]pyridine-3-one derivatives as novel fibroblast growth factor receptor 4 inhibitors for the treatment of hepatocellular carcinoma. <i>Bioorganic and Medicinal Chemistry</i> , 2021 , 29, 115862	3.4	2
73	Design and Evaluation of Rhein-Based MRI Contrast Agents for Visualization of Tumor Necrosis Induced by Combretastatin A-4 Disodium Phosphate. <i>Molecular Imaging and Biology</i> , 2021 , 23, 220-229	3.8	1
7 2	Comparative study of the laxative effects of konjac oligosaccharides and konjac glucomannan on loperamide-induced constipation in rats. <i>Food and Function</i> , 2021 , 12, 7709-7717	6.1	0
71	Aloe vera mitigates dextran sulfate sodium-induced rat ulcerative colitis by potentiating colon mucus barrier. <i>Journal of Ethnopharmacology</i> , 2021 , 279, 114108	5	4
70	Arjunolic acid from Cyclocarya paliurus ameliorates nonalcoholic fatty liver disease in mice via activating Sirt1/AMPK, triggering autophagy and improving gut barrier function. <i>Journal of Functional Foods</i> , 2021 , 86, 104686	5.1	1
69	Imaging Cell Death: Focus on Early Evaluation of Tumor Response to Therapy. <i>Bioconjugate Chemistry</i> , 2020 , 31, 1025-1051	6.3	10
68	Molecular imaging of myocardial necrosis: an updated mini-review. <i>Journal of Drug Targeting</i> , 2020 , 28, 565-573	5.4	7
67	Discovery of necrosis avidity of rhein and its applications in necrosis imaging. <i>Journal of Drug Targeting</i> , 2020 , 28, 904-912	5.4	5

(2018-2020)

66	Tandem mass tag-based proteomic analysis reveals the treatment mechanism of Bushen Huoxue Formula on psychological stress-induced premature ovarian insufficiency. <i>Journal of Ethnopharmacology</i> , 2020 , 258, 112870	5	1	
65	Triterpenic acids-enriched fraction from Cyclocarya paliurus attenuates insulin resistance and hepatic steatosis via PI3K/Akt/GSK3[þathway. <i>Phytomedicine</i> , 2020 , 66, 153130	6.5	21	
64	A formal aza-Michael addition and [4+3] annulation reactions of dichloro-substituted haloamides with N-(2-chloromethyl)aryl) amides. <i>Tetrahedron Letters</i> , 2020 , 61, 152225	2	1	
63	extract attenuates hepatic lipid deposition in HepG2 cells by the lipophagy pathway. Pharmaceutical Biology, 2020 , 58, 838-844	3.8	6	
62	A [3 + 2] cycloaddition/C-arylation of isatin ,Scyclic azomethine imine 1,3-dipole with arynes <i>RSC Advances</i> , 2020 , 10, 30620-30623	3.7	6	
61	Synthesis and Evaluation of Ga-68-Labeled Rhein for Early Assessment of Treatment-Induced Tumor Necrosis. <i>Molecular Imaging and Biology</i> , 2020 , 22, 515-525	3.8	8	
60	Synthesis and Evaluation of Diindole-Based MRI Contrast Agent for In Vivo Visualization of Necrosis. <i>Molecular Imaging and Biology</i> , 2020 , 22, 593-601	3.8	3	
59	Ultrasensitive fluorescence detection of sequence-specific DNA via labeling hairpin DNA probes for fluorescein o-acrylate polymers. <i>Analytica Chimica Acta</i> , 2019 , 1088, 144-149	6.6	5	
58	Enhancing intratumoral biodistribution and antitumor activity of nab-paclitaxel through combination with a vascular disrupting agent, combretastatin A-4-phosphate. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 84, 1187-1194	3.5	5	
57	Target exploration of rhein as a small-molecule necrosis avid agent by post-treatment click modification. <i>New Journal of Chemistry</i> , 2019 , 43, 6121-6125	3.6	6	
56	Updated developments on molecular imaging and therapeutic strategies directed against necrosis. <i>Acta Pharmaceutica Sinica B</i> , 2019 , 9, 455-468	15.5	15	
55	Evaluation of necrosis avidity of radioiodinated 5-hydroxytryptophan and its potential applications in myocardial infarction imaging. <i>Chinese Chemical Letters</i> , 2019 , 30, 83-86	8.1	1	
54	Triterpenoids Improve Diabetes-Induced Hepatic Inflammation the Rho-Kinase-Dependent Pathway. <i>Frontiers in Pharmacology</i> , 2019 , 10, 811	5.6	11	
53	Rhein-based necrosis-avid MRI contrast agents for early evaluation of tumor response to microwave ablation therapy. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 2212-2224	4.4	6	
52	A dual signal amplification strategy combining thermally initiated SI-RAFT polymerization and DNA-templated silver nanoparticles for electrochemical determination of DNA. <i>Mikrochimica Acta</i> , 2019 , 187, 35	5.8	4	
51	Facile synthesis of 1,2,4,5-tetrahydro-1,4-benzodiazepin-3-ones via cyclization of N-alkoxy Ehalogenoacetamides with N-(2-chloromethyl)aryl amides. <i>Organic and Biomolecular Chemistry</i> , 2019 , 17, 9708-9711	3.9	7	
50	SPECT Imaging of Treatment-Related Tumor Necrosis Using Technetium-99m-Labeled Rhein. <i>Molecular Imaging and Biology</i> , 2019 , 21, 660-668	3.8	7	
49	Evaluation of Necrosis Avidity and Potential for Rapid Imaging of Necrotic Myocardium of Radioiodinated Hypocrellins. <i>Molecular Imaging and Biology</i> , 2018 , 20, 551-561	3.8	3	

48	DMAP-catalyzed alkylation of isatin N,N?-cyclic azomethine imine 1,3-dipoles with MoritaBaylisHillman carbonates. <i>New Journal of Chemistry</i> , 2018 , 42, 7025-7029	3.6	13
47	Evaluation of Radioiodinated 1,4-Naphthoquinones as Necrosis Avid Agents for Rapid Myocardium Necrosis Imaging. <i>Molecular Imaging and Biology</i> , 2018 , 20, 74-84	3.8	4
46	Tributylphosphane-promoted [3 + 2] annulation of 3-hydroxyoxindoles with acrylates: Synthesis of spirocyclic oxindole-lactones. <i>Journal of Saudi Chemical Society</i> , 2018 , 22, 27-33	4.3	3
45	I-Evans blue: evaluation of necrosis targeting property and preliminary assessment of the mechanism in animal models. <i>Acta Pharmaceutica Sinica B</i> , 2018 , 8, 390-400	15.5	2
44	First Evaluation of Radioiodinated Flavonoids as Necrosis-Avid Agents and Application in Early Assessment of Tumor Necrosis. <i>Molecular Pharmaceutics</i> , 2018 , 15, 207-215	5.6	4
43	Base-mediated [2 + 4] cycloadditions of in situ formed azaoxyallyl cations with N-(2-chloromethyl)aryl amides. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 7336-7339	3.9	19
42	Synthesis and Biological Evaluation of Rhein-Based MRI Contrast Agents for in Vivo Visualization of Necrosis. <i>Analytical Chemistry</i> , 2018 , 90, 13249-13256	7.8	11
41	Self [3 + 4] Cycloadditions of Isatin N, NSCyclic Azomethine Imine 1,3-Dipole with N-(o-Chloromethyl)aryl Amides. <i>Journal of Organic Chemistry</i> , 2018 , 83, 8410-8416	4.2	32
40	Preclinical Evaluation of Radioiodinated Hoechst 33258 for Early Prediction of Tumor Response to Treatment of Vascular-Disrupting Agents. <i>Contrast Media and Molecular Imaging</i> , 2018 , 2018, 5237950	3.2	5
39	Novel F-Labeled 1-Hydroxyanthraquinone Derivatives for Necrotic Myocardium Imaging. <i>ACS Medicinal Chemistry Letters</i> , 2017 , 8, 191-195	4.3	7
38	Radioiodinated hypericin disulfonic acid sodium salts as a DNA-binding probe for early imaging of necrotic myocardium. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017 , 117, 151-159	5.7	15
37	Paris polyphylla Suppresses Proliferation and Vasculogenic Mimicry of Human Osteosarcoma Cells and Inhibits Tumor Growth In Vivo. <i>The American Journal of Chinese Medicine</i> , 2017 , 45, 575-598	6	24
36	Radiolabeled Rhein as Small-Molecule Necrosis Avid Agents for Imaging of Necrotic Myocardium. Analytical Chemistry, 2017 , 89, 1260-1266	7.8	19
35	Discovery of Radioiodinated Monomeric Anthraquinones as a Novel Class of Necrosis Avid Agents for Early Imaging of Necrotic Myocardium. <i>Scientific Reports</i> , 2016 , 6, 21341	4.9	23
34	Effects of Glycosylation on Biodistribution and Imaging Quality of Necrotic Myocardium of Iodine-131-Labeled Sennidins. <i>Molecular Imaging and Biology</i> , 2016 , 18, 877-886	3.8	6
33	Effects of skeleton structure on necrosis targeting and clearance properties of radioiodinated dianthrones. <i>Journal of Drug Targeting</i> , 2016 , 24, 566-77	5.4	4
32	Synthesis and Evaluation of I-Skyrin as a Necrosis Avid Agent for Potential Targeted Radionuclide Therapy of Solid Tumors. <i>Molecular Pharmaceutics</i> , 2016 , 13, 180-189	5.6	10
31	Synthesis and Preclinical Evaluation of Radioiodinated Hypericin Dicarboxylic Acid as a Necrosis Avid Agent in Rat Models of Induced Hepatic, Muscular, and Myocardial Necroses. <i>Molecular Pharmaceutics</i> , 2016 , 13, 232-40	5.6	17

(2015-2016)

30	C21 steroidal glycosides from Cynanchum stauntonii induce apoptosis in HepG2 cells. <i>Steroids</i> , 2016 , 106, 55-61	2.8	11
29	Combretastatin-A4 phosphate improves the distribution and antitumor efficacy of albumin-bound paclitaxel in W256 breast carcinoma model. <i>Oncotarget</i> , 2016 , 7, 58133-58141	3.3	5
28	Improved therapeutic outcomes of thermal ablation on rat orthotopic liver allograft sarcoma models by radioiodinated hypericin induced necrosis targeted radiotherapy. <i>Oncotarget</i> , 2016 , 7, 5145	0-3746	51 ⁸
27	The chloroform extract of Cyclocarya paliurus attenuates high-fat diet induced non-alcoholic hepatic steatosis in Sprague Dawley rats. <i>Phytomedicine</i> , 2016 , 23, 1475-1483	6.5	25
26	Cyclocarya paliurus prevents high fat diet induced hyperlipidemia and obesity in Sprague-Dawley rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2015 , 93, 677-86	2.4	22
25	Antihyperlipidemic effect of Cyclocarya paliurus (Batal.) Iljinskaja extract and inhibition of apolipoprotein B48 overproduction in hyperlipidemic mice. <i>Journal of Ethnopharmacology</i> , 2015 , 166, 286-96	5	46
24	Radiopharmaceutical evaluation of (131)I-protohypericin as a necrosis avid compound. <i>Journal of Drug Targeting</i> , 2015 , 23, 417-26	5.4	10
23	Experimental evaluation of radioiodinated sennoside B as a necrosis-avid tracer agent. <i>Journal of Drug Targeting</i> , 2015 , 23, 180-90	5.4	7
22	Cholesterol-lowering effects and potential mechanisms of different polar extracts from Cyclocarya paliurus leave in hyperlipidemic mice. <i>Journal of Ethnopharmacology</i> , 2015 , 176, 17-26	5	57
21	Combretastatin A4 phosphate treatment induces vasculogenic mimicry formation of W256 breast carcinoma tumor in vitro and in vivo. <i>Tumor Biology</i> , 2015 , 36, 8499-510	2.9	11
20	Exploring diagnostic potentials of radioiodinated sennidin A in rat model of reperfused myocardial infarction. <i>International Journal of Pharmaceutics</i> , 2015 , 495, 31-40	6.5	7
19	Radiopharmaceutical study on Iodine-131-labelled hypericin in a canine model of hepatic RFA-induced coagulative necrosis. <i>Radiologia Medica</i> , 2015 , 120, 213-21	6.5	11
18	Sodium cholate, a solubilizing agent for the necrosis avid radioiodinated hypericin in rabbits with acute myocardial infarction. <i>Drug Delivery</i> , 2015 , 22, 427-35	7	11
17	Biliary and duodenal drainage for reducing the radiotoxic risk of antineoplastic 131I-hypericin in rat models. <i>Experimental Biology and Medicine</i> , 2015 , 240, 1764-73	3.7	3
16	Evaluation of hypericin: effect of aggregation on targeting biodistribution. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 215-22	3.9	31
15	Trapping effect on a small molecular drug with vascular-disrupting agent CA4P in rodent H22 hepatic tumor model: in vivo magnetic resonance imaging and postmortem inductively coupled plasma atomic emission spectroscopy. <i>Journal of Drug Targeting</i> , 2015 , 23, 436-43	5.4	7
14	Biodistribution and anti-tumor efficacy of intratumorally injected necrosis-avid theranostic agent radioiodinated hypericin in rodent tumor models. <i>Journal of Drug Targeting</i> , 2015 , 23, 371-9	5.4	7
13	Necrosis targeted radiotherapy with iodine-131-labeled hypericin to improve anticancer efficacy of vascular disrupting treatment in rabbit VX2 tumor models. <i>Oncotarget</i> , 2015 , 6, 14247-59	3.3	20

12	Tumor necrosis targeted radiotherapy of non-small cell lung cancer using radioiodinated protohypericin in a mouse model. <i>Oncotarget</i> , 2015 , 6, 26400-10	3.3	10
11	Hypericin as a marker for determination of myocardial viability in a rat model of myocardial infarction. <i>Photochemistry and Photobiology</i> , 2014 , 90, 867-72	3.6	11
10	Improvement of solubility and targetability of radioiodinated hypericin by using sodium cholate based solvent in rat models of necrosis. <i>Journal of Drug Targeting</i> , 2014 , 22, 304-12	5.4	14
9	Cyclocarya paliurus extract modulates adipokine expression and improves insulin sensitivity by inhibition of inflammation in mice. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 344-51	5	37
8	Radioiodinated hypericin: its biodistribution, necrosis avidity and therapeutic efficacy are influenced by formulation. <i>Pharmaceutical Research</i> , 2014 , 31, 278-90	4.5	16
7	Necrosis targeted combinational theragnostic approach using radioiodinated Sennidin A in rodent tumor models. <i>Oncotarget</i> , 2014 , 5, 2934-46	3.3	19
6	Antihyperglycemic, antihyperlipidemic and antioxidant effects of ethanol and aqueous extracts of Cyclocarya paliurus leaves in type 2 diabetic rats. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 1119-27	5	77
5	Necrosis affinity evaluation of 131I-hypericin in a rat model of induced necrosis. <i>Journal of Drug Targeting</i> , 2013 , 21, 604-10	5.4	18
4	Sequential systemic administrations of combretastatin A4 Phosphate and radioiodinated hypericin exert synergistic targeted theranostic effects with prolonged survival on SCID mice carrying bifocal tumor xenografts. <i>Theranostics</i> , 2013 , 3, 127-37	12.1	45
3	Exploring theranostic potentials of radioiodinated hypericin in rodent necrosis models. <i>Theranostics</i> , 2012 , 2, 1010-9	12.1	41
2	A dual-targeting anticancer approach: soil and seed principle. <i>Radiology</i> , 2011 , 260, 799-807	20.5	76
1	A new flavonol derivative from Fagopyrum dibotrys. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 701-703	30.7	5