

Won Gu Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6417387/publications.pdf>

Version: 2024-02-01

200
papers

5,341
citations

76326

40
h-index

128289

60
g-index

203
all docs

203
docs citations

203
times ranked

5011
citing authors

#	ARTICLE	IF	CITATIONS
1	Change of Serum Antithyroglobulin Antibody Levels Is Useful for Prediction of Clinical Recurrence in Thyroglobulin-Negative Patients with Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4683-4689.	3.6	179
2	Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1917-1925.	3.6	164
3	Coexistence of chronic lymphocytic thyroiditis is associated with lower recurrence rates in patients with papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2009, 71, 581-586.	2.4	151
4	Active Surveillance of Low-Risk Papillary Thyroid Microcarcinoma: A Multi-Center Cohort Study in Korea. <i>Thyroid</i> , 2018, 28, 1587-1594.	4.5	141
5	The Outcomes of First Reoperation for Locoregionally Recurrent/Persistent Papillary Thyroid Carcinoma in Patients Who Initially Underwent Total Thyroidectomy and Remnant Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 2049-2056.	3.6	105
6	Obesity is a risk factor for thyroid cancer in a large, ultrasonographically screened population. <i>European Journal of Endocrinology</i> , 2013, 168, 879-886.	3.7	98
7	Prognostic parameters for recurrence of papillary thyroid microcarcinoma. <i>BMC Cancer</i> , 2008, 8, 296.	2.6	93
8	Features Predictive of Distant Metastasis in Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2016, 26, 161-168.	4.5	91
9	Clinicopathological Significance of Minimal Extrathyroid Extension in Solitary Papillary Thyroid Carcinomas. <i>Annals of Surgical Oncology</i> , 2015, 22, 728-733.	1.5	89
10	Thyroid hormone receptors and cancer. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 3928-3936.	2.4	87
11	Thyroid Stimulating Hormone Reference Range and Prevalence of Thyroid Dysfunction in the Korean Population: Korea National Health and Nutrition Examination Survey 2013 to 2015. <i>Endocrinology and Metabolism</i> , 2017, 32, 106.	3.0	84
12	Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 1149-1155.	4.5	83
13	Development of thyroid dysfunction is associated with clinical response to PD-1 blockade treatment in patients with advanced non-small cell lung cancer. <i>Oncolmmunology</i> , 2018, 7, e1375642.	4.6	83
14	A comparison of lobectomy and total thyroidectomy in patients with papillary thyroid microcarcinoma: a retrospective individual risk factor-matched cohort study. <i>European Journal of Endocrinology</i> , 2017, 176, 371-378.	3.7	81
15	Quality of Life in Patients with Papillary Thyroid Microcarcinoma Managed by Active Surveillance or Lobectomy: A Cross-Sectional Study. <i>Thyroid</i> , 2019, 29, 956-962.	4.5	80
16	Dynamic Risk Stratification for Predicting Recurrence in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine Remnant Ablation Therapy. <i>Thyroid</i> , 2017, 27, 524-530.	4.5	74
17	Young Age and Male Sex Are Predictors of Large-Volume Central Neck Lymph Node Metastasis in Clinical NO Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2017, 27, 1285-1290.	4.5	73
18	Low Levels of Serum Vitamin D3 Are Associated with Autoimmune Thyroid Disease in Pre-Menopausal Women. <i>Thyroid</i> , 2014, 24, 655-661.	4.5	71

#	ARTICLE	IF	CITATIONS
19	Modified dynamic risk stratification for predicting recurrence using the response to initial therapy in patients with differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2014, 170, 23-30.	3.7	69
20	Clinical Characteristics of Primary Thyroid Lymphoma in Koreans. <i>Endocrine Journal</i> , 2009, 56, 399-405.	1.6	68
21	Current Status and Future Perspectives in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2014, 29, 217.	3.0	68
22	<i>NRAS</i> Codon 61 Mutation Is Associated with Distant Metastasis in Patients with Follicular Thyroid Carcinoma. <i>Thyroid</i> , 2014, 24, 1275-1281.	4.5	67
23	Genomic Alterations of Anaplastic Thyroid Carcinoma Detected by Targeted Massive Parallel Sequencing in a <i>BRAF</i> ^{V600E} Mutation-Prevalent Area. <i>Thyroid</i> , 2016, 26, 683-690.	4.5	66
24	Changes in Serum Thyroglobulin Levels After Lobectomy in Patients with Low-Risk Papillary Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 997-1003.	4.5	63
25	Concurrent occurrence of medullary thyroid carcinoma and papillary thyroid carcinoma in the same thyroid should be considered as coincidental. <i>Clinical Endocrinology</i> , 2010, 72, 256-263.	2.4	59
26	Long-Term Clinical Outcome of Differentiated Thyroid Cancer Patients with Undetectable Stimulated Thyroglobulin Level One Year After Initial Treatment. <i>Thyroid</i> , 2012, 22, 784-790.	4.5	58
27	Clinical Features of Early and Late Postoperative Hypothyroidism After Lobectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1317-1324.	3.6	57
28	Effects of Low-Dose and High-Dose Postoperative Radioiodine Therapy on the Clinical Outcome in Patients with Small Differentiated Thyroid Cancer Having Microscopic Extrathyroidal Extension. <i>Thyroid</i> , 2014, 24, 820-825.	4.5	56
29	Diet-Induced Obesity Increases Tumor Growth and Promotes Anaplastic Change in Thyroid Cancer in a Mouse Model. <i>Endocrinology</i> , 2013, 154, 2936-2947.	2.8	55
30	Papillary thyroid carcinoma arising from a thyroglossal duct cyst: a single institution experience. <i>Endocrine Journal</i> , 2013, 60, 665-670.	1.6	54
31	Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. <i>Clinical Endocrinology</i> , 2017, 86, 845-851.	2.4	53
32	Reactivation of the Silenced Thyroid Hormone Receptor $\beta 2$ Gene Expression Delays Thyroid Tumor Progression. <i>Endocrinology</i> , 2013, 154, 25-35.	2.8	49
33	Empiric High-Dose ¹³¹ Iodine Therapy Lacks Efficacy for Treated Papillary Thyroid Cancer Patients with Detectable Serum Thyroglobulin, but Negative Cervical Sonography and ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography Scan. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1169-1173.	3.6	48
34	Excessive Iodine Intake and Thyrotropin Reference Interval: Data from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2017, 27, 967-972.	4.5	48
35	Radiofrequency ablation of primary thyroid carcinoma: efficacy according to the types of thyroid carcinoma. <i>International Journal of Hyperthermia</i> , 2018, 34, 611-616.	2.5	48
36	Thyrotropin Suppressive Therapy for Low-Risk Small Thyroid Cancer: A Propensity Score-Matched Cohort Study. <i>Thyroid</i> , 2017, 27, 1164-1170.	4.5	46

#	ARTICLE	IF	CITATIONS
37	Redifferentiation Therapy with 13-cis Retinoic Acids in Radioiodine-Resistant Thyroid Cancer. <i>Endocrine Journal</i> , 2009, 56, 105-112.	1.6	45
38	Recent Changes in the Clinical Outcome of Papillary Thyroid Carcinoma With Cervical Lymph Node Metastasis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3470-3477.	3.6	45
39	Lobectomy Is Feasible for 1-4cm Papillary Thyroid Carcinomas: A 10-Year Propensity Score Matched-Pair Analysis on Recurrence. <i>Thyroid</i> , 2019, 29, 64-70.	4.5	45
40	Do aggressive variants of papillary thyroid carcinoma have worse clinical outcome than classic papillary thyroid carcinoma?. <i>European Journal of Endocrinology</i> , 2018, 179, 135-142.	3.7	44
41	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 642-649.	4.5	44
42	Optimal cut-off age in the TNM Staging system of differentiated thyroid cancer: is 55 years better than 45 years?. <i>Clinical Endocrinology</i> , 2017, 86, 438-443.	2.4	43
43	Tertiary Care Experience of Sorafenib in the Treatment of Progressive Radioiodine-Refractory Differentiated Thyroid Carcinoma: A Korean Multicenter Study. <i>Thyroid</i> , 2018, 28, 340-348.	4.5	42
44	Inhibition of Tumorigenesis by the Thyroid Hormone Receptor β in Xenograft Models. <i>Thyroid</i> , 2014, 24, 260-269.	4.5	41
45	Clinical outcomes after delayed thyroid surgery in patients with papillary thyroid microcarcinoma. <i>European Journal of Endocrinology</i> , 2017, 177, 25-31.	3.7	40
46	<i>BRAF</i> and <i>RAS</i> Mutational Status in Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features and Invasive Subtype of Encapsulated Follicular Variant of Papillary Thyroid Carcinoma in Korea. <i>Thyroid</i> , 2018, 28, 504-510.	4.5	40
47	Influence of coexistent Hashimoto's thyroiditis on the extent of cervical lymph node dissection and prognosis in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018, 88, 123-128.	2.4	40
48	SKI-606, an Src Inhibitor, Reduces Tumor Growth, Invasion, and Distant Metastasis in a Mouse Model of Thyroid Cancer. <i>Clinical Cancer Research</i> , 2012, 18, 1281-1290.	7.0	39
49	Thyroglobulin Level in Fine-Needle Aspirates for Preoperative Diagnosis of Cervical Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma: Two Different Cutoff Values According to Serum Thyroglobulin Level. <i>Thyroid</i> , 2015, 25, 410-416.	4.5	39
50	Practical Initial Risk Stratification Based on Lymph Node Metastases in Pediatric and Adolescent Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 193-200.	4.5	38
51	A Relook at the T Stage of Differentiated Thyroid Carcinoma with a Focus on Gross Extrathyroidal Extension. <i>Thyroid</i> , 2019, 29, 202-208.	4.5	37
52	Standardized Thyroid Cancer Mortality in Korea between 1985 and 2010. <i>Endocrinology and Metabolism</i> , 2014, 29, 530.	3.0	36
53	Active Surveillance of Papillary Thyroid Microcarcinoma: Where Do We Stand?. <i>European Thyroid Journal</i> , 2019, 8, 298-306.	2.4	35
54	Alpha lipoic acid inhibits proliferation and epithelial mesenchymal transition of thyroid cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2016, 419, 113-123.	3.2	34

#	ARTICLE	IF	CITATIONS
55	Prognosis of Differentiated Thyroid Carcinoma with Initial Distant Metastasis: A Multicenter Study in Korea. <i>Endocrinology and Metabolism</i> , 2018, 33, 287.	3.0	34
56	Effects of different doses of radioactive iodine for remnant ablation on successful ablation and on long-term recurrences in patients with differentiated thyroid carcinoma. <i>Nuclear Medicine Communications</i> , 2011, 32, 954-959.	1.1	33
57	Adjuvant Radioactive Therapy after Reoperation for Locoregionally Recurrent Papillary Thyroid Cancer in Patients Who Initially Underwent Total Thyroidectomy and High-Dose Remnant Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3695-3700.	3.6	33
58	Early prognostic factors at the time of diagnosis of bone metastasis in patients with bone metastases of differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2016, 175, 165-172.	3.7	33
59	Low Lymphocyte-to-Monocyte Ratios Are Associated with Poor Overall Survival in Anaplastic Thyroid Carcinoma Patients. <i>Thyroid</i> , 2019, 29, 824-829.	4.5	33
60	Disease-Specific Mortality of Differentiated Thyroid Cancer Patients in Korea: A Multicenter Cohort Study. <i>Endocrinology and Metabolism</i> , 2017, 32, 434.	3.0	31
61	Time trend in tumour size and characteristics of anaplastic thyroid carcinoma. <i>Clinical Endocrinology</i> , 2012, 77, 459-464.	2.4	30
62	Clinical course and prognostic factors in patients with malignant pheochromocytoma and paraganglioma: A single institution experience. <i>Journal of Surgical Oncology</i> , 2015, 112, 815-821.	1.7	29
63	Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. <i>Thyroid</i> , 2017, 27, 773-777.	4.5	29
64	Preoperative Clinical and Sonographic Predictors for Lateral Cervical Lymph Node Metastases in Sporadic Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 362-368.	4.5	29
65	Follicular and Hurthle cell carcinoma of the thyroid in iodine-sufficient area: retrospective analysis of Korean multicenter data. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 325.	1.7	29
66	Metformin blocks progression of obesity-activated thyroid cancer in a mouse model. <i>Oncotarget</i> , 2016, 7, 34832-34844.	1.8	28
67	Prognostic Implication of N1b Classification in the Eighth Edition of the Tumor-Node-Metastasis Staging System of Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 496-503.	4.5	28
68	Association between thyroid autoimmunity and Helicobacter pylori infection. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 309-313.	1.7	28
69	Serum thyroid-stimulating hormone levels and smoking status: Data from the Korean National Health and Nutrition Examination Survey <sc>VI</sc>. <i>Clinical Endocrinology</i> , 2018, 88, 969-976.	2.4	26
70	Metformin Is Associated with a Favorable Outcome in Diabetic Patients with Cervical Lymph Node Metastasis of Differentiated Thyroid Cancer. <i>European Thyroid Journal</i> , 2015, 4, 181-188.	2.4	25
71	Mechanisms Linking Obesity and Thyroid Cancer Development and Progression in Mouse Models. <i>Hormones and Cancer</i> , 2018, 9, 108-116.	4.9	25
72	The influence of the BRAF V600E mutation in thyroid cancer cell lines on the anticancer effects of 5-aminoimidazole-4-carboxamide-ribonucleoside. <i>Journal of Endocrinology</i> , 2011, 211, 79-85.	2.6	24

#	ARTICLE	IF	CITATIONS
73	Usefulness of Measuring Thyroid Stimulating Antibody at the Time of Antithyroid Drug Withdrawal for Predicting Relapse of Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 300.	3.0	24
74	Long-Term Consequence of Elevated Thyroglobulin in Differentiated Thyroid Cancer. <i>Thyroid</i> , 2013, 23, 58-63.	4.5	23
75	Association Between Expression of X-Linked Inhibitor of Apoptosis Protein and the Clinical Outcome in a <i>BRAF</i> ^{V600E} -Prevalent Papillary Thyroid Cancer Population. <i>Thyroid</i> , 2014, 24, 689-694.	4.5	23
76	Dynamic risk stratification for medullary thyroid cancer according to the response to initial therapy. <i>Endocrine</i> , 2016, 53, 174-181.	2.3	23
77	Changes in standardized mortality rates from thyroid cancer in Korea between 1985 and 2015: Analysis of Korean national data. <i>Cancer</i> , 2017, 123, 4808-4814.	4.1	23
78	Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>PLoS ONE</i> , 2016, 11, e0167756.	2.5	22
79	Genetic profile of advanced thyroid cancers in relation to distant metastasis. <i>Endocrine-Related Cancer</i> , 2020, 27, 285-293.	3.1	22
80	Reference interval for thyrotropin in a ultrasonography screened Korean population. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 335.	1.7	22
81	Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. <i>Endocrine</i> , 2017, 58, 332-339.	2.3	20
82	Comparison of Immunohistochemistry and Direct Sanger Sequencing for Detection of the <i>BRAF</i> ^{V600E} Mutation in Thyroid Neoplasm. <i>Endocrinology and Metabolism</i> , 2018, 33, 62.	3.0	20
83	Association Between Thyroid Dysfunction and Lipid Profiles Differs According to Age and Sex: Results from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2018, 28, 849-856.	4.5	20
84	A cutoff value of basal serum calcitonin for detecting macroscopic medullary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 82, 598-603.	2.4	19
85	Changing trends in the clinicopathological features and clinical outcomes of medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2016, 113, 152-158.	1.7	19
86	Serum vitamin D3 levels are not associated with thyroid cancer prevalence in euthyroid subjects without autoimmune thyroid disease. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 102-108.	1.7	19
87	The role of Slit2 as a tumor suppressor in thyroid cancer. <i>Molecular and Cellular Endocrinology</i> , 2019, 483, 87-96.	3.2	18
88	Interobserver Reproducibility in Sonographic Measurement of Diameter and Volume of Papillary Thyroid Microcarcinoma. <i>Thyroid</i> , 2021, 31, 452-458.	4.5	18
89	Alpha-lipoic acid induces sodium iodide symporter expression in TPC-1 thyroid cancer cell line. <i>Nuclear Medicine and Biology</i> , 2012, 39, 1275-1280.	0.6	17
90	Differentiating the location of cervical lymph node metastasis is very useful for estimating the risk of distant metastases in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2014, 81, 593-599.	2.4	17

#	ARTICLE	IF	CITATIONS
91	Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>Annals of Surgical Oncology</i> , 2017, 24, 2596-2602.	1.5	17
92	A Follow-Up Strategy for Patients with an Excellent Response to Initial Therapy for Differentiated Thyroid Carcinoma: Less Is Better. <i>Thyroid</i> , 2018, 28, 187-192.	4.5	17
93	Extended Real-World Observation of Patients Treated with Sorafenib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Impact of Lenvatinib Salvage Treatment: A Korean Multicenter Study. <i>Thyroid</i> , 2019, 29, 1804-1810.	4.5	17
94	Impact of tumor-associated macrophages and BRAF ^{V600E} mutation on clinical outcomes in patients with various thyroid cancers. <i>Head and Neck</i> , 2019, 41, 686-691.	2.0	17
95	Immune Profiling of Advanced Thyroid Cancers Using Fluorescent Multiplex Immunohistochemistry. <i>Thyroid</i> , 2021, 31, 61-67.	4.5	17
96	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Microcarcinoma: A Multicenter Cohort Study in Korea. <i>Thyroid</i> , 2021, 31, 1494-1501.	4.5	17
97	High Phosphoglycerate Dehydrogenase Expression Induces Stemness and Aggressiveness in Thyroid Cancer. <i>Thyroid</i> , 2020, 30, 1625-1638.	4.5	17
98	Lenvatinib Compared with Sorafenib as a First-Line Treatment for Radioactive Iodine-Refractory, Progressive, Differentiated Thyroid Carcinoma: Real-World Outcomes in a Multicenter Retrospective Cohort Study. <i>Thyroid</i> , 2023, 33, 91-99.	4.5	17
99	Low Prevalence of Somatic TERT Promoter Mutations in Classic Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2016, 31, 100.	3.0	16
100	Thyroid Incidentalomas Detected on ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography with Computed Tomography: Malignant Risk Stratification and Management Plan. <i>Thyroid</i> , 2018, 28, 762-768.	4.5	16
101	Mitofusin-2 modulates the epithelial to mesenchymal transition in thyroid cancer progression. <i>Scientific Reports</i> , 2021, 11, 2054.	3.3	16
102	Basal STAT3 activities are negatively correlated with tumor size in papillary thyroid carcinomas. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 413-8.	3.3	16
103	Association between neck ultrasonographic findings and clinicopathological features in the follicular variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 83, 968-976.	2.4	15
104	Lack of Associations between Body Mass Index and Clinical Outcomes in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2015, 30, 305.	3.0	15
105	Molecular Diagnosis Using Residual Liquid-Based Cytology Materials for Patients with Nondiagnostic or Indeterminate Thyroid Nodules. <i>Endocrinology and Metabolism</i> , 2016, 31, 586.	3.0	15
106	The value of preoperative antithyroidperoxidase antibody as a novel predictor of recurrence in papillary thyroid carcinoma. <i>International Journal of Cancer</i> , 2019, 144, 1414-1420.	5.1	15
107	Mutational profile of papillary thyroid microcarcinoma with extensive lymph node metastasis. <i>Endocrine</i> , 2019, 64, 130-138.	2.3	15
108	Genetic Profiles of Aggressive Variants of Papillary Thyroid Carcinomas. <i>Cancers</i> , 2021, 13, 892.	3.7	15

#	ARTICLE	IF	CITATIONS
109	Usefulness of NRAS codon 61 mutation analysis and core needle biopsy for the diagnosis of thyroid nodules previously diagnosed as atypia of undetermined significance. <i>Endocrine</i> , 2016, 52, 305-312.	2.3	14
110	Initial Size of Metastatic Lesions Is Best Prognostic Factor in Patients with Metastatic Differentiated Thyroid Carcinoma Confined to the Lung. <i>Thyroid</i> , 2017, 27, 49-58.	4.5	14
111	When should antithyroid drug therapy to reduce the relapse rate of hyperthyroidism in Graves's disease be discontinued?. <i>Endocrine</i> , 2019, 65, 348-356.	2.3	14
112	Long-term clinical outcomes of papillary thyroid carcinoma patients with biochemical incomplete response. <i>Endocrine</i> , 2020, 67, 623-629.	2.3	14
113	Real-world experience of lenvatinib in patients with advanced anaplastic thyroid cancer. <i>Endocrine</i> , 2021, 71, 427-433.	2.3	14
114	SHMT2 expression as a diagnostic and prognostic marker for thyroid cancer. <i>Endocrine Connections</i> , 2021, 10, 630-636.	1.9	14
115	Negative Expression of CPSF2 Predicts a Poorer Clinical Outcome in Patients with Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 1020-1025.	4.5	13
116	Clinicopathological Features Associated With the Prognosis of Patients With Adrenal Cortical Carcinoma. <i>Medicine (United States)</i> , 2016, 95, e3736.	1.0	13
117	Age-specific reference interval of serum TSH levels is high in adolescence in an iodine excess area: Korea national health and nutrition examination survey data. <i>Endocrine</i> , 2017, 57, 445-454.	2.3	13
118	Myxoid and Sarcomatoid Variants of Adrenocortical Carcinoma: Analysis of Rare Variants in Single Tertiary Care Center. <i>Journal of Korean Medical Science</i> , 2017, 32, 764.	2.5	13
119	Decreasing Disease-Specific Mortality of Differentiated Thyroid Cancer in Korea: A Multicenter Cohort Study. <i>Thyroid</i> , 2018, 28, 1121-1127.	4.5	13
120	Risk of Malignancy According to the Sub-classification of Atypia of Undetermined Significance and Suspicious Follicular Neoplasm Categories in Thyroid Core Needle Biopsies. <i>Endocrine Pathology</i> , 2019, 30, 146-154.	9.0	13
121	Preoperative clinicopathological characteristics of patients with solitary encapsulated follicular variants of papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2017, 116, 746-755.	1.7	12
122	Dynamic Risk Stratification in Stage I Papillary Thyroid Cancer Patients Younger Than 45 Years of Age. <i>Thyroid</i> , 2017, 27, 1400-1407.	4.5	12
123	Eighth edition of tumor-node-metastasis staging system improve survival predictability for papillary, but not follicular thyroid carcinoma: A multicenter cohort study. <i>Oral Oncology</i> , 2018, 87, 97-103.	1.5	12
124	Individualized Follow-Up Strategy for Patients with an Indeterminate Response to Initial Therapy for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 209-215.	4.5	12
125	Prognostic role of the lymphocyte-to-monocyte ratio for clinical outcomes of patients with progressive radioiodine-refractory differentiated thyroid carcinoma treated by sorafenib. <i>Clinical Endocrinology</i> , 2020, 92, 71-76.	2.4	12
126	Sub-Classification of Lateral Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma by Pathologic Criteria. <i>PLoS ONE</i> , 2015, 10, e0133625.	2.5	11

#	ARTICLE	IF	CITATIONS
127	Steroid receptor coactivator-3 as a target for anaplastic thyroid cancer. <i>Endocrine-Related Cancer</i> , 2020, 27, 209-220.	3.1	11
128	Association between urinary sodium levels and iodine status in Korea. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 392-399.	1.7	11
129	Positive Cytology Findings and a Negative Histological Diagnosis of Papillary Thyroid Carcinoma in the Thyroid: Is It a False-Positive Cytology or a Disappearing Tumor. <i>European Thyroid Journal</i> , 2013, 2, 203-10.	2.4	10
130	Tumour growth rate of follicular thyroid carcinoma is not different from that of follicular adenoma. <i>Clinical Endocrinology</i> , 2018, 88, 936-942.	2.4	10
131	Determining Whether Tumor Volume Doubling Time and Growth Rate Can Predict Malignancy After Delayed Diagnostic Surgery of Follicular Neoplasm. <i>Thyroid</i> , 2019, 29, 1418-1424.	4.5	10
132	Clinical Significance of Gross Invasion of Strap Muscles in Patients With 1- to 4-cm-Sized Papillary Thyroid Carcinoma Undergoing Lobectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 4466-4471.	1.5	10
133	Modified Transverse-Vertical Gross Examination: a Better Method for the Detection of Definite Capsular Invasion in Encapsulated Follicular-Patterned Thyroid Neoplasms. <i>Endocrine Pathology</i> , 2019, 30, 106-112.	9.0	10
134	Tumor Growth Rate Does Not Predict Malignancy in Surgically Resected Thyroid Nodules Classified as Bethesda Category III with Architectural Atypia. <i>Thyroid</i> , 2019, 29, 216-221.	4.5	10
135	Comparison of Different Staging Systems for Predicting Recurrence of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2011, 26, 53.	3.0	10
136	Quality of Life in Patients with Papillary Thyroid Microcarcinoma According to Treatment: Total Thyroidectomy with or without Radioactive Iodine Ablation. <i>Endocrinology and Metabolism</i> , 2020, 35, 115.	3.0	10
137	Unmet Clinical Needs in the Treatment of Patients with Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2020, 35, 14.	3.0	10
138	Clinical Implication of World Health Organization Classification in Patients with Follicular Thyroid Carcinoma in South Korea: A Multicenter Cohort Study. <i>Endocrinology and Metabolism</i> , 2020, 35, 618-627.	3.0	10
139	Solitary Skin Metastasis of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2014, 29, 579.	3.0	9
140	Comparison of Thyroglobulin Measurements Using Three Different Immunoassay Kits: A BRAMHS Tg-Plus RIA Kit, a BRAMHS hTg Sensitive Kryptor Kit, and a Beckman Coulter ACCESS Immunoassay Kit. <i>Endocrinology and Metabolism</i> , 2016, 31, 462.	3.0	9
141	Impact of delayed radioiodine therapy in intermediate- to high-risk papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2019, 91, 449-455.	2.4	9
142	Dsg2-mediated c-Met activation in anaplastic thyroid cancer motility and invasion. <i>Endocrine-Related Cancer</i> , 2020, 27, 601-614.	3.1	9
143	Association between STAT1 activity and BRAF mutations in papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2012, 106, 719-723.	1.7	7
144	Changes in the Pulmonary Function Test after Radioactive Iodine Treatment in Patients with Pulmonary Metastases of Differentiated Thyroid Cancer. <i>PLoS ONE</i> , 2015, 10, e0125114.	2.5	7

#	ARTICLE	IF	CITATIONS
145	Mutation Profile of Aggressive Pheochromocytoma and Paraganglioma with Comparison of TCGA Data. <i>Cancers</i> , 2021, 13, 2389.	3.7	7
146	Growth Kinetics of Macronodular Lung Metastases and Survival in Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 915-922.	4.5	7
147	Clinical Outcomes after Early and Delayed Radioiodine Remnant Ablation in Patients with Low-Risk Papillary Thyroid Carcinoma: Propensity Score Matching Analysis. <i>Endocrinology and Metabolism</i> , 2020, 35, 830-837.	3.0	7
148	Mutation in Genes Encoding Key Functional Groups Additively Increase Mortality in Patients with BRAFV600E-Mutant Advanced Papillary Thyroid Carcinoma. <i>Cancers</i> , 2021, 13, 5846.	3.7	7
149	Effect of TSH levels during active surveillance of PTMC according to age. <i>Endocrine-Related Cancer</i> , 2022, 29, 191-200.	3.1	7
150	Effects of dabrafenib and erlotinib combination treatment on anaplastic thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2022, 29, 307-319.	3.1	7
151	Modification of the eight-edition tumor-node-metastasis staging system with N1b for papillary thyroid carcinoma: A multi-institutional cohort study. <i>Oral Oncology</i> , 2018, 86, 48-52.	1.5	6
152	Time trends of thyroglobulin antibody in ablated papillary thyroid carcinoma patients: Can we predict the rate of negative conversion?. <i>Oral Oncology</i> , 2019, 91, 29-34.	1.5	6
153	Expression of <i>NF2</i> Modulates the Progression of <i>BRAF</i> ^{V600E} Mutated Thyroid Cancer Cells. <i>Endocrinology and Metabolism</i> , 2019, 34, 203.	3.0	6
154	Association of KCNJ2 Genetic Variants with Susceptibility to Thyrotoxic Periodic Paralysis in Patients with Graves's Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 75-78.	1.2	5
155	Refining the tumor-node-metastasis staging system for individualized treatment of differentiated thyroid carcinoma. <i>Oral Oncology</i> , 2019, 89, 8-13.	1.5	5
156	Gender-Dependent Reference Range of Serum Calcitonin Levels in Healthy Korean Adults. <i>Endocrinology and Metabolism</i> , 2021, 36, 365-373.	3.0	5
157	Modification of the Tumor-Node-Metastasis Staging System for Differentiated Thyroid Carcinoma by Considering Extra-Thyroidal Extension and Lateral Cervical Lymph Node Metastasis. <i>Endocrinology and Metabolism</i> , 2020, 35, 149.	3.0	5
158	Clinicopathological Characteristics and Disease-Free Survival in Patients with H ¹⁴ rthle Cell Carcinoma: A Multicenter Cohort Study in South Korea. <i>Endocrinology and Metabolism</i> , 2021, 36, 1078-1085.	3.0	5
159	Comparison of 99mTc Pertechnetate Thyroid Uptake Rates by Gamma Probe and Gamma Camera Methods for Differentiating Graves's Disease and Thyroiditis. <i>Nuclear Medicine and Molecular Imaging</i> , 2022, 56, 42-51.	1.0	5
160	Clinical Outcomes of Persistent Radioiodine Uptake in the Neck Shown by Diagnostic Whole Body Scan in Patients with Differentiated Thyroid Carcinoma after Initial Surgery and Remnant Ablation. <i>Clinical Endocrinology</i> , 2010, 73, 257-63.	2.4	4
161	Postoperative Findings of the Cytological Diagnosis of Follicular Neoplasm or H ¹⁴ rthle Cell Neoplasm and the Risk of Malignancy. <i>Endocrinology and Metabolism</i> , 2010, 25, 316.	3.0	4
162	Four Cases of Malignant Pleural Effusion in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2011, 26, 330.	3.0	4

#	ARTICLE	IF	CITATIONS
163	Expression of X-linked Inhibitor of Apoptosis Protein in Neoplastic Thyroid Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 1191.	2.5	4
164	Thyrotoxic Periodic Paralysis and Polymorphisms of the <i>ADRB2</i> , <i>AR</i> , and <i>GABRA3</i> Genes in Men with Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 142.	3.0	4
165	Development of Tracheoesophageal Fistula after the Use of Sorafenib in Locally Advanced Papillary Thyroid Carcinoma: a Case Report. <i>International Journal of Thyroidology</i> , 2016, 9, 210.	0.1	4
166	Clinical Outcomes of Differentiated Thyroid Cancer Patients with Local Recurrence or Distant Metastasis Detected in Old Age. <i>Endocrinology and Metabolism</i> , 2018, 33, 459.	3.0	4
167	Modified risk stratification based on cervical lymph node metastases following lobectomy for papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2020, 92, 358-365.	2.4	4
168	Clinical implications of age and excellent response to therapy in patients with high-risk differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2021, 95, 882-890.	2.4	4
169	The effect of 5-aminoimidazole-4-carboxamide-ribonucleoside was mediated by p38 mitogen activated protein kinase signaling pathway in FRO thyroid cancer cells. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 474.	1.7	4
170	Death-Associated Protein Kinase 1 Inhibits Progression of Thyroid Cancer by Regulating Stem Cell Markers. <i>Cells</i> , 2021, 10, 2994.	4.1	4
171	Sex-Dependent Association between Weight Change and Thyroid Dysfunction: Population-Level Analysis Using the Korean National Health and Nutrition Examination Survey. <i>European Thyroid Journal</i> , 2019, 8, 202-207.	2.4	3
172	Recent Trends in the Clinicopathological Features of Thyroid Nodules in Pediatric Patients: A Single Tertiary Center Experience over 25 Years. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-8.	1.5	3
173	Estimating the Growth Rate of Lung Metastases in Differentiated Thyroid Carcinoma: Response Evaluation Criteria in Solid Tumors or Doubling Time?. <i>Thyroid</i> , 2020, 30, 418-424.	4.5	3
174	Active Surveillance as an Effective Management Option for Low-Risk Papillary Thyroid Microcarcinoma. <i>Endocrinology and Metabolism</i> , 2021, 36, 717-724.	3.0	3
175	CAG Repeats in the Androgen Receptor Polymorphism do not Correlate with Thyrotoxic Periodic Paralysis. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 117.	0.1	3
176	Time Trends Analysis of Characteristics of Patients with Thyroid Cancer in a Single Medical Center. <i>Journal of Korean Thyroid Association</i> , 2014, 7, 159.	0.2	2
177	Comparison of Thyroid Hormones in Euthyroid Athyreotic Patients Treated with Levothyroxine and Euthyroid Healthy Subjects. <i>International Journal of Thyroidology</i> , 2019, 12, 28.	0.1	2
178	A Case of Carcinoma Showing Thymus-Like Differentiation (CASTLE) in the Thyroid. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 272.	0.1	2
179	Immunoglobulin G4-Related Thyroid Disease: A Single-Center Experience and Literature Review. <i>Endocrinology and Metabolism</i> , 2022, 37, 312-322.	3.0	2
180	Response: Thyroid Stimulating Hormone Reference Range and Prevalence of Thyroid Dysfunction in the Korean Population: Korea National Health and Nutrition Examination Survey 2013 to 2015 (<i>Endocrinol Metab</i> 2017;32:106-14, Won Gu Kim et al.). <i>Endocrinology and Metabolism</i> , 2017, 32, 304.	3.0	1

#	ARTICLE	IF	CITATIONS
181	Genomic alterations of anaplastic thyroid carcinoma detected by targeted massive parallel sequencing of a BRAFV600E mutation-prevalent area. <i>Endocrine Abstracts</i> , 0, , .	0.0	1
182	Effects of Simvastatin on the Growth and Invasion of Anaplastic Thyroid Cancer Cells Lines. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 238.	0.1	1
183	Association of Serum Progranulin Levels with Progression of Papillary Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2020, 35, 288-289.	3.0	1
184	Limitations of fine-needle aspiration and core needle biopsies in the diagnosis of tall cell variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2023, 98, 110-116.	2.4	1
185	Alpha-Lipoic Acid Decreases Iodine Uptake in the Rat Thyroid Cell Line FRTL-5. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 39.	0.2	0
186	Understanding of Cancer Cell Metabolism and Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2015, 8, 147.	0.1	0
187	Association between Serum Gamma-Glutamyl Transferase and Thyroid Cancer in an Ultrasonographically Screened Population. <i>Journal of Korean Thyroid Association</i> , 2015, 8, 75.	0.2	0
188	Clinicopathological Implications of the BRAFV600E Mutation in PTC with Concurrent Hashimoto Thyroiditis. <i>International Journal of Thyroidology</i> , 2016, 9, 29.	0.1	0
189	Management of Hypertension and Proteinuria after Treatment with Lenvatinib for Radioiodine Refractory Papillary Thyroid Carcinoma: a Case Report. <i>International Journal of Thyroidology</i> , 2018, 11, 78.	0.1	0
190	Mutational Profile of Metastatic Pheochromocytoma and Paraganglioma. <i>Journal of the Endocrine Society</i> , 2021, 5, A71-A71.	0.2	0
191	Effects of Peroxisome Proliferator-Activated Receptor (PPAR) Delta on the Growth and Invasion of a Thyroid Cancer Cell Line. <i>Journal of Korean Endocrine Society</i> , 2009, 24, 25.	0.1	0
192	Effects of α -lipoic Acid on Differentiation of Thyroid Cancer Cells. <i>Journal of Korean Endocrine Society</i> , 2010, 25, 28.	0.1	0
193	Response: Effects of α -lipoic Acid on Differentiation of Thyroid Cancer Cells. <i>Endocrinology and Metabolism</i> , 2010, 25, 246.	3.0	0
194	Factors Influencing Peripheral Conversion of Thyroxine to Tri-Iodothyronine in Athyreotic Individuals during Levothyroxine Replacement. <i>Endocrinology and Metabolism</i> , 2010, 25, 119.	3.0	0
195	The Long-Term Clinical Outcome of Differentiated Thyroid Carcinoma Patients Who Initially Underwent Total Thyroidectomy and Remnant Ablation, and with Undetectable Stimulated Thyroglobulin Level One Year after Remnant Ablation. , 2011, , P3-656-P3-656.		0
196	The long-term clinical outcome of differentiated thyroid cancer patients with undetectable stimulated thyroglobulin level at one year after initial treatment. <i>Thyroid</i> , 0, , 120328072216008.	4.5	0
197	Clinical usefulness of dynamic risk stratification in medullary thyroid cancer. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
198	MON-494 Quality of Life in Patients with Papillary Thyroid Microcarcinoma According to the Treatment: Total Thyroidectomy Versus Total Thyroidectomy with Radioactive Iodine Remnant Ablation. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.2	0

#	ARTICLE	IF	CITATIONS
199	Clinical Outcomes of N1b Papillary Thyroid Cancer Patients Treated with Two Different Doses of Radioiodine Ablation Therapy. <i>Endocrinology and Metabolism</i> , 2020, 35, 602-609.	3.0	0
200	Graves's disease diagnosed in remnant thyroid after lobectomy for thyroid cancer. <i>PLoS ONE</i> , 2022, 17, e0265332.	2.5	0