

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6417553/wendy-e-hoy-publications-by-citations.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

272 papers	9,669 citations	46 h-index	89 g-index
290 ext. papers	10,857 ext. citations	5.4 avg, IF	6.03 L-index

#	Paper	IF	Citations
272	Glomerular number and size in autopsy kidneys: the relationship to birth weight. <i>Kidney International</i> , <b>2003</b> , 63, 2113-22	9.9	566
271	Effect of fetal and child health on kidney development and long-term risk of hypertension and kidney disease. <i>Lancet, The</i> , <b>2013</b> , 382, 273-83	4.0	325
270	Human nephron number: implications for health and disease. <i>Pediatric Nephrology</i> , <b>2011</b> , 26, 1529-33	3.2	315
269	Biomarkers in chronic kidney disease: a review. <i>Kidney International</i> , <b>2011</b> , 80, 806-21	9.9	268
268	A stereological study of glomerular number and volume: preliminary findings in a multiracial study of kidneys at autopsy. <i>Kidney International</i> , <b>2003</b> , S31-7	9.9	256
267	A new dimension to the Barker hypothesis: low birthweight and susceptibility to renal disease. <i>Kidney International</i> , <b>1999</b> , 56, 1072-7	9.9	240
266	Cyclosporine in patients with steroid-resistant membranous nephropathy: a randomized trial. <i>Kidney International</i> , <b>2001</b> , 59, 1484-90	9.9	236
265	Nephron number, hypertension, renal disease, and renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2005</b> , 16, 2557-64	12.7	231
264	Hypertension, glomerular number, and birth weight in African Americans and white subjects in the southeastern United States. <i>Kidney International</i> , <b>2006</b> , 69, 671-8	9.9	215
263	Accelerated maturation and abnormal morphology in the preterm neonatal kidney. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2011</b> , 22, 1365-74	12.7	213
262	A randomized trial of cyclosporine in patients with steroid-resistant focal segmental glomerulosclerosis. North America Nephrotic Syndrome Study Group. <i>Kidney International</i> , <b>1999</b> , 56, 2220-6	9.9	209
261	Reduced nephron number and glomerulomegaly in Australian Aborigines: a group at high risk for renal disease and hypertension. <i>Kidney International</i> , <b>2006</b> , 70, 104-10	9.9	192
260	Captopril reduces the risk of nephropathy in IDDM patients with microalbuminuria. The Microalbuminuria Captopril Study Group. <i>Diabetologia</i> , <b>1996</b> , 39, 587-93	10.3	190
259	The multidimensional nature of renal disease: rates and associations of albuminuria in an Australian Aboriginal community. <i>Kidney International</i> , <b>1998</b> , 54, 1296-304	9.9	160
258	Predictors of the progression of renal insufficiency in patients with insulin-dependent diabetes and overt diabetic nephropathy. The Collaborative Study Group. <i>Kidney International</i> , <b>1996</b> , 50, 1651-8	9.9	157
257	Nephron number, glomerular volume, renal disease and hypertension. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2008</b> , 17, 258-65	3.5	146
256	Renal injury associated with intravenous pyelography in nondiabetic and diabetic patients. <i>Annals of Internal Medicine</i> , <b>1978</b> , 89, 51-4	8	130

255	Regional variation in the incidence of end-stage renal disease in Indigenous Australians. <i>Medical Journal of Australia</i> , <b>2001</b> , 175, 24-7	4	124
254	Post-streptococcal glomerulonephritis is a strong risk factor for chronic kidney disease in later life. <i>Kidney International</i> , <b>2012</b> , 81, 1026-1032	9.9	112
253	A common RET variant is associated with reduced newborn kidney size and function. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2008</b> , 19, 2027-34	12.7	108
252	Waist circumference, body mass index, hip circumference and waist-to-hip ratio as predictors of cardiovascular disease in Aboriginal people. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 888-93	5.2	106
251	An epidemic of renal failure among Australian Aborigines. <i>Medical Journal of Australia</i> , <b>1998</b> , 168, 537-41	4	104
250	Low birth weight and reduced renal volume in Aboriginal children. <i>American Journal of Kidney Diseases</i> , <b>2001</b> , 37, 915-20	7.4	103
249	Glomerular number and size variability and risk for kidney disease. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2011</b> , 20, 7-15	3.5	98
248	Associations of glomerular number and birth weight with clinicopathological features of African Americans and whites. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 52, 18-28	7.4	94
247	Childhood post-streptococcal glomerulonephritis as a risk factor for chronic renal disease in later life. <i>Medical Journal of Australia</i> , <b>2001</b> , 174, 492-6	4	93
246	Determinants of glomerular volume in different cortical zones of the human kidney. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2005</b> , 16, 3102-9	12.7	87
245	Low birthweight and renal disease in Australian aborigines. <i>Lancet, The</i> , <b>1998</b> , 352, 1826-7	40	80
244	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , <b>2005</b> , 182, 66-69	4	80
243	The natural history of renal disease in Australian Aborigines. Part 2. Albuminuria predicts natural death and renal failure. <i>Kidney International</i> , <b>2001</b> , 60, 249-56	9.9	75
242	Reducing premature death and renal failure in Australian Aborigines. <i>Medical Journal of Australia</i> , <b>2000</b> , 172, 473-479	4	71
241	Kidney volume, blood pressure, and albuminuria: findings in an Australian aboriginal community. <i>American Journal of Kidney Diseases</i> , <b>2004</b> , 43, 254-9	7.4	70
240	Setting up chronic disease programs: perspectives from Aboriginal Australia. <i>Ethnicity and Disease</i> , <b>2006</b> , 16, S2-73-8	1.8	70
239	Assessment of renal functional maturation and injury in preterm neonates during the first month of life. <i>American Journal of Physiology - Renal Physiology</i> , <b>2014</b> , 307, F149-58	4.3	68
238	Taming the chronic kidney disease epidemic: a global view of surveillance efforts. <i>Kidney International</i> , <b>2014</b> , 86, 246-50	9.9	67

237	Exploring the pathways leading from disadvantage to end-stage renal disease for indigenous Australians. <i>Social Science and Medicine</i> , <b>2004</b> , 58, 767-85	5.1	67
236	A health profile of adults in a Northern Territory aboriginal community, with an emphasis on preventable morbidities. <i>Australian and New Zealand Journal of Public Health</i> , <b>1997</b> , 21, 121-6	2.3	66
235	Hypertension, glomerular hypertrophy and nephrosclerosis: the effect of race. <i>Nephrology Dialysis Transplantation</i> , <b>2014</b> , 29, 1399-409	4.3	61
234	The natural history of renal disease in Australian Aborigines. Part 1. Changes in albuminuria and glomerular filtration rate over time. <i>Kidney International</i> , <b>2001</b> , 60, 243-8	9.9	60
233	Renal function and cardiovascular risk markers in a remote Australian Aboriginal community. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 1555-61	4.3	59
232	Glomerular size and glomerulosclerosis in Australian aborigines. <i>American Journal of Kidney Diseases</i> , <b>2000</b> , 36, 481-9	7.4	56
231	Repeated ethanol exposure during late gestation decreases nephron endowment in fetal sheep. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2008</b> , 295, R568-74	3.2	51
230	Delayed referral to a nephrologist: outcomes among patients who survive at least one year on dialysis. <i>Medical Journal of Australia</i> , <b>2002</b> , 177, 135-8	4	49
229	Podocyte Number in Children and Adults: Associations with Glomerular Size and Numbers of Other Glomerular Resident Cells. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2015</b> , 26, 2277-88	12.7	48
228	Epidemic renal disease of unknown etiology in the Zuni Indians. <i>American Journal of Kidney Diseases</i> , <b>1987</b> , 9, 485-96	7.4	48
227	Albuminuria: marker or target in indigenous populations. <i>Kidney International</i> , <b>2004</b> , S25-31	9.9	46
226	Renal transplantation for Indigenous Australians: identifying the barriers to equitable access. <i>Ethnicity and Health</i> , <b>2003</b> , 8, 111-9	2.2	44
225	The early development of the kidney and implications for future health. <i>Journal of Developmental Origins of Health and Disease</i> , <b>2010</b> , 1, 216-33	2.4	43
224	Body size measurements as predictors of type 2 diabetes in Aboriginal people. <i>International Journal of Obesity</i> , <b>2004</b> , 28, 1580-4	5.5	43
223	Reduction in natural death and renal failure from a systematic screening and treatment program in an Australian Aboriginal community. <i>Kidney International</i> , <b>2003</b> , S66-73	9.9	43
222	C-reactive protein, cardiovascular risk, and renal disease in a remote Australian Aboriginal community. <i>Clinical Science</i> , <b>2004</b> , 106, 121-8	6.5	43
221	Deficiency of T and B lymphocytes in uremic subjects and partial improvement with maintenance hemodialysis. <i>Nephron</i> , <b>1978</b> , 20, 182-8	3.3	43
220	Glomerular size and glomerulosclerosis: relationships to disease categories, glomerular solidification, and ischemic obsolescence. <i>American Journal of Kidney Diseases</i> , <b>2002</b> , 39, 679-88	7.4	42

219	Nonmelanoma skin carcinoma in Albuquerque, New Mexico: experience of a major health care provider. <i>Cancer</i> , <b>1996</b> , 77, 2489-95	6.4	42
218	CKD in Aboriginal Australians. <i>American Journal of Kidney Diseases</i> , <b>2010</b> , 56, 983-93	7.4	41
217	End-stage renal disease in indigenous Australians: a disease of disadvantage. <i>Ethnicity and Disease</i> , <b>2002</b> , 12, 373-8	1.8	41
216	The association between birthweight and current blood pressure: a cross-sectional study in an Australian Aboriginal community. <i>Medical Journal of Australia</i> , <b>2003</b> , 179, 532-5	4	40
215	Estimating the total incidence of kidney failure in Australia including individuals who are not treated by dialysis or transplantation. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 61, 413-9	7.4	39
214	Quantifying the excess risk for proteinuria, hypertension and diabetes in Australian Aborigines: comparison of profiles in three remote communities in the Northern Territory with those in the AusDiab study. <i>Australian and New Zealand Journal of Public Health</i> , <b>2007</b> , 31, 177-83	2.3	39
213	New insights on glomerular hyperfiltration: a Japanese autopsy study. <i>JCI Insight</i> , <b>2017</b> , 2,	9.9	39
212	Human podocyte depletion in association with older age and hypertension. <i>American Journal of Physiology - Renal Physiology</i> , <b>2016</b> , 310, F656-F668	4.3	39
211	The prevalence and epidemiology of genetic renal disease amongst adults with chronic kidney disease in Australia. <i>Orphanet Journal of Rare Diseases</i> , <b>2014</b> , 9, 98	4.2	37
210	Social disadvantage and variation in the incidence of end-stage renal disease in Australian capital cities. <i>Australian and New Zealand Journal of Public Health</i> , <b>2001</b> , 25, 322-6	2.3	37
209	Accurate assessment of kidney function in indigenous Australians: the estimated GFR study. <i>American Journal of Kidney Diseases</i> , <b>2012</b> , 60, 680-2	7.4	36
208	Renal biopsy findings among Indigenous Australians: a nationwide review. <i>Kidney International</i> , <b>2012</b> , 82, 1321-31	9.9	36
207	Validation of self-reported cigarette smoking in a remote Australian Aboriginal community. <i>Australian and New Zealand Journal of Public Health</i> , <b>2003</b> , 27, 57-60	2.3	36
206	Chronic kidney disease mortality trends in selected Central America countries, 1997-2013: clues to an epidemic of chronic interstitial nephritis of agricultural communities. <i>Journal of Epidemiology and Community Health</i> , <b>2018</b> , 72, 280-286	5.1	34
205	International Network of Chronic Kidney Disease cohort studies (iNET-CKD): a global network of chronic kidney disease cohorts. <i>BMC Nephrology</i> , <b>2016</b> , 17, 121	2.7	34
204	Birthweight and natural deaths in a remote Australian Aboriginal community. <i>Medical Journal of Australia</i> , <b>2010</b> , 192, 14-9	4	34
203	A chronic disease outreach program for Aboriginal communities. <i>Kidney International</i> , <b>2005</b> , S76-82	9.9	34
202	Eosinophilia in maintenance hemodialysis patients. <i>Journal of Dialysis</i> , <b>1979</b> , 3, 73-87		34

201	Studies on cytophilic antibodies. V. Alloantibodies cytophilic for mouse macrophages. <i>The Australian Journal of Experimental Biology and Medical Science</i> , <b>1969</b> , 47, 525-39		34
200	Hypertension, dyslipidemia, body mass index, diabetes and smoking status in Aboriginal Australians in a remote community. <i>Ethnicity and Disease</i> , <b>2003</b> , 13, 324-30	1.8	34
199	A comparison of nephron number, glomerular volume and kidney weight in Senegalese Africans and African Americans. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 1514-20	4.3	33
198	Nephron number and individual glomerular volumes in male Caucasian and African American subjects. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2428-33	4.3	33
197	Renal pathology, glomerular number and volume in a West African urban community. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 2576-85	4.3	33
196	Distribution of volumes of individual glomeruli in kidneys at autopsy: association with physical and clinical characteristics and with ethnic group. <i>American Journal of Nephrology</i> , <b>2011</b> , 33 Suppl 1, 15-20	4.6	31
195	Anthropometric measurements of Australian Aboriginal adults living in remote areas: comparison with nationally representative findings. <i>American Journal of Human Biology</i> , <b>2008</b> , 20, 317-24	2.7	31
194	Carotid intima-media thickness, cardiovascular risk factors and albuminuria in a remote Australian Aboriginal community. <i>Atherosclerosis</i> , <b>2004</b> , 177, 423-31	3.1	31
193	Transmission of strongyloidiasis by kidney transplant? Disseminated strongyloidiasis in both recipients of kidney allografts from a single cadaver donor. <i>JAMA - Journal of the American Medical Association</i> , <b>1981</b> , 246, 1937-1939	27.4	31
192	Does nephron number matter in the development of kidney disease?. <i>Ethnicity and Disease</i> , <b>2006</b> , 16, S2-40-5	1.8	31
191	Incidence of type 2 diabetes in Aboriginal Australians: an 11-year prospective cohort study. <i>BMC Public Health</i> , <b>2010</b> , 10, 487	4.1	30
190	Patterns of mortality in Indigenous adults in the Northern Territory, 1998-2003: are people living in more remote areas worse off?. <i>Medical Journal of Australia</i> , <b>2009</b> , 190, 307-11	4	30
189	Mesangial proliferative glomerulonephritis in southwestern American Indians. <i>American Journal of Kidney Diseases</i> , <b>1993</b> , 21, 486-96	7.4	30
188	Study Protocol--accurate assessment of kidney function in Indigenous Australians: aims and methods of the eGFR study. <i>BMC Public Health</i> , <b>2010</b> , 10, 80	4.1	29
187	Birth weight and stages of CKD: a case-control study in an Australian population. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 52, 1070-8	7.4	29
186	Albuminuria as a marker of the risk of developing type 2 diabetes in non-diabetic Aboriginal Australians. <i>International Journal of Epidemiology</i> , <b>2006</b> , 35, 1331-5	7.8	29
185	Association between diabetes and coronary heart disease in Aboriginal people: are women disadvantaged?. <i>Medical Journal of Australia</i> , <b>2004</b> , 180, 508-11	4	29
184	mTOR-mediated podocyte hypertrophy regulates glomerular integrity in mice and humans. <i>JCI Insight</i> , <b>2019</b> , 4,	9.9	29

183	Kidney disease in Aboriginal Australians: a perspective from the Northern Territory. <i>CKJ: Clinical Kidney Journal</i> , <b>2014</b> , 7, 524-30	4.5	28
182	APOL1 Risk Alleles Are Associated with Exaggerated Age-Related Changes in Glomerular Number and Volume in African-American Adults: An Autopsy Study. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2015</b> , 26, 3179-89	12.7	27
181	Associations between age, body size and nephron number with individual glomerular volumes in urban West African males. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 1500-6	4.3	27
180	Relationships between birthweight and biomarkers of chronic disease in childhood: Aboriginal Birth Cohort Study 1987-2001. <i>Paediatric and Perinatal Epidemiology</i> , <b>2009</b> , 23, 548-56	2.7	27
179	Is serological evidence of infection with syphilis a contraindication to kidney donation? Case report and review of the literature. <i>Journal of Urology</i> , <b>1987</b> , 138, 1226-7	2.5	27
178	An expanded nationwide view of chronic kidney disease in Aboriginal Australians. <i>Nephrology</i> , <b>2016</b> , 21, 916-922	2.2	27
177	Glomerulomegaly in Australian Aborigines. <i>Nephrology</i> , <b>1998</b> , 4, S46-S53	2.2	26
176	C-reactive protein and the risk of developing type 2 diabetes in Aboriginal Australians. <i>Diabetes Research and Clinical Practice</i> , <b>2007</b> , 76, 37-43	7.4	26
175	Albuminuria and incident coronary heart disease in Australian Aboriginal people. <i>Kidney International</i> , <b>2005</b> , 68, 1289-93	9.9	26
174	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. <i>Kidney International</i> , <b>2019</b> , 96, 983-994	9.9	25
173	Chronic disease profiles in remote Aboriginal settings and implications for health services planning. <i>Australian and New Zealand Journal of Public Health</i> , <b>2010</b> , 34, 11-8	2.3	25
172	Applicability of the glomerular size distribution coefficient in assessing human glomerular volume: the Weibel and Gomez method revisited. <i>Journal of Anatomy</i> , <b>2007</b> , 210, 578-82	2.9	25
171	Disorders of glucose regulation in adults and birth weight: results from the Australian Diabetes, Obesity and Lifestyle (AUSDIAB) Study. <i>Diabetes Care</i> , <b>2008</b> , 31, 159-64	14.6	24
170	Urban disadvantage and delayed nephrology referral in Australia. <i>Health and Place</i> , <b>2003</b> , 9, 175-82	4.6	24
169	Clinical outcomes associated with changes in a chronic disease treatment program in an Australian Aboriginal community. <i>Medical Journal of Australia</i> , <b>2005</b> , 183, 305-9	4	24
168	CKD.QLD: chronic kidney disease surveillance and research in Queensland, Australia. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27 Suppl 3, iii139-45	4.3	23
167	End-stage renal disease in the Northern Territory: current and future treatment costs. <i>Medical Journal of Australia</i> , <b>2002</b> , 176, 461-5	4	23
166	Biopsy-based estimation of total nephron number in Japanese living kidney donors. <i>Clinical and Experimental Nephrology</i> , <b>2019</b> , 23, 629-637	2.5	23



165	High Baseline Levels of Tumor Necrosis Factor Receptor 1 Are Associated With Progression of Kidney Disease in Indigenous Australians With Diabetes: The eGFR Follow-up Study. <i>Diabetes Care</i> , <b>2018</b> , 41, 739-747	14.6	22
164	CKD.QLD: establishment of a chronic kidney disease [CKD] registry in Queensland, Australia. <i>BMC Nephrology</i> , <b>2017</b> , 18, 189	2.7	22
163	How many glomerular profiles must be measured to obtain reliable estimates of mean glomerular areas in human renal biopsies?. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2006</b> , 17, 556-63	12.7	22
162	Cost-effectiveness analysis of a kidney and cardiovascular disease treatment program in an Australian Aboriginal population. <i>Advances in Chronic Kidney Disease</i> , <b>2005</b> , 12, 22-31	4.7	22
161	Protein catabolism during the postoperative course after renal transplantation. <i>American Journal of Kidney Diseases</i> , <b>1985</b> , 5, 186-90	7.4	22
160	Towards a definition of glomerulomegaly: clinical-pathological and methodological considerations. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 2202-8	4.3	21
159	Renal disease in Australian Aborigines. <i>Nephrology Dialysis Transplantation</i> , <b>2000</b> , 15, 1293-7	4.3	21
158	Physical and biochemical predictors of death in an Australian aboriginal cohort. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>1999</b> , 26, 618-21	3	21
157	Delayed-type hypersensitivity in mice after skin and tumour allografts and tumour isografts. <i>Nature</i> , <b>1969</b> , 222, 1001-3	50.4	21
156	Kidney and related chronic disease profiles and risk factors in three remote Australian Aboriginal communities. <i>Advances in Chronic Kidney Disease</i> , <b>2005</b> , 12, 64-70	4.7	20
155	A collaborative, individual-level analysis compared longitudinal outcomes across the International Network of Chronic Kidney Disease (iNETCKD) cohorts. <i>Kidney International</i> , <b>2019</b> , 96, 1217-1233	9.9	19
154	The influence of birthweight, past poststreptococcal glomerulonephritis and current body mass index on levels of albuminuria in young adults: the multideterminant model of renal disease in a remote Australian Aboriginal population with high rates of renal disease and renal failure. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, 271-7	4.3	18
153	Design and implementation of therapeutic ultrasound generating circuit for dental tissue formation and tooth-root healing. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , <b>2010</b> , 4, 49-61	5.1	18
152	Indigenous mortality in remote Queensland, Australia. <i>Australian and New Zealand Journal of Public Health</i> , <b>2007</b> , 31, 422-7	2.3	18
151	Secondary prevention of renal and cardiovascular disease: results of a renal and cardiovascular treatment program in an Australian aboriginal community. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2003</b> , 14, S178-85	12.7	18
150	Urinary findings and renal function in adult Navajo Indians and associations with type 2 diabetes. <i>American Journal of Kidney Diseases</i> , <b>1996</b> , 28, 339-49	7.4	18
149	Markers for cardiovascular and renal morbidity: expectations for an intervention programme in an Australian aboriginal community. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>1996</b> , 23, S33-7 <sup>3</sup>		18
148	The p53Pro72Arg polymorphism is associated with albuminuria among aboriginal Australians. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 677-683	12.7	18



147	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , <b>2005</b> , 182, 66-9	4	18
146	C-reactive protein: an independent predictor of cardiovascular disease in Aboriginal Australians. <i>Australian and New Zealand Journal of Public Health</i> , <b>2010</b> , 34 Suppl 1, S25-9	2.3	17
145	Stemming the tide: reducing cardiovascular disease and renal failure in Australian Aborigines. <i>Australian and New Zealand Journal of Medicine</i> , <b>1999</b> , 29, 480-3		17
144	Design-based stereological methods for estimating numbers of glomerular podocytes. <i>Annals of Anatomy</i> , <b>2014</b> , 196, 48-56	2.9	16
143	Predictive value of nephelometric and high-performance liquid chromatography assays of urine albumin for mortality in a high-risk Aboriginal population. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 52, 672-82	7.4	16
142	Body mass index and mortality in aboriginal Australians in the Northern Territory. <i>Australian and New Zealand Journal of Public Health</i> , <b>2002</b> , 26, 305-10	2.3	16
141	Getting better at chronic care in remote communities: study protocol for a pragmatic cluster randomised controlled of community based management. <i>BMC Public Health</i> , <b>2012</b> , 12, 1017	4.1	15
140	XAD-4 resin hemoperfusion for digitoxic patients with renal failure. <i>Kidney International</i> , <b>1983</b> , 23, 79-82	9.9	15
139	Cirrhosis and death after jejunoileal shunt for obesity. <i>The American Journal of Digestive Diseases</i> , <b>1974</b> , 19, 759-65		15
138	Progression of Kidney Disease in Indigenous Australians: The eGFR Follow-up Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2016</b> , 11, 993-1004	6.9	15
137	Prediction of cardiovascular disease risk using waist circumference among Aboriginals in a remote Australian community. <i>BMC Public Health</i> , <b>2015</b> , 15, 57	4.1	14
136	Adverse Health Outcomes Associated With Fetal Alcohol Exposure: A Systematic Review Focused on CardioRenal Outcomes. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2019</b> , 80, 515-523	1.9	14
135	A comparison of pathomolecular markers of fibrosis and morphology in kidney from autopsies of African Americans and whites. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2007</b> , 450, 41-50	5.1	14
134	Population distribution of high sensitivity C-reactive protein values in Aboriginal Australians: a comparison with other populations. <i>Clinical Biochemistry</i> , <b>2006</b> , 39, 277-81	3.5	14
133	Proteinuria is associated with persistence of antibody to streptococcal M protein in Aboriginal Australians. <i>Epidemiology and Infection</i> , <b>1999</b> , 122, 67-75	4.3	14
132	Low birthweight increases risk for cardiovascular disease hospitalisations in a remote Indigenous Australian community--a prospective cohort study. <i>Australian and New Zealand Journal of Public Health</i> , <b>2016</b> , 40 Suppl 1, S102-6	2.3	14
131	Comparison of creatinine and cystatin C based eGFR in the estimation of glomerular filtration rate in Indigenous Australians: The eGFR Study. <i>Clinical Biochemistry</i> , <b>2017</b> , 50, 301-308	3.5	13
130	Risk Alleles are Associated with More Severe Arteriosclerosis in Renal Resistance Vessels with Aging and Hypertension. <i>Kidney International Reports</i> , <b>2016</b> , 1, 10-23	4.1	13

129	Body mass index in aboriginal Australians in remote communities. <i>Australian and New Zealand Journal of Public Health</i> , <b>2000</b> , 24, 570-5	2.3	13
128	Treatment of Australian Aboriginals with end-stage renal disease in the top end of the Northern Territory: 1978-93. <i>Nephrology</i> , <b>1995</b> , 1, 307-313	2.2	13
127	Altered patterns of posttransplant urinary tract infections associated with perioperative antibiotics and curtailed catheterization. <i>American Journal of Kidney Diseases</i> , <b>1985</b> , 6, 212-6	7.4	13
126	The influence of glucocorticoid dose on protein catabolism after renal transplantation. <i>American Journal of the Medical Sciences</i> , <b>1986</b> , 291, 241-7	2.2	13
125	ESTIMATING TOTAL GLOMERULAR NUMBER IN HUMAN KIDNEYS WITH A PHYSICAL DISECTOR/FRACTIONATOR COMBINATION. <i>Image Analysis and Stereology</i> , <b>2000</b> , 19, 105	1	13
124	The increasing rates of acute interstitial nephritis in Australia: a single centre case series. <i>BMC Nephrology</i> , <b>2017</b> , 18, 329	2.7	12
123	Periodontal disease and chronic kidney disease among Aboriginal adults; an RCT. <i>BMC Nephrology</i> , <b>2015</b> , 16, 181	2.7	12
122	Chronic kidney disease management--what can we learn from South African and Australian efforts?. <i>Blood Purification</i> , <b>2006</b> , 24, 115-22	3.1	12
121	Resin hemoperfusion for treatment of a massive meprobamate overdose. <i>Annals of Internal Medicine</i> , <b>1980</b> , 93, 455-6	8	12
120	Spectrum (characteristics) of patients with chronic kidney disease (CKD) with increasing age in a major metropolitan renal service. <i>BMC Nephrology</i> , <b>2017</b> , 18, 372	2.7	11
119	Blood pressure in Navajo Indians and its association with type 2 diabetes and renal and cardiovascular disease. <i>American Journal of Hypertension</i> , <b>1994</b> , 7, 321-8	2.3	11
118	The Barker hypothesis confirmed: association of low birth weight with all-cause natural deaths in young adult life in a remote Australian Aboriginal community. <i>Journal of Developmental Origins of Health and Disease</i> , <b>2019</b> , 10, 55-62	2.4	11
117	New Genetic Loci Associated With Chronic Kidney Disease in an Indigenous Australian Population. <i>Frontiers in Genetics</i> , <b>2019</b> , 10, 330	4.5	10
116	CKD Screening and Surveillance in Australia: Past, Present, and Future. <i>Kidney International Reports</i> , <b>2018</b> , 3, 36-46	4.1	10
115	Familial aggregation of albuminuria and arterial hypertension in an Aboriginal Australian community and the contribution of variants in ACE and TP53. <i>BMC Nephrology</i> , <b>2016</b> , 17, 183	2.7	10
114	Screening for renal disease and other chronic diseases in Aboriginal adults and preliminary experience of a medical intervention program. <i>Nephrology</i> , <b>1998</b> , 4, S90-S95	2.2	10
113	The Austin Doyle Lecture, High Blood Pressure Research Council of Australia. Renal disease as a metaphor: towards a more integrated view of aboriginal health. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>1998</b> , 25, 1038-42	3	10
112	Status of chronic kidney disease prevention programs: International Federation of Kidney Foundation Members 2005/2007. <i>Kidney International</i> , <b>2008</b> , 74, 1516-25	9.9	10

111	Renal-related deaths in Indigenous people in Queensland, Australia. <i>Nephrology</i> , <b>2007</b> , 12, 514-9	2.2	10
110	Use of a medical center's computerized health care database for notifiable disease surveillance. <i>American Journal of Public Health</i> , <b>1991</b> , 81, 637-9	5.1	10
109	The multideterminant model of renal disease in a remote Australian Aboriginal population in the context of early life risk factors: lower birth weight, childhood post-streptococcal glomerulonephritis, and current body mass index influence levels of albuminuria in young Aboriginal adults. <i>Clinical Nephrology</i> , <b>2015</b> , 83, 75-81	2.1	10
108	BMI and its association with death and the initiation of renal replacement therapy (RRT) in a cohort of patients with chronic kidney disease (CKD). <i>BMC Nephrology</i> , <b>2019</b> , 20, 329	2.7	9
107	Risk Variants Independently Associated With Early Cardiovascular Disease Death. <i>Kidney International Reports</i> , <b>2018</b> , 3, 89-98	4.1	9
106	Waist circumference values equivalent to body mass index points for predicting absolute cardiovascular disease risks among adults in an Aboriginal community: a prospective cohort study. <i>BMJ Open</i> , <b>2015</b> , 5, e009185	3	9
105	Quantifying the excess risk of type 2 diabetes by body habitus measurements among Australian aborigines living in remote areas. <i>Diabetes Care</i> , <b>2008</b> , 31, 585-6	14.6	9
104	Homocysteine, renal disease and cardiovascular disease in a remote Australian Aboriginal community. <i>Internal Medicine Journal</i> , <b>2005</b> , 35, 289-94	1.6	9
103	Renal disease and the environment: lessons from Aboriginal Australia*. <i>Nephrology</i> , <b>2001</b> , 6, 19-24	2.2	9
102	Predicting absolute risk of type 2 diabetes using age and waist circumference values in an aboriginal Australian community. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123788	3.7	9
101	Equitable Expanded Carrier Screening Needs Indigenous Clinical and Population Genomic Data. <i>American Journal of Human Genetics</i> , <b>2020</b> , 107, 175-182	11	9
100	Low birth weight and large adult waist circumference increase the risk of cardiovascular disease in remote indigenous Australians--An 18 year cohort study. <i>International Journal of Cardiology</i> , <b>2015</b> , 186, 273-5	3.2	8
99	Remaining lifetime risk for developing end stage renal disease among Australian Aboriginal people with diabetes. <i>Diabetes Research and Clinical Practice</i> , <b>2014</b> , 103, e24-6	7.4	8
98	Lifetime risk of developing coronary heart disease in Aboriginal Australians: a cohort study. <i>BMJ Open</i> , <b>2013</b> , 3,	3	8
97	Digoxin removal from a patient with renal failure by hemoperfusion with Amberlite XAD-4 resin. <i>Artificial Organs</i> , <b>1979</b> , 3, 124-6	2.6	8
96	Alcohol abuse-related mesangial glomerulonephritis: immunoelectron microscopy. <i>Journal of Histochemistry and Cytochemistry</i> , <b>1990</b> , 38, 699-702	3.4	8
95	Chronic Kidney Disease, Queensland (CKD.QLD) Registry: Management of CKD With Telenephrology. <i>Kidney International Reports</i> , <b>2018</b> , 3, 1336-1343	4.1	8
94	Biomarkers and the role of mast cells as facilitators of inflammation and fibrosis in chronic kidney disease. <i>Translational Andrology and Urology</i> , <b>2019</b> , 8, S175-S183	2.3	7

93	Transformation of mortality in a remote Australian Aboriginal community: a retrospective observational study. <i>BMJ Open</i> , <b>2017</b> , 7, e016094	3	7
92	Research, information and consent for the Australian Health Survey: a separate standard for Indigenous people?. <i>Medical Journal of Australia</i> , <b>2011</b> , 194, 509-10	4	7
91	The predictive value of albuminuria for renal and nonrenal natural deaths over 14 years follow-up in a remote aboriginal community. <i>CKJ: Clinical Kidney Journal</i> , <b>2012</b> , 5, 519-25	4.5	7
90	Clearance of meprobamate by hemoperfusion over columns of charcoal and Amberlite resin. Studies in a patient. <i>Artificial Organs</i> , <b>1978</b> , 2, 395-7	2.6	7
89	Dermal vascular IgA deposits in IgA nephropathy secondary to alcohol abuse. <i>Journal of Cutaneous Pathology</i> , <b>1990</b> , 17, 193-6	1.7	7
88	The Association between HbA1c and Cardiovascular Disease Markers in a Remote Indigenous Australian Community with and without Diagnosed Diabetes. <i>Journal of Diabetes Research</i> , <b>2016</b> , 2016, 5342304	3.9	7
87	The association between C-reactive protein levels and the risk for chronic kidney disease hospitalizations in adults of a remote Indigenous Australian community - A prospective cohort study. <i>Nephrology</i> , <b>2017</b> , 22, 699-705	2.2	6
86	Diabetes and lifetime risk of ESRD in high-risk remote-dwelling Australian Aboriginal people: a 20-year cohort study. <i>American Journal of Kidney Diseases</i> , <b>2013</b> , 62, 845-6	7.4	6
85	A protocol for the identification and validation of novel genetic causes of kidney disease. <i>BMC Nephrology</i> , <b>2015</b> , 16, 152	2.7	6
84	Trends in health status and chronic disease risk factors over 10-14 years in a remote Australian community: a matched pair study. <i>Australian and New Zealand Journal of Public Health</i> , <b>2014</b> , 38, 73-7	2.3	6
83	Decreasing rates of natural deaths in a remote Australian Aboriginal community, 1996-2010. <i>Australian and New Zealand Journal of Public Health</i> , <b>2013</b> , 37, 365-70	2.3	6
82	Renal ultrasound findings in an Australian Aboriginal population with high rates of renal disease. <i>Nephrology</i> , <b>2005</b> , 10, 358-61	2.2	6
81	Hemodialysis treatment of methanol intoxication. <i>Artificial Organs</i> , <b>1983</b> , 7, 479-81	2.6	6
80	Chronic kidney disease and socio-economic status: a cross sectional study. <i>Ethnicity and Health</i> , <b>2020</b> , 25, 93-109	2.2	6
79	Renal disease, the metabolic syndrome, and cardiovascular disease. <i>Ethnicity and Disease</i> , <b>2006</b> , 16, S2-46:81		6
78	Chronic kidney disease, Queensland: Profile of patients with chronic kidney disease from regional Queensland, Australia: A registry report. <i>Nephrology</i> , <b>2019</b> , 24, 1257-1264	2.2	5
77	Resting heart rate, physiological stress and disadvantage in Aboriginal and Torres Strait Islander Australians: analysis from a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , <b>2016</b> , 16, 36	2.3	5
76	Body mass index and waist circumference as predictors of all-cause mortality in an Aboriginal Australian community. <i>Obesity Research and Clinical Practice</i> , <b>2017</b> , 11, 19-26	5.4	5

75	Absence of APOL1 risk alleles in a remote living Australian Aboriginal group with high rates of CKD, hypertension, diabetes, and cardiovascular disease. <i>Kidney International</i> , <b>2017</b> , 91, 990	9.9	4
74	Renal dysfunction is already evident within the first month of life in Australian Indigenous infants born preterm. <i>Kidney International</i> , <b>2019</b> , 96, 1205-1216	9.9	4
73	The associations of anthropometric measurements with subsequent gestational diabetes in Aboriginal women. <i>Obesity Research and Clinical Practice</i> , <b>2015</b> , 9, 499-506	5.4	4
72	The Ckd. Qld fabRy Epidemiology (aCQuiRE) study protocol: identifying the prevalence of Fabry disease amongst patients with kidney disease in Queensland, Australia. <i>BMC Nephrology</i> , <b>2020</b> , 21, 58	2.7	4
71	Tracking patients with advanced kidney disease in the last 12 months of life. <i>Journal of Renal Care</i> , <b>2018</b> , 44, 115-122	1.6	4
70	Health service utilisation during the last year of life: a prospective, longitudinal study of the pathways of patients with chronic kidney disease stages 3-5. <i>BMC Palliative Care</i> , <b>2018</b> , 17, 57	3	4
69	Heavy metal imaging in fibrotic human kidney tissue using the synchrotron X-ray fluorescence microprobe. <i>Translational Andrology and Urology</i> , <b>2019</b> , 8, S184-S191	2.3	4
68	A profile of sales audits of a remote Aboriginal community's general store: 1992 and 2011. <i>Australian and New Zealand Journal of Public Health</i> , <b>2014</b> , 38, 94	2.3	4
67	Chronic disease care in remote Aboriginal Australia has been transformed. <i>BMJ, The</i> , <b>2013</b> , 347, f6127	5.9	4
66	Research, information and consent for the Australian Health Survey: a separate standard for Indigenous people?. <i>Medical Journal of Australia</i> , <b>2011</b> , 195, 158-159	4	4
65	Towards an epidemiologic definition of renal disease: Rates and associations of albuminuria in a high-risk Australian Aboriginal community. <i>Nephrology</i> , <b>1998</b> , 4, S59-S65	2.2	4
64	Interfaces between cardiovascular and kidney disease among Aboriginal Australians. <i>Advances in Chronic Kidney Disease</i> , <b>2005</b> , 12, 39-48	4.7	4
63	Progressive Nephron Loss in Aging Kidneys: Clinical-Structural Associations Investigated by Two Anatomical Methods. <i>Anatomical Record</i> , <b>2020</b> , 303, 2526-2536	2.1	4
62	Development of a Biomarker Panel to Distinguish Risk of Progressive Chronic Kidney Disease. <i>Biomedicines</i> , <b>2020</b> , 8,	4.8	4
61	Body mass index in an Australian population with chronic kidney disease. <i>BMC Nephrology</i> , <b>2018</b> , 19, 209	2.7	4
60	Frequency and Consequences of Acute Kidney Injury in Patients With CKD: A Registry Study in Queensland Australia. <i>Kidney Medicine</i> , <b>2019</b> , 1, 180-190	2.8	3
59	Is hyperfiltration associated with higher urine albumin-to-creatinine ratio at follow up among Indigenous Australians? The eGFR follow-up study. <i>Journal of Diabetes and Its Complications</i> , <b>2019</b> , 33, 343-349	3.2	3
58	Trajectories of eGFR decline over a four year period in an Indigenous Australian population at high risk of CKD-the eGFR follow up study. <i>Clinical Biochemistry</i> , <b>2018</b> , 53, 58-64	3.5	3

57	Kidney disease in hepatitis B surface antigen-positive children: experience from a centre in south-west Nigeria and a review of the Nigerian literature. <i>Paediatrics and International Child Health</i> , <b>2018</b> , 38, 16-22	1.4	3
56	Ageing: Nephron loss in the ageing kidney - it's more than you think. <i>Nature Reviews Nephrology</i> , <b>2016</b> , 12, 585-6	14.9	3
55	Evidence for improved patient management through electronic patient records at a Central Australian Aboriginal Health Service. <i>Australian and New Zealand Journal of Public Health</i> , <b>2014</b> , 38, 154-9	3.3	3
54	Anthropometric predictors of gestational hypertensive disorders in a remote aboriginal community: a nested case-control study. <i>BMC Research Notes</i> , <b>2014</b> , 7, 122	2.3	3
53	Cardiovascular risk among urban Aboriginal people. <i>Medical Journal of Australia</i> , <b>2003</b> , 179, 557; author reply 557	4	3
52	Renal disease epidemiology: an underdeveloped discipline. <i>American Journal of Kidney Diseases</i> , <b>1988</b> , 12, 454-7	7.4	3
51	Adenine overload induces ferroptosis in human primary proximal tubular epithelial cells.. <i>Cell Death and Disease</i> , <b>2022</b> , 13, 104	9.8	3
50	RENAL GLOMERULAR NUMBER AND SIZE IN AUSTRALIAN ABORIGINES, AFRICAN AMERICANS AND WHITE POPULATIONS FROM THE SAME LOCATIONS: A PRELIMINARY REPORT. <i>Image Analysis and Stereology</i> , <b>2001</b> , 20, 153	1	3
49	Unsafe drinking water quality in remote Western Australian Aboriginal communities. <i>Geographical Research</i> , <b>2019</b> , 57, 178-188	1.6	3
48	Heterogeneity in patterns of progression of chronic kidney disease. <i>Internal Medicine Journal</i> , <b>2021</b> , 51, 220-228	1.6	3
47	Podocyte endowment and the impact of adult body size on kidney health. <i>American Journal of Physiology - Renal Physiology</i> , <b>2021</b> , 321, F322-F334	4.3	3
46	Blood pressure management in hypertensive people with non-dialysis chronic kidney disease in Queensland, Australia. <i>BMC Nephrology</i> , <b>2019</b> , 20, 348	2.7	2
45	A randomised controlled trial of potential for pharmacologic prevention of new-onset albuminuria, hypertension and diabetes in a remote Aboriginal Australian community, 2008-2013. <i>Contemporary Clinical Trials Communications</i> , <b>2019</b> , 14, 100323	1.8	2
44	Adding measures of body composition to the CKD-EPI GFR estimating equation in Indigenous Australians: the eGFR study. <i>American Journal of Kidney Diseases</i> , <b>2015</b> , 65, 632-4	7.4	2
43	Impact of cardiovascular events on mortality and progression of renal dysfunction in a Queensland CKD cohort. <i>Nephrology</i> , <b>2020</b> , 25, 839-844	2.2	2
42	The correlates of urinary albumin to creatinine ratio (ACR) in a high risk Australian aboriginal community. <i>BMC Nephrology</i> , <b>2013</b> , 14, 176	2.7	2
41	Kidney Disease Among Aboriginal and Torres Strait Islander People in Australia <b>2017</b> , 167-180		2
40	Prematurity, Low Birth Weight, and CKD <b>2017</b> , 229-249		2



39	Corresponding waist circumference and body mass index values based on 10-year absolute type 2 diabetes risk in an Australian Aboriginal community. <i>BMJ Open Diabetes Research and Care</i> , <b>2015</b> , 3, e000127	4.5	2
38	Exclusion of Indigenous youth from important parts of the Australian Health Survey. <i>Lancet, The</i> , <b>2012</b> , 379, 1101-2	4.0	2
37	Reproducibility of urinary albumin assays by immunonephelometry after long-term storage at -70°C. <i>American Journal of Kidney Diseases</i> , <b>2011</b> , 58, 685-7	7.4	2
36	Timing of nephrology referral: a study of its effects on the likelihood of transplantation and impact on mortality. <i>Nephrology</i> , <b>2002</b> , 7, S29-S32	2.2	2
35	Ad libitum alcohol ingestion does not induce renal IgA deposition in mice. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1990</b> , 14, 184-6	3.7	2
34	Lymphocyte subpopulations in maintenance hemodialysis patients. <i>Journal of Dialysis</i> , <b>1978</b> , 2, 1-15		2
33	Underlying Histopathology Determines Response to Oxidative Stress in Cultured Human Primary Proximal Tubular Epithelial Cells. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	2
32	An update on chronic kidney disease in Aboriginal Australians. <i>Clinical Nephrology</i> , <b>2020</b> , 93, 124-128	2.1	2
31	Utilization and Costs of Health Care in a Kidney Supportive Care Program. <i>Journal of Palliative Care</i> , <b>2020</b> , 35, 176-184	1.8	2
30	The Kidney Supportive Care programme: characteristics of patients referred to a new model of care. <i>BMJ Supportive and Palliative Care</i> , <b>2018</b> ,	2.2	2
29	Age-dependent decline of association between obesity and coronary heart disease: a cohort study in a remote Australian Aboriginal community. <i>BMJ Open</i> , <b>2013</b> , 3, e004042	3	1
28	An Australian Chronic Kidney Disease Biobank to Support Future Research. <i>Open Journal of Bioresources</i> , <b>2019</b> , 6,	0.9	1
27	Genetic research in Indigenous health: significant progress, substantial challenges. <i>Medical Journal of Australia</i> , <b>2012</b> , 197, 382-3	4	1
26	Baseline liver function tests and full blood count indices and their association with progression of chronic kidney disease and renal outcomes in Aboriginal and Torres Strait Islander people: the eGFR follow-up study. <i>BMC Nephrology</i> , <b>2020</b> , 21, 523	2.7	1
25	Protocol and establishment of a Queensland renal biopsy registry in Australia. <i>BMC Nephrology</i> , <b>2020</b> , 21, 320	2.7	1
24	Lessons learned from a periodontal intervention to reduce progression of chronic kidney disease among Aboriginal Australians. <i>BMC Research Notes</i> , <b>2020</b> , 13, 483	2.3	1
23	Variation in Human Nephron Number and Association with Disease <b>2016</b> , 167-175		1
22	Oral health of aboriginal people with kidney disease living in Central Australia. <i>BMC Oral Health</i> , <b>2021</b> , 21, 50	3.7	1

21	Five enablers to deliver safe water and effective sewage treatment to remote Indigenous communities in Australia. <i>Rural and Remote Health</i> , <b>2021</b> , 21, 6565	1.3	1
20	Promoting Plant-Based Therapies for Chronic Kidney Disease.. <i>Journal of Evidence-based Integrative Medicine</i> , <b>2022</b> , 27, 2515690X221079688	2.8	1
19	Deletions in are a risk factor for antibody-mediated kidney disease.. <i>Cell Reports Medicine</i> , <b>2021</b> , 2, 100475	1.5	1
18	Analysis of the (PAR4) Single Nucleotide Polymorphism () in an Indigenous Australian Population. <i>Frontiers in Genetics</i> , <b>2020</b> , 11, 432	4.5	0
17	Performance of cardiovascular risk prediction equations in Indigenous Australians. <i>Heart</i> , <b>2020</b> , 106, 1252-1260	5.1	0
16	Birthweight and the Prevalence, Progression, and Incidence of CKD in a Multideterminant Model in a High-Risk Australian Aboriginal Community. <i>Kidney International Reports</i> , <b>2021</b> , 6, 2782-2793	4.1	0
15	The prevalence of Fabry disease in a statewide chronic kidney disease cohort - Outcomes of the aCQuiRE (Ckd.Qld fabRy Epidemiology) study.. <i>BMC Nephrology</i> , <b>2022</b> , 23, 169	2.7	0
14	Follow-up reply to Dr Paul LawtonB "A response to an expanded nationwide view of chronic kidney disease in Aboriginal Australians, <i>Nephrology</i> , 21 (2016), 916-922". <i>Nephrology</i> , <b>2017</b> , 22, 574	2.2	
13	Lifetime risk of hospital diagnosed chronic obstructive pulmonary disease in remote Aboriginal people: a cohort study. <i>Australian and New Zealand Journal of Public Health</i> , <b>2014</b> , 38, 340-3	2.3	
12	The author replies. <i>Kidney International</i> , <b>2013</b> , 83, 762	9.9	
11	Patterns of mortality in Indigenous adults in the Northern Territory, 1998-2003. <i>Medical Journal of Australia</i> , <b>2009</b> , 191, 581-582	4	
10	Clinical outcomes associated with changes in a chronic disease treatment program in an Australian Aboriginal community. <i>Medical Journal of Australia</i> , <b>2006</b> , 185, 180-181	4	
9	Reply. <i>Internal Medicine Journal</i> , <b>2005</b> , 35, 642-643	1.6	
8	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , <b>2005</b> , 182, 597-598	4	
7	Lymphocyte populations in maintenance hemodialysis patients - reassessment and analysis of B cell subtypes. <i>Clinical and Experimental Dialysis and Apheresis</i> , <b>1981</b> , 5, 335-47		
6	Recovery of native renal function after an unsuccessful kidney transplant. <i>American Journal of Kidney Diseases</i> , <b>1982</b> , 1, 367-70	7.4	
5	Amikacin is not removed by XAD-4 hemoperfusion. <i>Artificial Organs</i> , <b>1982</b> , 6, 207-8	2.6	
4	Kidney failure, CKD progression and mortality after nephrectomy.. <i>International Urology and Nephrology</i> , <b>2022</b> , 1	2.3	

- |   |  |     |
|---|--|-----|
| 3 | The CKD.QLD data linkage framework: chronic kidney disease and health services utilisation in Queensland, Australia. <i>F1000Research</i> , 10, 1107   | 3.6 |
| 2 | A health profile of adults in a Northern Territory Aboriginal community, with an emphasis on preventable morbidities. <i>Australian and New Zealand Journal of Public Health</i> , <b>1977</b> , 21, 121-126 | 2.3 |
| 1 | Identification of factors associated with high-cost use of inpatient care in chronic kidney disease: a registry study. <i>BMJ Open</i> , <b>2021</b> , 11, e049755   | 3   |