Milos Dordevic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6418597/publications.pdf

Version: 2024-02-01

336 papers 13,927 citations

28274 55 h-index 101 g-index

352 all docs 352 docs citations

times ranked

352

9101 citing authors

#	Article	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt $\{s\}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
3	Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.	3.9	14
4	Study of dijet events with large rapidity separation in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
5	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
13	Measurement of the inclusive $\$ mathrm{t}-overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
14	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
15	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
16	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
17	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
18	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } \$ collision data collected at $\{p\}$ = 13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2021, 81, 3.	3.9	33

#	Article	IF	CITATIONS
19	Measurements of $f^{p}} {\mathrm{p}} {\mathrm{p}$	3.9	24
20	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
21	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\frac{5}{100} = 13$, ext $\frac{7}{100} = 10$. European Physical Journal C, 2021, 81, 378.	3.9	40
22	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
23	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
24	MUSiC: a model-unspecific search for new physics in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
25	Search for a heavy vector resonance decaying to a $\$\{mathrm{Z}\}_{mathrm{}}^{mathrm{}}\$ and a Higgs boson in proton-proton collisions at $\$sqrt{s} = 13$,ext $Te\}$ ext V $\$$. European Physical Journal C, 2021, 81, 688.	3.9	9
26	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in protonâ \in proton collisions at $\$$ qrt $\{s\} = 13,\{ext \{TeV\}\} \$$. European Physical Journal C, 2021, 81, 723.	3.9	19
27	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{z\}$ ext $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
28	Precision luminosity measurement in protonâ \in "proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
29	A Geant4-DNA Evaluation of Radiation-Induced DNA Damage on a Human Fibroblast. Cancers, 2021, 13, 4940.	3.7	13
30	Combined searches for the production of supersymmetric top quark partners in proton $\hat{\epsilon}$ proton collisions at $\frac{1}{8} = 13$, ext $\frac{1}{8} = 13$. European Physical Journal C, 2021, 81, 970.	3.9	18
31	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
32	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \leq i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i > s < i $	1.2	27
33	Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
34	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{13}{ext}$ European Physical Journal C, 2020, 80, 752.	3.9	23
35	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a}\hat{s}<\hat{i}>s<\hat{i}>=13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
36	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21

#	Article	IF	CITATIONS
37	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
38	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
39	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\$ mathrm {PbPb}\$\$ collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 2.76\$\$ and 5.02\$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 534.	3.9	14
40	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
41	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
42	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
43	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
44	A multi-dimensional search for new heavy resonances decaying to boosted $\$ w \{\}{\} \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$ \\$	3.9	31
45	Measurement of single-diffractive dijet production in protonâ \in "proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
46	Measurement of differential cross sections and charge ratios for t-channel single top quark production in protonâ \in "proton collisions at $\frac{1}{s}=13$ \$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
47	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$\$ normalised multi-differential cross sections in \$\${ext {p}}{ext {p}} \$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33
48	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
49	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
50	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ $\frac{1}{8}=13$ \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
51	Inclusive search for supersymmetry in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
52	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
53	Search for excited leptons in \hat{a} , " \hat{a} ," \hat{a} final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
54	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24

#	Article	IF	CITATIONS
55	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at $s=13,ext TeV$ $s=13 TeV$. European Physical Journal C, 2019, 79, 1.	3.9	9
56	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\}$ $\{0\}$ \$\$\$Aphotoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_}{mathrm}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
57	Measurement of exclusive $\mbox{smathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
58	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
59	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	3.9	8
60	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
61	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
62	Search for the pair production of light top squarks in the e± $\hat{1}$ / $4\hat{a}$ ° final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
63	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
64	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
65	Measurements of the pp \hat{a} †' WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
66	Measurement of the f {mathrm f }overline{mathrm f }}\$\$ t t \hat{A} production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
67	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
68	Search for nonresonant Higgs boson pair production in the \$\$ mathrm{b}overline{mathrm{b}} sqrt{s} $= 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
69	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
70	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
71	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
72	Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34

#	Article	IF	Citations
73	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
74	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
75	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
76	Measurements of $\$$ mathrm{t}overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
77	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019. 1.	4.7	28
78	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
79	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
80	Search for resonant $\$$ mathrm{t}overline{mathrm{t}} $\$$ production in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
81	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
82	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
83	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
84	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt{s} = 13,ext {TeV} $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18
85	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
86	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ \$. European Physical Journal C, 2019, 79, 886.	3.9	16
87	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
88	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
89	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{NN}}\}=5.02 \$\$$ and 8.16 TeV. Journal of High Energy Physics, 2018 , 2018 , 1 .	4.7	8
90	Search for resonant and nonresonant Higgs boson pair production in the b b \hat{A}^- â, " $\hat{1}/2$ â, " $\hat{1}/2$ \$\$ mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	36

#	Article	IF	CITATIONS
91	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
92	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p ↠Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $\mbox{substant} \{Z\}$ and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
93	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
94	Measurement of the inclusive $\mbox{smathrm{t}}$ werline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
95	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\$$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	o
96	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
97	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13 \$ $ sqrt $\{s\}=13 \$ $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
98	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
99	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
100	Measurement of differential cross sections in the kinematic angular variable i^* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
101	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
102	Measurement of normalized differential $\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
103	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
104	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
105	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
106	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\$$ sqrt $\{s\}$ =8 $\$$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
107	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{NN}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
108	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11

#	Article	IF	Citations
109	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
110	Search for natural and split supersymmetry in proton-proton collisions at $\$\$$ sqrt $\$\$=13$ $\$\$$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
111	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$\$$ sqrt $\$\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
112	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \ddot{l} , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
113	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
114	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
115	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
116	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm $\{p\}$ \$\$mathrm $\{p\}$ \$\$ collisions at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ \$\$. European Physical Journal C, 2018, 78, 891.	3.9	34
117	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
118	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
119	Event shape variables measured using multijet final states in proton-proton collisions at $\$\$$ sqrt $\$=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
120	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
121	Search for narrow and broad dijet resonances in proton-proton collisions at $\$\$$ sqrt $\$\$=13$ $\$\$$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
122	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ $\sqrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
123	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
124	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
125	Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
126	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," \hat{l} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17

#	Article	IF	Citations
127	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ qrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
128	Measurement of differential cross sections for $\{x\}$ Z boson production in association with jets in proton-proton collisions at $\{x\}$ = 13,ext $\{x\}$ = 13 TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
129	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	CITATIONS
145	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
146	Search for beyond the standard model Higgs bosons decaying into a $\$\$$ mathrm{b}overline{mathrm{b}} $\$\$$ pair in pp collisions at $\$\$$ sqrt{s}=13 $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
147	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
148	Measurement of prompt and nonprompt charmonium suppression in $\$\text{Ext \{PbPb\}}\$ collisions at 5.02\\$,ext {Te}ext {V}\\$. European Physical Journal C, 2018, 78, 509.	3.9	83
149	Search for lepton flavour violating decays of the Higgs boson to $\hat{l}/\!\!/4\hat{l}$, and e \hat{l} , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
150	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying l , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
151	Electroweak production of two jets in association with a Z boson in protonâ \in proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17
152	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
153	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
154	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
155	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
156	Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{\text{I}}$, lepton and a bottom quark in proton-proton collisions at \$\$ $\sqrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
157	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
158	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
159	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
160	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
161	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13~$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
162	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13

#	Article	IF	CITATIONS
163	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
164	Search for standard model production of four top quarks with same-sign and multilepton final states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
165	Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ $\{s = 8 \$, ext \{Te\} ext \{V\}$ \$ $\{v\}$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
166	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
167	Measurement of b hadron lifetimes in pp collisions at (sqrt{s} = 8) (,ext {Te}ext {V})., 2018, 78, 1.		1
168	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to $7\mbox{$\hat{A}$}$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
169	Measurement of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$\$ t t \mbox{A}^- production cross section using events in the \$\$mathrm {e}mu \$\$ e \mbox{I}^4 final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
170	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$ sqrt{s}= $8 $ \$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
171	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
172	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt{s} = 8{,mathrm{{TeV}}} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
173	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$\$ TeV$ and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\}\$\$ s = 8$ TeV. European Physical Journal C, 2017, 77, 236.	3.9	37
174	Measurement of prompt and nonprompt $\mbox{mathrm{J}}/{psi}$ production in $\mbox{mathrm {p}}$ mathrm {p}, p p and $\mbox{mathrm {p}}$ pb collisions at $\mbox{sqrt{s_{mathrm {NN}}}} = 5.02$, ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
175	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$	3.9	29
176	Observation of Charge-Dependent Azimuthal Correlations in <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mrow><mml:mi>p</mml:mi></mml:mrow><mml:mtext> Collisions and Its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters,</mml:mtext></mml:mrow></mml:math>	<mm⁄r∟mi>Pl</mm⁄r∟mi>	o <b 11101711:mi> </td
177	display="inline"> <mml:msup><mml:mi>B</mml:mi><mml:mo>A±</mml:mo></mml:msup> Meson Nuclear Modification Factor in Pb-Pb Collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msort><mml:mrow><mml:msub><mml:mrow><mml:mi>s<td>7.8 nl:mrow><n< td=""><td>62 nml:mrow><n< td=""></n<></td></n<></td></mml:mi></mml:mrow></mml:msub></mml:mrow></mml:msort></mml:mrow></mml:math>	7.8 nl:mrow> <n< td=""><td>62 nml:mrow><n< td=""></n<></td></n<>	62 nml:mrow> <n< td=""></n<>
178	Physical Review Letters, 2017, 119, 152301. Search for new physics in the monophoton final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
179	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\$\$qrt\{s\} = 8\$\$ s = 8\$,ext \{TeV\}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.$	3.9	52
180	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ where $f(t)=0$ is a square of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a square of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a square of the jet mass in highly boosted $f(t)=0$ is a	3.9	23

#	Article	IF	CITATIONS
181	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msqrt><mml:mrow><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:mrow></mml:msqrt><mml:resonance 111802.<="" 119,="" 2017,="" letters,="" physical="" review="" th=""><th>7.8 no>=<th>ກໃ:mo><mn< th=""></mn<></th></th></mml:resonance></mml:mrow></mml:math>	7.8 no>= <th>ກໃ:mo><mn< th=""></mn<></th>	ກໃ:mo> <mn< th=""></mn<>
182	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{N}}=5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
183	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
184	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
185	Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001.	7.8	23
186	Observation of Y(1S) pair production in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
187	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	35
188	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ $sqrt{s}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
189	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
190	Measurements of the pp â†' $W\hat{1}^3\hat{1}^3$ and pp â†' $Z\hat{1}^3\hat{1}^3$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	S 4.7	10
191	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
192	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
193	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$\$ sqrt $s=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
194	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
195	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
196	Suppression and azimuthal anisotropy of prompt and nonprompt $f(J)=0$ production in PbPb collisions at $f(J)=0$ production PbPb collisions at $f(J)=0$ production Physical Journal C, 2017, 77, 252.	3.9	82
197	Searches for pair production of third-generation squarks in $\frac{1}{5}=13$ s = 13 \$,ext {TeV}\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	3.9	32
198	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ or $s=8$	3.9	23

#	Article	IF	Citations
199	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
200	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
201	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
202	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
203	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
204	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
205	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ $sqrt\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
206	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
207	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
208	Search for top squark pair production in pp collisions at $s=13 \$\$ \ sqrt\{s\}=13 \$\$ \ TeV$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
209	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
210	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
211	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
212	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	3.9	57
213	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
214	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
215	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
216	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21

#	Article	IF	CITATIONS
217	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
218	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
219	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
220	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
221	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
222	Search for high-mass $Z\hat{l}^3$ resonances in e+eâ ⁻ ' \hat{l}^3 and $\hat{l}^1/\!\!/_4 + \hat{l}^1/\!\!/_4$ â ⁻ ' \hat{l}^3 final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	S 4.7	7
223	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \ddot{l} , leptons and two jets in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
224	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	4
225	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.01$ % s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
226	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}=8$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
227	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
228	ttH production at 13 TeV (CMS). EPJ Web of Conferences, 2017, 164, 07055.	0.3	0
229	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
230	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{qrt\{s\}\} = 8$, ext $TeV\}$ \$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
231	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
232	Sub-leading flow modes in PbPb collisions at from the HYDJET++ model. Chinese Physics C, 2017, 41, 074001.	3.7	4
233	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
234	Recent results from CMS. EPJ Web of Conferences, 2016, 125, 01001.	0.3	0

#	Article	IF	Citations
235	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{N};mathrm{N}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
236	Recent Standard Model measurements at CMS. Journal of Physics: Conference Series, 2016, 675, 022020.	0.4	0
237	Measurement of the double-differential inclusive jet cross section in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	3.9	55
238	Measurement of the $f(w) ^{+} \mathrm{W}^{-} \math$	3.9	74
239	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
240	Beam test evaluation of electromagnetic calorimeter modules made from proton-damaged PbWO ₄ crystals. Journal of Instrumentation, 2016, 11, P04012-P04012.	1.2	8
241	Reconstruction and identification of \ddot{l} , lepton decays to hadrons and $\hat{l}/2 < \text{sub} > \ddot{l}$, $ \text{at CMS}$. Journal of Instrumentation, 2016, 11, P01019-P01019.	1.2	85
242	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
243	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
244	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
245	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
246	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
247	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
248	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
249	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	3.9	25
250	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439. Measurement of Long-Range Near-Side Two-Particle Angular Correlations in smml math	3.9	64
251	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>p</mml:mi> > <mml:mi>>Collisions at<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msort><mml:mi>s</mml:mi></mml:msort><mml:mo>=</mml:mo><<mml:mo></mml:mo></mml:math </mml:mi>	7.8 nn> <mml:< td=""><td>139 mtext> <</td></mml:<>	139 mtext> <
252	Physical Review Letters, 2016, 116, 172302. Measurement of dijet azimuthal decorrelation in pp \hat{a} collisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	3.9	16

#	Article	IF	CITATIONS
253	Search for dark matter particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
254	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
255	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\frac{1}{5}$ source $$	3.9	29
256	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
257	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eli/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
258	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
259	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
260	Evidence for exclusive $\hat{1}^3\hat{1}^3$ \hat{a}^4 ' $W+W$ \hat{a}^2 ' production and constraints on anomalous quartic gauge couplings in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
261	Search for supersymmetry in pp collisions at $s=13 $ \$\$ sqrt $\{s\}=13 $ \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
262	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	3.9	18
263	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
264	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
265	Measurement of the mass of the top quark in decays with a J/ $\hat{\Gamma}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
266	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$,ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
267	Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t \hat{A}^- production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	3.9	34
268	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ mathrm $\{w\}^{p}$ p $\{p\}$ p $\{p\}$ w $\{p\}$ p	3.9	83
269	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
270	Search for Wâ \in 2 â†' tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3

#	Article	IF	CITATIONS
271	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt $s_{NN}}=2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
272	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
273	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
274	Measurement of the $\frac{t}{v}$ mathrm $t}$ overline $mtrm\{t\}$ \$\frac{t}{r}\$ production cross section in the all-jets final state in pp collisions at $\frac{s}{s}$ = 8 \$\frac{t}{r}\$ in European Physical Journal C, 2016, 76, 128.	3.9	41
275	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
276	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,," $\hat{1}\frac{1}{2}$ b b \hat{A}^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
277	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
278	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
279	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + j$ ets and $e\hat{A}\pm \hat{l}\frac{1}{4}\hat{A}\pm + j$ ets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	35
280	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
281	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\frac{s}{s}=8$, ext TeV \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	3.9	62
282	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
283	Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at â^š <i>s</i> = 8 TeV. Journal of Instrumentation, 2015, 10, P08010-P08010.	1.2	168
284	Performance of the CMS missing transverse momentum reconstruction in pp data at $\hat{a}\hat{s}\langle i\rangle s\langle i\rangle = 8$ TeV. Journal of Instrumentation, 2015, 10, P02006-P02006.	1.2	93
285	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
286	Search for third-generation scalar leptoquarks in the $t\ddot{l}$, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
287	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
288	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37

#	Article	IF	CITATIONS
289	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
290	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
291	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
292	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
293	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
294	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
295	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
296	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
297	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>p</mml:mi> > <mml:mi>Collisions at<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msort><mml:mi></mml:mi></mml:msort><mml:mo>=</mml:mo><mml:mo><td>7.8 1><td>1,062 nath>and</td></td></mml:mo></mml:math </mml:mi>	7.8 1> <td>1,062 nath>and</td>	1,062 nath>and
298	8ÅTeV with the ATLAS and CMS Experiments, Physical Review Letters, 2015, 114, 191803. Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
299	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	3.9	68
300	Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$, ext TeV \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.	3.9	191
301	Measurements of the \frac{Z} $2 $ $2 $ $2 $ $2 $ $2 $ Measurements of the $2 $ $2 $ $2 $ $2 $ $2 $ $2 $ $2 $ $2 $	3.9	32
302	Comparison of the Z/\hat{i} \hat{a} — + jets to \hat{i} + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
303	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
304	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
305	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
306	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at $\$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	3.9	88

#	Article	IF	CITATIONS
307	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	3.9	44
308	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7 Â+	26
309	and B± â†' J Ï^K ± and â,,¬ B c ± â†' J / Ï^ Ï€ ± Ï€ ± Ï€ â^" / â,,¬ B c ± â†' J / Ï^ Ï€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm}{pi}^{pm} Tj ETQq1 1 0.7	/84314 rgB 4.7	ST_/Overlock 17
310	2015, 1. Search for disappearing tracks in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
311	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$ $ sqrt $\$_\{mathrm\{NN\}\}\}=2.76 \$\$ $ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
312	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
313	Observation of the rare Bs0 â†'Â μ +Â μ â^' decay from the combined analysis of CMS and LHCb data. Nature, 2015, 522, 68-72.	27.8	390
314	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76 \$$ sqrt $\{s\}=2.76 \$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
315	Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	3.9	320
316	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7\$\$,ext\{TeV\}\$\$ TeV$. European Physical Journal C, 2015, 75, 288.	3.9	54
317	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\$$ sqrt{s_{_mathrm {NN}}} =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 237.	3.9	58
318	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	3.9	6
319	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Measureproton of Propaga with the proton of t	3.9	43
320	display="inline"> <mml:mrow><mml:mi>i^</mml:mi><mml:mo stretchy="false">(</mml:mo><mml:mn>2</mml:mn><mml:mi>S</mml:mi><mml:mi> xmlns:mml="http://www.w3.org/1998/Math/Math/ML" display="inline"><mml:mi>J</mml:mi><mml:mi><mml:mo< td=""><td>ck 10 Tf 50 7.8</td><td>227 Td (str 47</td></mml:mo<></mml:mi></mml:mi></mml:mrow>	ck 10 Tf 50 7.8	227 Td (str 47
321	stretchy="false">/ <mml:mi>Î^</mml:mi> (mml:math>Yield Ratios in Pb-Pb and <mml:math \$\$="" \$\$mathrm="" \$\$sqrt{s}="8,ext" 2014,="" 3149.<="" 74,="" and="" at="" bosons="" c,="" collisions="" couplings="" european="" for="" heavy="" in="" journal="" neutrinos="" physical="" protonâ€"proton="" right-handed="" s="8" search="" td="" tev.="" w="" with="" {tev}="" {w}\$\$=""><td>3.9</td><td>179</td></mml:math>	3.9	179
322	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	3.9	43
323	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
324	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81

#	Article	lF	CITATIONS
325	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
326	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
327	Measurement of prompt J/ $\hat{\Gamma}$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	4.7	61
328	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	3.9	342
329	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
330	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
331	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $s = 8 $ \$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
332	Description and performance of track and primary-vertex reconstruction with the CMS tracker. Journal of Instrumentation, 2014, 9, P10009-P10009.	1.2	380
333	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
334	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
335	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
336	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6