Tim J Schulz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6421488/publications.pdf

Version: 2024-02-01

126858 106281 7,307 67 33 65 h-index citations g-index papers 70 70 70 10829 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|---|-------------|-----------|
| 1 | Immune Regulation of Adipose Tissue Browning. , 2022, , 221-234. | | O |
| 2 | Wt1 haploinsufficiency induces browning of epididymal fat and alleviates metabolic dysfunction in mice on high-fat diet. Diabetologia, 2022, 65, 528-540. | 2.9 | 3 |
| 3 | Distinct Adipogenic and Fibrogenic Differentiation Capacities of Mesenchymal Stromal Cells from Pancreas and White Adipose Tissue. International Journal of Molecular Sciences, 2022, 23, 2108. | 1.8 | O |
| 4 | Complementary omics strategies to dissect p53 signaling networks under nutrient stress. Cellular and Molecular Life Sciences, 2022, 79, . | 2.4 | 4 |
| 5 | Active integrins regulate white adipose tissue insulin sensitivity and brown fat thermogenesis. Molecular Metabolism, 2021, 45, 101147. | 3.0 | 30 |
| 6 | Identification of biomarkers of brown adipose tissue aging highlights the role of dysfunctional energy and nucleotide metabolism pathways. Scientific Reports, 2021, 11, 19928. | 1.6 | 10 |
| 7 | Loss of the ciliary gene <i>Bbs4</i> results in defective thermogenesis due to metabolic inefficiency and impaired lipid metabolism. FASEB Journal, 2021, 35, e21966. | 0.2 | 3 |
| 8 | FGF6 and FGF9 regulate UCP1 expression independent of brown adipogenesis. Nature Communications, 2020, 11, 1421. | 5. 8 | 67 |
| 9 | 12-Lipoxygenase Regulates Cold Adaptation and Glucose Metabolism by Producing the Omega-3 Lipid 12-HEPE from Brown Fat. Cell Metabolism, 2019, 30, 768-783.e7. | 7.2 | 132 |
| 10 | Pancreatic adipocytes mediate hypersecretion of insulin in diabetes-susceptible mice. Metabolism: Clinical and Experimental, 2019, 97, 9-17. | 1.5 | 26 |
| 11 | Identification of functional lipid metabolism biomarkers of brown adipose tissue aging. Molecular Metabolism, 2019, 24, 1-17. | 3.0 | 38 |
| 12 | Standardised Nomenclature, Abbreviations, and Units for the Study of Bone Marrow Adiposity: Report of the Nomenclature Working Group of the International Bone Marrow Adiposity Society. Frontiers in Endocrinology, 2019, 10, 923. | 1.5 | 34 |
| 13 | Increased Ifi202b/IFI16 expression stimulates adipogenesis in mice and humans. Diabetologia, 2018, 61, 1167-1179. | 2.9 | 21 |
| 14 | Partial involvement of Nrf2 in skeletal muscle mitohormesis as an adaptive response to mitochondrial uncoupling. Scientific Reports, 2018, 8, 2446. | 1.6 | 31 |
| 15 | Loss of the Hematopoietic Stem Cell Factor GATA2 in the Osteogenic Lineage Impairs Trabecularization and Mechanical Strength of Bone. Molecular and Cellular Biology, 2018, 38, . | 1.1 | 14 |
| 16 | p53 Functions in Adipose Tissue Metabolism and Homeostasis. International Journal of Molecular Sciences, 2018, 19, 2622. | 1.8 | 68 |
| 17 | p53 as a Dichotomous Regulator of Liver Disease: The Dose Makes the Medicine. International Journal of Molecular Sciences, 2018, 19, 921. | 1.8 | 47 |
| 18 | Cold-Activated Lipid Dynamics in Adipose Tissue Highlights a Role for Cardiolipin in Thermogenic Metabolism. Cell Reports, 2018, 24, 781-790. | 2.9 | 60 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Aging of Brown and Beige/Brite Adipose Tissue. Handbook of Experimental Pharmacology, 2018, 251, 55-72. | 0.9 | 28 |
| 20 | Loss of periostin occurs in aging adipose tissue of mice and its genetic ablation impairs adipose tissue lipid metabolism. Aging Cell, 2018, 17, e12810. | 3.0 | 29 |
| 21 | Flow Cytometric Isolation and Differentiation of Adipogenic Progenitor Cells into Brown and Brite/Beige Adipocytes. Methods in Molecular Biology, 2017, 1566, 25-36. | 0.4 | 12 |
| 22 | Sex matters: The effects of biological sex on adipose tissue biology and energy metabolism. Redox Biology, 2017, 12, 806-813. | 3.9 | 100 |
| 23 | Adipocyte Accumulation in the Bone Marrow during Obesity and Aging Impairs Stem Cell-Based Hematopoietic and Bone Regeneration. Cell Stem Cell, 2017, 20, 771-784.e6. | 5.2 | 566 |
| 24 | Lysophosphatidic Acid Inhibits Insulin Signaling in Primary Rat Hepatocytes via the LPA3 Receptor Subtype and is Increased in Obesity. Cellular Physiology and Biochemistry, 2017, 43, 445-456. | 1.1 | 22 |
| 25 | Short-chain fatty acids and inulin, but not guar gum, prevent diet-induced obesity and insulin resistance through differential mechanisms in mice. Scientific Reports, 2017, 7, 6109. | 1.6 | 158 |
| 26 | The emerging role of bone marrow adipose tissue in bone health and dysfunction. Journal of Molecular Medicine, 2017, 95, 1291-1301. | 1.7 | 32 |
| 27 | Liver p53 is stabilized upon starvation and required for amino acid catabolism and gluconeogenesis. FASEB Journal, 2017, 31, 732-742. | 0.2 | 55 |
| 28 | Induction of Steatohepatitis (NASH) with Insulin Resistance in Wild-type B6 Mice by a Western-type Diet Containing Soybean Oil and Cholesterol. Molecular Medicine, 2017, 23, 70-82. | 1.9 | 46 |
| 29 | Loss of BMP receptor type 1A in murine adipose tissue attenuates age-related onset of insulin resistance. Diabetologia, 2016, 59, 1769-1777. | 2.9 | 16 |
| 30 | Pharmacological and Genetic Manipulation of p53 in Brown Fat at Adult But Not Embryonic Stages Regulates Thermogenesis and Body Weight in Male Mice. Endocrinology, 2016, 157, 2735-2749. | 1.4 | 23 |
| 31 | Muscle mitochondrial stress adaptation operates independently of endogenous FGF21 action. Molecular Metabolism, 2016, 5, 79-90. | 3.0 | 58 |
| 32 | Bone morphogenetic proteins in inflammation, glucose homeostasis and adipose tissue energy metabolism. Cytokine and Growth Factor Reviews, 2016, 27, 105-118. | 3.2 | 70 |
| 33 | Micro <scp>RNA</scp> â€455 regulates brown adipogenesis via a novel <scp>HIF</scp> 1an― <scp>AMPK</scp> ― <scp>PGC</scp> 1α signaling network. EMBO Reports, 2015, 16, 1378-1393. | 2.0 | 123 |
| 34 | Mechanisms of Aging-Related Impairment of Brown Adipocyte Development and Function. Gerontology, 2015, 61, 211-217. | 1.4 | 79 |
| 35 | Disruption of Insulin Signaling in Myf5-Expressing Progenitors Leads to Marked Paucity of Brown Fat but Normal Muscle Development. Endocrinology, 2015, 156, 1637-1647. | 1.4 | 16 |
| 36 | Clonal analyses and gene profiling identify genetic biomarkers of the thermogenic potential of human brown and white preadipocytes. Nature Medicine, 2015, 21, 760-768. | 15.2 | 240 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 37 | Intramuscular adipogenesis is inhibited by myo-endothelial progenitors with functioning Bmpr1a signalling. Nature Communications, 2014, 5, 4063. | 5.8 | 36 |
| 38 | D-Glucosamine supplementation extends life span of nematodes and of ageing mice. Nature Communications, 2014, 5, 3563. | 5.8 | 181 |
| 39 | Adipogenic Fate Commitment of Muscle-Derived Progenitor Cells: Isolation, Culture, and Differentiation. Methods in Molecular Biology, 2014, 1213, 229-243. | 0.4 | 6 |
| 40 | Systemic control of brown fat thermogenesis: integration of peripheral and central signals. Annals of the New York Academy of Sciences, 2013, 1302, 35-41. | 1.8 | 17 |
| 41 | Brown-fat paucity due to impaired BMP signalling induces compensatory browning of white fat. Nature, 2013, 495, 379-383. | 13.7 | 338 |
| 42 | Anatomical localization, gene expression profiling and functional characterization of adult human neck brown fat. Nature Medicine, 2013, 19, 635-639. | 15.2 | 579 |
| 43 | Brown adipose tissue: development, metabolism and beyond. Biochemical Journal, 2013, 453, 167-178. | 1.7 | 153 |
| 44 | Bone morphogenetic protein 7 (BMP7) reverses obesity and regulates appetite through a central mTOR pathway. FASEB Journal, 2012, 26, 2187-2196. | 0.2 | 93 |
| 45 | Intrinsic Differences in Adipocyte Precursor Cells From Different White Fat Depots. Diabetes, 2012, 61, 1691-1699. | 0.3 | 247 |
| 46 | Insulin/IGF-I Regulation of Necdin and Brown Adipocyte Differentiation Via CREB- and FoxO1-Associated Pathways. Endocrinology, 2011, 152, 3680-3689. | 1.4 | 44 |
| 47 | Identification of inducible brown adipocyte progenitors residing in skeletal muscle and white fat. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 143-148. | 3.3 | 425 |
| 48 | The Friedreich's ataxia protein frataxin modulates DNA base excision repair in prokaryotes and mammals. Biochemical Journal, 2010, 432, 165-172. | 1.7 | 34 |
| 49 | Cross Talk between Insulin and Bone Morphogenetic Protein Signaling Systems in Brown Adipogenesis. Molecular and Cellular Biology, 2010, 30, 4224-4233. | 1.1 | 59 |
| 50 | Opposing effects of dietary sugar and saturated fat on cardiovascular risk factors and glucose metabolism in mitochondrially impaired mice. European Journal of Nutrition, 2010, 49, 417-427. | 1.8 | 7 |
| 51 | Activation of mitochondrial energy metabolism protects against cardiac failure. Aging, 2010, 2, 843-853. | 1.4 | 53 |
| 52 | Emerging role of bone morphogenetic proteins in adipogenesis and energy metabolism. Cytokine and Growth Factor Reviews, 2009, 20, 523-531. | 3.2 | 137 |
| 53 | Warburg and his Legacy. , 2009, , 23-38. | | 1 |
| 54 | New role of bone morphogenetic protein 7 in brown adipogenesis and energy expenditure. Nature, 2008, 454, 1000-1004. | 13.7 | 964 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Cell-based High-throughput Assay System Reveals Modulation of Oxidative and Nonoxidative Glucose Metabolism due to Commonly Used Organic Solvents. Hormone and Metabolic Research, 2008, 40, 29-37. | 0.7 | 13 |
| 56 | Reduced expression of mitochondrial frataxin in mice exacerbates diet-induced obesity. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 6377-6381. | 3.3 | 24 |
| 57 | Alterations of Pancreatic Beta-cell Mass and Islet Number due to Ins2-controlled Expression of Cre Recombinase: RIP-Cre Revisited; Part 2. Hormone and Metabolic Research, 2007, 39, 336-340. | 0.7 | 33 |
| 58 | Impaired respiration is positively correlated with decreased life span in Caenorhabditis elegans models of Friedreich Ataxia. FASEB Journal, 2007, 21, 1271-1275. | 0.2 | 51 |
| 59 | Glucose Restriction Extends Caenorhabditis elegans Life Span by Inducing Mitochondrial Respiration and Increasing Oxidative Stress. Cell Metabolism, 2007, 6, 280-293. | 7.2 | 1,051 |
| 60 | Improved glucose metabolism in mice lacking \hat{l} ±-tocopherol transfer protein. European Journal of Nutrition, 2007, 46, 397-405. | 1.8 | 12 |
| 61 | Variable Expression of Cre Recombinase Transgenes Precludes Reliable Prediction of Tissue-Specific Gene Disruption by Tail-Biopsy Genotyping. PLoS ONE, 2007, 2, e1013. | 1.1 | 29 |
| 62 | Induction of Oxidative Metabolism by Mitochondrial Frataxin Inhibits Cancer Growth. Journal of Biological Chemistry, 2006, 281, 977-981. | 1.6 | 178 |
| 63 | Chemical Inhibition of Citrate Metabolism Alters Glucose Metabolism in Mice. Hormone and Metabolic Research, 2006, 38, 543-545. | 0.7 | 7 |
| 64 | Chemical Inhibition of Citrate Metabolism Alters Body Fat Content in Mice. Hormone and Metabolic Research, 2006, 38, 134-136. | 0.7 | 4 |
| 65 | Targeted disruption of hepatic frataxin expression causes impaired mitochondrial function, decreased life span and tumor growth in mice. Human Molecular Genetics, 2005, 14, 3857-3864. | 1.4 | 123 |
| 66 | Frataxin deficiency in pancreatic islets causes diabetes due to loss of \hat{l}^2 cell mass. Journal of Clinical Investigation, 2003, 112, 527-534. | 3.9 | 112 |
| 67 | p53 Regulates a miRNA-Fructose Transporter Axis in Brown Adipose Tissue Under Fasting. Frontiers in Genetics, 0, 13, . | 1.1 | 2 |