

Gary David Housley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6421575/publications.pdf>

Version: 2024-02-01

146
papers

6,674
citations

53794

45
h-index

76900

74
g-index

153
all docs

153
docs citations

153
times ranked

4917
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Ionic currents of outer hair cells isolated from the guinea pig cochlea. Journal of Physiology, 1992, 448, 73-98. | 2.9 | 291 |
| 2 | Distribution of the P2X2 receptor subunit of the ATP-gated ion channels in the rat central nervous system. Journal of Comparative Neurology, 1999, 407, 11-32. | 1.6 | 253 |
| 3 | Brain stem projections of the glossopharyngeal nerve and its carotid sinus branch in the rat. Neuroscience, 1987, 22, 237-250. | 2.3 | 224 |
| 4 | Cellular mechanisms of noise-induced hearing loss. Hearing Research, 2017, 349, 129-137. | 2.0 | 224 |
| 5 | N-Glycolylneuraminic Acid Deficiency in Mice: Implications for Human Biology and Evolution. Molecular and Cellular Biology, 2007, 27, 4340-4346. | 2.3 | 180 |
| 6 | Purinergic signaling in special senses. Trends in Neurosciences, 2009, 32, 128-141. | 8.6 | 174 |
| 7 | Expression of the P2X ₂ Receptor Subunit of the ATP-Gated Ion Channel in the Cochlea: Implications for Sound Transduction and Auditory Neurotransmission. Journal of Neuroscience, 1999, 19, 8377-8388. | 3.6 | 164 |
| 8 | A Forward Genetics Screen in Mice Identifies Recessive Deafness Traits and Reveals That Pejvakin Is Essential for Outer Hair Cell Function. Journal of Neuroscience, 2007, 27, 2163-2175. | 3.6 | 159 |
| 9 | Tau exacerbates excitotoxic brain damage in an animal model of stroke. Nature Communications, 2017, 8, 473. | 12.8 | 134 |
| 10 | Close-Field Electroporation Gene Delivery Using the Cochlear Implant Electrode Array Enhances the Bionic Ear. Science Translational Medicine, 2014, 6, 233ra54. | 12.4 | 130 |
| 11 | Localization by kainic acid lesions of neurones transmitting the carotid chemoreceptor stimulus for respiration in rat. Journal of Physiology, 1988, 406, 99-114. | 2.9 | 120 |
| 12 | Mutation of the ATP-gated P2X ₂ receptor leads to progressive hearing loss and increased susceptibility to noise. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 2228-2233. | 7.1 | 119 |
| 13 | Spatiotemporal definition of neurite outgrowth, refinement and retraction in the developing mouse cochlea. Development (Cambridge), 2007, 134, 2925-2933. | 2.5 | 115 |
| 14 | Glial Promoter Selectivity following AAV-Delivery to the Immature Brain. PLoS ONE, 2013, 8, e65646. | 2.5 | 108 |
| 15 | ATP-gated ion channels mediate adaptation to elevated sound levels. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 7494-7499. | 7.1 | 100 |
| 16 | Quinacrine staining of marginal cells in the stria vascularis of the guinea-pig cochlea: a possible source of extracellular ATP?. Hearing Research, 1995, 90, 97-105. | 2.0 | 90 |
| 17 | Type I vs type II spiral ganglion neurons exhibit differential survival and neuritogenesis during cochlear development. Neural Development, 2011, 6, 33. | 2.4 | 90 |
| 18 | Extracellular adenosine 5'-triphosphate (ATP) in the endolymphatic compartment influences cochlear function. Hearing Research, 1995, 90, 106-118. | 2.0 | 81 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Hair Cells â€œ Beyond the Transducer. <i>Journal of Membrane Biology</i> , 2006, 209, 89-118. | 2.1 | 80 |
| 20 | Synaptic profiles during neurite extension, refinement and retraction in the developing cochlea. <i>Neural Development</i> , 2012, 7, 38. | 2.4 | 79 |
| 21 | Transient receptor potential canonical type 3 channels facilitate endothelium-derived hyperpolarization-mediated resistance artery vasodilator activity. <i>Cardiovascular Research</i> , 2012, 95, 439-447. | 3.8 | 77 |
| 22 | Identification of a Short Form of the P2xR1-Purinoceptor Subunit Produced by Alternative Splicing in the Pituitary and Cochlea. <i>Biochemical and Biophysical Research Communications</i> , 1995, 212, 501-508. | 2.1 | 72 |
| 23 | P2Y1 Receptor Modulation of the Pre-Botzinger Complex Inspiratory Rhythm Generating Network In Vitro. <i>Journal of Neuroscience</i> , 2007, 27, 993-1005. | 3.6 | 72 |
| 24 | Adenosine 5â€²-triphosphate (ATP) concentrations in the endolymph and perilymph of the guinea-pig cochlea. <i>Hearing Research</i> , 1995, 90, 119-125. | 2.0 | 70 |
| 25 | Purnergic Regulation of Sound Transduction and Auditory Neurotransmission. <i>Audiology and Neuro-Otology</i> , 2002, 7, 55-61. | 1.3 | 70 |
| 26 | Localization of mRNA encoding the P2X2 receptor subunit of the adenosine 5'-triphosphate-gated ion channel in the adult and developing rat inner ear by in situ hybridization. <i>Journal of Comparative Neurology</i> , 1998, 393, 403-414. | 1.6 | 69 |
| 27 | Membrane properties of type II spiral ganglion neurones identified in a neonatal rat cochlear slice. <i>Journal of Physiology</i> , 2003, 552, 525-533. | 2.9 | 69 |
| 28 | Septal Glucagon-Like Peptide 1 Receptor Expression Determines Suppression of Cocaine-Induced Behavior. <i>Neuropsychopharmacology</i> , 2015, 40, 1969-1978. | 5.4 | 67 |
| 29 | Expression of the P2X2 receptor subunit of the ATP-gated ion channel in the retina. <i>NeuroReport</i> , 1997, 8, 1083-1088. | 1.2 | 66 |
| 30 | Noise induces up-regulation of P2X2 receptor subunit of ATP-gated ion channels in the rat cochlea. <i>NeuroReport</i> , 2003, 14, 817-823. | 1.2 | 64 |
| 31 | Electrophysiological properties and morphology of hair cells isolated from the semicircular canal of the frog. <i>Hearing Research</i> , 1989, 38, 259-276. | 2.0 | 63 |
| 32 | Immunohistochemical localization of adenosine 5'-triphosphate-gated ion channel P2X2 receptor subunits in adult and developing rat cochlea. , 2000, 421, 289-301. | | 62 |
| 33 | Purnergic Modulation of Cochlear Partition Resistance and Its Effect on the Endocochlear Potential in the Guinea Pig. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2004, 5, 58-65. | 1.8 | 61 |
| 34 | Localization of ATP-gated ion channels in cerebellum using P2x2R subunit-specific antisera. <i>NeuroReport</i> , 1996, 7, 2665-2670. | 1.2 | 60 |
| 35 | Purnergic signalling in sensory systems. <i>Seminars in Neuroscience</i> , 1996, 8, 233-246. | 2.2 | 60 |
| 36 | P2 Receptor Excitation of Rodent Hypoglossal Motoneuron Activity<i>In Vitro</i>and<i>In Vivo</i>: A Molecular Physiological Analysis. <i>Journal of Neuroscience</i> , 1997, 17, 6325-6337. | 3.6 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Type II spiral ganglion afferent neurons drive medial olivocochlear reflex suppression of the cochlear amplifier. <i>Nature Communications</i> , 2015, 6, 7115. | 12.8 | 60 |
| 38 | Extracellular nucleotide signaling in the inner ear. <i>Molecular Neurobiology</i> , 1998, 16, 21-48. | 4.0 | 56 |
| 39 | Regulation of P2X2 Receptors by the Neuronal Calcium Sensor VILIP1. <i>Science Signaling</i> , 2008, 1, ra8. | 3.6 | 55 |
| 40 | Noise exposure induces up-regulation of ecto-nucleoside triphosphate diphosphohydrolases 1 and 2 in rat cochlea. <i>Neuroscience</i> , 2004, 126, 763-773. | 2.3 | 53 |
| 41 | P2X receptor signaling inhibits BDNF-mediated spiral ganglion neuron development in the neonatal rat cochlea. <i>Development (Cambridge)</i> , 2007, 134, 1407-1417. | 2.5 | 51 |
| 42 | Expression of the P2X ₇ Receptor Subunit of the Adenosine 5'-Triphosphate-Gated Ion Channel in the Developing and Adult Rat Cochlea. <i>Audiology and Neuro-Otology</i> , 2003, 8, 28-37. | 1.3 | 50 |
| 43 | Evidence for alternative splicing of ecto-ATPase associated with termination of purinergic transmission. <i>Molecular Brain Research</i> , 1999, 73, 85-92. | 2.3 | 49 |
| 44 | Cholinergically-induced changes: outward currents in hair cells isolated from the semicircular canal of the frog. <i>Hearing Research</i> , 1990, 43, 121-133. | 2.0 | 47 |
| 45 | Expression of ATP-gated ion channels by Reissner's membrane epithelial cells. <i>NeuroReport</i> , 1998, 9, 2467-2474. | 1.2 | 47 |
| 46 | Developmental regulation of neuron-specific P2X3 receptor expression in the rat cochlea. <i>Journal of Comparative Neurology</i> , 2005, 484, 133-143. | 1.6 | 47 |
| 47 | Adenosine and the Auditory System. <i>Current Neuropharmacology</i> , 2009, 7, 246-256. | 2.9 | 46 |
| 48 | Developmentally regulated expression of the P2X3 receptor in the mouse cochlea. <i>Histochemistry and Cell Biology</i> , 2006, 125, 681-692. | 1.7 | 45 |
| 49 | Differential actions of isoflurane and ketamine-based anaesthetics on cochlear function in the mouse. <i>Hearing Research</i> , 2012, 292, 71-9. | 2.0 | 45 |
| 50 | Histamine and related substances influence neurotransmission in the semicircular canal. <i>Hearing Research</i> , 1988, 35, 87-97. | 2.0 | 44 |
| 51 | The acetylcholine receptors of the semicircular canal in the frog (<i>Rana pipiens</i>). <i>Hearing Research</i> , 1988, 32, 197-206. | 2.0 | 44 |
| 52 | Physiological Effects Of Extracellular Nucleotides In The Inner Ear. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 575-580. | 1.9 | 44 |
| 53 | Differential distribution of adenosine receptors in rat cochlea. <i>Cell and Tissue Research</i> , 2007, 328, 461-471. | 2.9 | 44 |
| 54 | Fluorescence imaging of Na ⁺ influx via P2X receptors in cochlear hair cells. <i>Hearing Research</i> , 1998, 119, 1-13. | 2.0 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | P2X2 receptor subunit expression in a subpopulation of cochlear type I spiral ganglion neurones. <i>NeuroReport</i> , 1998, 9, 279-282. | 1.2 | 43 |
| 56 | Autoradiographic labelling of P2 purinoceptors in the guinea-pig cochlea. <i>Hearing Research</i> , 1995, 84, 177-193. | 2.0 | 41 |
| 57 | ATP sensitivity of preBötzing complex neurones in neonatal rat <i>in vitro</i> : mechanism underlying a P2 receptor-mediated increase in inspiratory frequency. <i>Journal of Physiology</i> , 2008, 586, 1429-1446. | 2.9 | 41 |
| 58 | Lateral line function in an antarctic fish related to the signals produced by planktonic prey. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1988, 163, 827-833. | 1.6 | 40 |
| 59 | P2X2 receptor expression by interstitial cells of Cajal in vas deferens implicated in semen emission. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2000, 84, 147-161. | 2.8 | 39 |
| 60 | A-type potassium currents dominate repolarisation of neonatal rat primary auditory neurones in situ. <i>Neuroscience</i> , 2002, 109, 169-182. | 2.3 | 39 |
| 61 | Differential expression of P2Y receptors in the rat cochlea during development. <i>Purinergic Signalling</i> , 2010, 6, 231-248. | 2.2 | 39 |
| 62 | Recombinant Human Myelin-Associated Glycoprotein Promoter Drives Selective AAV-Mediated Transgene Expression in Oligodendrocytes. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 13. | 2.9 | 39 |
| 63 | The pharmacology and kinetics of ecto-nucleotidases in the perilymphatic compartment of the guinea-pig cochlea. <i>Hearing Research</i> , 1998, 117, 71-80. | 2.0 | 38 |
| 64 | Post exposure administration of A1 adenosine receptor agonists attenuates noise-induced hearing loss. <i>Hearing Research</i> , 2010, 260, 81-88. | 2.0 | 38 |
| 65 | Uncoupling N-acetylaspartate from brain pathology: implications for Canavan disease gene therapy. <i>Acta Neuropathologica</i> , 2018, 135, 95-113. | 7.7 | 38 |
| 66 | Transient expression of P2X1 receptor subunits of ATP-gated ion channels in the developing rat cochlea. <i>Developmental Brain Research</i> , 2001, 126, 173-182. | 1.7 | 37 |
| 67 | ATP-gated ion channels assembled from P2X2 receptor subunits in the mouse cochlea. <i>NeuroReport</i> , 2002, 13, 1979-1984. | 1.2 | 37 |
| 68 | Reduced P2x2 receptor-mediated regulation of endocochlear potential in the ageing mouse cochlea. <i>Purinergic Signalling</i> , 2010, 6, 263-272. | 2.2 | 36 |
| 69 | Distribution of ectonucleoside triphosphate diphosphohydrolases 1 and 2 in rat cochlea. <i>Hearing Research</i> , 2002, 170, 127-138. | 2.0 | 35 |
| 70 | Scorpion toxin peptide action at the ion channel subunit level. <i>Neuropharmacology</i> , 2017, 127, 46-78. | 4.1 | 35 |
| 71 | ATP-gated ion channel expression in primary auditory neurones. <i>NeuroReport</i> , 1999, 10, 2579-2586. | 1.2 | 34 |
| 72 | A technique for slicing the rat cochlea around the onset of hearing. <i>Journal of Neuroscience Methods</i> , 2000, 104, 77-86. | 2.5 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | NTPDase1 and NTPDase2 Immunolocalization in Mouse Cochlea: Implications for Regulation of P2 Receptor Signaling. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 1435-1441. | 2.5 | 34 |
| 74 | Alternative Splicing of the TRPC3 Ion Channel Calmodulin/IP ₃ Receptor-Binding Domain in the Hindbrain Enhances Cation Flux. <i>Journal of Neuroscience</i> , 2012, 32, 11414-11423. | 3.6 | 34 |
| 75 | Disinhibition-like behavior in a P301S mutant tau transgenic mouse model of frontotemporal dementia. <i>Neuroscience Letters</i> , 2016, 631, 24-29. | 2.1 | 34 |
| 76 | P2X receptor-mediated changes in cochlear potentials arising from exogenous adenosine 5â€™-triphosphate in endolymph. <i>Hearing Research</i> , 1999, 138, 56-64. | 2.0 | 32 |
| 77 | Noise-induced up-regulation of NTPDase3 expression in the rat cochlea: Implications for auditory transmission and cochlear protection. <i>Brain Research</i> , 2006, 1104, 55-63. | 2.2 | 32 |
| 78 | Adenosine amine congener mitigates noise-induced cochlear injury. <i>Purinergic Signalling</i> , 2010, 6, 273-281. | 2.2 | 32 |
| 79 | Adenosine kinase inhibition in the cochlea delays the onset of age-related hearing loss. <i>Experimental Gerontology</i> , 2011, 46, 905-914. | 2.8 | 32 |
| 80 | Cholinergic and Purinergic Neurohumoral Signalling in the Inner Ear: A Molecular Physiological Analysis. <i>Audiology and Neuro-Otology</i> , 1997, 2, 92-110. | 1.3 | 31 |
| 81 | P2 receptors modulate respiratory rhythm but do not contribute to central CO2 sensitivity in vitro. <i>Respiratory Physiology and Neurobiology</i> , 2004, 142, 27-42. | 1.6 | 31 |
| 82 | Î²-Hydroxybutyrate Boosts Mitochondrial and Neuronal Metabolism but is not Preferred Over Glucose Under Activated Conditions. <i>Neurochemical Research</i> , 2017, 42, 1710-1723. | 3.3 | 30 |
| 83 | Nicotinic acetylcholine receptor subunits expressed in rat cochlea detected by the polymerase chain reaction. <i>Hearing Research</i> , 1994, 75, 47-53. | 2.0 | 29 |
| 84 | Ectonucleotidase activity in the perilymphatic compartment of the guinea pig cochlea. <i>Hearing Research</i> , 1996, 99, 31-37. | 2.0 | 29 |
| 85 | C-terminal splicing of NTPDase2 provides distinctive catalytic properties, cellular distribution and enzyme regulation. <i>Biochemical Journal</i> , 2005, 385, 729-736. | 3.7 | 29 |
| 86 | ATP-gated currents in rat primary auditory neurones in situ arise from a heteromultimeric P2X receptor subunit assembly. <i>Neuropharmacology</i> , 2002, 42, 386-395. | 4.1 | 28 |
| 87 | TRPC-like conductance mediates restoration of intracellular Ca ²⁺ in cochlear outer hair cells in the guinea pig and rat. <i>Journal of Physiology</i> , 2007, 579, 101-113. | 2.9 | 28 |
| 88 | Potential Role of Purinergic Signalling in Cochlear Pathology. <i>Audiology and Neuro-Otology</i> , 2002, 7, 180-184. | 1.3 | 27 |
| 89 | Adenosine receptors regulate susceptibility to noise-induced neural injury in the mouse cochlea and hearing loss. <i>Hearing Research</i> , 2017, 345, 43-51. | 2.0 | 27 |
| 90 | Developmental expression of two-pore domain K ⁺ channels, TASK-1 and TREK-1, in the rat cochlea. <i>NeuroReport</i> , 2004, 15, 437-441. | 1.2 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Differential expression of ryanodine receptors in the rat cochlea. <i>Neuroscience</i> , 2006, 137, 275-286. | 2.3 | 26 |
| 92 | Positional Analysis of Guinea Pig Inner Hair Cell Membrane Conductances: Implications for Regulation of the Membrane Filter. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2001, 2, 362-376. | 1.8 | 24 |
| 93 | Neuronal expression of peripherin, a type III intermediate filament protein, in the mouse hindbrain. <i>Histochemistry and Cell Biology</i> , 2007, 128, 541-550. | 1.7 | 24 |
| 94 | Ca ²⁺ entry via AMPA-type glutamate receptors triggers Ca ²⁺ -induced Ca ²⁺ release from ryanodine receptors in rat spiral ganglion neurons. <i>Cell Calcium</i> , 2008, 43, 356-366. | 2.4 | 24 |
| 95 | Developmental regulation of TRPC3 ion channel expression in the mouse cochlea. <i>Histochemistry and Cell Biology</i> , 2010, 133, 437-448. | 1.7 | 23 |
| 96 | TRPC3 ion channel subunit immunolocalization in the cochlea. <i>Histochemistry and Cell Biology</i> , 2010, 133, 137-147. | 1.7 | 23 |
| 97 | Type III intermediate filament peripherin inhibits neuritogenesis in type II spiral ganglion neurons in vitro. <i>Neuroscience Letters</i> , 2010, 478, 51-55. | 2.1 | 21 |
| 98 | In vivo characterization of the aspartyl-tRNA synthetase DARS: Homing in on the leukodystrophy HBSL. <i>Neurobiology of Disease</i> , 2017, 97, 24-35. | 4.4 | 20 |
| 99 | Neurotrophin gene augmentation by electrotransfer to improve cochlear implant hearing outcomes. <i>Hearing Research</i> , 2019, 380, 137-149. | 2.0 | 20 |
| 100 | Developmental downregulation of P2X ₃ receptors in motoneurons of the compact formation of the nucleus ambiguus. <i>European Journal of Neuroscience</i> , 2005, 22, 809-824. | 2.6 | 19 |
| 101 | Expression Pattern of the Aspartyl-tRNA Synthetase DARS in the Human Brain. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 81. | 2.9 | 19 |
| 102 | Evaluation of Gene Therapy as an Intervention Strategy to Treat Brain Injury from Stroke. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 34. | 2.9 | 18 |
| 103 | Allosteric Modulation of Native Cochlear P2X Receptors: Insights from Comparison with Recombinant P2X ₂ Receptors. <i>Audiology and Neuro-Otology</i> , 2003, 8, 115-128. | 1.3 | 17 |
| 104 | Canonical transient receptor potential channel subtype 3-mediated hair cell Ca ²⁺ entry regulates sound transduction and auditory neurotransmission. <i>European Journal of Neuroscience</i> , 2013, 37, 1478-1486. | 2.6 | 17 |
| 105 | Developmentally regulated expression of ectonucleotidases NTPDase5 and NTPDase6 and UDP-responsive P2Y receptors in the rat cochlea. <i>Histochemistry and Cell Biology</i> , 2010, 133, 425-436. | 1.7 | 16 |
| 106 | Focal Ischaemic Infarcts Expand Faster in Cerebellar Cortex than Cerebral Cortex in a Mouse Photothrombotic Stroke Model. <i>Translational Stroke Research</i> , 2018, 9, 643-653. | 4.2 | 16 |
| 107 | Adenosine Amine Congener as a Cochlear Rescue Agent. <i>BioMed Research International</i> , 2014, 2014, 1-10. | 1.9 | 14 |
| 108 | Properties of ATP-gated ion channels assembled from P2X ₂ subunits in mouse cochlear Reissner's membrane epithelial cells. <i>Purinergic Signalling</i> , 2015, 11, 551-560. | 2.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Purinergic signalling: an experimental perspective. <i>Journal of the Autonomic Nervous System</i> , 2000, 81, 139-145. | 1.9 | 13 |
| 110 | Distribution of NTPDase5 and NTPDase6 and the regulation of P2Y receptor signalling in the rat cochlea. <i>Purinergic Signalling</i> , 2010, 6, 249-261. | 2.2 | 13 |
| 111 | L-Aspartate, L-Ornithine and L-Ornithine-L-Aspartate (LOLA) and Their Impact on Brain Energy Metabolism. <i>Neurochemical Research</i> , 2020, 45, 1438-1450. | 3.3 | 13 |
| 112 | Purinergic Signaling and Aminoglycoside Ototoxicity: The Opposing Roles of P1 (Adenosine) and P2 (ATP) Receptors on Cochlear Hair Cell Survival. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 207. | 3.7 | 12 |
| 113 | Onset of hippocampal network aberration and memory deficits in P301S tau mice are associated with an early gene signature. <i>Brain</i> , 2020, 143, 1889-1904. | 7.6 | 12 |
| 114 | Mapping of bionic array electric field focusing in plasmid DNA-based gene electrotransfer. <i>Gene Therapy</i> , 2016, 23, 369-379. | 4.5 | 11 |
| 115 | Comparing perilymph proteomes across species. <i>Laryngoscope</i> , 2018, 128, E47-E52. | 2.0 | 11 |
| 116 | Human Brain Region-Specific Alternative Splicing of TRPC3, the Type 3 Canonical Transient Receptor Potential Non-Selective Cation Channel. <i>Cerebellum</i> , 2019, 18, 536-543. | 2.5 | 11 |
| 117 | Dual-Plasmid Bionic Array-Directed Gene Electrotransfer in HEK293 Cells and Cochlear Mesenchymal Cells Probes Transgene Expression and Cell Fate. <i>Human Gene Therapy</i> , 2019, 30, 211-224. | 2.7 | 11 |
| 118 | Role of adenosine kinase in cochlear development and response to noise. <i>Journal of Neuroscience Research</i> , 2010, 88, 2598-2609. | 2.9 | 9 |
| 119 | The Leukodystrophies HBSL and LBSLâ€”Correlates and Distinctions. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 626610. | 3.7 | 9 |
| 120 | Nucleoside transporter expression and adenosine uptake in the rat cochlea. <i>NeuroReport</i> , 2007, 18, 235-239. | 1.2 | 8 |
| 121 | Neural Cell Adhesion Molecule L1 Modulates Type I But Not Type II Inner Ear Spiral Ganglion Neurite Outgrowth in an In Vitro Alternate Choice Assay. <i>Journal of Molecular Neuroscience</i> , 2013, 51, 663-670. | 2.3 | 8 |
| 122 | Onset kinetics of noise-induced purinergic adaptation of the â€”cochlear amplifierâ€”™. <i>Purinergic Signalling</i> , 2019, 15, 343-355. | 2.2 | 8 |
| 123 | Activation-dependent trafficking of NTPDase2 in Chinese hamster ovary cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2007, 39, 810-817. | 2.8 | 7 |
| 124 | Purinergic signalling in the inner earâ€”perspectives and progress. <i>Purinergic Signalling</i> , 2010, 6, 151-153. | 2.2 | 7 |
| 125 | The role of GTF2IRD1 in the auditory pathology of Williamsâ€”Beuren Syndrome. <i>European Journal of Human Genetics</i> , 2015, 23, 774-780. | 2.8 | 7 |
| 126 | Hair cell specific NTPDase6 immunolocalisation in vestibular end organs: Potential role of purinergic signaling in vestibular sensory transduction. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2012, 22, 213-219. | 2.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Loss of Central Auditory Processing in a Mouse Model of Canavan Disease. PLoS ONE, 2014, 9, e97374. | 2.5 | 6 |
| 128 | Emerging Concepts in Vector Development for Glial Gene Therapy: Implications for Leukodystrophies. Frontiers in Cellular Neuroscience, 2021, 15, 661857. | 3.7 | 6 |
| 129 | A Hypomorphic Dars1D367Y Model Recapitulates Key Aspects of the Leukodystrophy HBSL. Frontiers in Cellular Neuroscience, 2020, 14, 625879. | 3.7 | 6 |
| 130 | Localization of mRNA encoding the P2X2 receptor subunit of the adenosine 5'-triphosphate-gated ion channel in the adult and developing rat inner ear by in situ hybridization. Journal of Comparative Neurology, 1998, 393, 403-414. | 1.6 | 6 |
| 131 | Preservation of cochlear function in Cd39 deficient mice. Hearing Research, 2009, 253, 77-82. | 2.0 | 5 |
| 132 | Recent insights into the regulation of breathing. Autonomic Neuroscience: Basic and Clinical, 2011, 164, 3-5. | 2.8 | 5 |
| 133 | Cochlear Implant Close-Field Electroporation. , 2016, , 1-20. | | 5 |
| 134 | Resistance to neomycin ototoxicity in the extreme basal (hook) region of the mouse cochlea. Histochemistry and Cell Biology, 2018, 150, 281-289. | 1.7 | 4 |
| 135 | Developmental delay and late onset HBSL pathology in hypomorphic Dars1M256L mice. Neurochemical Research, 2022, 47, 1972-1984. | 3.3 | 4 |
| 136 | Brain function in antarctic fish: frequency response analysis of central vestibular units. Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 1990, 166, 407. | 1.6 | 3 |
| 137 | Computational Simulation of Array-based Electroporation in the Cochlea. , 2018, 2018, 2462-2465. | | 3 |
| 138 | Cochlear homeostasis: a molecular physiological perspective on maintenance of sound transduction and auditory neurotransmission with noise and ageing. Current Opinion in Physiology, 2020, 18, 106-115. | 1.8 | 3 |
| 139 | Australian Scorpion Hormurus waigiensis Venom Fractions Show Broad Bioactivity through Modulation of Bio-Impedance and Cytosolic Calcium. Biomolecules, 2020, 10, 617. | 4.0 | 3 |
| 140 | Computational Simulation Expands Understanding of Electrotransfer-Based Gene Augmentation for Enhancement of Neural Interfaces. Frontiers in Neuroscience, 2019, 13, 691. | 2.8 | 2 |
| 141 | Evidence for Ectonucleotidases in the Guinea-Pig Cochlea. , 1997, , 15-19. | | 2 |
| 142 | Non-linear interaction between α -noradrenergic and P2 receptor signaling cascades in XII motoneurons (MNs). FASEB Journal, 2007, 21, A1295. | 0.5 | 2 |
| 143 | Distribution of the P2X2 receptor subunit of the ATP-gated ion channels in the rat central nervous system. , 1999, 407, 11. | | 1 |
| 144 | Modeling Excitotoxic Ischemic Brain Injury of Cerebellar Purkinje Neurons by Intravital and In Vitro Multi-photon Laser Scanning Microscopy. Neuromethods, 2014, , 105-127. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Cochlear Implant Close-Field Electroporation. , 2017, , 1679-1697. | | 0 |
| 146 | Audiological and Surgical Correlates of Myringoplasty Associated with Ethnography in the Bay of Plenty, New Zealand. Audiology and Neuro-Otology, 2022, , 1-12. | 1.3 | 0 |