

Yoshimasa Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/642240/publications.pdf>

Version: 2024-02-01

88
papers

4,555
citations

147566

31
h-index

114278

63
g-index

97
all docs

97
docs citations

97
times ranked

6112
citing authors

#	ARTICLE	IF	CITATIONS
1	In Situ Studies of the Primary Immune Response to (4-Hydroxy-3-Nitrophenyl)Acetyl. V. Affinity Maturation Develops in Two Stages of Clonal Selection. <i>Journal of Experimental Medicine</i> , 1998, 187, 885-895.	4.2	307
2	Regulated selection of germinal-center cells into the memory B cell compartment. <i>Nature Immunology</i> , 2016, 17, 861-869.	7.0	294
3	Distinct cellular pathways select germline-encoded and somatically mutated antibodies into immunological memory. <i>Journal of Experimental Medicine</i> , 2012, 209, 2079-2097.	4.2	237
4	Fas Is Required for Clonal Selection in Germinal Centers and the Subsequent Establishment of the Memory B Cell Repertoire. <i>Immunity</i> , 2001, 14, 181-192.	6.6	228
5	Memory B Cells without Somatic Hypermutation Are Generated from Bcl6-Deficient B Cells. <i>Immunity</i> , 2002, 17, 329-339.	6.6	219
6	Memory B cells in the lung participate in protective humoral immune responses to pulmonary influenza virus reinfection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2485-2490.	3.3	193
7	Sialylation converts arthritogenic IgG into inhibitors of collagen-induced arthritis. <i>Nature Communications</i> , 2016, 7, 11205.	5.8	148
8	Antibodies to a Conserved Influenza Head Interface Epitope Protect by an IgG Subtype-Dependent Mechanism. <i>Cell</i> , 2019, 177, 1124-1135.e16.	13.5	141
9	Antigen-receptor genes of the agnathan lamprey are assembled by a process involving copy choice. <i>Nature Immunology</i> , 2007, 8, 206-213.	7.0	137
10	Distinct germinal center selection at local sites shapes memory B cell response to viral escape. <i>Journal of Experimental Medicine</i> , 2015, 212, 1709-1723.	4.2	128
11	Generation of memory B cells inside and outside germinal centers. <i>European Journal of Immunology</i> , 2014, 44, 1258-1264.	1.6	127
12	Influenza Antigen Engineering Focuses Immune Responses to a Subdominant but Broadly Protective Viral Epitope. <i>Cell Host and Microbe</i> , 2019, 25, 827-835.e6.	5.1	127
13	IgA production in the large intestine is modulated by a different mechanism than in the small intestine: <i>Bacteroides acidifaciens</i> promotes IgA production in the large intestine by inducing germinal center formation and increasing the number of IgA+ B cells. <i>Immunobiology</i> , 2013, 218, 645-651.	0.8	123
14	Tissue-resident CD4 ⁺ T helper cells assist the development of protective respiratory B and CD8 ⁺ T cell memory responses. <i>Science Immunology</i> , 2021, 6, .	5.6	116
15	Temporal maturation of neutralizing antibodies in COVID-19 convalescent individuals improves potency and breadth to circulating SARS-CoV-2 variants. <i>Immunity</i> , 2021, 54, 1841-1852.e4.	6.6	114
16	Protective neutralizing influenza antibody response in the absence of T follicular helper cells. <i>Nature Immunology</i> , 2016, 17, 1447-1458.	7.0	107
17	Relaxed Negative Selection in Germinal Centers and Impaired Affinity Maturation in bcl-xL Transgenic Mice. <i>Journal of Experimental Medicine</i> , 1999, 190, 399-410.	4.2	104
18	Oral Administration of <i>Lactobacillus plantarum</i> Strain AYA Enhances IgA Secretion and Provides Survival Protection against Influenza Virus Infection in Mice. <i>PLoS ONE</i> , 2014, 9, e86416.	1.1	94

#	ARTICLE	IF	CITATIONS
19	Two waves of memory B-cell generation in the primary immune response. <i>International Immunology</i> , 2005, 17, 581-589.	1.8	92
20	SARS-CoV-2 Omicron-neutralizing memory B cells are elicited by two doses of BNT162b2 mRNA vaccine. <i>Science Immunology</i> , 2022, 7, eabn8590.	5.6	88
21	Better Epitope Discovery, Precision Immune Engineering, and Accelerated Vaccine Design Using Immunoinformatics Tools. <i>Frontiers in Immunology</i> , 2020, 11, 442.	2.2	78
22	Epitope Mapping of the Hemagglutinin Molecule of A/(H1N1)pdm09 Influenza Virus by Using Monoclonal Antibody Escape Mutants. <i>Journal of Virology</i> , 2014, 88, 12364-12373.	1.5	61
23	Vaccination-infection interval determines cross-neutralization potency to SARS-CoV-2 Omicron after breakthrough infection by other variants. <i>Med</i> , 2022, 3, 249-261.e4.	2.2	56
24	CD22 Expression Mediates the Regulatory Functions of Peritoneal B-1a Cells during the Remission Phase of Contact Hypersensitivity Reactions. <i>Journal of Immunology</i> , 2010, 184, 4637-4645.	0.4	52
25	Ras Mediates Effector Pathways Responsible for Pre-B Cell Survival, Which Is Essential for the Developmental Progression to the Late Pre-B Cell Stage. <i>Journal of Experimental Medicine</i> , 2000, 192, 171-182.	4.2	49
26	Unique properties of memory B cells of different isotypes. <i>Immunological Reviews</i> , 2010, 237, 104-116.	2.8	49
27	<i>Bacteroides</i> Induce Higher IgA Production Than <i>Lactobacillus</i> by Increasing Activation-Induced Cytidine Deaminase Expression in B Cells in Murine Peyer's Patches. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 372-377.	0.6	46
28	A SARS-CoV-2 antibody broadly neutralizes SARS-related coronaviruses and variants by coordinated recognition of a virus-vulnerable site. <i>Immunity</i> , 2021, 54, 2385-2398.e10.	6.6	46
29	Respiratory syncytial virus infection exacerbates pneumococcal pneumonia via Gas6/Axl-mediated macrophage polarization. <i>Journal of Clinical Investigation</i> , 2020, 130, 3021-3037.	3.9	38
30	Whole-Virion Influenza Vaccine Recalls an Early Burst of High-Affinity Memory B Cell Response through TLR Signaling. <i>Journal of Immunology</i> , 2016, 196, 4172-4184.	0.4	36
31	A humanized mouse model identifies key amino acids for low immunogenicity of H7N9 vaccines. <i>Scientific Reports</i> , 2017, 7, 1283.	1.6	35
32	Regulation of antigen receptor gene assembly in hagfish. <i>EMBO Reports</i> , 2010, 11, 126-132.	2.0	34
33	Metformin-induced suppression of IFN- γ via mTORC1 signalling following seasonal vaccination is associated with impaired antibody responses in type 2 diabetes. <i>Scientific Reports</i> , 2020, 10, 3229.	1.6	33
34	Incomplete humoral response including neutralizing antibodies in asymptomatic to mild COVID-19 patients in Japan. <i>Virology</i> , 2021, 555, 35-43.	1.1	31
35	Association of <i>HLA-DRB1*09:01</i> with severe COVID-19. <i>Hla</i> , 2021, 98, 37-42.	0.4	31
36	Novel Role of the Ras Cascade in Memory B Cell Response. <i>Immunity</i> , 2005, 23, 127-138.	6.6	30

#	ARTICLE	IF	CITATIONS
37	Requirement for memory B-cell activation in protection from heterologous influenza virus reinfection. <i>International Immunology</i> , 2019, 31, 771-779.	1.8	30
38	Neutralizing-antibody-independent SARS-CoV-2 control correlated with intranasal-vaccine-induced CD8+ T cell responses. <i>Cell Reports Medicine</i> , 2022, 3, 100520.	3.3	29
39	Exposure of an occluded hemagglutinin epitope drives selection of a class of cross-protective influenza antibodies. <i>Nature Communications</i> , 2019, 10, 3883.	5.8	28
40	Myeloid cell dynamics correlating with clinical outcomes of severe COVID-19 in Japan. <i>International Immunology</i> , 2021, 33, 241-247.	1.8	26
41	Mefloquine, a Potent Anti-severe Acute Respiratory Syndrome-Related Coronavirus 2 (SARS-CoV-2) Drug as an Entry Inhibitor in vitro. <i>Frontiers in Microbiology</i> , 2021, 12, 651403.	1.5	25
42	Protective Immunity Afforded by Inactivated H5N1 (NIBRG-14) Vaccine Requires Antibodies against Both Hemagglutinin and Neuraminidase in Mice. <i>Journal of Infectious Diseases</i> , 2009, 199, 1629-1637.	1.9	24
43	Identification of conserved SARS-CoV-2 spike epitopes that expand public cTfh clonotypes in mild COVID-19 patients. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	24
44	EAF2 mediates germinal centre B-cell apoptosis to suppress excessive immune responses and prevent autoimmunity. <i>Nature Communications</i> , 2016, 7, 10836.	5.8	23
45	Both mutated and unmutated memory B cells accumulate mutations in the course of the secondary response and develop a new antibody repertoire optimally adapted to the secondary stimulus. <i>International Immunology</i> , 2013, 25, 683-695.	1.8	22
46	Distinct immune cell dynamics correlate with the immunogenicity and reactogenicity of SARS-CoV-2 mRNA vaccine. <i>Cell Reports Medicine</i> , 2022, 3, 100631.	3.3	22
47	Influenza A whole virion vaccine induces a rapid reduction of peripheral blood leukocytes via interferon- γ -dependent apoptosis. <i>Vaccine</i> , 2013, 31, 2184-2190.	1.7	21
48	SCD2-mediated monounsaturated fatty acid metabolism regulates cGAS-STING-dependent type I IFN responses in CD4+ T cells. <i>Communications Biology</i> , 2021, 4, 820.	2.0	21
49	Influenza virus infection expands the breadth of antibody responses through IL-4 signalling in B cells. <i>Nature Communications</i> , 2021, 12, 3789.	5.8	21
50	Boosting of post-exposure human T cell and B cell recall responses <i>in vivo</i> by <i>Burkholderia pseudomallei</i> -related proteins. <i>Immunology</i> , 2017, 151, 98-109.	2.0	20
51	The function of SARS-CoV-2 spike protein is impaired by disulfide-bond disruption with mutation at cysteine-488 and by thiol-reactive N-acetyl-cysteine and glutathione. <i>Biochemical and Biophysical Research Communications</i> , 2022, 597, 30-36.	1.0	20
52	Comparative Analysis of Antigen-Specific Anti-SARS-CoV-2 Antibody Isotypes in COVID-19 Patients. <i>Journal of Immunology</i> , 2021, 206, 2393-2401.	0.4	19
53	Differential phosphorylation of functional tyrosines in CD19 modulates B lymphocyte activation. <i>European Journal of Immunology</i> , 2010, 40, 1192-1204.	1.6	18
54	MRC5 cells engineered to express ACE2 serve as a model system for the discovery of antivirals targeting SARS-CoV-2. <i>Scientific Reports</i> , 2021, 11, 5376.	1.6	18

#	ARTICLE	IF	CITATIONS
55	Immunological detection of severe acute respiratory syndrome coronavirus by monoclonal antibodies. <i>Japanese Journal of Infectious Diseases</i> , 2005, 58, 88-94.	0.5	18
56	Significant role of host sialylated glycans in the infection and spread of severe acute respiratory syndrome coronavirus 2. <i>PLoS Pathogens</i> , 2022, 18, e1010590.	2.1	18
57	Glycan engineering of the SARS-CoV-2 receptor-binding domain elicits cross-neutralizing antibodies for SARS-related viruses. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	17
58	Safety and immunogenicity of the Pfizer/BioNTech SARS-CoV-2 mRNA third booster vaccine dose against the BA.1 and BA.2 Omicron variants. <i>Med</i> , 2022, 3, 406-421.e4.	2.2	17
59	On-admission SARS-CoV-2 RNAemia as a single potent predictive marker of critical condition development and mortality in COVID-19. <i>PLoS ONE</i> , 2021, 16, e0254640.	1.1	16
60	Adaptive B Cell Responses to Influenza Virus Infection in the Lung. <i>Viral Immunology</i> , 2017, 30, 431-437.	0.6	15
61	Antibody Responses to BNT162b2 Vaccination in Japan: Monitoring Vaccine Efficacy by Measuring IgG Antibodies against the Receptor-Binding Domain of SARS-CoV-2. <i>Microbiology Spectrum</i> , 2022, 10, e0118121.	1.2	15
62	Role of germinal centers for the induction of broadly-reactive memory B cells. <i>Current Opinion in Immunology</i> , 2017, 45, 119-125.	2.4	14
63	RSV infection-elicited high MMP-12-producing macrophages exacerbate allergic airway inflammation with neutrophil infiltration. <i>IScience</i> , 2021, 24, 103201.	1.9	14
64	A unique nanoparticulate TLR9 agonist enables a HA split vaccine to confer FcγR-mediated protection against heterologous lethal influenza virus infection. <i>International Immunology</i> , 2019, 31, 81-90.	1.8	12
65	Sequential Sensing by TLR2 and Mincle Directs Immature Myeloid Cells to Protect against Invasive Group A Streptococcal Infection in Mice. <i>Cell Reports</i> , 2019, 27, 561-571.e6.	2.9	12
66	Inactivated and adjuvanted whole-virion clade 2.3.4 H5N1 pre-pandemic influenza vaccine possesses broad protective efficacy against infection by heterologous clades of highly pathogenic H5N1 avian influenza virus in mice. <i>Vaccine</i> , 2011, 29, 8330-8337.	1.7	11
67	Immune evasion and chronological decrease in titer of neutralizing antibody against SARS-CoV-2 and its variants of concerns in COVID-19 patients. <i>Clinical Immunology</i> , 2022, 238, 108999.	1.4	10
68	Newly Established Monoclonal Antibodies for Immunological Detection of H5N1 Influenza Virus. <i>Japanese Journal of Infectious Diseases</i> , 2012, 65, 19-27.	0.5	9
69	Immune-Focusing Properties of Virus-like Particles Improve Protective IgA Responses. <i>Journal of Immunology</i> , 2019, 203, 3282-3292.	0.4	8
70	Substantial induction of non-apoptotic CD4 T-cell death during the early phase of HIV-1 infection in a humanized mouse model. <i>Microbes and Infection</i> , 2021, 23, 104767.	1.0	8
71	Identification of Two Critical Neutralizing Epitopes in the Receptor Binding Domain of Hepatitis B Virus preS1. <i>Journal of Virology</i> , 2021, 95, .	1.5	8
72	Lack of antibody response to Guillain-Barré syndrome-related gangliosides in mice and men after novel flu vaccination. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 116-117.	0.9	7

#	ARTICLE	IF	CITATIONS
73	Diagnosis of NTM active infection in lymphadenopathy patients with anti-interferon-gamma auto-antibody using inhibitory ELISA vs. indirect ELISA. <i>Scientific Reports</i> , 2020, 10, 8968.	1.6	7
74	Majority of alpha2,6-sialylated glycans in the adult mouse brain exist in O-glycans: SALSA-MS analysis for knockout mice of alpha2,6-sialyltransferase genes. <i>Glycobiology</i> , 2021, 31, 557-570.	1.3	6
75	Development of an Inflammatory CD14+ Dendritic Cell Subset in Humanized Mice. <i>Frontiers in Immunology</i> , 2021, 12, 643040.	2.2	6
76	Efficient protection of mice from influenza A/H1N1pdm09 virus challenge infection via high avidity serum antibodies induced by booster immunizations with inactivated whole virus vaccine. <i>Heliyon</i> , 2019, 5, e01113.	1.4	5
77	A CCR5+ memory subset within HIV-1-infected primary resting CD4+ T cells is permissive for replication-competent, latently infected viruses in vitro. <i>BMC Research Notes</i> , 2019, 12, 242.	0.6	5
78	Memory B Cells in Local and Systemic Sites. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1254, 55-62.	0.8	5
79	Stereotyped B-cell response that counteracts antigenic variation of influenza viruses. <i>International Immunology</i> , 2020, 32, 613-621.	1.8	4
80	Standardization of the first Korean national reference standard for snake (<i>Gloydius brevicaudus</i>) antivenom. <i>Toxicological Research</i> , 2020, 36, 407-413.	1.1	4
81	Hide and seek: interplay between influenza viruses and B cells. <i>International Immunology</i> , 2020, 32, 605-611.	1.8	4
82	An anti-perfringolysin O monoclonal antibody cross-reactive with streptolysin O protects against streptococcal toxic shock syndrome. <i>BMC Research Notes</i> , 2020, 13, 419.	0.6	3
83	Bim establishes the B-cell repertoire from early to late in the immune response. <i>International Immunology</i> , 2021, 33, 79-90.	1.8	3
84	Longitudinal Analysis of Neutralizing Potency against SARS-CoV-2 in the Recovered Patients after Treatment with or without Favipiravir. <i>Viruses</i> , 2022, 14, 670.	1.5	3
85	HIV-1 Nef impairs multiple T-cell functions in antigen-specific immune response in mice. <i>International Immunology</i> , 2011, 23, 433-441.	1.8	2
86	The role of myeloid cells in prevention and control of group A streptococcal infections. <i>Biosafety and Health</i> , 2020, 2, 130-134.	1.2	2
87	An influenza HA stalk reactive polymeric IgA antibody exhibits anti-viral function regulated by binary interaction between HA and the antibody. <i>PLoS ONE</i> , 2021, 16, e0245244.	1.1	2
88	Cecal Patches Generate Abundant IgG2b-Bearing B Cells That Are Reactive to Commensal Microbiota. <i>Journal of Immunology Research</i> , 2022, 2022, 1-13.	0.9	0