

# Wei Tao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6423607/publications.pdf>

Version: 2024-02-01

77  
papers

2,143  
citations

172457  
29  
h-index

265206  
42  
g-index

77  
all docs

77  
docs citations

77  
times ranked

947  
citing authors

#	ARTICLE	IF	CITATIONS
1	2.7 $\mu$ m fluorescence radiative dynamics and energy transfer between Er <sup>3+</sup> and Tm <sup>3+</sup> ions in fluoride glass under 800nm and 980nm excitation. Journal of Quantitative Spectroscopy and Radiative Transfer, 2012, 113, 87-95.	2.3	125
2	Enhanced emission of 2.7 $\mu$ m pumped by laser diode from Er <sup>3+</sup> /Pr <sup>3+</sup> -codoped germanate glasses. Optics Letters, 2011, 36, 1173.	3.3	109
3	Observation of 2.7 $\mu$ m emission from diode-pumped Er <sup>3+</sup> /Pr <sup>3+</sup> -codoped fluorophosphate glass. Optics Letters, 2011, 36, 109.	3.3	91
4	Spectroscopic properties and energy transfer process in Er <sup>3+</sup> doped ZrF <sub>4</sub> -based fluoride glass for 2.7 $\mu$ m laser materials. Optical Materials, 2011, 34, 308-312.	3.6	76
5	2.7 $\mu$ m Emission of Ho <sup>3+</sup> -doped fluorophosphate glass sensitized by Yb <sup>3+</sup> . Optical Materials, 2010, 32, 1508-1513.	3.6	64
6	1.8 $\mu$ m emission of highly thulium doped fluorophosphate glasses. Journal of Applied Physics, 2010, 108, 083504.	2.5	55
7	Supramolecular Copolymerization Strategy for Realizing the Broadband White Light Luminescence Based on N-Deficient Porous Graphitic Carbon Nitride (g-C <sub>3</sub> N <sub>4</sub> ). ACS Applied Materials & Interfaces, 2020, 12, 6396-6406.	8.0	54
8	Analysis of energy transfer process based emission spectra of erbium doped germanate glasses for mid-infrared laser materials. Journal of Alloys and Compounds, 2015, 626, 165-172.	5.5	52
9	Broadband 1.53 $\mu$ m emission property in Er <sup>3+</sup> doped germa-silicate glass for potential optical amplifier. Optics Communications, 2014, 315, 199-203.	2.1	46
10	Analysis on energy transfer process of Ho <sup>3+</sup> doped fluoroaluminate glass sensitized by Yb <sup>3+</sup> for mid-infrared 2.85 $\mu$ m emission. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 149, 41-50.	2.3	45
11	Investigation on broadband near-infrared emission and energy transfer in Er <sup>3+</sup> -Tm <sup>3+</sup> codoped germanate glasses. Optical Materials, 2011, 33, 299-302.	3.6	41
12	Intense mid-infrared emissions and energy transfer dynamics in Ho <sup>3+</sup> /Er <sup>3+</sup> codoped fluoride glass. Journal of Luminescence, 2013, 138, 94-97.	3.1	41
13	Highly efficient mid-infrared 2.7 $\mu$ m emission in Ho <sup>3+</sup> /Yb <sup>3+</sup> -codoped germanate glass. Optical Materials Express, 2015, 5, 1431.	3.0	41
14	2.7 $\mu$ m fluorescence of Ho <sup>3+</sup> :5I <sub>7</sub> transition sensitized by Er <sup>3+</sup> in tellurite germanate glasses. Optical Materials, 2015, 49, 116-122.	3.6	40
15	2.0 $\mu$ m Emission properties of transparent oxyfluoride glass ceramics doped with Yb <sup>3+</sup> -Ho <sup>3+</sup> ions. Optical Materials, 2010, 32, 1451-1455.	3.6	39
16	Erbium doped heavy metal oxide glasses for mid-infrared laser materials. Journal of Non-Crystalline Solids, 2013, 377, 119-123.	3.1	39
17	Enhanced 2.7- and 2.9 $\mu$ m emissions in Er <sup>3+</sup> /Ho <sup>3+</sup> doped fluoride glasses sensitized by Pr <sup>3+</sup> ions. Materials Research Bulletin, 2016, 76, 67-71.	5.2	39
18	Enhanced 2.7 $\mu$ m emission and energy transfer mechanism of Nd <sup>3+</sup> /Er <sup>3+</sup> co-doped sodium tellurite glasses. Journal of Applied Physics, 2011, 110, .	2.5	38

#	ARTICLE	IF	CITATIONS
19	2.05 $\mu\text{m}$ emission properties and energy transfer mechanism of germanate glass doped with Ho <sup>3+</sup> , Tm <sup>3+</sup> , and Er <sup>3+</sup> . Journal of Applied Physics, 2011, 109, .	2.5	38
20	Thermal and luminescent properties of 2 $\mu\text{m}$ emission in thulium-sensitized holmium-doped silicate-germanate glass. Photonics Research, 2016, 4, 214.	7.0	38
21	Spectroscopy of thulium and holmium co-doped silicate glasses. Optical Materials Express, 2016, 6, 2252.	3.0	37
22	Broadband 2.84 $\mu\text{m}$ luminescence properties and Judd-Ofelt analysis in Dy <sup>3+</sup> doped ZrF <sub>4</sub> -BaF <sub>2</sub> -LaF <sub>3</sub> -AlF <sub>3</sub> -YF <sub>3</sub> glass. Journal of Luminescence, 2012, 132, 128-131.	3.1	36
23	Mid-infrared emission properties and energy transfer evaluation in Tm <sup>3+</sup> doped fluorophosphate glasses. Journal of Luminescence, 2015, 162, 58-62.	3.1	36
24	Broadening and enhancing 27 $\mu\text{m}$ emission spectra in Er/Ho co-doped oxyfluoride germanosilicate glass ceramics by imparting multiple local structures to rare earth ions. Photonics Research, 2018, 6, 339.	7.0	35
25	Ho <sup>3+</sup> doped fluorophosphate glasses sensitized by Yb <sup>3+</sup> for efficient 2 $\mu\text{m}$ laser applications. Optics Communications, 2014, 321, 183-188.	2.1	34
26	A new whole family perovskites quantum dots (CsPbX <sub>3</sub> , X=Cl, Br, I) phosphate glasses with full spectral emissions. Journal of Alloys and Compounds, 2020, 817, 153338.	5.5	33
27	Pr <sup>3+</sup> -sensitized Er <sup>3+</sup> -doped bismuthate glass for generating high inversion rates at 27 $\mu\text{m}$ wavelength. Optics Letters, 2012, 37, 3387.	3.3	31
28	Ho <sup>3+</sup> doped germanate-tellurite glass sensitized by Er <sup>3+</sup> and Yb <sup>3+</sup> for efficient 2.0 $\mu\text{m}$ laser material. Materials Research Bulletin, 2016, 84, 124-131.	5.2	30
29	Broadband 2 $\mu\text{m}$ emission characteristics and energy transfer mechanism of Ho <sup>3+</sup> doped silicate-germanate glass sensitized by Tm <sup>3+</sup> ions. Optics and Laser Technology, 2019, 111, 115-120.	4.6	30
30	2 $\mu\text{m}$ spectroscopic investigation of Tm <sup>3+</sup> -doped tellurite glass fiber. Journal of Non-Crystalline Solids, 2011, 357, 2489-2493.	3.1	29
31	Synthesis and infrared photoluminescence around 2.9 $\mu\text{m}$ from Dy <sup>3+</sup> /Tm <sup>3+</sup> codoped fluorophosphate glass. Materials Letters, 2012, 69, 72-75.	2.6	29
32	Intense 2.0 $\mu\text{m}$ emission properties and energy transfer of Ho <sup>3+</sup> /Tm <sup>3+</sup> /Yb <sup>3+</sup> doped fluorophosphate glasses. Journal of Applied Physics, 2011, 110, .	2.5	26
33	Origin of 2.7 $\mu\text{m}$ luminescence and energy transfer process of Er <sup>3+</sup> : 4I <sub>11/2</sub> →4I <sub>13/2</sub> transition in Er <sup>3+</sup> /Yb <sup>3+</sup> -doped germanate glasses. Journal of Applied Physics, 2012, 111, 033524.	2.5	26
34	Enhanced effect of Er <sup>3+</sup> ions on 2.0 and 2.85 $\mu\text{m}$ emission of Ho <sup>3+</sup> /Yb <sup>3+</sup> doped germanate-tellurite glass. Optical Materials, 2016, 60, 252-257.	3.6	26
35	Grayscale image recording on Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> thin films through laser-induced structural evolution. Scientific Reports, 2017, 7, 42712.	3.3	25
36	High-speed maskless nanolithography with visible light based on photothermal localization. Scientific Reports, 2017, 7, 43892.	3.3	25

#	ARTICLE	IF	CITATIONS
37	Enhanced effect of Ce <sup>3+</sup> ions on 2.7 $\mu$ m emission and energy transfer properties in Yb <sup>3+</sup> /Ho <sup>3+</sup> doped fluorophosphate glasses. <i>Journal of Applied Physics</i> , 2011, 109, .	2.5	24
38	Tm <sup>3+</sup> -doped lead silicate glass sensitized by Er <sup>3+</sup> for efficient ~2.7 $\mu$ m mid-infrared laser material. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 199, 65-70.	3.9	24
39	Effect of introduction of TiO <sub>2</sub> and GeO <sub>2</sub> oxides on thermal stability and 2.7 $\mu$ m luminescence properties of tellurite glasses. <i>Ceramics International</i> , 2019, 45, 16411-16416.	4.8	24
40	Enhanced 2.7 $\mu$ m Emission from Er <sup>3+</sup> /Tm <sup>3+</sup> /Pr <sup>3+</sup> Triply Doped Fluoride Glass. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2289-2291.	3.8	23
41	Spectroscopic analysis and efficient diode-pumped 2.0 $\mu$ m emission in Ho <sup>3+</sup> /Tm <sup>3+</sup> codoped fluoride glass. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013, 115, 33-38.	3.9	23
42	Broadband 2.7 $\mu$ m fluorescence and energy transfer evaluation in Ho <sup>3+</sup> /Er <sup>3+</sup> codoped germanosilicate glass. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2015, 161, 95-104.	2.3	23
43	Comparative investigation on the 2.7 $\mu$ m emission in Er <sup>3+</sup> /Ho <sup>3+</sup> codoped fluorophosphate glass. <i>Journal of Applied Physics</i> , 2011, 110, 093106.	2.5	22
44	Intense 2.7 $\mu$ m and broadband 2.0 $\mu$ m emission from diode-pumped Er <sup>3+</sup> /Tm <sup>3+</sup> /Ho <sup>3+</sup> -doped fluorophosphate glass. <i>Optics Letters</i> , 2011, 36, 3218.	3.3	21
45	Efficient 2.7 $\mu$ m emission in Nd <sup>3+</sup> /Ho <sup>3+</sup> co-doped silicate-germanate glass pumped by common 808 nm LD. <i>Optics and Laser Technology</i> , 2017, 89, 108-113.	4.6	21
46	1.53 $\mu$ m emission properties in Er <sup>3+</sup> doped Y <sub>2</sub> O <sub>3</sub> and Nb <sub>2</sub> O <sub>5</sub> modified germanate glasses for an optical amplifier. <i>Journal of Luminescence</i> , 2014, 154, 41-45.	3.1	20
47	2.7 $\mu$ m emissions in Er <sup>3+</sup> : NaYF <sub>4</sub> embedded aluminosilicate glass ceramics. <i>Ceramics International</i> , 2016, 42, 1332-1338.	4.8	20
48	Structural Origin and Energy Transfer Processes of 1.8 $\mu$ m Emission in Tm <sup>3+</sup> Doped Germanate Glasses. <i>Journal of Physical Chemistry A</i> , 2011, 115, 6488-6492.	2.5	19
49	Spectroscopic properties and energy transfer process in Tm <sup>3+</sup> -doped Silica-germanate glasses. <i>Journal of Luminescence</i> , 2017, 187, 205-210.	3.1	19
50	Broadband near-infrared emission property in Er <sup>3+</sup> /Ce <sup>3+</sup> co-doped silica-germanate glass for fiber amplifier. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 126, 53-58.	3.9	18
51	Broadband 2.7 $\mu$ m fluorescence and energy transfer process in Tm <sup>3+</sup> doped germanosilicate glass. <i>Journal of Luminescence</i> , 2017, 190, 76-80.	3.1	18
52	Fe <sup>3+</sup> -selective and sensitive on-off fluorescence probe based on the graphitic carbon nitride nanosheets. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019, 210, 341-347.	3.9	17
53	Spectroscopic properties and energy transfer mechanism in Dy <sup>3+</sup> /Tm <sup>3+</sup> codoped fluoroaluminate glasses modified by TeO <sub>2</sub> . <i>Ceramics International</i> , 2016, 42, 132-137.	4.8	16
54	R <sub>2</sub> O <sub>3</sub> (R = La, Y) modified erbium activated germanate glasses for mid-infrared 2.7 $\mu$ m laser materials. <i>Scientific Reports</i> , 2015, 5, 13056.	3.3	15

#	ARTICLE	IF	CITATIONS
55	Structure and spectroscopic properties of Er <sup>3+</sup> doped germanate glass for mid-infrared application. <i>Solid State Sciences</i> , 2014, 31, 54-61.	3.2	14
56	Investigation of Tm <sup>3+</sup> /Yb <sup>3+</sup> co-doped germanate-tellurite glasses for efficient 2.0 μm mid-infrared laser materials. <i>Applied Physics B: Lasers and Optics</i> , 2018, 124, 1.	2.2	14
57	2.75 μm spectroscopic properties and energy transfer mechanism in Er/Ho codoped fluorotellurite glasses. <i>Journal of Alloys and Compounds</i> , 2018, 744, 502-506.	5.5	12
58	Analysis of mid-infrared photoluminescence around 2.85 μm in Yb <sup>3+</sup> /Ho <sup>3+</sup> co-doped synthetic silica-germanate glass. <i>Infrared Physics and Technology</i> , 2018, 89, 363-368.	2.9	12
59	Mid-infrared luminescence and energy transfer of Dy <sup>3+</sup> /Tm <sup>3+</sup> doped fluorophosphate glass. <i>Journal of Luminescence</i> , 2012, 132, 1873-1878.	3.1	11
60	The influence of TeO <sub>2</sub> on thermal stability and 1.53 μm spectroscopic properties in Er <sup>3+</sup> doped oxyfluorite glasses. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 150, 162-169.	3.9	11
61	An efficient 2.0 μm emission of Er <sup>3+</sup> /Ho <sup>3+</sup> co-doped lead silicate glass. <i>Infrared Physics and Technology</i> , 2017, 83, 1-6.	2.9	11
62	High quantum efficiency of 1.8 μm luminescence in Tm <sup>3+</sup> fluoride tellurite glass. <i>Infrared Physics and Technology</i> , 2022, 123, 104055.	2.9	10
63	Mid-infrared fluorescence of Y <sub>2</sub> O <sub>3</sub> and Nb <sub>2</sub> O <sub>5</sub> modified germanate glasses doped with Er <sup>3+</sup> pumped by 808nm LD. <i>Optical Materials</i> , 2014, 36, 1350-1356.	3.6	9
64	A phosphorus-doped g-C <sub>3</sub> N <sub>4</sub> nanosheets as an efficient and sensitive fluorescent probe for Fe <sup>3+</sup> detection. <i>Optical Materials</i> , 2021, 119, 111393.	3.6	9
65	Effect of TeO <sub>2</sub> addition on thermal stabilities and 2.7 μm emission properties of fluoroaluminate-tellurite glass. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2015, 165, 93-101.	2.3	8
66	Origin of arbitrary patterns by direct laser writing in a telluride thin film. <i>RSC Advances</i> , 2016, 6, 45748-45752.	3.6	8
67	High optical/color contrast of Sb <sub>2</sub> Te thin film and its structural origin. <i>Materials Science in Semiconductor Processing</i> , 2022, 144, 106619.	4.0	8
68	2.7 μm fluorescence and energy transfer in Er <sup>3+</sup> doped germanosilicate glasses. <i>Materials Research Bulletin</i> , 2014, 54, 20-23.	5.2	7
69	Manipulation and simulations of thermal field profiles in laser heat-mode lithography. <i>Journal of Applied Physics</i> , 2017, 122, .	2.5	7
70	Efficient 2.0 μm emission and energy transfer mechanism of Ho <sup>3+</sup> doped fluorophosphate glass sensitized by Er <sup>3+</sup> ions. <i>Infrared Physics and Technology</i> , 2018, 91, 200-205.	2.9	7
71	Investigation of etching selectivity and microstructure of Ag-doped Sb <sub>2</sub> Te thin film for dry lithography. <i>Semiconductor Science and Technology</i> , 2022, 37, 035004.	2.0	6
72	Effect of the heat treatment conditions on the structure and 2 micron luminescence of thulium-doped oxyfluoride silicate glass-ceramics. <i>Journal of Luminescence</i> , 2019, 211, 418-425.	3.1	3

#	ARTICLE	IF	CITATIONS
73	Efficient manipulation of 2.0- $\mu\text{m}$ mid-infrared luminescence in silicate glass by structural engineering. <i>Ceramics International</i> , 2019, 45, 3435-3440.	4.8	3
74	Observation of Midinfrared 4- $\mu\text{m}$ Emission in Ho <sup>3+</sup> -Doped Fluoroaluminate Glasses. <i>IEEE Photonics Technology Letters</i> , 2015, 27, 959-962.	2.5	2
75	2 $\mu\text{m}$ emission performance in Tm <sup>3+</sup> /Er <sup>3+</sup> codoped silicate glasses under 800 nm and 980 nm excitation. <i>Infrared Physics and Technology</i> , 2017, 81, 21-26.	2.9	2
76	Dimensional Stability Ground Test and in-Orbit Prediction of SiC Telescope Frame for Space Gravitational Wave Detection. <i>IEEE Access</i> , 2022, 10, 21041-21047.	4.2	2
77	Analysis of structure origin and luminescence properties of Yb <sup>3+</sup> -Er <sup>3+</sup> co-doped fluorophosphate glass. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 129, 235-240.	3.9	1