

Ruben Queiro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6423968/ruben-queiro-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

2,164
citations

26
h-index

40
g-index

174
ext. papers

2,672
ext. citations

2.9
avg, IF

4.79
L-index

#	Paper	IF	Citations
153	Potential Differences in the Cardiometabolic Risk Profile of Patients with Psoriatic Disease according to Their HLA-C*06 Status.. <i>BioMed Research International</i> , 2022 , 2022, 1451193	3	
152	Severe Disease in Patients With Recent-Onset Psoriatic Arthritis. Prediction Model Based on Machine Learning.. <i>Frontiers in Medicine</i> , 2022 , 9, 891863	4.9	2
151	Quality certification standard proposal "SpACE" for axial spondyloarthritis treatment units. <i>Reumatología Clínica (English Edition)</i> , 2021 ,	0.1	
150	Disease impact in axial spondyloarthritis: Divergent roles between family history of disease and HLA-B27?. <i>Reumatología Clínica</i> , 2021 ,	0.9	
149	A comparison of disease impact according to the cardiometabolic risk profile in psoriatic arthritis. <i>Archives of Medical Science</i> , 2021 , 17, 557-560	2.9	
148	Food groups associated with immune-mediated inflammatory diseases: a Mendelian randomization and disease severity study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 1368-1382	5.2	1
147	Hyperlipidaemia in psoriatic disease: higher prevalence in psoriatic arthritis and inverse association with systemic therapy. <i>Rheumatology</i> , 2021 , 60, 3949-3951	3.9	0
146	Multicenter Study of Secukinumab Survival and Safety in Spondyloarthritis and Psoriatic Arthritis: SEcukinumab in Cantabria and ASTURias Study. <i>Frontiers in Medicine</i> , 2021 , 8, 679009	4.9	4
145	Management of particular clinical situations in psoriatic arthritis: an expert's recommendation document based on systematic literature review and extended Delphi process. <i>Rheumatology International</i> , 2021 , 41, 1549-1565	3.6	1
144	Definition of Remission and Disease Activity Assessment in Psoriatic Arthritis: Evidence and Expert-Based Recommendations. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 343-350	0.1	
143	Quality Certification Standard Proposal "SpACE" for Axial Spondyloarthritis Treatment Units. <i>Reumatología Clínica</i> , 2021 ,	0.9	0
142	Construct Validity of the Routine Assessment of Patient Index Data 3 (RAPID3) in the Evaluation of Axial Spondyloarthritis. <i>Journal of Rheumatology</i> , 2021 ,	4.1	3
141	The Phenotype of Axial Spondyloarthritis: Is It Dependent on HLA-B27 Status?. <i>Arthritis Care and Research</i> , 2021 , 73, 856-860	4.7	17
140	Definition of Remission and Disease Activity Assessment in Psoriatic Arthritis: Evidence and Expert-Based Recommendations. <i>Reumatología Clínica</i> , 2021 , 17, 343-350	0.9	1
139	Construct validity of the ASAS health index in psoriatic arthritis: a cross-sectional analysis. <i>Rheumatology</i> , 2021 , 60, 1465-1473	3.9	4
138	Structural damage is not a major driver of disease impact in patients with long-standing psoriatic arthritis undergoing systemic therapy. <i>Joint Bone Spine</i> , 2021 , 88, 105116	2.9	2
137	ASAS Health Index as an Addition to Routine Clinical Practice. <i>Journal of Rheumatology</i> , 2021 , 48, 787	4.1	0

136	Female psoriatic arthritis: not just a matter of greater disease activity but of greater routine life impact. <i>Clinical Rheumatology</i> , 2021 , 40, 1663-1665	3.9	1
135	Inflammation-fatigue in spondyloarthritis: a clear link in axial spondyloarthritis but less so in psoriatic arthritis. <i>Rheumatology</i> , 2021 , 60, 3023-3025	3.9	0
134	PsAID High-impact Disease in Psoriatic Arthritis: A Component Weighting Analysis of the Assessment of SpondyloArthritis international Society Health Index. <i>Journal of Rheumatology</i> , 2021 , 48, 1886-1888	4.1	0
133	Sexual disinterest among spondyloarthritis patients. Comparison between psoriatic arthritis and axial spondyloarthritis using a sexuality-specific question from the ASAS Health Index. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 922-923	2.2	1
132	Performance of the ASAS Health Index for the Evaluation of Spondyloarthritis in Daily Practice. <i>Journal of Rheumatology</i> , 2020 , 47, 1483-1489	4.1	9
131	Improving the standard of care for patients with spondyloarthritis-related immune inflammatory conditions: results of a Delphi study and proposal for early detection. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622320904295	4.9	1
130	Evaluating standards of care in psoriatic arthritis of the QUANTUM project (qualitative initiative to improve outcomes): results of an accreditation project in Spain. <i>Rheumatology International</i> , 2020 , 40, 1817-1823	3.6	0
129	The Impact of Comorbidity on Patient-Reported Outcomes in Psoriatic Arthritis: A Systematic Literature Review. <i>Rheumatology and Therapy</i> , 2020 , 7, 237-257	4.4	7
128	Expert Consensus on a Set of Outcomes to Assess the Effectiveness of Biologic Treatment in Psoriatic Arthritis: The MERECES Study. <i>Journal of Rheumatology</i> , 2020 , 47, 1637-1643	4.1	2
127	Current status of multidisciplinary care in psoriatic arthritis in Spain: NEXUS 2.0 project. <i>Reumatología Clínica (English Edition)</i> , 2020 , 16, 24-31	0.1	
126	Treatment-to-Target With Apremilast in Psoriatic Arthritis: The Probability of Achieving Targets and Comprehensive Control of Disease Manifestations. <i>Arthritis Care and Research</i> , 2020 , 72, 814-821	4.7	1
125	Analysis by Age Group of Disease Outcomes in Patients with Psoriatic Arthritis: A Cross-Sectional Multicentre Study. <i>Drugs and Aging</i> , 2020 , 37, 99-104	4.7	2
124	Ultrasound subclinical musculoskeletal findings in inflammatory bowel disease: diagnostic value of positive Doppler signal. <i>Rheumatology</i> , 2020 , 59, 3571-3572	3.9	0
123	Family history of disease in spondyloarthritis: a key issue for disease prognosis. <i>Rheumatology</i> , 2020 , 59, 2657-2658	3.9	1
122	Analysis of the HAQ-DI components in psoriatic arthritis patients with and without low disease impact. <i>Rheumatology</i> , 2020 , 59, 3569-3570	3.9	0
121	Higher prevalence of psoriatic arthritis in the adult population in Spain? A population-based cross-sectional study. <i>PLoS ONE</i> , 2020 , 15, e0234556	3.7	5
120	Current status of multidisciplinary care in psoriatic arthritis in Spain: NEXUS 2.0 project. <i>Reumatología Clínica</i> , 2020 , 16, 24-31	0.9	3
119	Pyle's Disease: A human model of differentiated cortical and trabecular homeostasis. <i>Reumatología Clínica</i> , 2020 , 16, 56-58	0.9	3

118	Quality standard for the management of patients with psoriatic arthritis: QUANTUM Project. <i>Reumatología Clínica</i> , 2020 , 16, 203-215	0.9	5
117	Quality standard for the management of patients with psoriatic arthritis: QUANTUM project. <i>Reumatología Clínica (English Edition)</i> , 2020 , 16, 203-215	0.1	
116	Enthesitis and joint erosions are disease traits associated with cardiovascular risk in psoriatic arthritis. <i>Clinical Rheumatology</i> , 2020 , 39, 2973-2979	3.9	3
115	Disease features associated with a low disease impact in patients with psoriatic arthritis: results of a cross-sectional multicenter study. <i>Arthritis Research and Therapy</i> , 2020 , 22, 82	5.7	2
114	Good clinimetric alignment between remission and a low impact of disease in patients with axial psoriatic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 136-139	2.2	
113	Disease Activity in Psoriatic Arthritis Index and Psoriatic Arthritis Impact of Disease Questionnaire: correlation and sensitivity to change in a real clinical setting. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 973-977	2.2	1
112	Mismatch between the impact of disease perceived by patients and the state of clinical remission assessed by physicians in psoriatic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 333-336	2.2	6
111	Distribution of the components of the MDA response among patients with psoriatic arthritis with and without an acceptable symptomatic state. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 575-576	2.2	1
110	Very Low Disease Activity, DAPSA Remission, and Impact of Disease in a Spanish Population with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 710-715	4.1	8
109	Hypertension is associated with increased age at the onset of psoriasis and a higher body mass index in psoriatic disease. <i>Clinical Rheumatology</i> , 2019 , 38, 2063-2068	3.9	5
108	NFKBIZ and CW6 in Adalimumab Response Among Psoriasis Patients: Genetic Association and Alternative Transcript Analysis. <i>Molecular Diagnosis and Therapy</i> , 2019 , 23, 627-633	4.5	8
107	Psoriatic Arthritis: A Current Vision 2019 , 105-105		
106	Obesity in psoriatic arthritis: Comparative prevalence and associated factors. <i>Medicine (United States)</i> , 2019 , 98, e16400	1.8	27
105	Rémission et objectifs thérapeutiques rigoureux dans le rhumatisme psoriasique : le point de vue des médecins ne suffit pas. <i>Revue Du Rhumatisme (Edition Française)</i> , 2019 , 86, 641-642	0.1	
104	Gene Variant in the NF- κ B Pathway Inhibitor Distinguishes Patients with Psoriatic Arthritis within the Spectrum of Psoriatic Disease. <i>BioMed Research International</i> , 2019 , 2019, 1030256	3	4
103	Genetic variation at the glycosaminoglycan metabolism pathway contributes to the risk of psoriatic arthritis but not psoriasis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78,	2.4	25
102	Polyarticular evolution and late-onset psoriasis may be associated with cardiovascular disease in psoriatic arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 269-274	2.3	5
101	Spanish Registry of Recent-onset Psoriatic Arthritis (REAPSER study): Aims and methodology. <i>Reumatología Clínica</i> , 2019 , 15, 252-257	0.9	4

100	Remission and stringent treatment goals in psoriatic arthritis: Doctors' opinion is not enough. <i>Joint Bone Spine</i> , 2019 , 86, 269-270	2.9	8
99	Prevalence and type II diabetes-associated factors in psoriatic arthritis. <i>Clinical Rheumatology</i> , 2018 , 37, 1059-1064	3.9	10
98	Minimal Disease Activity and Patient-Acceptable Symptom State in Psoriatic Arthritis: A Real-World Evidence Study With Ustekinumab. <i>Journal of Clinical Rheumatology</i> , 2018 , 24, 381-384	1.1	10
97	Impact of cardiovascular risk factors on the achievement of therapeutic goals in psoriatic arthritis: is there any association?. <i>Clinical Rheumatology</i> , 2018 , 37, 661-666	3.9	7
96	Standards of care and quality indicators for multidisciplinary care models for psoriatic arthritis in Spain. <i>Rheumatology International</i> , 2018 , 38, 1115-1124	3.6	7
95	Recommendations for the Use of Methotrexate in Psoriatic Arthritis. <i>Reumatología Clínica (English Edition)</i> , 2018 , 14, 183-190	0.1	
94	Recommendations of the Spanish Society of Rheumatology on treatment and use of systemic biological and non-biological therapies in psoriatic arthritis. <i>Reumatología Clínica</i> , 2018 , 14, 254-268	0.9	15
93	Recommendations for the use of methotrexate in psoriatic arthritis. <i>Reumatología Clínica</i> , 2018 , 14, 183-190		5
92	Patient-reported outcomes in European spondyloarthritis patients: a systematic review of the literature. <i>Patient Preference and Adherence</i> , 2018 , 12, 733-747	2.4	9
91	Recommendations of the Spanish Society of Rheumatology on Treatment and Use of Systemic Biological and Non-biological Therapies in Psoriatic Arthritis. <i>Reumatología Clínica (English Edition)</i> , 2018 , 14, 254-268	0.1	1
90	Performance of Two Screening Questionnaires for Inflammatory Arthritis in Patients with Inflammatory Bowel Disease. <i>BioMed Research International</i> , 2018 , 2018, 8618703	3	7
89	Multidisciplinary Care Models for Patients With Psoriatic Arthritis. <i>Reumatología Clínica</i> , 2017 , 13, 85-90	0.9	21
88	NFKBIZ in Psoriasis: Assessing the association with gene polymorphisms and report of a new transcript variant. <i>Human Immunology</i> , 2017 , 78, 435-440	2.3	8
87	L'âge d'apparition du rhumatisme psoriasique pourrait faciliter la caractérisation de son phénotype. <i>Revue Du Rhumatisme (Edition Française)</i> , 2017 , 84, 326-330	0.1	
86	Multidisciplinary Care Models for Patients With Psoriatic Arthritis. <i>Reumatología Clínica (English Edition)</i> , 2017 , 13, 85-90	0.1	0
85	Minimal disease activity and impact of disease in psoriatic arthritis: a Spanish cross-sectional multicenter study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 72	5.7	49
84	HLA-B27 and psoriatic disease: a modern view of an old relationship. <i>Rheumatology</i> , 2016 , 55, 221-9	3.9	42
83	Common and rare CARD14 gene variants affect the antitumour necrosis factor response among patients with psoriasis. <i>British Journal of Dermatology</i> , 2016 , 175, 134-41	4	15

82	Age at disease onset may help to further characterize the disease phenotype in psoriatic arthritis. <i>Joint Bone Spine</i> , 2016 , 83, 533-7	2.9	20
81	A Single Nucleotide Polymorphism in the IL17ra Promoter Is Associated with Functional Severity of Ankylosing Spondylitis. <i>PLoS ONE</i> , 2016 , 11, e0158905	3.7	11
80	Association of IL1 β -511 A/C) and IL6 (-174 G > C) polymorphisms with higher disease activity and clinical pattern of psoriatic arthritis. <i>Clinical Rheumatology</i> , 2016 , 35, 1789-94	3.9	10
79	A polyarticular onset and diabetes could be the main predictors of cardiovascular events in psoriatic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 276-81	2.2	2
78	Activating killer immunoglobulin-like receptors genes are associated with increased susceptibility to ankylosing spondylitis. <i>Clinical and Experimental Immunology</i> , 2015 , 180, 201-6	6.2	15
77	Recommenations for the Detection, Study and Referral of Inflammatory Low-back Pain in Primary Care. <i>Reumatología Clínica (English Edition)</i> , 2015 , 11, 90-98	0.1	1
76	The TNFRSF1B rs1061622 polymorphism (p.M196R) is associated with biological drug outcome in Psoriasis patients. <i>Archives of Dermatological Research</i> , 2015 , 307, 405-12	3.3	21
75	Cardiovascular risk factors influence response to biological therapies in psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2015 , 73, 327-9	4.5	11
74	Association between single nucleotide polymorphisms IL17RA rs4819554 and IL17E rs79877597 and Psoriasis in a Spanish cohort. <i>Journal of Dermatological Science</i> , 2015 , 80, 111-5	4.3	25
73	AB0823 Age at Disease Onset Helps to Further Characterize the Disease Phenotype in Psoriatic Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1175.2-1175	2.4	
72	AB0824 Predictors of Cerebrovascular Disease Among Psoriatic Arthritis Patients. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1176.1-1176	2.4	
71	AB1133 Epidemiological Comparative Analysis in a Large Cohort of Psoriatic Arthritis Patients: Results of the Spanish IMID Consortium. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1280.3-1280	2.4	
70	A deletion at ADAMTS9-MAG11 locus is associated with psoriatic arthritis risk. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1875-81	2.4	15
69	CDKAL1 gene variants affect the anti-TNF response among Psoriasis patients. <i>International Immunopharmacology</i> , 2015 , 29, 947-949	5.8	13
68	Recommenations for the detection, study and referral of inflammatory low-back pain in primary care. <i>Reumatología Clínica</i> , 2015 , 11, 90-8	0.9	10
67	The Cw6 and late-cornified envelope genotype plays a significant role in anti-tumor necrosis factor response among psoriatic patients. <i>Pharmacogenetics and Genomics</i> , 2015 , 25, 313-6	1.9	14
66	Standards of care for patients with spondyloarthritis. <i>Rheumatology International</i> , 2014 , 34, 165-70	3.6	13
65	Ankylosing spondylitis without axial progression: analysis of associated factors. <i>Journal of Rheumatology</i> , 2014 , 41, 2409-12	4.1	4

64	Comprehensive treatment of dactylitis in psoriatic arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 2295-3004.1	4.1	37
63	Genetic variation at IL12B, IL23R and IL23A is associated with psoriasis severity, psoriatic arthritis and type 2 diabetes mellitus. <i>Journal of Dermatological Science</i> , 2014 , 75, 167-72	4.3	59
62	Age at disease onset: a key factor for understanding psoriatic disease. <i>Rheumatology</i> , 2014 , 53, 1178-85	3.9	73
61	AB0736 Strategy for the Early Detection and Referral of Patients with Suspected Spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1046.3-1047	2.4	
60	Qualifying unmet needs and improving standards of care in psoriatic arthritis. <i>Arthritis Care and Research</i> , 2014 , 66, 1759-66	4.7	57
59	AB0764 An Onset of Psoriasis after 40 Years and A Low Education Level May PREDICT the Development of Diabetes Mellitus in Psoriatic Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1057.2-1057	2.4	
58	SAT0410 Determinants of Hypertension in Patients with Psoriatic Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 743.2-743	2.4	
57	The Region Centromeric to HLA-C Is a Key Region for Understanding the Phenotypic Variability of Psoriatic Arthritis. <i>ISRN Dermatology</i> , 2014 , 2014, 570178		4
56	PDE3A-SLCO1C1 locus is associated with response to anti-tumor necrosis factor therapy in psoriatic arthritis. <i>Pharmacogenomics</i> , 2014 , 15, 1763-1769	2.6	6
55	Different clinical expression of patients with ankylosing spondylitis according to gender in relation to time since onset of disease. Data from REGISPONSER. <i>Reumatología Clínica</i> , 2013 , 9, 221-5	0.9	18
54	Psoriasis, psoriatic arthritis and type 2 diabetes mellitus: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2013 , 169, 783-93	4	92
53	Different Clinical Expression of Patients With Ankylosing Spondylitis According to Gender in Relation to Time Since Onset of Disease. Data From REGISPONSER. <i>Reumatología Clínica (English Edition)</i> , 2013 , 9, 221-225	0.1	
52	Erosive discovertebral lesion (Andersson lesion) as the first sign of disease in axial psoriatic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013 , 42, 220-5	1.9	11
51	Dropped head syndrome in a patient with scleromyositis. <i>Journal of Clinical Rheumatology</i> , 2013 , 19, 32-4	1.1	12
50	SNP rs11652075 in the CARD14 gene as a risk factor for psoriasis (PSORS2) in a Spanish cohort. <i>DNA and Cell Biology</i> , 2013 , 32, 601-4	3.6	19
49	SAT0311 Men and women with psoriatic arthritis express a different genetic profile within the major histocompatibility complex region. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 577.2-577	2.4	
48	AB0588 Prevalence of conventional cardiovascular risk factors in patients with psoriasis alone and in patients with psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A969.3-A970	2.4	
47	FRI0556 Development of standards of care in spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A563.3-A563	2.4	

46	Clinical differences between men and women with psoriatic arthritis: relevance of the analysis of genes and polymorphisms in the major histocompatibility complex region and of the age at onset of psoriasis. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 482691		33
45	Ustekinumab en la artritis psoriásica y la enfermedad de Crohn. <i>Actas Dermo-sifiligráficas</i> , 2012 , 103, 65-72	0.5	
44	Resequencing of the IL12B gene in psoriasis patients with the rs6887695/rs3212227 risk genotypes. <i>Cytokine</i> , 2012 , 60, 27-9	4	12
43	Psoriasis and psoriasiform lesions induced by TNF antagonists: the experience of a tertiary care hospital from northern Spain. <i>Rheumatology International</i> , 2012 , 32, 3779-83	3.6	5
42	Entheseal ultrasound abnormalities in patients with SAPHO syndrome. <i>Clinical Rheumatology</i> , 2012 , 31, 913-9	3.9	22
41	A high density SNP genotyping approach within the 19q13 chromosome region identifies an association of a CNOT3 polymorphism with ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 714-7	2.4	11
40	Risk variants for psoriasis vulgaris in a large case-control collection and association with clinical subphenotypes. <i>Human Molecular Genetics</i> , 2012 , 21, 4549-57	5.6	60
39	Patients with psoriatic arthritis may show differences in their clinical and genetic profiles depending on their age at psoriasis onset. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 476-80	2.2	19
38	Consensus statement of the Spanish Society of Rheumatology on the management of biologic therapies in psoriatic arthritis. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 179-188	0.1	
37	Consensus Statement of the Spanish Society of Rheumatology on Risk Management of Biologic Therapy in Rheumatic Patients. <i>Reumatología Clínica (English Edition)</i> , 2011 , 7, 284-298	0.1	1
36	HLA-DR17 est associée à une enthesite dans le rhumatisme psoriasique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2011 , 78, 583-584	0.1	
35	La stratification par âge d'apparition de la maladie avec limite fixée à 30ans: une méthode efficace pour identifier le psoriasis associé à PSORS1 chez les patients atteints de rhumatisme psoriasique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2011 , 78, 534-536	0.1	
34	Stratification by age of onset with 30 years as age limit is an effective means of identifying PSORS1-associated psoriasis in patients with psoriatic arthritis. <i>Joint Bone Spine</i> , 2011 , 78, 581-3	2.9	8
33	HLA-DR17 is associated with enthesitis in psoriatic arthritis. <i>Joint Bone Spine</i> , 2011 , 78, 428-9	2.9	6
32	High-dose etanercept in ankylosing spondylitis: results of a 12-week randomized, double blind, controlled multicentre study (LOADET study). <i>Rheumatology</i> , 2011 , 50, 1828-37	3.9	29
31	Power Doppler ultrasonography assessment of entheses in spondyloarthropathies: response to therapy of enthesal abnormalities. <i>Journal of Rheumatology</i> , 2010 , 37, 2110-7	4.1	97
30	Comorbilidades en las espondiloartropatías. <i>Seminarios De La Fundación Española De Reumatología</i> , 2010 , 11, 89-93		
29	Determinants of psoriatic arthritis in patients with psoriasis. <i>Expert Review of Dermatology</i> , 2010 , 5, 67-77		2

28	Mutation analysis of the LCE3B/LCE3C genes in Psoriasis. <i>BMC Medical Genetics</i> , 2010 , 11, 45	2.1	22
27	Clinical expression, but not disease outcome, may vary according to age at disease onset in psoriatic spondylitis. <i>Joint Bone Spine</i> , 2008 , 75, 544-7	2.9	23
26	May some cases of intermittent hydrarthrosis represent an atypical form of calcium pyrophosphate dihydrate crystal deposition disease? Usefulness of mutational analysis of the MEFV gene. <i>Seminars in Arthritis and Rheumatism</i> , 2008 , 37, 269-70	5.3	1
25	¿Es útil el ejercicio en el tratamiento de la espondilitis anquilosante?. <i>Seminarios De La Fundación Española De Reumatología</i> , 2008 , 9, 96-104		2
24	L'expression clinique, contrairement aux paramètres génétiques, peut varier selon l'âge de début de la maladie dans le rhumatisme psoriasique. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008 , 75, 813-817	0.1	
23	PSORIASIS 696.1 2008 , 157-158		
22	An unexpectedly high frequency of MEFV mutations in patients with anti-citrullinated protein antibody-negative palindromic rheumatism. <i>Arthritis and Rheumatism</i> , 2007 , 56, 2784-8		47
21	MHC class I chain-related gene B (MICB) is associated with rheumatoid arthritis susceptibility. <i>Rheumatology</i> , 2007 , 46, 426-30	3.9	30
20	Association of intermittent hydrarthrosis with MEFV gene mutations. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2334-5		18
19	HLA-C locus alleles may modulate the clinical expression of psoriatic arthritis. <i>Arthritis Research and Therapy</i> , 2006 , 8, R185	5.7	37
18	Tratamientos en artritis reumatoide precoz. <i>Seminarios De La Fundación Española De Reumatología</i> , 2006 , 7, 38-46		
17	RS3PE syndrome: a clinical and immunogenetical study. <i>Rheumatology International</i> , 2004 , 24, 103-5	3.6	29
16	The effect of HLA-DR antigens on the susceptibility to, and clinical expression of psoriatic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 318-22	1.9	23
15	Successful therapy with low-dose colchicine in intermittent hydrarthrosis. <i>British Journal of Rheumatology</i> , 2003 , 42, 391-2		11
14	A polyarticular onset predicts erosive and deforming disease in psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 68-70	2.4	97
13	HLA antigens may influence the age of onset of psoriasis and psoriatic arthritis. <i>Journal of Rheumatology</i> , 2003 , 30, 505-7	4.1	37
12	Clinical features and predictive factors in psoriatic arthritis-related uveitis. <i>Seminars in Arthritis and Rheumatism</i> , 2002 , 31, 264-70	5.3	70
11	Psoriatic spondyloarthropathy: a comparative study between HLA-B27 positive and HLA-B27 negative disease. <i>Seminars in Arthritis and Rheumatism</i> , 2002 , 31, 413-8	5.3	62

10	C4 deficiency state in antiphospholipid antibody-related recurrent preeclampsia evolving into systemic lupus erythematosus. <i>Rheumatology International</i> , 2002 , 22, 126-8	3.6	6
9	Clinically asymptomatic axial disease in psoriatic spondyloarthropathy. A retrospective study. <i>Clinical Rheumatology</i> , 2002 , 21, 10-3	3.9	58
8	Successful treatment with low-dose weekly methotrexate in a case of undifferentiated spondyloarthropathy coexisting with cutaneous polyarteritis nodosa. <i>Clinical Rheumatology</i> , 2002 , 21, 304-5	3.9	16
7	Spectrum of psoriatic spondyloarthropathy in a cohort of 100 Spanish patients. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 857-8	2.4	4
6	Prevalence and predictors of cervical involvement in psoriatic spondyloarthropathy. <i>Journal of Clinical Rheumatology</i> , 2002 , 8, 23-9	1.1	13
5	Comparative analysis of psoriatic spondyloarthropathy between men and women. <i>Rheumatology International</i> , 2001 , 21, 66-8	3.6	35
4	Subclinical sacroiliitis in inflammatory bowel disease: a clinical and follow-up study. <i>Clinical Rheumatology</i> , 2000 , 19, 445-9	3.9	76
3	Haematogenous vertebral osteomyelitis in the elderly. <i>Clinical Rheumatology</i> , 2000 , 19, 344-7	3.9	40
2	Multiple painful bone cysts in a young man. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 346-9	2.4	7
1	Psoriatic arthropathy after BCG immunotherapy for bladder carcinoma. <i>Rheumatology</i> , 1995 , 34, 1097	3.9	10