

David A Carter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6424279/publications.pdf>

Version: 2024-02-01

96
papers

3,575
citations

230014

27
h-index

162838

57
g-index

98
all docs

98
docs citations

98
times ranked

3882
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular phenotyping of transient postnatal tyrosine hydroxylase neurons in the rat bed nucleus of the stria terminalis. <i>Journal of Chemical Neuroanatomy</i> , 2017, 82, 29-38.	1.0	4
2	Cellular distribution of Egr1 transcription in the male rat pituitary gland. <i>Journal of Molecular Endocrinology</i> , 2014, 53, 271-280.	1.1	5
3	Postnatal Dynamics of Zeb2 Expression in Rat Brain: Analysis of Novel 3' UTR Sequence Reveals a miR-9 Interacting Site. <i>Journal of Molecular Neuroscience</i> , 2014, 52, 138-147.	1.1	5
4	Neuronal expression of SOX2 is enriched in specific hypothalamic cell groups. <i>Journal of Chemical Neuroanatomy</i> , 2014, 61-62, 153-160.	1.0	24
5	A novel long-range enhancer regulates postnatal expression of Zeb2: implications for Mowat-Wilson syndrome phenotypes. <i>Human Molecular Genetics</i> , 2012, 21, 5429-5442.	1.4	26
6	Transcription Mapping of Embryonic Rat Brain Reveals EGR-1 Induction in SOX2+ Neural Progenitor Cells. <i>Frontiers in Molecular Neuroscience</i> , 2011, 4, 6.	1.4	21
7	Global daily dynamics of the pineal transcriptome. <i>Cell and Tissue Research</i> , 2011, 344, 1-11.	1.5	21
8	Selective Genomic Targeting by FRA-2/FOSL2 Transcription Factor. <i>Journal of Biological Chemistry</i> , 2011, 286, 15227-15239.	1.6	22
9	Pineal function: Impact of microarray analysis. <i>Molecular and Cellular Endocrinology</i> , 2010, 314, 170-183.	1.6	43
10	Enhanced tonic GABAA inhibition in typical absence epilepsy. <i>Nature Medicine</i> , 2009, 15, 1392-1398.	15.2	362
11	Night/Day Changes in Pineal Expression of >600 Genes. <i>Journal of Biological Chemistry</i> , 2009, 284, 7606-7622.	1.6	130
12	Pineal gland expression of the transcription factor Egr-1 is restricted to a population of glia that are distinct from nestin-immunoreactive cells. <i>Journal of Molecular Histology</i> , 2008, 39, 69-75.	1.0	3
13	A novel site of adult doublecortin expression: neuropeptide neurons within the suprachiasmatic nucleus circadian clock. <i>BMC Neuroscience</i> , 2008, 9, 2.	0.8	38
14	Rhythmic expression of an egr-1 transgene in rats distinguishes two populations of photoreceptor cells in the retinal outer nuclear layer. <i>Molecular Vision</i> , 2008, 14, 1176-86.	1.1	6
15	Rodent Anat: Intronic E-box sequences control tissue specificity but not rhythmic expression in the pineal gland. <i>Molecular and Cellular Endocrinology</i> , 2007, 270, 43-49.	1.6	15
16	Cellular transcriptomics – the next phase of endocrine expression profiling. <i>Trends in Endocrinology and Metabolism</i> , 2006, 17, 192-198.	3.1	10
17	Nucleus-Specific Abnormalities of GABAergic Synaptic Transmission in a Genetic Model of Absence Seizures. <i>Journal of Neurophysiology</i> , 2006, 96, 3074-3081.	0.9	72
18	A TASK3 Channel (KCNK9) Mutation in a Genetic Model of Absence Epilepsy. <i>Journal of Molecular Neuroscience</i> , 2005, 25, 037-052.	1.1	26

#	ARTICLE	IF	CITATIONS
19	Identification of Two Further Splice Variants of <I>GABABR1</I> Characterizes the Conserved Micro-Exon 4 as a Hot Spot for Regulated Splicing in the Rat Brain. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 099-108.	1.1	14
20	A Novel Pineal-specific Product of the Oligopeptide Transporter PepT1 Gene. <i>Journal of Biological Chemistry</i> , 2005, 280, 16851-16860.	1.6	32
21	Photic Stimulation Inhibits Growth Hormone Secretion in Rats: A Hypothalamic Mechanism for Transient Entrainment. <i>Endocrinology</i> , 2004, 145, 2950-2958.	1.4	19
22	Manipulating sorting signals to generate co-expression of somatostatin and eGFP in the regulated secretory pathway from a monocistronic construct. <i>Journal of Molecular Endocrinology</i> , 2004, 33, 523-532.	1.1	5
23	NGFI-B (Nurr77/Nr4a1) orphan nuclear receptor in rat pinealocytes: circadian expression involves an adrenergic-cyclic AMP mechanism. <i>Journal of Neurochemistry</i> , 2004, 91, 946-955.	2.1	38
24	Active genes dynamically colocalize to shared sites of ongoing transcription. <i>Nature Genetics</i> , 2004, 36, 1065-1071.	9.4	942
25	Comprehensive strategies to study neuronal function in transgenic animal models. <i>Biological Psychiatry</i> , 2004, 55, 785-788.	0.7	8
26	Mitogen-activated protein kinase phosphatase-1 (MKP-1): >100-fold nocturnal and norepinephrine-induced changes in the rat pineal gland. <i>FEBS Letters</i> , 2004, 577, 220-226.	1.3	27
27	Circadian dependency of nocturnal immediate-early protein induction in rat retina. <i>Biochemical and Biophysical Research Communications</i> , 2004, 320, 551-556.	1.0	20
28	Selecting candidate genes from DNA array screens: application to neuroscience. <i>Methods</i> , 2003, 31, 263-264.	1.9	4
29	Genetic Targeting. <i>Journal of Neurochemistry</i> , 2002, 73, 1343-1349.	2.1	36
30	Id-1 expression defines a subset of vimentin/S-100beta-positive, GFAP-negative astrocytes in the adult rat pineal gland. <i>The Histochemical Journal</i> , 2002, 34, 167-171.	0.6	15
31	Species- and tissue-specific physiological regulation of vasopressin mRNA poly(A) tail length. <i>Physiological Genomics</i> , 2001, 5, 1-9.	1.0	6
32	Genetic engineering of neural function in transgenic rodents: towards a comprehensive strategy?. <i>Journal of Neuroscience Methods</i> , 2001, 108, 111-130.	1.3	42
33	Optimisation of methods for selecting candidate genes from cDNA array screens: application to rat brain punches and pineal. <i>Journal of Neuroscience Methods</i> , 2001, 112, 173-184.	1.3	13
34	Nocturnal Light Pulses Selectively Induce Egr-1/NGFI-A Protein in Periventricular Hypophysiotrophic Somatostatinergic Neurons. <i>Journal of Molecular Neuroscience</i> , 2001, 17, 271-278.	1.1	9
35	Tissue-Specific Transgenic Knockdown of Fos-Related Antigen 2 (Fra-2) Expression Mediated by Dominant Negative Fra-2. <i>Molecular and Cellular Biology</i> , 2001, 21, 3704-3713.	1.1	51
36	The transactivation-competent carboxyl-terminal domain of AF-9 is expressed within a sexually dimorphic transcript in rat pituitary. <i>FASEB Journal</i> , 2000, 14, 1109-1116.	0.2	3

#	ARTICLE	IF	CITATIONS
37	Regulation of the synthesis and secretion of vasopressin. <i>Progress in Brain Research</i> , 1999, 119, 137-143.	0.9	12
38	Expression of a novel rat protein tyrosine phosphatase gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1442, 405-408.	2.4	8
39	Modulation of cellular AP-1 DNA binding activity by heat shock proteins. <i>FEBS Letters</i> , 1997, 416, 81-85.	1.3	23
40	Transcription of the vasoactive intestinal peptide gene in response to glucocorticoids: differential regulation of alternative transcripts is modulated by a labile protein in rat anterior pituitary. <i>Molecular and Cellular Endocrinology</i> , 1997, 130, 83-91.	1.6	7
41	Repression of vasopressin gene expression by glucocorticoids in transgenic mice: evidence of a direct mechanism mediated by proximal 5' flanking sequence. <i>Neuroscience</i> , 1997, 78, 1177-1185.	1.1	32
42	Trans-synaptic control of NGFI-A and jun-B expression: contrasting transcriptional and post-transcriptional mechanisms directed by common receptors. <i>Neuroscience Letters</i> , 1996, 206, 41-44.	1.0	6
43	Tonic suppression of adrenal AP-1 activity by glucocorticoids. <i>Molecular and Cellular Endocrinology</i> , 1996, 122, 151-158.	1.6	11
44	Circadian rhythms and autoregulatory transcription loops "going round in circles?". <i>Molecular and Cellular Endocrinology</i> , 1996, 124, 1-5.	1.6	7
45	RNAs encoded by a 3.5-kb bovine vasopressin gene construct are targeted to the neurohypophysis of transgenic mice. <i>Molecular Brain Research</i> , 1996, 42, 287-292.	2.5	5
46	In situ hybridization analysis of vasopressin mRNA expression in the mouse hypothalamus: Diurnal variation in the suprachiasmatic nucleus. <i>Journal of Chemical Neuroanatomy</i> , 1996, 12, 105-112.	1.0	7
47	Anterior pituitary vasoactive intestinal peptide mRNA is colocalised with prolactin mRNA in hyperoestrogenised rats. <i>Journal of Molecular Endocrinology</i> , 1996, 16, 211-220.	1.1	12
48	Expression of leukaemia inhibitory factor/cholinergic differentiation factor is linked to adrenoceptor stimulation. <i>Biochemical Society Transactions</i> , 1995, 23, 114S-114S.	1.6	8
49	Leukaemia Inhibitory Factor Expression in Cultured Rat Anterior Pituitary is Regulated by Glucocorticoids. <i>Journal of Neuroendocrinology</i> , 1995, 7, 623-628.	1.2	15
50	Bovine Oxytocin Transgenes in Mice. <i>Journal of Biological Chemistry</i> , 1995, 270, 27199-27205.	1.6	19
51	Over-expression of oxytocin in the testes of a transgenic mouse model. <i>Journal of Endocrinology</i> , 1994, 140, 53-62.	1.2	30
52	Cell Specific Expression of a Vasopressin Transgene in Rats. <i>Journal of Neuroendocrinology</i> , 1994, 6, 469-477.	1.2	54
53	Alternatively polyadenylated vasoactive intestinal peptide mRNAs are differentially regulated at the level of stability. <i>Molecular Endocrinology</i> , 1994, 8, 603-613.	3.7	15
54	Regulation of vasopressin gene expression: Changes in the level, but not the size, of vasopressin mRNA following endocrine manipulations. <i>Cellular and Molecular Neurobiology</i> , 1993, 13, 87-95.	1.7	19

#	ARTICLE	IF	CITATIONS
55	In vitro Regulation of Rat Prolactin Messenger Ribonucleic Acid Poly(A) Tail Length: Modulation by Bromocriptine. <i>Journal of Neuroendocrinology</i> , 1993, 5, 201-204.	1.2	9
56	Regulation of Vasopressin (VP) Gene Expression in the Bed Nucleus of the Stria Terminalis: Gonadal Steroid-Dependent Changes in VP mRNA Accumulation are Associated with Alterations in mRNA Poly (A) Tail Length but are Independent of the Rate of VP Gene Transcription. <i>Journal of Neuroendocrinology</i> , 1993, 5, 509-515.	1.2	20
57	Noradrenergic regulation of c-jun expression in the rat pineal gland in culture: positive and negative components. <i>European Journal of Pharmacology</i> , 1993, 247, 97-100.	2.7	4
58	Differential intracellular mechanisms mediate the co-ordinate induction of c-fos and jun-B in the rat pineal gland. <i>European Journal of Pharmacology</i> , 1993, 244, 285-291.	2.7	12
59	Neurohypophyseal peptides as regulators of growth and development. <i>Journal of Molecular Neuroscience</i> , 1993, 4, 11-19.	1.1	12
60	Collection of Fertilized One-Cell Mouse Eggs for Microinjection. , 1993, 18, 145-150.		0
61	Anesthetizing Mice. , 1993, 18, 135-136.		2
62	Preparation of Culture Media for Fertilized One-Cell Mouse Eggs. , 1993, 18, 141-144.		1
63	Acute down-regulation of oxytocin and vasopressin mRNA levels following metrazole-induced seizure in the rat. <i>Neuroscience Letters</i> , 1993, 160, 135-138.	1.0	7
64	Osmotic stimuli attenuate vasoactive intestinal peptide gene expression in the rat anterior pituitary gland. <i>Molecular and Cellular Endocrinology</i> , 1993, 92, 9-14.	1.6	3
65	Regulation of the extent of polyadenylation of vasopressin and growth hormone mRNAs in response to physiological stimuli. <i>Regulatory Peptides</i> , 1993, 45, 37-41.	1.9	10
66	The influence of interleukin-2 on vasopressin and oxytocin gene expression in the rodent hypothalamus. <i>Journal of Neuroimmunology</i> , 1993, 42, 131-138.	1.1	27
67	Extrahypothalamic Expression of the Vasopressin and Oxytocin Genes. <i>Annals of the New York Academy of Sciences</i> , 1993, 689, 91-106.	1.8	26
68	Establishing a Colony for Efficient Production of Transgenic Mice. , 1993, 18, 125-130.		0
69	Delivery of Microinjected Eggs to Surrogate Mothers by Oviduct Transfer. , 1993, 18, 169-176.		0
70	Introduction to Transgenesis. , 1993, 18, 3-6.		1
71	Transgenic Rodents and the Study of the Central Nervous System. , 1993, 18, 7-22.		3
72	An Overview of Transgenic Mouse Production. , 1993, 18, 111-114.		4

#	ARTICLE	IF	CITATIONS
73	Chapter 7 Neuropeptide gene expression in transgenic animals. Progress in Brain Research, 1992, 92, 77-96.	0.9	8
74	Transgenic approaches to modifying cell and tissue function. Current Opinion in Cell Biology, 1992, 4, 274-279.	2.6	11
75	Neurotransmitter-stimulated immediate-early gene responses are organized through differential post-synaptic receptor mechanisms. Molecular Brain Research, 1992, 16, 111-118.	2.5	40
76	Nuclear mechanisms mediate rhythmic changes in vasopressin mRNA expression in the rat supraoptic nucleus. Molecular Brain Research, 1992, 12, 315-321.	2.5	52
77	Decrease in hypothalamic vasopressin mRNA poly(A) tail length following physiological stimulation. Cellular and Molecular Neurobiology, 1992, 12, 557-567.	1.7	11
78	Transgenic approaches to modifying cell and tissue function. Current Biology, 1992, 2, 192.	1.8	0
79	Differential Use of 3' Poly(A) Addition Sites in Vasoactive Intestinal Peptide Messenger Ribonucleic Acid of the Rat Anterior Pituitary Gland. Journal of Neuroendocrinology, 1991, 3, 351-355.	1.2	20
80	Vasopressin and Oxytocin Gene Expression in Rat Testis*. Endocrinology, 1991, 128, 2118-2128.	1.4	92
81	Testicular Oxytocin Gene Expression in Seminiferous Tubules of Cattle and Transgenic Mice*. Endocrinology, 1991, 128, 2110-2117.	1.4	59
82	Rapid Changes in Poly (A) Tail Length of Vasopressin and Oxytocin mRNAs Form a Common Early Component of Neurohypophyseal Peptide Gene Activation following Physiological Stimulation. Neuroendocrinology, 1991, 53, 1-6.	1.2	65
83	The Origin and Regulation of Posterior Pituitary Vasopressin Ribonucleic Acid in Osmotically Stimulated Rats. Journal of Neuroendocrinology, 1990, 2, 329-334.	1.2	31
84	Regulation of c-fos and c-jun expression in the rat supraoptic nucleus. Cellular and Molecular Neurobiology, 1990, 10, 435-445.	1.7	58
85	Vasopressin Gene Expression in the Rodent Hypothalamus: Transcriptional and Posttranscriptional Responses to Physiological Stimulation. Molecular Endocrinology, 1990, 4, 1051-1059.	3.7	112
86	Dopaminergic Mediation of Physiological Changes in Proopiomelanocortin Messenger Ribonucleic Acid Expression in the Neurointermediate Lobe of the Rat Pituitary. Endocrinology, 1990, 126, 2960-2964.	1.4	24
87	Vasopressin mRNA in parvocellular neurons of the rat supraoptic nucleus exhibits increased poly(A) tail length following water deprivation. Neuroscience Letters, 1990, 109, 180-185.	1.0	16
88	Temporally defined induction of c-fos in the rat pineal. Biochemical and Biophysical Research Communications, 1990, 166, 589-594.	1.0	24
89	Cyclic nucleotide dynamics in the rat hypothalamus during osmotic stimulation: in vivo and in vitro studies. Brain Research, 1989, 487, 350-356.	1.1	68
90	Diurnal rhythm of vasopressin mRNA species in the rat supraoptic nucleus: independence of neuroendocrine modulation and maintenance in explant culture. Molecular Brain Research, 1989, 6, 233-239.	2.5	47

#	ARTICLE	IF	CITATIONS
91	Vasopressin RNA in the neural lobe of the pituitary: dramatic accumulation in response to salt loading.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 9002-9005.	3.3	85
92	Oxytocin Responses to Stress in Lactating and Hyperprolactinaemic Rats. Neuroendocrinology, 1987, 46, 532-537.	1.2	97
93	Neonatal Administration of a Specific Neuropeptide Y Antiserum Alters the Vasopressin Response to Haemorrhage and the Hypothalamic Content of Noradrenaline in Rats. Neuroendocrinology, 1987, 45, 507-509.	1.2	12
94	Comparative distribution and cardiovascular actions of substance P and substance K within the nucleus tractus solitarius of rats. Neuropeptides, 1986, 8, 295-304.	0.9	11
95	Cardio-respiratory actions of substance P, TRH and 5-HT in the nucleus tractus solitarius of rats: Evidence for functional interactions of neuropeptides and amine neurotransmitters. Neuropeptides, 1985, 6, 425-436.	0.9	60
96	The relationship between opiate concentration and cellular activity in the pars distalis and neurointermediate lobe of the eel pituitary. General and Comparative Endocrinology, 1980, 41, 225-232.	0.8	10