

Elzbieta Smolewska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6425089/elzbieta-smolewska-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

464
citations

9
h-index

21
g-index

47
ext. papers

577
ext. citations

3
avg, IF

3.43
L-index

#	Paper	IF	Citations
38	Functional Ability and Health-Related Quality of Life in Randomized Controlled Trials of Tocilizumab in Patients With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , 2021 , 73, 1264-1274	4.7	0
37	The effect of vitamin D3 and thyroid hormones on the capillaroscopy-confirmed microangiopathy in pediatric patients with a suspicion of systemic connective tissue disease-a single-center experience with Raynaud phenomenon. <i>Rheumatology International</i> , 2021 , 41, 1485-1493	3.6	
36	The Potential Importance of MicroRNAs as Novel Indicators How to Manage Patients with Juvenile Idiopathic Arthritis More Effectively. <i>Journal of Immunology Research</i> , 2021 , 2021, 9473508	4.5	1
35	Concentration of survivin in children with oligo- and polyarticular juvenile idiopathic arthritis (JIA): diagnostic and prognostic value-a single-center study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 40	5.7	1
34	How Does Endothelial Permeability Affect the Development of Juvenile Idiopathic Arthritis? Vascular Endothelial Cadherin as a Promising New Tool Helpful in the Diagnostic Process. <i>Disease Markers</i> , 2020 , 2020, 8899061	3.2	
33	Prefilled pen versus prefilled syringe: a pilot study evaluating two different methods of methotrexate subcutaneous injection in patients with JIA. <i>Pediatric Rheumatology</i> , 2020 , 18, 64	3.5	1
32	The impact of single nucleotide polymorphisms in ADORA2A and ADORA3 genes on the early response to methotrexate and presence of therapy side effects in children with juvenile idiopathic arthritis: Results of a preliminary study. <i>International Journal of Rheumatic Diseases</i> , 2020 , 23, 1505-1513	2.3	4
31	A complicated path to the CRMO diagnosis - case of a 9 year old girl whose story comes full circle. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 392	2.8	
30	Retrospective study of the course, treatment and long-term follow-up of Kawasaki disease: a single-center experience from Poland. <i>Rheumatology International</i> , 2019 , 39, 1069-1076	3.6	4
29	Long-term, interventional, open-label extension study evaluating the safety of tocilizumab treatment in patients with polyarticular-course juvenile idiopathic arthritis from Poland and Russia who completed the global, international CHERISH trial. <i>Clinical Rheumatology</i> , 2018 , 37, 1807-1816	3.9	5
28	From fibrosis to diagnosis: a paediatric case of microscopic polyangiitis and review of the literature. <i>Rheumatology International</i> , 2018 , 38, 683-687	3.6	1
27	The Polish version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , 2018 , 38, 315-321	3.6	
26	Subcutaneous golimumab for children with active polyarticular-course juvenile idiopathic arthritis: results of a multicentre, double-blind, randomised-withdrawal trial. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 21-29	2.4	64
25	Are We Right to Consider Mesenchymal Stem Cells to Be a New Perspective for Patients with Juvenile Idiopathic Arthritis?. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2018 , 66, 267-271	4	
24	Is it possible to predict a risk of osteoporosis in patients with juvenile idiopathic arthritis? A study of serum levels of bone turnover markers. <i>Acta Biochimica Polonica</i> , 2018 , 65, 297-302	2	2
23	Tocilizumab in the treatment of systemic-onset juvenile idiopathic arthritis - single-centre experience. <i>Reumatologia</i> , 2018 , 56, 279-284	1.7	6
22	A fresh look at angiogenesis in juvenile idiopathic arthritis. <i>Central-European Journal of Immunology</i> , 2018 , 43, 325-330	1.6	9

21	A Granulocyte-Specific Protein S100A12 as a Potential Prognostic Factor Affecting Aggressiveness of Therapy in Patients with Juvenile Idiopathic Arthritis. <i>Journal of Immunology Research</i> , 2018 , 2018, 5349837	4.5	4
20	Comparison of uveitis in the course of juvenile idiopathic arthritis with isolated uveitis in children - own experiences. <i>Reumatologia</i> , 2018 , 56, 149-154	1.7	1
19	In the Pursuit of Methotrexate Treatment Response Biomarker in Juvenile Idiopathic Arthritis-Are We Getting Closer to Personalised Medicine?. <i>Current Rheumatology Reports</i> , 2017 , 19, 19	4.9	9
18	Pharmacokinetic and safety profile of tofacitinib in children with polyarticular course juvenile idiopathic arthritis: results of a phase 1, open-label, multicenter study. <i>Pediatric Rheumatology</i> , 2017 , 15, 86	3.5	41
17	When a patient suspected with juvenile idiopathic arthritis turns out to be diagnosed with an infectious disease - a review of Lyme arthritis in children. <i>Pediatric Rheumatology</i> , 2017 , 15, 35	3.5	4
16	Kaleidoscope of autoimmune diseases in HIV infection. <i>Rheumatology International</i> , 2016 , 36, 1481-1491	3.6	25
15	Macrophages - silent enemies in juvenile idiopathic arthritis. <i>Postepy Higieny I Medycyny Doswiadczonej</i> , 2016 , 70, 743-50	0.3	6
14	The paediatric rheumatologist and orphan disease - a story without happy ending. <i>Reumatologia</i> , 2016 , 54, 141-5	1.7	
13	Nailfold capillaroscopy assessment of microcirculation abnormalities and endothelial dysfunction in children with primary or secondary Raynaud syndrome. <i>Clinical Rheumatology</i> , 2016 , 35, 1993-2001	3.9	7
12	Anti-MCV and anti-CCP antibodies-diagnostic and prognostic value in children with juvenile idiopathic arthritis (JIA). <i>Clinical Rheumatology</i> , 2016 , 35, 2699-2706	3.9	10
11	Efficacy and safety of tocilizumab in patients with polyarticular-course juvenile idiopathic arthritis: results from a phase 3, randomised, double-blind withdrawal trial. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1110-7	2.4	195
10	Influence of biologic therapy on growth in children with chronic inflammatory connective tissue diseases. <i>Reumatologia</i> , 2015 , 53, 14-20	1.7	2
9	Serum Angiogenesis Markers and Their Correlation with Ultrasound-Detected Synovitis in Juvenile Idiopathic Arthritis. <i>Journal of Immunology Research</i> , 2015 , 2015, 741457	4.5	9
8	Imbalance of Th17 and T-regulatory cells in peripheral blood and synovial fluid in treatment naïve children with juvenile idiopathic arthritis. <i>Central-European Journal of Immunology</i> , 2014 , 39, 71-6	1.6	8
7	Recurrent arterial and venous thrombosis in a 16-year-old boy in the course of primary antiphospholipid syndrome despite treatment with low-molecular-weight heparin: a case report. <i>Journal of Medical Case Reports</i> , 2013 , 7, 221	1.2	6
6	Vitamin D level in children with juvenile idiopathic arthritis and its correlation with clinical picture of the disease. <i>Reumatologia</i> , 2013 , 4, 271-276	1.7	4
5	Takayasu's arteritis mimicking Kawasaki disease in 7-month-old infant, successfully treated with glucocorticosteroids and intravenous immunoglobulins. <i>Rheumatology International</i> , 2012 , 32, 3655-9	3.6	6
4	Anticitrullinated protein antibodies and radiological progression in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 1078-87	4.1	9

3	Choroba Kawasaki u 11 dzieci [Charakterystyka przebiegu klinicznego i reakcji na leczenie oraz wyniki długofalowej obserwacji pacjentów]. <i>Pediatrica Polska</i> , 2011 , 86, 133-139	0.1	
2	Relationship between impaired apoptosis of lymphocytes and distribution of dendritic cells in peripheral blood and synovial fluid of children with juvenile idiopathic arthritis. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2008 , 56, 283-9	4	5
1	Inhibited apoptosis of synovial fluid lymphocytes in children with juvenile idiopathic arthritis is associated with increased expression of myeloid cell leukemia 1 and XIAP proteins. <i>Journal of Rheumatology</i> , 2006 , 33, 1684-90	4.1	12