

Nicolas Barreau

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6426082/nicolas-barreau-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

2,319
citations

27
h-index

42
g-index

128
ext. papers

2,681
ext. citations

4.2
avg, IF

4.97
L-index

#	Paper	IF	Citations
119	Carbon Dioxide Reduction to Methanol with a Molecular Cobalt-Catalyst-Loaded Porous Carbon Electrode Assisted by a CIGS Photovoltaic Cell**. <i>ChemPhotoChem</i> , 2021 , 5, 705-710	3.3	0
118	The path towards efficient wide band gap thin-film kesterite solar cells with transparent back contact for viable tandem application. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 219, 110824	6.4	7
117	Electronic Structure of the CdS/Cu(In,Ga)Se Interface of KF- and RbF-Treated Samples by Kelvin Probe and Photoelectron Yield Spectroscopy. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7745-7755	9.5	2
116	Epitaxial growth of CIGSe layers on GaP/Si(001) pseudo-substrate for tandem CIGSe/Si solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2021 , 233, 111385	6.4	1
115	Numerical modelling of the performance-limiting factors in CZGSe solar cells. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 385102	3	3
114	Sn Substitution by Ge: Strategies to Overcome the Open-Circuit Voltage Deficit of Kesterite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020 , 3, 5830-5839	6.1	18
113	Electrostatic potential fluctuations and light-soaking effects in Cu(In,Ga)Se ₂ solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2020 , 28, 919-934	6.8	6
112	Composition-Dependent Passivation Efficiency at the CdS/CuIn Ga Se Interface. <i>Advanced Materials</i> , 2020 , 32, e1907763	24	3
111	Propagation mechanism of reverse bias induced defects in Cu(In,Ga)Se ₂ solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 205, 110249	6.4	8
110	Detrimental copper-selenide bulk precipitation in CuIn _{1-x} Ga _x Se ₂ thin-film solar cells. A possible reason for the limited performance at large x?. <i>Thin Solid Films</i> , 2020 , 712, 138297	2.2	1
109	Improved CuGaSe ₂ absorber properties through a modified co-evaporation process. <i>Thin Solid Films</i> , 2020 , 709, 138224	2.2	6
108	Photocathode functionalized with a molecular cobalt catalyst for selective carbon dioxide reduction in water. <i>Nature Communications</i> , 2020 , 11, 3499	17.4	24
107	Influence of Sulfur Evaporation during or after KF-Post Deposition Treatment On Cu(In,Ga)Se/CdS Interface Formation. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 46953-46962	9.5	0
106	Layered Quaternary Compounds in the CuS-InS-GaS system. <i>Inorganic Chemistry</i> , 2020 , 59, 4546-4553	5.1	7
105	Wide band gap kesterite absorbers for thin film solar cells: potential and challenges for their deployment in tandem devices. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 2246-2259	5.8	11
104	17.2% efficiency CuIn _{1-x} Ga _x Se ₂ thin-film based mini-module thanks to alternative architecture yielding 81% fill factor. <i>EPJ Photovoltaics</i> , 2019 , 10, 4	0.7	
103	Effects of KF and RbF post deposition treatments on the growth of the CdS buffer layer on CIGS thin films - a comparative study. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 200, 109997	6.4	19

102	Back and front contacts in kesterite solar cells: state-of-the-art and open questions. <i>JPhys Energy</i> , 2019 , 1, 044005	4.9	40
101	Material Property Changes in Defects Caused by Reverse Bias Exposure of CIGS Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2019 , 9, 1868-1872	3.7	4
100	Defects characterization in thin films photovoltaics materials by correlated high-frequency modulated and time resolved photoluminescence: An application to Cu(In,Ga)Se ₂ . <i>Thin Solid Films</i> , 2019 , 669, 520-524	2.2	5
99	7.6% CZGSe Solar Cells Thanks to Optimized CdS Chemical Bath Deposition. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1800043	1.6	29
98	Positron Annihilation Studies on the Damp Heat Degradation of ZnO:Al Transparent Conductive Oxide Layers for CIGS Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2018 , 8, 1847-1851	3.7	6
97	Evolution and role of vacancy clusters at grain boundaries of ZnO:Al during accelerated degradation of Cu(In,Ga)Se ₂ solar cells revealed by positron annihilation. <i>Physical Review Materials</i> , 2018 , 2,	3.2	3
96	In Situ Monitoring of the Accelerated Performance Degradation of Solar Cells and Modules: A Case Study for Cu(In,Ga)Se ₂ Solar Cells. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	2
95	Crystal Chemistry, Optical-Electronic Properties, and Electronic Structure of CdInS Compounds (0 ≤ x ≤ 1), Potential Buffer in CIGS-Based Thin-Film Solar Cells. <i>Inorganic Chemistry</i> , 2018 , 57, 12624-12631	5.1	8
94	Temperature Dependence of the Internal Quantum Efficiency of Cu(In,Ga)Se ₂ -Based Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2018 , 8, 1868-1874	3.7	1
93	Chemical crystallographic investigation on Cu ₂ S-In ₂ S ₃ -Ga ₂ S ₃ ternary system. <i>Thin Solid Films</i> , 2018 , 665, 46-50	2.2	9
92	Impact of KF Post-Deposition Treatment on Aging of the Cu(In,Ga)Se ₂ Surface and Its Interface with CdS. <i>ACS Applied Energy Materials</i> , 2018 , 1, 2681-2688	6.1	9
91	In ₂ S ₃ for photovoltaic devices: investigation of the native point defects with ab initio first-principle calculations. <i>Theoretical Chemistry Accounts</i> , 2018 , 137, 1	1.9	8
90	Innovative approaches in thin-film photovoltaic cells 2018 , 595-632		
89	Stability of CIGS solar cells under illumination with damp heat and dry heat: A comparison. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 166, 262-268	6.4	13
88	Influence of Na on grain boundary and properties of Cu(In,Ga)Se ₂ solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2017 , 25, 367-375	6.8	22
87	Finding Relevant Parameters for the Thin-film Photovoltaic Cells Production Process with the Application of Data Mining Methods. <i>Molecular Informatics</i> , 2017 , 36, 1600161	3.8	5
86	High Efficiency Solar Cell Based on Full PVD Processed Cu(In,Ga)Se ₂ /CdIn ₂ S ₄ Heterojunction. <i>Solar Rrl</i> , 2017 , 1, 1700140	7.1	14
85	Notice of Removal: Co-evaporated KInSe ₂ : A fast alternative to KF post deposition treatment in high efficiency Cu(In,Ga)Se ₂ thin film solar cells 2017 ,		3

84	Evaluation of different buffer materials for solar cells with wide-gap $\text{Cu}_2\text{ZnGeSxSe}_4$ absorbers. <i>RSC Advances</i> , 2017 , 7, 40105-40110	3.7	23
83	KF post deposition treatment in co-evaporated $\text{Cu}(\text{In,Ga})\text{Se}_2$ thin film solar cells: Beneficial or detrimental effect induced by the absorber characteristics. <i>Progress in Photovoltaics: Research and Applications</i> , 2017 , 25, 1068-1076	6.8	45
82	Effect of ammonium sulfide treatments on the surface properties of $\text{Cu}_2\text{ZnSnSe}_4$ thin films. <i>Thin Solid Films</i> , 2017 , 633, 135-140	2.2	7
81	Theoretical investigation of CdIn_2S_4 : A possible substitute for CdS in $\text{CuIn}_{1-x}\text{Ga}_x\text{Se}_2$ -based photovoltaic devices. <i>Physical Review Materials</i> , 2017 , 1,	3.2	6
80	Stability of unpackaged CIGS solar cells under illumination with damp heat, dry heat and dry cold followed by cycling 2017 ,		1
79	Coevaporated KInSe_2 : A Fast Alternative to KF Postdeposition Treatment in High-Efficiency $\text{Cu}(\text{In,Ga})\text{Se}_2$ Thin Film Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2016 , 6, 1316-1320	3.7	40
78	Impact of Annealing-Induced Intermixing on the Electronic Level Alignment at the $\text{In}_2\text{S}_3/\text{Cu}(\text{In,Ga})\text{Se}_2$ Thin-Film Solar Cell Interface. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 2120-4	9.5	19
77	Influence of Mo/ MoSe_2 microstructure on the damp heat stability of the $\text{Cu}(\text{In,Ga})\text{Se}_2$ back contact molybdenum. <i>Thin Solid Films</i> , 2016 , 612, 381-392	2.2	11
76	The exposure of CIGS solar cells to different electrical biases in a damp-heat illumination environment 2016 ,		1
75	Damp heat related degradation mechanisms within CIGS solar cells 2016 ,		2
74	The effect of damp heat-illumination exposure on CIGS solar cells: A combined XRD and electrical characterization study. <i>Solar Energy Materials and Solar Cells</i> , 2016 , 157, 943-952	6.4	13
73	Influence of post-deposition selenium supply on $\text{Cu}(\text{In,Ga})\text{Se}_2$ -based solar cell properties. <i>Thin Solid Films</i> , 2015 , 582, 43-46	2.2	11
72	Persistent Photoconductivity in Polycrystalline $\text{Cu}(\text{In,Ga})\text{Se}_2$ Thin Films: Experiment Versus Theoretical Predictions. <i>IEEE Journal of Photovoltaics</i> , 2015 , 5, 1206-1211	3.7	14
71	The impact of alkali elements on the degradation of CIGS solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2015 , 23, 537-545	6.8	43
70	Effects of thickness variation on properties of ZnO:Al thin films grown by RF magnetron sputtering deposition. <i>Superlattices and Microstructures</i> , 2015 , 79, 148-155	2.8	43
69	Impact of DC-power during Mo back contact sputtering on the alkali distribution in $\text{Cu}(\text{In,Ga})\text{Se}_2$ -based thin film solar cells. <i>Thin Solid Films</i> , 2015 , 582, 304-307	2.2	11
68	Minimizing metastabilities in $\text{Cu}(\text{In,Ga})\text{Se}_2/(\text{CBD})\text{Zn}(\text{S,O,OH})/i\text{-ZnO}$ -based solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2015 , 23, 462-469	6.8	17
67	High excitation photoluminescence effects as a probing tool for the growth of $\text{Cu}(\text{In,Ga})\text{Se}_2$ 2015 ,		2

66	The impact of atmospheric species on the degradation of CIGS solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 141, 49-56	6.4	15
65	Degradation of CIGS solar cells due to the migration of alkali-elements 2015 ,		9
64	In-situ monitoring of the accelerated performance degradation of thin film solar cells 2015 ,		2
63	2015 ,		2
62	Influence of indium/gallium gradients on the Cu(In,Ga)Se ₂ devices deposited by the co-evaporation without recrystallisation. <i>Thin Solid Films</i> , 2015 , 582, 47-50	2.2	5
61	Structural properties of In ₂ Se ₃ precursor layers deposited by spray pyrolysis and physical vapor deposition for CuInSe ₂ thin-film solar cell applications. <i>Thin Solid Films</i> , 2015 , 587, 112-116	2.2	13
60	Nanostructuring and band gap emission enhancement of ZnO film via electrochemical anodization. <i>Thin Solid Films</i> , 2014 , 571, 168-174	2.2	13
59	Physical and chemical degradation behavior of sputtered aluminum doped zinc oxide layers for Cu(In,Ga)Se ₂ solar cells. <i>Thin Solid Films</i> , 2014 , 550, 530-540	2.2	36
58	Oxygen effect in radio frequency magnetron sputtered aluminium doped zinc oxide films. <i>Thin Solid Films</i> , 2014 , 562, 70-74	2.2	9
57	Influence of deposition pressure and selenisation on damp heat degradation of the Cu(In,Ga)Se ₂ back contact molybdenum. <i>Surface and Coatings Technology</i> , 2014 , 252, 157-167	4.4	15
56	Influence of the atmospheric species water, oxygen, nitrogen and carbon dioxide on the degradation of aluminum doped zinc oxide layers. <i>Thin Solid Films</i> , 2014 , 565, 149-154	2.2	19
55	The influence of atmospheric species on the degradation of aluminum doped zinc oxide and Cu(In,Ga)Se ₂ solar cells 2014 ,		1
54	Accelerated performance degradation of CIGS solar cell determined by in-situ monitoring 2014 ,		6
53	Influence of Mo back contact porosity on co-evaporated Cu(In,Ga)Se ₂ thin film properties and related solar cell. <i>Progress in Photovoltaics: Research and Applications</i> , 2013 , 21, 332-343	6.8	30
52	Microstructural characterization of chemical bath deposited and sputtered Zn(O,S) buffer layers. <i>Thin Solid Films</i> , 2013 , 535, 175-179	2.2	17
51	Composition and structural study of solution-processed Zn(S,O,OH) thin films grown using H ₂ O ₂ based deposition route. <i>Thin Solid Films</i> , 2013 , 535, 171-174	2.2	9
50	Recrystallization of Cu(In,Ga)Se ₂ thin films studied by X-ray diffraction. <i>Acta Materialia</i> , 2013 , 61, 4347-4353	4.3	36
49	Enhancement of near-band edge photoluminescence of ZnO film buffered with TiN. <i>Thin Solid Films</i> , 2013 , 538, 71-77	2.2	8

48	Surface Off-Stoichiometry of CuInS ₂ Thin-Film Solar Cell Absorbers. <i>IEEE Journal of Photovoltaics</i> , 2013 , 3, 828-832	3.7	2
47	Red-blue effect in Cu(In,Ga)Se ₂ -based devices revisited. <i>Thin Solid Films</i> , 2013 , 535, 302-306	2.2	22
46	Impact of maximum copper content during the 3-stage process on CdS thickness tolerance in Cu(In,Ga)Se ₂ -based solar cell. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1538, 33-38		
45	In-situ analysis of the degradation of Cu(In, Ga)Se ₂ solar cells 2013 ,		1
44	Structural and photoluminescence characterization of vertically aligned multiwalled carbon nanotubes coated with ZnO by magnetron sputtering. <i>Thin Solid Films</i> , 2012 , 520, 4816-4819	2.2	19
43	Investigation of intergrain compounds in sputtered Mo films applied in CuIn _{1-x} Ga _x Se ₂ -based solar cell. <i>Surface and Coatings Technology</i> , 2012 , 211, 29-32	4.4	12
42	Study of the electronic properties of wide band gap CIGSe solar cells: Influence of copper off-stoichiometry. <i>Journal of Non-Crystalline Solids</i> , 2012 , 358, 2428-2430	3.9	4
41	Atom probe study of Cu-poor to Cu-rich transition during Cu(In,Ga)Se ₂ growth. <i>Applied Physics Letters</i> , 2011 , 99, 232108	3.4	27
40	Systematic study of the complex structure of N1 Deep Level Transient Spectroscopy signal in Cu(In,Ga)Se ₂ based heterojunctions. <i>Thin Solid Films</i> , 2011 , 519, 7485-7488	2.2	11
39	Investigation of Cu(In,Ga)Se ₂ /In ₂ S ₃ diffuse interface by Raman scattering. <i>Thin Solid Films</i> , 2011 , 519, 7553-7555	2.2	14
38	Influence of Cu off-stoichiometry on wide band gap CIGSe solar cells. <i>Thin Solid Films</i> , 2011 , 519, 7228-7231		11
37	Photoluminescence as a tool for investigations of the junction region in Cu(In,Ga)Se ₂ -based solar cells. <i>Thin Solid Films</i> , 2011 , 519, 7328-7331	2.2	11
36	Influence of Ga content on defects in CuIn _x Ga _{1-x} Se ₂ based solar cell absorbers investigated by sub gap modulated photocurrent and admittance spectroscopy. <i>Thin Solid Films</i> , 2011 , 519, 7312-7316	2.2	7
35	Fast chemical bath deposition of Zn(O,S) buffer layers for Cu(In,Ga)Se ₂ solar cells. <i>Thin Solid Films</i> , 2011 , 519, 7575-7578	2.2	29
34	Re-investigation of preferential orientation of Cu(In,Ga)Se ₂ thin films grown by the three-stage process. <i>Progress in Photovoltaics: Research and Applications</i> , 2011 , 19, 527-536	6.8	48
33	Direct Synthesis of ZnO Nanowires on Nanopatterned Surface by Magnetron Sputtering. <i>Chemical Vapor Deposition</i> , 2011 , 17, 337-341		4
32	Nondestructive depth-resolved spectroscopic investigation of the heavily intermixed In ₂ S ₃ /Cu(In,Ga)Se ₂ interface. <i>Applied Physics Letters</i> , 2010 , 96, 184101	3.4	23
31	Characterization of (In _{1-x} Al _x) ₂ S ₃ thin films grown by co-evaporation. <i>Journal of Crystal Growth</i> , 2010 , 312, 502-506	1.6	11

30	Power and pressure effects upon magnetron sputtered aluminum doped ZnO films properties. <i>Thin Solid Films</i> , 2010 , 519, 5-10	2.2	67
29	Atom probe study of sodium distribution in polycrystalline Cu(In,Ga)Se ₂ thin film. <i>Acta Materialia</i> , 2010 , 58, 2634-2637	8.4	74
28	Recrystallization of CIGSe layers grown by three-step processes: A model based on grain boundary migration. <i>Acta Materialia</i> , 2010 , 58, 5572-5577	8.4	33
27	Buffer layers and transparent conducting oxides for chalcopyrite Cu(In,Ga)(S,Se) ₂ based thin film photovoltaics: present status and current developments. <i>Progress in Photovoltaics: Research and Applications</i> , 2010 , 18, 411-433	6.8	284
26	Characterization of indium sulfide thin films containing copper. <i>Materials Research Society Symposia Proceedings</i> , 2009 , 1165, 1		2
25	Bandgap properties of the indium sulfide thin-films grown by co-evaporation. <i>Thin Solid Films</i> , 2009 , 517, 2316-2319	2.2	48
24	Influence of absorber copper concentration on the Cu(In,Ga)Se ₂ /(PVD)In ₂ S ₃ and Cu(In,Ga)Se ₂ /(CBD)CdS based solar cells performance. <i>Thin Solid Films</i> , 2009 , 517, 2407-2410	2.2	12
23	Comparative study of Cu(In,Ga)Se ₂ /(PVD)In ₂ S ₃ and Cu(In,Ga)Se ₂ /(CBD)CdS heterojunction based solar cells by admittance spectroscopy, current-voltage and spectral response measurements. <i>Thin Solid Films</i> , 2009 , 517, 2423-2426	2.2	8
22	Indium sulfide and relatives in the world of photovoltaics. <i>Solar Energy</i> , 2009 , 83, 363-371	6.8	149
21	Electronic structure of Na _x Cu _{1-x} In ₅ S ₈ compounds: X-ray photoemission spectroscopy study and band structure calculations. <i>Physical Review B</i> , 2008 , 78,	3.3	6
20	Dependence of ZnO:Al properties on the substrate to target position in RF sputtering. <i>Thin Solid Films</i> , 2008 , 516, 7094-7097	2.2	23
19	Structural study and electronic band structure investigations of the solid solution Na _x Cu _{1-x} In ₅ S ₈ and its impact on the Cu(In,Ga)Se ₂ /In ₂ S ₃ interface of solar cells. <i>Thin Solid Films</i> , 2007 , 515, 6020-6023	2.2	10
18	Performance of CuIn _{1-x} Ga _x Se ₂ /(PVD)In ₂ S ₃ solar cells versus gallium content. <i>Thin Solid Films</i> , 2007 , 515, 6028-6031	2.2	10
17	Optical properties of PZT thin films deposited on a ZnO buffer layer. <i>Optical Materials</i> , 2007 , 29, 1871-1877	3.3	16
16	Influence of sodium compounds at the Cu(In,Ga)Se ₂ /(PVD)In ₂ S ₃ interface on solar cell properties. <i>Thin Solid Films</i> , 2007 , 515, 6076-6079	2.2	15
15	Analysis and optimization of thin film photovoltaic materials and device fabrication by real time spectroscopic ellipsometry 2007 , 6651, 89		3
14	A study of bulk Na _x Cu _{1-x} In ₅ S ₈ and its impact on the Cu(In,Ga)Se ₂ /In ₂ S ₃ interface of solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2006 , 90, 1840-1848	6.4	29
13	Optical properties of large band gap In ₂ S ₃ B _x O ₃ compounds obtained by physical vapour deposition. <i>Optical Materials</i> , 2005 , 27, 647-653	3.3	28

12	Improvement of the properties of commercial SnO ₂ by Cd treatment. <i>Thin Solid Films</i> , 2003 , 427, 386-390.	2	8
11	Evolution of the band structure of In ₂ S ₃ /xO ₃ buffer layer with its oxygen content. <i>Journal of Applied Physics</i> , 2003 , 93, 5456-5459	2.5	40
10	Band alignment at In ₂ S ₃ /TCO interface. <i>Applied Surface Science</i> , 2002 , 195, 222-228	6.7	25
9	Recent studies on In ₂ S ₃ containing oxygen thin films. <i>Solid State Communications</i> , 2002 , 122, 445-450	1.6	50
8	Study of low temperature elaborated tailored optical band gap In ₂ S ₃ /xO ₃ thin films. <i>Journal of Crystal Growth</i> , 2002 , 235, 439-449	1.6	54
7	Study of the new In ₂ S ₃ containing Na thin films Part I: Synthesis and structural characterization of the material. <i>Journal of Crystal Growth</i> , 2002 , 241, 4-14	1.6	43
6	Study of the new In ₂ S ₃ containing Na thin films. Part II: Optical and electrical characterization of thin films. <i>Journal of Crystal Growth</i> , 2002 , 241, 51-56	1.6	35
5	MoS ₂ textured films grown on glass substrates through sodium sulfide based compounds. <i>Journal Physics D: Applied Physics</i> , 2002 , 35, 1197-1204	3	19
4	Optical Properties of Wide Band Gap Indium Sulphide Thin Films Obtained by Physical Vapor Deposition. <i>Physica Status Solidi A</i> , 2001 , 184, 179-186		59
3	Characteristics of Photoconductive MoS ₂ Films Grown on NaCl Substrates by a Sequential Process. <i>Physica Status Solidi A</i> , 2001 , 187, 427-437		12
2	Physico-chemical characterization of In ₂ S ₃ thin films synthesized by solid-state reaction, induced by annealing, of the constituents sequentially deposited in thin layers. <i>Vacuum</i> , 2000 , 56, 101-106	3.7	31
1	Investigation of In ₂ S ₃ growth on different transparent conductive oxides. <i>Applied Surface Science</i> , 2000 , 161, 20-26	6.7	16