

Daniel Pineda-Tenor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/642770/publications.pdf>

Version: 2024-02-01

25
papers

337
citations

932766

10
h-index

839053

18
g-index

26
all docs

26
docs citations

26
times ranked

693
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship of vitamin D status with advanced liver fibrosis and response to hepatitis C virus therapy: A meta-analysis. <i>Hepatology</i> , 2014, 60, 1541-1550.	3.6	68
2	Biological variation and reference change values of common clinical chemistry and haematologic laboratory analytes in the elderly population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 851-862.	1.4	45
3	Vitamin D deficiency is associated with severity of liver disease in HIV/HCV coinfecting patients. <i>Journal of Infection</i> , 2014, 68, 176-184.	1.7	28
4	Mx1, OAS1 and OAS2 polymorphisms are associated with the severity of liver disease in HIV/HCV-coinfecting patients: A cross-sectional study. <i>Scientific Reports</i> , 2017, 7, 41516.	1.6	22
5	Relationship between ITPA polymorphisms and hemolytic anemia in HCV-infected patients after ribavirin-based therapy: a meta-analysis. <i>Journal of Translational Medicine</i> , 2015, 13, 320.	1.8	19
6	Extreme concentrations of high density lipoprotein cholesterol affect the calculation of low density lipoprotein cholesterol in the Friedewald formula and other proposed formulas. <i>Clinical Biochemistry</i> , 2011, 44, 1451-1456.	0.8	13
7	CXCL9, CXCL10 and CXCL11 polymorphisms are associated with sustained virologic response in HIV/HCV-coinfecting patients. <i>Journal of Clinical Virology</i> , 2014, 61, 423-429.	1.6	13
8	CXCL9 and CXCL11 polymorphisms are associated with liver fibrosis in patients with chronic hepatitis C: a cross-sectional study. <i>Clinical and Translational Medicine</i> , 2017, 6, 26.	1.7	13
9	Association of adiponectin (ADIPOQ) rs2241766 polymorphism and dyslipidemia in HIV/HCV-coinfecting patients. <i>European Journal of Clinical Investigation</i> , 2014, 44, 453-462.	1.7	12
10	IL7RA polymorphisms predict the CD4+ recovery in HIV patients on cART. <i>European Journal of Clinical Investigation</i> , 2015, 45, 1192-1199.	1.7	12
11	PPAR β Pro12Ala polymorphism was associated with favorable cardiometabolic risk profile in HIV/HCV coinfecting patients: a cross-sectional study. <i>Journal of Translational Medicine</i> , 2014, 12, 235.	1.8	11
12	Single Nucleotide Polymorphisms of CXCL9-11 Chemokines Are Associated With Liver Fibrosis in HIV/HCV-Coinfecting Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 68, 386-395.	0.9	11
13	Association between IL7R polymorphisms and severe liver disease in HIV/HCV coinfecting patients: a cross-sectional study. <i>Journal of Translational Medicine</i> , 2015, 13, 206.	1.8	10
14	The IL7RA rs6897932 polymorphism is associated with progression of liver fibrosis in patients with chronic hepatitis C: Repeated measurements design. <i>PLoS ONE</i> , 2018, 13, e0197115.	1.1	10
15	SLC30A8 rs13266634 polymorphism is related to a favorable cardiometabolic lipid profile in HIV/hepatitis C virus-coinfecting patients. <i>Aids</i> , 2014, 28, 1325-1332.	1.0	9
16	Soluble Adhesion Molecules in Patients Coinfecting with HIV and HCV: A Predictor of Outcome. <i>PLoS ONE</i> , 2016, 11, e0148537.	1.1	8
17	TLR3 polymorphisms are associated with virologic response to hepatitis C virus (HCV) treatment in HIV/HCV coinfecting patients. <i>Journal of Clinical Virology</i> , 2015, 65, 62-67.	1.6	6
18	Toll-like receptor 8 (TLR8) polymorphisms are associated with non-progression of chronic hepatitis C in HIV/HCV coinfecting patients. <i>Infection, Genetics and Evolution</i> , 2015, 36, 339-344.	1.0	6

#	ARTICLE	IF	CITATIONS
19	rs7903146 Polymorphism at <i>Transcription Factor 7 Like 2</i> Gene Is Associated with Total Cholesterol and Lipoprotein Profile in HIV/Hepatitis C Virus-Coinfected Patients. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 326-334.	0.5	5
20	<i>IL15</i> polymorphism is associated with advanced fibrosis, inflammation-related biomarkers and virological response in human immunodeficiency virus/hepatitis C virus coinfection. <i>Liver International</i> , 2016, 36, 1258-1266.	1.9	5
21	FTOrs9939609 polymorphism is associated with metabolic disturbances and response to HCV therapy in HIV/HCV-coinfected patients. <i>BMC Medicine</i> , 2014, 12, 198.	2.3	4
22	Relationship between European Mitochondrial Haplogroups and Chronic Renal Allograft Rejection in Patients with Kidney Transplant. <i>International Journal of Medical Sciences</i> , 2014, 11, 1129-1132.	1.1	3
23	Reply. <i>Hepatology</i> , 2015, 62, 1643-1643.	3.6	2
24	A proposed reference change value for an IgA anti-tissue transglutaminase immunoassay to improve interpretation of serial results in celiac patients. <i>Clinica Chimica Acta</i> , 2013, 421, 12-16.	0.5	1
25	Short Communication: <i>CXCL12</i> rs1029153 Polymorphism Is Associated with the Sustained Virological Response in HIV/Hepatitis C Virus-Coinfected Patients on Hepatitis C Virus Therapy. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 226-231.	0.5	0