

Vladimir M Mirsky

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6428097/vladimir-m-mirsky-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

3,613
citations

28
h-index

58
g-index

119
ext. papers

3,849
ext. citations

6
avg, IF

5.41
L-index

#	Paper	IF	Citations
116	Electrochemical reduction of thin graphene-oxide films in aqueous solutions [Restoration of conductivity. <i>Electrochimica Acta</i> , 2022 , 140046	6.7	0
115	A review of optical methods for ultrasensitive detection and characterization of nanoparticles in liquid media with a focus on the wide field surface plasmon microscopy.. <i>Analytica Chimica Acta</i> , 2022 , 1204, 339633	6.6	3
114	Electrical Control of the Receptor Affinity. <i>Engineering Proceedings</i> , 2021 , 6, 3	0.5	
113	Self-Assembled Monolayers from Symmetrical Di-Thiols: Preparation, Characterization and Application for the Assembly of Electrochemically Active Films. <i>Engineering Proceedings</i> , 2021 , 6, 17	0.5	
112	Electrocatalytic Chemical Sensor for Hydrogen Peroxide. <i>Engineering Proceedings</i> , 2021 , 6, 1	0.5	
111	Real time tracking of the early stage of electrochemical nucleation. <i>Electrochimica Acta</i> , 2021 , 382, 138278	0.5	3
110	Gold surface cleaning by etching polishing: Optimization of polycrystalline film topography and surface functionality for biosensing. <i>Surfaces and Interfaces</i> , 2021 , 22, 100818	4.1	2
109	Electrocatalytic Sensor for Hydrogen Peroxide Based on Immobilized Benzoquinone. <i>Electroanalysis</i> , 2021 , 33, 2062-2070	3	1
108	Electrochemical sensors between the academic world and harsh reality: a few thoughts on the past, present, and future. <i>Journal of Solid State Electrochemistry</i> , 2020 , 24, 2147-2149	2.6	1
107	Self-assembled monolayers from symmetrical di-thiols: Preparation, characterization and application for the assembly of electrochemically active films. <i>Applied Surface Science</i> , 2020 , 513, 145827	6.7	5
106	Poly-3-thienylboronic acid: a chemosensitive derivative of polythiophene. <i>Journal of Solid State Electrochemistry</i> , 2020 , 24, 3105-3111	2.6	2
105	Wide-Field Surface Plasmon Resonance Microscopy for In-Situ Characterization of Nanoparticle Suspensions 2018 , 61-105		3
104	Toward Ultrasensitive Surface Plasmon Resonance Sensors. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2018 , 409-448	2	4
103	Electrically controlled Michael addition: Addressing of covalent immobilization of biological receptors. <i>Biosensors and Bioelectronics</i> , 2018 , 121, 72-79	11.8	6
102	Electrochemical tuning of capacitive response of graphene oxide. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 22698-22709	3.6	9
101	The Role of Anion Adsorption in the Effect of Electrode Potential on Surface Plasmon Resonance Response. <i>ChemPhysChem</i> , 2017 , 18, 1552-1560	3.2	10
100	Ionic Referencing in Surface Plasmon Microscopy: Visualization of the Difference in Surface Properties of Patterned Monomolecular Layers. <i>Analytical Chemistry</i> , 2017 , 89, 3873-3878	7.8	9

99	Advanced wide-field surface plasmon microscopy of single adsorbing nanoparticles 2017 ,		2
98	Wide-field surface plasmon microscopy of nano- and microparticles: features, benchmarking, limitations, and bioanalytical applications 2017 ,		2
97	Amino-substituted Tröger base: electrochemical polymerization and characterization of the polymer film. <i>Electrochimica Acta</i> , 2017 , 224, 439-445	6.7	6
96	Detection of Single Sub-Micrometer Objects of Biological or Technical Origin Using Wide Field Surface Plasmon Microscopy. <i>Proceedings (mdpi)</i> , 2017 , 1, 788	0.3	
95	Virtual sensor array consisting of a single sensor element with variable affinity: An application for analysis of fish freshness. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 652-657	8.5	11
94	Electrically controlled variation of receptor affinity. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 7283-7	4.4	6
93	Plasmonic detection and visualization of directed adsorption of charged single nanoparticles to patterned surfaces. <i>Mikrochimica Acta</i> , 2016 , 183, 2837-2845	5.8	15
92	Influence of synthetic conditions on the structure and electrical properties of nanofibrous polyanilines and their nanofibrous carbonized forms. <i>Synthetic Metals</i> , 2016 , 214, 35-44	3.6	14
91	Computer assisted detection and quantification of single adsorbing nanoparticles by differential surface plasmon microscopy. <i>Mikrochimica Acta</i> , 2016 , 183, 101-109	5.8	23
90	Individual Detection and Electrochemically Assisted Identification of Adsorbed Nanoparticles by Using Surface Plasmon Microscopy. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7247-51	16.4	39
89	Einzelnachweis und elektrochemisch unterstützte Identifizierung adsorbierter Nanopartikel mit Oberflächenplasmonen-Mikroskopie. <i>Angewandte Chemie</i> , 2016 , 128, 7363-7367	3.6	6
88	Detection and Quantification of Single Engineered Nanoparticles in Complex Samples Using Template Matching in Wide-Field Surface Plasmon Microscopy. <i>Analytical Chemistry</i> , 2016 , 88, 10206-10214	7.8	23
87	Resistive gas sensors based on the composites of nanostructured carbonized polyaniline and Nafion. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 3061-3069	2.6	7
86	Binding of protein nanoparticles to immobilized receptors. <i>Sensors and Actuators B: Chemical</i> , 2015 , 208, 616-621	8.5	6
85	Self-referencing SPR-sensor based on integral measurements of light intensity reflected by arbitrarily distributed sensing and referencing spots. <i>Sensors and Actuators B: Chemical</i> , 2015 , 207, 740-747	8.5	22
84	Terahertz split-ring metamaterials as transducers for chemical sensors based on conducting polymers: a feasibility study with sensing of acidic and basic gases using polyaniline chemosensitive layer. <i>Mikrochimica Acta</i> , 2014 , 181, 1857-1862	5.8	14
83	Polyaniline doped with poly(acrylamidomethylpropanesulphonic acid): electrochemical behaviour and conductive properties in neutral solutions. <i>Chemical Papers</i> , 2013 , 67,	1.9	13
82	Quantitative turbidity assay for lipolytic enzymes in microtiter plates. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 8539-47	4.4	4

81	Electroanalytical measurements without electrolytes: conducting polymers as probes for redox titration in non-conductive organic media. <i>Analytica Chimica Acta</i> , 2012 , 744, 29-32	6.6	5
80	Self-referencing SPR-biosensors based on penetration difference of evanescent waves. <i>Biosensors and Bioelectronics</i> , 2011 , 28, 263-9	11.8	33
79	Polythiophene films on gold electrodes: a comparison of bulk and contact resistances in aqueous and organic media. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 2377-2382	2.6	5
78	Integrated electrochemical transistor as a fast recoverable gas sensor. <i>Analytica Chimica Acta</i> , 2011 , 687, 7-11	6.6	15
77	Chemiresistors based on conducting polymers: a review on measurement techniques. <i>Analytica Chimica Acta</i> , 2011 , 687, 105-13	6.6	70
76	Chemosensitive nanocomposite for conductometric detection of hydrazine and NADH. <i>Electrochimica Acta</i> , 2011 , 56, 3679-3684	6.7	12
75	Hydrogen sensor based on a graphene palladium nanocomposite. <i>Electrochimica Acta</i> , 2011 , 56, 3707-3712	6.7	145
74	Conducting Polymers as Artificial Receptors in Chemical Sensors 2010 , 361-390		2
73	Electroanalytical applications of nanocomposites from conducting polymers and metallic nanoparticles prepared by layer-by-layer deposition. <i>Pure and Applied Chemistry</i> , 2010 , 83, 345-358	2.1	14
72	Selectivity of Chemical Receptors 2010 , 17-65		
71	Combinatorial Development of Sensing Materials 2010 , 67-112		
70	Artificial Receptors Based on Spreader-Bar Systems 2010 , 319-332		
69	Quantitative Characterization of Affinity Properties of Immobilized Receptors 2010 , 1-15		1
68	Quantitative Affinity Data on Selected Artificial Receptors 2010 , 439-460		
67	Molecularly Imprinted Polymers as Artificial Receptors 2010 , 391-437		4
66	Electrochemical and spectroscopic properties of poly-4,4'-dialkoxy-2,2'-bipyrrroles. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 1035-1044	2.6	1
65	Voltammetric and conductometric behavior of nanocomposites of polyaniline and gold nanoparticles prepared by layer-by-layer technique. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 1261-1268	2.6	14
64	Electrocatalytically active nanocomposite from palladium nanoparticles and polyaniline: Oxidation of hydrazine. <i>Sensors and Actuators B: Chemical</i> , 2010 , 150, 271-278	8.5	79

63	Automated Layer-by-Layer Deposition of Polyelectrolytes in Flow Mode. <i>Macromolecular Materials and Engineering</i> , 2009 , 294, 441-444	3.9	6
62	Gas sensing properties of electrically conductive Cu(I) compounds at elevated temperatures. <i>Sensors and Actuators B: Chemical</i> , 2009 , 142, 446-450	8.5	6
61	Development of New Sensing Materials Using Combinatorial and High-Throughput Experimentation 2009 , 151-166		
60	Soluble neuropilin-2, a nerve repellent receptor, is increased in rheumatoid arthritis synovium and aggravates sympathetic fiber repulsion and arthritis. <i>Arthritis and Rheumatism</i> , 2009 , 60, 2892-901		52
59	The in situ structural characterization of the influenza A virus matrix M1 protein within a virion. <i>Protein and Peptide Letters</i> , 2009 , 16, 1407-13	1.9	17
58	Analytical applications of electrodes modified by gold nanoparticles: dopamine detection. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 2407-12	1.3	19
57	Combinatorial Development of Chemosensitive Conductive Polymers 2009 , 315-330		
56	Combinatorial Methods for Chemical and Biological Sensors: Outlook 2009 , 483-488		1
55	Introduction to Combinatorial Methods for Chemical and Biological Sensors 2009 , 3-24		4
54	Combinatorial and high-throughput development of sensing materials: the first 10 years. <i>Chemical Reviews</i> , 2008 , 108, 770-813	68.1	211
53	Noise reduction by multiple referencing in surface plasmon resonance imaging. <i>Review of Scientific Instruments</i> , 2008 , 79, 023110	1.7	23
52	Conducting polymers in chemical sensors and arrays. <i>Analytica Chimica Acta</i> , 2008 , 614, 1-26	6.6	701
51	Chemosensitive properties of electrically conductive Cu(I) compounds at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 839-842	8.5	4
50	Separated analysis of bulk and contact resistance of conducting polymers: Comparison of simultaneous two- and four-point measurements with impedance measurements. <i>Journal of Electroanalytical Chemistry</i> , 2008 , 622, 246-251	4.1	41
49	Anomalous adsorptive properties of HIV protease: indication of two-dimensional crystallization?. <i>Colloids and Surfaces B: Biointerfaces</i> , 2008 , 64, 145-9	6	3
48	Spreader-Bar Structures as Molecular Templates for Electrochemical Synthesis of Nanoparticles 2008 , 321-325		
47	Monomolecular films of phthalocyanines: formation, characterization, and expelling by alkanethiols. <i>Langmuir</i> , 2007 , 23, 4373-7	4	11
46	Surface plasmon resonance biosensor for enrofloxacin based on deoxyribonucleic acid. <i>Analytica Chimica Acta</i> , 2007 , 589, 1-5	6.6	24

45	SPR investigation of mercury reduction and oxidation on thin gold electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2007 , 605, 73-76	4.1	15
44	Enhancement of the detection power of surface plasmon resonance measurements by optimization of the reflection angle. <i>Analytical Chemistry</i> , 2007 , 79, 4233-6	7.8	21
43	Detection of antibiotics in food: extraction of fluoroquinolones by DNA. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 253-8	4.4	7
42	Electrochemistry and catalytic behavior of immobilized binuclear complexes of copper(II) and nickel(II) with Robson type ligand. <i>Journal of Solid State Electrochemistry</i> , 2007 , 11, 981-992	2.6	6
41	Procedure 15 Chemosistor for determination of mercury vapor. <i>Comprehensive Analytical Chemistry</i> , 2007 , e105-e109	1.9	
40	Capacitive detection in ultrathin chemosensors prepared by molecularly imprinted grafting photopolymerization. <i>Analytical Chemistry</i> , 2007 , 79, 3220-5	7.8	52
39	Chapter 12 Chemical sensors for mercury vapour. <i>Comprehensive Analytical Chemistry</i> , 2007 , 235-251	1.9	3
38	Electrocatalytic activity of DNA on electrodes as an indication of hybridisation. <i>Bioelectrochemistry</i> , 2006 , 68, 1-6	5.6	9
37	Conductometric transducing in electrocatalytical sensors: Detection of ascorbic acid. <i>Electrochemistry Communications</i> , 2006 , 8, 643-646	5.1	28
36	Chemosensitive properties of poly-4,4'-dialkoxy-2,2'-bipyrrroles. <i>Journal of Solid State Electrochemistry</i> , 2006 , 10, 185-191	2.6	22
35	Nanometer-thick SPR sensor for gaseous HCl. <i>Sensors and Actuators B: Chemical</i> , 2005 , 106, 369-372	8.5	32
34	Optical ozone-sensing properties of poly(2-chloroaniline), poly(N-methylaniline) and polyaniline films. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 528-534	8.5	24
33	Double-wavelength technique for surface plasmon resonance measurements: basic concept and applications for single sensors and two-dimensional sensor arrays. <i>Analytical Chemistry</i> , 2005 , 77, 2393-9	7.8	40
32	Size-controlled electrochemical synthesis of metal nanoparticles on monomolecular templates. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 6775-8	16.4	37
31	Grüנגesteuerte elektrochemische Synthese von Metallnanopartikeln auf molekularen Templaten. <i>Angewandte Chemie</i> , 2005 , 117, 6933-6936	3.6	1
30	Electropolymerized Multilayer Conducting Polymers with Response to Gaseous Hydrogen Chloride. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1099-1103	4.8	31
29	High-throughput analysis of bulk and contact conductance of polymer layers on electrodes. <i>Measurement Science and Technology</i> , 2005 , 16, 95-99	2	31
28	Equipment for combinatorial electrochemical polymerization and high-throughput investigation of electrical properties of the synthesized polymers. <i>Measurement Science and Technology</i> , 2004 , 15, 49-54 ²		41

27	Multiparameter High Throughput Characterization of Combinatorial Chemical Microarrays of Chemosensitive Polymers. <i>Macromolecular Rapid Communications</i> , 2004 , 25, 253-258	4.8	37
26	Electrostatic Potentials of Bilayer Lipid Membranes: Basic Principles and Analytical Applications. <i>Springer Series on Chemical Sensors and Biosensors</i> , 2004 , 255-291	2	11
25	Morphology of Electropolymerized Poly(N-Methylaniline) Films. <i>Mikrochimica Acta</i> , 2003 , 143, 147-153	5.8	10
24	Investigation of contact and bulk resistance of conducting polymers by simultaneous two- and four-point technique. <i>Sensors and Actuators B: Chemical</i> , 2003 , 94, 352-357	8.5	65
23	Covalent immobilization of oligonucleotides on electrodes. <i>Colloids and Surfaces B: Biointerfaces</i> , 2003 , 32, 157-162	6	18
22	A simple strategy for preparation of sensor arrays: molecularly structured monolayers as recognition elements. <i>Chemical Communications</i> , 2003 , 432-3	5.8	45
21	Application of Combinatorial Electropolymerization to the Development of Chemical Sensors. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 804, 121		
20	Combinatorial Electropolymerization: Concept, Equipment, and Applications 2003 , 431-446		7
19	A novel ultraviolet assay for testing side reactions of carbodiimides. <i>Analytical Biochemistry</i> , 2002 , 305, 135-8	3.1	28
18	New electroanalytical applications of self-assembled monolayers. <i>TrAC - Trends in Analytical Chemistry</i> , 2002 , 21, 439-450	14.6	103
17	Self-assembled monolayers as selective filters for chemical sensors. <i>Nanotechnology</i> , 2002 , 13, 175-178	3.4	26
16	Bimetallic Layers Increase Sensitivity of Affinity Sensors Based on Surface Plasmon Resonance. <i>Sensors</i> , 2002 , 2, 62-70	3.8	176
15	Detection of DNA hybridization with surface plasmon resonance biosensor: comparison of immobilization of oligonucleotides by ssDNA and dsDNA 2001 , 4414, 23		3
14	Impedometric herbicide chemosensors based on molecularly imprinted polymers. <i>Analytica Chimica Acta</i> , 2001 , 435, 157-162	6.6	118
13	Affinity sensors in non-equilibrium conditions: highly selective chemosensing by means of low selective chemosensors. <i>Sensors</i> , 2001 , 1, 13-17	3.8	9
12	Optimization of capacitive affinity sensors: drift suppression and signal amplification. <i>Analytica Chimica Acta</i> , 1999 , 392, 77-84	6.6	60
11	Localised Electrochemical Desorption of Gold Alkanethiolate Monolayers by Means of Scanning Electrochemical Microscopy (SECM). <i>Mikrochimica Acta</i> , 1999 , 131, 1-1	5.8	
10	Electrical Control of Alkanethiols Self-Assembly on a Gold Surface as an Approach for Preparation of Microelectrode Arrays. <i>Mikrochimica Acta</i> , 1999 , 131, 29-34	5.8	25

9	Spreader-bar-Technik in der Molekrchitektur: Bildung von kstlichen Rezeptoren. <i>Angewandte Chemie</i> , 1999 , 111, 1179-1181	3.6	10
8	A spreader-bar approach to molecular architecture: formation of stable artificial chemoreceptors. <i>Angewandte Chemie - International Edition</i> , 1999 , 38, 1108-10	16.4	93
7	Electropolymerized Molecularly Imprinted Polymers as Receptor Layers in Capacitive Chemical Sensors. <i>Analytical Chemistry</i> , 1999 , 71, 4609-4613	7.8	236
6	Capacitive Approach To Determine Phospholipase A(2) Activity toward Artificial and Natural Substrates. <i>Analytical Chemistry</i> , 1998 , 70, 3674-8	7.8	45
5	A minimal binding domain of the low density lipoprotein receptor family. <i>Biological Chemistry</i> , 1998 , 379, 1053-62	4.5	16
4	Capacitive monitoring of protein immobilization and antigen-antibody reactions on monomolecular alkylthiol films on gold electrodes. <i>Biosensors and Bioelectronics</i> , 1997 , 12, 977-89	11.8	244
3	Capacitive Detection of Surfactant Adsorption on Hydrophobized Gold Electrodes. <i>Langmuir</i> , 1996 , 12, 6059-6064	4	24
2	Effect of the lipid hydrolysis products on the phospholipase A2 action towards lipid monolayer. <i>Chemistry and Physics of Lipids</i> , 1994 , 70, 75-81	3.7	4
1	Electrostatic assay of phospholipase A activity: an application of the second harmonic method of monitoring membrane boundary potentials. <i>Journal of Proteomics</i> , 1990 , 21, 277-84		6