

Sokbom Kang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6428860/sokbom-kang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

3,606
citations

33
h-index

51
g-index

154
ext. papers

4,060
ext. citations

3.6
avg, IF

4.96
L-index

#	Paper	IF	Citations
146	How to manage synchronous endometrial and ovarian cancer patients?. <i>BMC Cancer</i> , 2021 , 21, 489	4.8	0
145	Is Korean society prepared for the financial burden of novel anticancer drugs? A survey of willingness to pay among National Health Insurance beneficiaries. <i>Supportive Care in Cancer</i> , 2021 , 29, 6681-6688	3.9	
144	Uptake of Family-Specific Mutation Genetic Testing Among Relatives of Patients with Ovarian Cancer with BRCA1 or BRCA2 Mutation. <i>Cancer Research and Treatment</i> , 2021 , 53, 207-211	5.2	1
143	The impact of depressive symptoms on health value in patients with gynecologic cancer: A comparison with physical symptoms and performance status. <i>Gynecologic Oncology</i> , 2020 , 157, 733-739	4.9	
142	Survival Effects of Cytoreductive Surgery for Refractory Patients after Neoadjuvant Chemotherapy in Advanced Epithelial Ovarian Cancer. <i>Yonsei Medical Journal</i> , 2020 , 61, 935-941	3	
141	Feasibility and efficacy of gonadotropin-releasing hormone agonists for the prevention of chemotherapy-induced ovarian insufficiency in patients with malignant ovarian germ cell tumours (KGOG 3048R). <i>European Journal of Cancer</i> , 2020 , 133, 56-65	7.5	1
140	Comparison of CA 125 alone and risk of ovarian malignancy algorithm (ROMA) in patients with adnexal mass: A multicenter study. <i>Current Problems in Cancer</i> , 2020 , 44, 100508	2.3	6
139	Prevalence of pathogenic variants in actionable genes in advanced ovarian cancer: a next-generation sequencing analysis of a nationwide registry study. <i>European Journal of Cancer</i> , 2020 , 141, 185-192	7.5	0
138	Glycolytic phenotypes in an evaluation of ovarian carcinoma based on carcinogenesis and BRCA mutation. <i>European Journal of Radiology</i> , 2020 , 133, 109391	4.7	1
137	Effect of addition of bevacizumab to chemoradiotherapy in newly diagnosed stage IVB cervical cancer: a single institution experience in Korea. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 764-771	3.5	2
136	Phase I/II clinical trial of modulated electro-hyperthermia treatment in patients with relapsed, refractory or progressive heavily treated ovarian cancer. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 832-838	2.8	6
135	Real-world effectiveness of bevacizumab based on AURELIA in platinum-resistant recurrent ovarian cancer (REBECA): A Korean Gynecologic Oncology Group study (KGOG 3041). <i>Gynecologic Oncology</i> , 2019 , 152, 61-67	4.9	16
134	Second primary colorectal cancer among endometrial cancer survivor: shared etiology and treatment sequelae. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 845-854	4.9	7
133	Gene Expression Signature-Based Prediction of Lymph Node Metastasis in Patients With Endometrioid Endometrial Cancer. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 260-266	3.5	3
132	Preoperative assessment of lymph node metastasis in endometrial cancer: A Korean Gynecologic Oncology Group study. <i>Cancer</i> , 2017 , 123, 263-272	6.4	19
131	Survival outcomes after extensive cytoreductive surgery and selective neoadjuvant chemotherapy according to institutional criteria in bulky stage IIIC and IV epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2017 , 28, e48	4	16
130	Role of preoperative magnetic resonance imaging and histological assessment in identifying patients with a low risk of endometrial cancer: a Korean Gynecologic Oncology Group ancillary study. <i>Oncotarget</i> , 2017 , 8, 106009-106016	3.3	4

129	Postoperative Lower Extremity Edema in Patients with Primary Endometrial Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 186-95	3.1	26
128	Uptake of risk-reducing salpingo-oophorectomy among female BRCA mutation carriers: experience at the National Cancer Center of Korea. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 333-40	4.8	22
127	Population attributable risks of modifiable reproductive factors for breast and ovarian cancers in Korea. <i>BMC Cancer</i> , 2016 , 16, 5	4.8	12
126	Comparison of Lower Extremity Edema in Locally Advanced Cervical Cancer: Pretreatment Laparoscopic Surgical Staging with Tailored Radiotherapy Versus Primary Radiotherapy. <i>Annals of Surgical Oncology</i> , 2016 , 23, 203-10	3.1	12
125	Health Behaviors and Associated Sociodemographic Factors in Cervical Cancer Survivors Compared with Matched Non-Cancer Controls. <i>PLoS ONE</i> , 2016 , 11, e0160682	3.7	7
124	The Effect of Breastfeeding Duration and Parity on the Risk of Epithelial Ovarian Cancer: A Systematic Review and Meta-analysis. <i>Journal of Preventive Medicine and Public Health</i> , 2016 , 49, 349-366	2.7	33
123	Incidence of epithelial ovarian cancer according to histologic subtypes in Korea, 1999 to 2012. <i>Journal of Gynecologic Oncology</i> , 2016 , 27, e5	4	31
122	Second Primary Cancer after Diagnosis and Treatment of Cervical Cancer. <i>Cancer Research and Treatment</i> , 2016 , 48, 641-9	5.2	13
121	Impact of lower limb lymphedema on quality of life in gynecologic cancer survivors after pelvic lymph node dissection. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 192, 31-6	2.4	43
120	Multi-dimensional TOF-SIMS analysis for effective profiling of disease-related ions from the tissue surface. <i>Scientific Reports</i> , 2015 , 5, 11077	4.9	9
119	Benefit of negative pressure drain within surgical wound after cytoreductive surgery for ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2015 , 25, 145-51	3.5	3
118	Major clinical research advances in gynecologic cancer in 2014. <i>Journal of Gynecologic Oncology</i> , 2015 , 26, 156-67	4	25
117	Controversies in the management of endometrial cancer: a survey of the Korean Gynecologic Oncology Group. <i>Journal of Gynecologic Oncology</i> , 2015 , 26, 277-83	4	12
116	Neoadjuvant chemotherapy for ovarian cancer: do we have enough evidence?. <i>Lancet, The</i> , 2015 , 386, 223-4	4.0	20
115	Survival outcome in endometrial cancer patients according to hereditary predisposition. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015 , 54, 24-8	1.6	5
114	Ligation of uterine vessels in total laparoscopic hysterectomy using Hem-o-lok clips. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015 , 54, 8-12	1.6	5
113	Tailoring lymphadenectomy according to the risk of lymph node metastasis in endometrial cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 317-21	1.9	8
112	Lower extremity edema in patients with early ovarian cancer. <i>Journal of Ovarian Research</i> , 2014 , 7, 28	5.5	22

111	Application of a subcutaneous negative pressure drain without subcutaneous suture: impact on wound healing in gynecologic surgery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 173, 94-100	2.4	5
110	Major clinical research advances in gynecologic cancer in 2013. <i>Journal of Gynecologic Oncology</i> , 2014 , 25, 236-48	4	25
109	Completeness of pedigree and family cancer history for ovarian cancer patients. <i>Journal of Gynecologic Oncology</i> , 2014 , 25, 342-8	4	7
108	Risk assessment of lymph node metastasis before surgery in endometrial cancer: do we need a clinical trial for low-risk patients?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 322-6	1.9	6
107	Proposal of a concept and design of a randomized phase III trial investigating the survival effect of para-aortic lymphadenectomy in endometrial cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 312-6	1.9	4
106	The cost-effectiveness of selective lymphadenectomy based on a preoperative prediction model in patients with endometrial cancer: insights from the US and Korean healthcare systems. <i>Gynecologic Oncology</i> , 2014 , 135, 518-24	4.9	8
105	Lymph node status did not significantly improve the predictability of survival in patients with clinically early-stage endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 1449-54 ^{2.5}		
104	A Web-based nomogram predicting para-aortic nodal metastasis in incompletely staged patients with endometrial cancer: a Korean Multicenter Study. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 513-9	3.5	12
103	Development and evaluation of the Korean version of the Gynecologic Cancer Lymphedema Questionnaire in gynecologic cancer survivors. <i>Gynecologic Oncology</i> , 2014 , 133, 111-6	4.9	13
102	The antihypertension drug doxazosin suppresses JAK/STATs phosphorylation and enhances the effects of IFN- γ -induced apoptosis. <i>Genes and Cancer</i> , 2014 , 5, 470-479	2.9	9
101	Thioridazine inhibits angiogenesis and tumor growth by targeting the VEGFR-2/PI3K/mTOR pathway in ovarian cancer xenografts. <i>Oncotarget</i> , 2014 , 5, 4929-34	3.3	42
100	A low-risk group for lymph node metastasis is accurately identified by Korean gynecologic oncology group criteria in two Japanese cohorts with endometrial cancer. <i>Gynecologic Oncology</i> , 2013 , 129, 33-7	4.9	23
99	The size of the metastatic lymph node is an independent prognostic factor for the patients with cervical cancer treated by definitive radiotherapy. <i>Radiotherapy and Oncology</i> , 2013 , 108, 168-73	5.3	24
98	Clinical significance of tumor volume in endometrial cancer: a Japan-Korea cooperative study. <i>Gynecologic Oncology</i> , 2013 , 131, 294-8	4.9	31
97	Brain metastasis in patients with uterine cervical cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 287-91	1.9	26
96	Cost-utility analysis for platinum-sensitive recurrent ovarian cancer therapy in South Korea: results of the polyethylene glycolated liposomal doxorubicin/carboplatin sequencing model. <i>ClinicoEconomics and Outcomes Research</i> , 2013 , 5, 297-307	1.7	5
95	Use of complex surgical procedures, patterns of tumor spread, and CA-125 predicts a risk of incomplete cytoreduction: a Korean Gynecologic Oncology Group study (KGOG-3022). <i>Gynecologic Oncology</i> , 2013 , 131, 336-40	4.9	7
94	Discrepancy between preoperative imaging and surgical findings in patients with advanced ovarian cancer: a study of initial false-negative lesions. <i>Journal of Computer Assisted Tomography</i> , 2013 , 37, 568-71 ²		7

93	Coexisting carcinoma in endometrial hyperplasia: does more risk factor mean better discrimination?. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 1-2	4	
92	Practice guidelines for the early detection of cervical cancer in Korea: Korean Society of Gynecologic Oncology and the Korean Society for Cytopathology 2012 edition. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 186-203	4	21
91	Incidence of cervical, endometrial, and ovarian cancer in Korea, 1999-2010. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 298-302	4	101
90	Serum HE4 level is an independent prognostic factor in epithelial ovarian cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1707-12	3.1	34
89	Urologic complications of laparoscopic radical hysterectomy and lymphadenectomy. <i>International Urogynecology Journal</i> , 2012 , 23, 1605-11	2	25
88	Thioridazine induces apoptosis by targeting the PI3K/Akt/mTOR pathway in cervical and endometrial cancer cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2012 , 17, 989-97 ^{5.4}		93
87	Preoperative identification of a low-risk group for lymph node metastasis in endometrial cancer: a Korean gynecologic oncology group study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1329-34	2.2	86
86	Association between the location of transposed ovary and ovarian function in patients with uterine cervical cancer treated with (postoperative or primary) pelvic radiotherapy. <i>Fertility and Sterility</i> , 2012 , 97, 1387-93.e1-2	4.8	67
85	Anti-angiogenic effects of thioridazine involving the FAK-mTOR pathway. <i>Microvascular Research</i> , 2012 , 84, 227-34	3.7	26
84	Phase II study of paclitaxel in combination with carboplatin for patients with recurrent or persistent uterine sarcoma. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 1529-35	2.5	6
83	Pelvic exenteration for recurrent cervical cancer: ten-year experience at National Cancer Center in Korea. <i>Journal of Gynecologic Oncology</i> , 2012 , 23, 242-50	4	32
82	How low is low enough? Evaluation of various risk-assessment models for lymph node metastasis in endometrial cancer: a Korean multicenter study. <i>Journal of Gynecologic Oncology</i> , 2012 , 23, 251-6	4	21
81	Outcomes and toxicities for the treatment of stage IVB cervical cancer. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 1685-93	2.5	13
80	Risk assessment tool for distant recurrence after platinum-based concurrent chemoradiation in patients with locally advanced cervical cancer: a Korean gynecologic oncology group study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2369-74	2.2	41
79	Correlation between body mass index and prevalence of hereditary nonpolyposis colorectal cancer in Korean patients with endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 267-72 ^{3.5}		4
78	Phase I clinical trial of alternating belotecan and oral etoposide in patients with platinum-resistant or heavily treated ovarian cancer. <i>Anti-Cancer Drugs</i> , 2012 , 23, 321-5	2.4	4
77	Performance of papanicolaou testing and detection of cervical carcinoma in situ in participants of organized cervical cancer screening in South Korea. <i>PLoS ONE</i> , 2012 , 7, e35469	3.7	8
76	Intraoperative image-guided surgery for ovarian cancer. <i>Quantitative Imaging in Medicine and Surgery</i> , 2012 , 2, 114-7	3.6	13

75	Korean epithelial ovarian cancer study (Ko-EVE): protocols and interim report. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 3731-40	1.7	3
74	Prediction of a high-risk group based on postoperative nadir CA-125 levels in patients with advanced epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2011 , 22, 269-74	4	4
73	The role of neoadjuvant chemotherapy in ovarian cancer patients with extensive tumor burden. <i>Journal of Gynecologic Oncology</i> , 2011 , 22, 299-300	4	2
72	Cervical adenocarcinoma in situ with negative conization margin: negligible or not?. <i>Journal of Gynecologic Oncology</i> , 2011 , 22, 1-2	4	1
71	Alteration in lipid and protein profiles of ovarian cancer: similarity to breast cancer. <i>International Journal of Gynecological Cancer</i> , 2011 , 21, 1566-72	3.5	21
70	Cyclooxygenase-2 is an independent predictor of poor prognosis in uterine leiomyosarcomas. <i>International Journal of Gynecological Cancer</i> , 2011 , 21, 668-72	3.5	9
69	Interaction between preoperative CA-125 level and survival benefit of neoadjuvant chemotherapy in advanced epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2011 , 120, 18-22	4.9	13
68	A gene signature-based approach identifies thioridazine as an inhibitor of phosphatidylinositol-3-kinase (PI3K)/AKT pathway in ovarian cancer cells. <i>Gynecologic Oncology</i> , 2011 , 120, 121-7	4.9	53
67	Extended cytoreduction of tumor at the porta hepatis by an interdisciplinary team approach in patients with epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2011 , 121, 253-7	4.9	26
66	Sentinel lymph node biopsy in endometrial cancer: meta-analysis of 26 studies. <i>Gynecologic Oncology</i> , 2011 , 123, 522-7	4.9	137
65	Anti-apoptotic protein TCTP controls the stability of the tumor suppressor p53. <i>FEBS Letters</i> , 2011 , 585, 29-35	3.8	100
64	Is neo-adjuvant chemotherapy a "waiver" of extensive upper abdominal surgery in advanced epithelial ovarian cancer?. <i>Annals of Surgical Oncology</i> , 2011 , 18, 3824-7	3.1	14
63	Region-based diagnostic performance of multidetector CT for detecting peritoneal seeding in ovarian cancer patients. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283, 353-60	2.5	11
62	Persistent human papillomavirus DNA is associated with local recurrence after radiotherapy of uterine cervical cancer. <i>International Journal of Cancer</i> , 2011 , 129, 896-902	7.5	25
61	Pelvic lymph node status assessed by 18F-fluorodeoxyglucose positron emission tomography predicts low-risk group for distant recurrence in locally advanced cervical cancer: a prospective study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 79, 788-93	4	13
60	Phase II study of belotecan (CKD 602) as a single agent in patients with recurrent or progressive carcinoma of uterine cervix. <i>Japanese Journal of Clinical Oncology</i> , 2011 , 41, 624-9	2.8	11
59	Role of extended chemotherapy in advanced ovarian cancer patients with high posttreatment serum CA-125 levels. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 72, 50-4	2.5	2
58	Comparison of the efficacy between topotecan- and belotecan-, a new camptothecin analog, based chemotherapies for recurrent epithelial ovarian cancer: a single institutional experience. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 86-93	1.9	11

57	Lower urinary tract injuries diagnosed after hysterectomy: seven-year experience at a cancer hospital. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 318-25	1.9	15
56	Feasibility and safety of extensive upper abdominal surgery in elderly patients with advanced epithelial ovarian cancer. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1034-40	4.7	10
55	Epidemiological characteristics of ovarian cancer in Korea. <i>Journal of Gynecologic Oncology</i> , 2010 , 21, 241-7	4	30
54	Diagnostic value of (18)F-FDG PET for evaluation of paraaortic nodal metastasis in patients with cervical carcinoma: a metaanalysis. <i>Journal of Nuclear Medicine</i> , 2010 , 51, 360-7	8.9	58
53	Hereditary non-polyposis colorectal cancer/Lynch syndrome in Korean patients with endometrial cancer. <i>Japanese Journal of Clinical Oncology</i> , 2010 , 40, 1121-7	2.8	21
52	Residual cancer stem cells after interval cytoreductive surgery following neoadjuvant chemotherapy could result in poor treatment outcomes for ovarian cancer. <i>Onkologie</i> , 2010 , 33, 324-30		53
51	The utility of multi-detector computed tomography in the diagnosis of malignant pleural effusion in the patients with ovarian cancer. <i>European Journal of Radiology</i> , 2010 , 75, 230-5	4.7	10
50	Prevalence and predictors of anxiety and depression among cervical cancer survivors in Korea. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 1017-24	3.5	43
49	Multidetector CT predictors of incomplete resection in primary cytoreduction of patients with advanced ovarian cancer. <i>European Radiology</i> , 2010 , 20, 100-7	8	22
48	Minimizing tumor burden by extensive cytoreductive surgery decreases postoperative venous thromboembolism in ovarian clear cell carcinoma. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 281, 329-34	3.5	17
47	Frequent promoter hypermethylation of TGFBI in epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2010 , 118, 58-63	4.9	40
46	Identification of a patient group at low risk for parametrial invasion in early-stage cervical cancer. <i>Gynecologic Oncology</i> , 2010 , 119, 426-30	4.9	25
45	Preoperative serum CA-125 levels and risk of suboptimal cytoreduction in ovarian cancer: a meta-analysis. <i>Journal of Surgical Oncology</i> , 2010 , 101, 13-7	2.8	53
44	Preoperative prediction model of lymph node metastasis in endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 1350-5	3.5	31
43	Role of high risk-human papilloma virus test in the follow-up of patients who underwent conization of the cervix for cervical intraepithelial neoplasia. <i>Journal of Gynecologic Oncology</i> , 2009 , 20, 86-90	4	14
42	Prognostic factors of secondary cytoreductive surgery for patients with recurrent epithelial ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2009 , 20, 101-6	4	21
41	Epstein-Barr virus-transformation of B-cell lines in ovarian cancer patients: feasibility of genomic storage for unlimited use. <i>Journal of Gynecologic Oncology</i> , 2009 , 20, 243-5	4	1
40	Clinical manifestations in patients with ovarian clear cell carcinoma with or without co-existing endometriosis. <i>Gynecological Endocrinology</i> , 2009 , 25, 435-40	2.4	16

39	The clinical significance of hepatic parenchymal metastasis in patients with primary epithelial ovarian cancer. <i>Gynecologic Oncology</i> , 2009 , 112, 28-34	4.9	53
38	Total colectomy as part of primary cytoreductive surgery in advanced Müllerian cancer. <i>Gynecologic Oncology</i> , 2009 , 114, 183-7	4.9	19
37	Natural history of persistent high-risk human papillomavirus infections in Korean women. <i>Gynecologic Oncology</i> , 2009 , 115, 75-80	4.9	28
36	Nadir CA-125 level is an independent prognostic factor in advanced epithelial ovarian cancer. <i>Journal of Surgical Oncology</i> , 2009 , 100, 244-7	2.8	17
35	BRCA1 and BRCA2 germline mutations in Korean ovarian cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 1593-9	4.9	43
34	Embryonic natural orifice transumbilical endoscopic surgery (E-NOTES) for adnexal tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2009 , 23, 2445-9	5.2	47
33	Unusual 2-[18F]-fluoro-2-deoxy-D-glucose accumulation induced by postoperative intestinocutaneous fistula in the patient with uterine cervical cancer and SLE. <i>Archives of Gynecology and Obstetrics</i> , 2009 , 280, 141-4	2.5	1
32	Phase I/IIa study of combination chemotherapy with CKD-602 and cisplatin in patients with recurrent epithelial ovarian cancer. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1171, 627-34	6.5	9
31	Hyperthermic intraperitoneal chemotherapy after extensive cytoreductive surgery in patients with primary advanced epithelial ovarian cancer: interim analysis of a phase II study. <i>Annals of Surgical Oncology</i> , 2009 , 16, 993-1000	3.1	44
30	Does neoadjuvant chemotherapy increase optimal cytoreduction rate in advanced ovarian cancer? Meta-analysis of 21 studies. <i>Annals of Surgical Oncology</i> , 2009 , 16, 2315-20	3.1	136
29	Additional value of MR/PET fusion compared with PET/CT in the detection of lymph node metastases in cervical cancer patients. <i>European Journal of Cancer</i> , 2009 , 45, 2103-9	7.5	93
28	Cross-cultural application of the Korean version of the European Organization for Research and Treatment of Cancer quality of life questionnaire cervical cancer module. <i>Oncology</i> , 2009 , 76, 190-8	3.6	18
27	The association of pre-conization high-risk HPV load and the persistence of HPV infection and persistence/recurrence of cervical intraepithelial neoplasia after conization. <i>Gynecologic Oncology</i> , 2008 , 108, 549-54	4.9	48
26	FAS -1377 G/A polymorphism and the risk of lymph node metastasis in cervical cancer. <i>Cancer Genetics and Cytogenetics</i> , 2008 , 180, 1-5		41
25	The validity of tumour diameter assessed by magnetic resonance imaging and gross specimen with regard to tumour volume in cervical cancer patients. <i>European Journal of Cancer</i> , 2008 , 44, 1524-8	7.5	26
24	Occult para-aortic lymph node metastasis after negative positron emission tomography/computed tomography scan. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5140; author reply 5140-1	2.2	6
23	Insulin-like growth factor-binding protein-5 (IGFBP-5) acts as a tumor suppressor by inhibiting angiogenesis. <i>Carcinogenesis</i> , 2008 , 29, 2106-11	4.6	47
22	Experiences of pretreatment laparoscopic surgical staging in patients with locally advanced cervical cancer: results of a prospective study. <i>Journal of Gynecologic Oncology</i> , 2008 , 19, 123-8	4	9

21	Allogeneic blood transfusion given before radiotherapy is associated with the poor clinical outcome in patients with cervical cancer. <i>Yonsei Medical Journal</i> , 2008 , 49, 993-1003	3	11
20	Interleukin-1 beta-511 polymorphism and risk of cervical cancer. <i>Journal of Korean Medical Science</i> , 2007 , 22, 110-3	4.7	25
19	Hypermethylation of the COX-2 gene is a potential prognostic marker for cervical cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , 2007 , 33, 236-41		19
18	Inverse correlation between RASSF1A hypermethylation, KRAS and BRAF mutations in cervical adenocarcinoma. <i>Gynecologic Oncology</i> , 2007 , 105, 662-6	4.9	52
17	Risk factors predicting residual disease in subsequent hysterectomy following conization for cervical intraepithelial neoplasia (CIN) III and microinvasive cervical cancer. <i>Gynecologic Oncology</i> , 2007 , 107, 39-44	4.9	35
16	The C19007T polymorphism of ERCC1 and its correlation with the risk of epithelial ovarian and endometrial cancer in Korean women. A case control study. <i>Gynecologic and Obstetric Investigation</i> , 2007 , 64, 84-8	2.5	14
15	The benefits of low anterior en bloc resection as part of cytoreductive surgery for advanced primary and recurrent epithelial ovarian cancer patients outweigh morbidity concerns. <i>Gynecologic Oncology</i> , 2006 , 103, 977-84	4.9	62
14	Comparison of DNA hypermethylation patterns in different types of uterine cancer: cervical squamous cell carcinoma, cervical adenocarcinoma and endometrial adenocarcinoma. <i>International Journal of Cancer</i> , 2006 , 118, 2168-71	7.5	75
13	RASSF1A hypermethylation and its inverse correlation with BRAF and/or KRAS mutations in MSI-associated endometrial carcinoma. <i>International Journal of Cancer</i> , 2006 , 119, 1316-21	7.5	33
12	Contrast-enhanced CT for differentiation of ovarian metastasis from gastrointestinal tract cancer: stomach cancer versus colon cancer. <i>American Journal of Roentgenology</i> , 2006 , 187, 741-5	5.4	25
11	MRI for pretreatment lymph node staging in uterine cervical cancer. <i>American Journal of Roentgenology</i> , 2006 , 187, W538-43	5.4	74
10	Association between excision repair cross-complementation group 1 polymorphism and clinical outcome of platinum-based chemotherapy in patients with epithelial ovarian cancer. <i>Experimental and Molecular Medicine</i> , 2006 , 38, 320-4	12.8	69
9	Elevation of cyclooxygenase-2 is related to lymph node metastasis in adenocarcinoma of uterine cervix. <i>Cancer Letters</i> , 2006 , 237, 305-11	9.9	14
8	CT findings of clear cell carcinoma of the ovary. <i>Journal of Computer Assisted Tomography</i> , 2006 , 30, 875-2		17
7	Overexpression of hTERT and c-erbB-2 are correlated in ovarian epithelial cancer. <i>Korean Journal of Gynecologic Oncology</i> , 2006 , 17, 142		
6	Polymorphism in the nuclear factor kappa-B binding promoter region of cyclooxygenase-2 is associated with an increased risk of bladder cancer. <i>Cancer Letters</i> , 2005 , 217, 11-6	9.9	51
5	Promoter polymorphism in the matrix metalloproteinase-1 and risk of cervical cancer in Korean women. <i>Cancer Letters</i> , 2005 , 217, 191-6	9.9	13
4	Polymorphism in folate- and methionine-metabolizing enzyme and aberrant CpG island hypermethylation in uterine cervical cancer. <i>Gynecologic Oncology</i> , 2005 , 96, 173-80	4.9	95

3	Cyclin D1 polymorphism and the risk of endometrial cancer. <i>Gynecologic Oncology</i> , 2005 , 97, 431-5	4.9	18
2	Single nucleotide polymorphism: a new risk factor for endometrial cancer?. <i>Future Oncology</i> , 2005 , 1, 323-30	3.6	12
1	Feasibility of radical surgery in the management of elderly patients with uterine cervical cancer in Korea. <i>Gynecologic and Obstetric Investigation</i> , 2005 , 59, 165-70	2.5	10