
Tiew-Hwa Katherine Teng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6430325/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Regional and ethnic differences among patients with heart failure in Asia: the Asian sudden cardiac death in heart failure registry. European Heart Journal, 2016, 37, 3141-3153.	2.2	144
2	Multimorbidity in patients with heart failure from 11 Asian regions: A prospective cohort study using the ASIAN-HF registry. PLoS Medicine, 2018, 15, e1002541.	8.4	97
3	Trends From 1996 to 2007 in Incidence and Mortality Outcomes of Heart Failure After Acute Myocardial Infarction: A Populationâ€Based Study of 20Â812 Patients With First Acute Myocardial Infarction in Western Australia. Journal of the American Heart Association, 2013, 2, e000172.	3.7	85
4	Heart Failure. Circulation: Heart Failure, 2010, 3, 236-243.	3.9	83
5	Association of Diabetes Mellitus on Cardiac Remodeling, Quality of Life, and Clinical Outcomes in Heart Failure With Reduced and Preserved Ejection Fraction. Journal of the American Heart Association, 2019, 8, e013114.	3.7	69
6	Association of obesity with heart failure outcomes in 11 Asian regions: A cohort study. PLoS Medicine, 2019, 16, e1002916.	8.4	64
7	A validation study: how effective is the Hospital Morbidity Data as a surveillance tool for heart failure in Western Australia?. Australian and New Zealand Journal of Public Health, 2008, 32, 405-407.	1.8	62
8	Regional Variation of Mortality in Heart Failure With Reduced and Preserved Ejection Fraction Across Asia: Outcomes in the ASIANâ€HF Registry. Journal of the American Heart Association, 2020, 9, e012199.	3.7	55
9	A systematic review of air pollution and incidence of out-of-hospital cardiac arrest. Journal of Epidemiology and Community Health, 2014, 68, 37-43.	3.7	54
10	Current and projected burden of heart failure in the Australian adult population: a substantive but still ill-defined major health issue. BMC Health Services Research, 2016, 16, 501.	2.2	52
11	Microvascular Disease in Patients With Diabetes With Heart Failure and Reduced Ejection Versus Preserved Ejection Fraction. Diabetes Care, 2019, 42, 1792-1799.	8.6	52
12	Statin associated lower cancer risk and related mortality in patients with heart failure. European Heart Journal, 2021, 42, 3049-3059.	2.2	40
13	Disparity Between Indications for and Utilization of Implantable Cardioverter Defibrillators in Asian Patients With Heart Failure. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	38
14	Understanding Heart Failure With Mid-Range Ejection Fraction â^—. JACC: Heart Failure, 2016, 4, 473-476.	4.1	36
15	Impact of diabetes and sex in heart failure with reduced ejection fraction patients from the ASIANâ€HF registry. European Journal of Heart Failure, 2019, 21, 297-307.	7.1	36
16	Rural–urban differentials in 30-day and 1-year mortality following first-ever heart failure hospitalisation in Western Australia: a population-based study using data linkage. BMJ Open, 2014, 4, e004724.	1.9	35
17	Incidence of first heart failure hospitalisation and mortality in Aboriginal and non-Aboriginal patients in Western Australia, 2000–2009. International Journal of Cardiology, 2014, 173, 110-117.	1.7	34
18	Factors contributing to delayed diagnosis of cancer among Aboriginal people in Australia: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010909.	1.9	33

#	Article	IF	CITATIONS
19	Multinational and multiethnic variations in health-related quality of life in patients with chronic heart failure. American Heart Journal, 2017, 191, 75-81.	2.7	31
20	Trends in long-term cardiovascular mortality and morbidity in men and women with heart failure of ischemic versus non-ischemic aetiology in Western Australia between 1990 and 2005. International Journal of Cardiology, 2012, 158, 405-410.	1.7	29
21	Ethnic differences in atrial fibrillation in patients with heart failure from Asia-Pacific. Heart, 2019, 105, 842-847.	2.9	22
22	The effect of evidenceâ€based medication use on longâ€ŧerm survival in patients hospitalised for heart failure in Western Australia. Medical Journal of Australia, 2010, 192, 306-310.	1.7	21
23	Atrial fibrillation in the Indigenous populations of Australia, Canada, New Zealand, and the United States: a systematic scoping review. BMC Cardiovascular Disorders, 2015, 15, 87.	1.7	19
24	The 3A3B score: The simple risk score for heart failure with preserved ejection fraction - A report from the CHART-2 Study. International Journal of Cardiology, 2019, 284, 42-49.	1.7	19
25	Different relationships between pulse pressure and mortality in heart failure with reduced, mid-range and preserved ejection fraction. International Journal of Cardiology, 2018, 254, 203-209.	1.7	14
26	Socioeconomic Status and Outcomes in Heart Failure With Reduced Ejection Fraction From Asia. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e006962.	2.2	13
27	Mild Anaemia is Associated with Increased All-cause Mortality in Heart Failure. Heart Lung and Circulation, 2010, 19, 31-37.	0.4	11
28	A cohort study: temporal trends in prevalence of antecedents, comorbidities and mortality in Aboriginal and non-Aboriginal Australians with first heart failure hospitalization, 2000–2009. International Journal for Equity in Health, 2015, 14, 66.	3.5	11
29	Chronic obstructive pulmonary disease and βâ€blocker treatment in Asian patients with heart failure. ESC Heart Failure, 2018, 5, 297-305.	3.1	11
30	Comparison of medication adherence measures derived from linked administrative data and associations with mortality using restricted cubic splines in heart failure patients. Pharmacoepidemiology and Drug Safety, 2020, 29, 208-218.	1.9	11
31	Patientâ€reported outcomes in heart failure with preserved vs. reduced ejection fraction: focus on physical independence. ESC Heart Failure, 2020, 7, 2051-2062.	3.1	9
32	Long-term use of secondary prevention medications for heart failure in Western Australia: a protocol for a population-based cohort study. BMJ Open, 2016, 6, e014397.	1.9	8
33	Sex differences in efficacy of pharmacological therapies in heart failure with reduced ejection fraction: a metaâ€analysis. ESC Heart Failure, 2022, 9, 2753-2761.	3.1	7
34	Patterns of Medicare-funded primary health and specialist consultations in Aboriginal and non-Aboriginal Australians in the two years before hospitalisation for ischaemic heart disease. International Journal for Equity in Health, 2018, 17, 111.	3.5	6
35	Ethnic differences in atrial fibrillation among patients with heart failure in Asia. ESC Heart Failure, 2020, 7, 1419-1429.	3.1	6
36	Readmissions, Death and Its Associated Predictors in Heart Failure With Preserved Versus Reduced Ejection Fraction. Journal of the American Heart Association, 2021, 10, e021414.	3.7	6

#	Article	IF	CITATIONS
37	Minding the Gap in Heart Failure. JACC: Heart Failure, 2016, 4, 50-54.	4.1	5
38	Long-Term Adherence to Renin–Angiotensin System Inhibitors and β-Blockers After Heart Failure Hospitalization in Senior Patients. Journal of Cardiovascular Pharmacology and Therapeutics, 2020, 25, 531-540.	2.0	5
39	Clinical correlates and pharmacological management of Asian patients with concomitant diabetes mellitus and heart failure. Heart Failure Reviews, 2018, 23, 461-468.	3.9	4
40	Potassium abnormalities in patients with heart failure from 11 Asian regions: insights from the ASIANâ€HF registry. European Journal of Heart Failure, 2020, 22, 751-754.	7.1	4
41	Association between body surface area and prescribed doses of guidelineâ€directed medications among international patients with heart failure and reduced ejection fraction. European Journal of Heart Failure Failure, 2020, 22, 754-758.	7.1	4
42	The diabetes-atrial fibrillation paradox. Heart, 2019, 105, 893.1-893.	2.9	3
43	Electroanatomic Ratios and Mortality in Patients With Heart Failure: Insights from the ASIANâ€HF Registry. Journal of the American Heart Association, 2021, 10, e017932.	3.7	3
44	Statin is Associated With Lower Cancer Risk and Cancer Related Mortality in Patients With Heart Failure: A Territory-Wide Study. SSRN Electronic Journal, 0, , .	0.4	1